

14

MORE ON CONTROLS

Includes Demonstration Program Controls3

Introduction

Chapter 7 — Introduction to Controls introduced the subject of controls and addressed the basic controls (push buttons, checkboxes, radio buttons, scroll bars, and pop-up menu buttons), primary group boxes (test title variant) and user panes. This chapter revisits group boxes and user panes and addresses the many remaining controls, all but one of which were introduced with Mac OS 8 and the Appearance Manager.

The controls addressed in this chapter are as follows:

Bevel button	Image well	Tab	Edit text	Slider
Group boxes	Clock	Progress indicator	Little arrows	Disclosure triangle
Picture	Icon	Window header	Placard	Static text
Separator line	Pop-up arrow	Radio Group	Asynchronous arrows	User pane
Scrolling Text Box	(introduced with Mac OS 8.5)			

The one remaining control (the list box) will be addressed at Chapter 20 — Lists and Custom List Definition Functions.

The progress indicator will be described in this chapter and the indeterminate variant demonstrated in the associated demonstration program. However, because the use of the determinate variant is ordinarily associated with the matter of scanning for a Command-period event, the demonstration of that particular variant has been held over to the demonstration program associated with Chapter 23 — Miscellany.

Preamble — Review of Control Basics

Recall from Chapter 7 that:

- Control definition functions (**CDEFs**) determine the appearance and behaviour of controls.
- Two new features introduced with Mac OS 8 and the Appearance Manager were **embedding** and **latency**. Embedding hierarchies have implications for drawing order and hit testing.

- Another feature introduced with Mac OS 8 and the Appearance Manager was read and write access to the various attributes of a control. Each piece of information that a particular CDEF allows access to is referenced by a control data tag. **Control data tag constants** are passed in the `inTagName` parameter of the getter and setter functions `SetControlData` and `GetControlData`.
- `FindControl` is used to determine whether a mouse-down event occurred in a control and, if so, which control. `FindControl` returns a **control part code** identifying the part of the control in which the mouse-down occurred. `kControlNoPart` (0) is returned if the mouse-down occurred where no enabled control exists. `TrackControl` OR `HandleControlClick` are used to handle user interaction with a control as long as the user holds the mouse button down. These two functions return `kControlNoPart` if the cursor is outside the control or control part when the mouse button is released or the relevant control part code if the user releases the mouse button while the cursor is still inside the control or control part.
- The font for any control can be set independently of the system or window font.
- The pop-up menu button differs from the other basic controls in that the control's **initial**, **minimum**, and **maximum** values do not actually represent initial, minimum and maximum values as such. For example, the minimum value field of the 'CNTL' resource for a pop-up button is used to specify the resource ID of the 'MENU' resource utilised by the control.

The use of the initial, minimum, and maximum fields for purposes other than control values as such also applies to most of the controls addressed in this chapter.

More on Embedding

As stated at Chapter 8 — Dialogs and Alerts, if the `kDialogFlagsUseControlHierarchy` feature bit is set in a dialog's 'dlgx' resource, the Dialog Manager creates a root control in the dialog box and establishes an embedding hierarchy.

The Dialog Manager uses `AutoEmbedControl` to position dialog items in an embedding hierarchy based on both visual containment and the order of the items in the item list. As items are added to a dialog box during creation, controls that already exist in the window will be containers for new controls if they both visually contain the control and are themselves embedder controls. For this reason, you should place the largest embedder controls at the beginning of the item list. As an example, the Dialog Manager will automatically embed radio buttons in a group box if, firstly, the radio buttons visually "fit" inside the group box and, secondly, the group box precedes the radio buttons in the item list.

Control Descriptions

In the following, those control types and constants introduced with Mac OS 8.5 appear on a dark gray background.

Bevel Buttons

A bevel button is a rectangular control with a bevelled edge which can include text, an icon, a picture, or a combination of text and an icon or picture. Bevel buttons mimic the behaviour of other button types: they can behave like push buttons; in sets, they can behave like radio buttons or checkboxes; if a menu is attached, they behave like pop-up menu buttons. Typical bevel buttons are shown at Fig 1.




FIG 1 - TYPICAL BEVEL BUTTONS

Variants and Control Definition IDs

The bevel button CDEF resource ID is 2. The six available variants and their control definition IDs are as follows:

Variant	Var Code	Control Definition ID	
With small (2 pixel wide) bevel. (Pop-up menu, if any, below.)	0	32	kControlBevelButtonSmallBevelProc
With medium (3 pixel wide) bevel. (Pop-up menu, if any, below.)	1	33	kControlBevelButtonNormalBevelProc
With large (4 pixel wide) bevel. (Pop-up menu, if any, below.)	2	34	kControlBevelButtonLargeBevelProc
With small (2 pixel wide) bevel. Pop-up menu on right.	4	36	KControlBevelButtonSmallBevelProc + kControlBevelButtonMenuOnRight
With medium (3 pixel wide) bevel. Pop-up menu, if any, on right.	5	37	KControlBevelButtonNormalBevelProc + kControlBevelButtonMenuOnRight
With large (4 pixel wide) bevel. Pop-up menu, if any, on right.	6	38	KControlBevelButtonLargeBevelProc + kControlBevelButtonMenuOnRight

For bevel buttons containing text, if the constant `kControlUsesOwningWindowsFontVariant` is added to the variation code, the text will appear in the window's font.

Control Values

The following lists the initial, minimum, and maximum value settings for bevel buttons:

Control Value	Content
Initial	If you wish to attach a menu, the menu ID. If no menu, 0.
Minimum	High byte specifies behaviour (see Bevel Button Behaviour Constants, and Bevel Button Menu Constants, below). Low byte specifies content type (see Bevel Button and Image Well Content Type Constants, below).
Maximum	Resource ID of bevel button's content if resource-based.

Note that bevel buttons have two values: the value of the bevel button and, if a menu has been attached, the value of the menu.

Bevel Button Behaviour Constants

The following **bevel button behaviour constants** apply to the high byte of a bevel button's minimum value. For bevel buttons created programmatically using NewControl, these constants are passed in the high byte of the minValue parameter.

Constant	Value	Description
kControlBehaviorPushButton	0	The bevel button pops up after being clicked. This constant is used when push button behaviour is required.
kControlBehaviorToggles	0x0100	The bevel button toggles state automatically when clicked. This constant is used when checkbox or radio button behaviour is required.
kControlBehaviorSticky	0x0200	Once clicked, the bevel button stays down until your application sets the control's value to 0. This behaviour is useful in tool palettes.
kControlBehaviorOffsetContents	0x8000	Bevel button contents are offset (one pixel down and to the right) when button is pressed. (Some users consider that this behaviour gives a bevel button a more realistic "feel".)

Bevel Button Menu Constants

The following **bevel button menu constants** apply to the high byte of a bevel button's minimum value. For bevel buttons created programmatically using NewControl, these constants are passed in the high byte of the minValue parameter.

Constant	Value	Description
kControlBehaviorCommandMenu	0x2000	If this bit is set, the menu contains commands, not choices, and should not be marked with a checkmark. If this bit is set, it overrides the kControlBehaviorMultiValueMenu bit.
kControlBehaviorMultiValueMenu	0x4000	If this bit is set, the menus are multi-valued. The bevel button does not maintain the menu value as it normally would (requiring that only one item is selected at a time). This allows the user to toggle entries in a menu and have multiple items checked. In this mode, the menu value accessed using GetControlData with the kControlBevelButtonMenuItemTag will return the value of the last menu item selected.

Bevel Button and Image Well Content Type Constants

The following **bevel button and image well content type constants** apply to the low byte of a bevel button's minimum value. For bevel buttons created programmatically using NewControl, these constants are passed in the low byte of the minValue parameter. You can also use these constants in the contentType field of the **bevel button and image well content structure** (see below). You can then pass a pointer to this structure in the inBuffer parameter of GetControlData and SetControlData to get and set the resource ID (for resource-based content) or handle (for handle-based content) of a colour icon, icon suite, or picture in a bevel button.¹

Constant	Value	Description
-----------------	--------------	--------------------

¹ Note that resource-based content is owned by the control, while handle-based content is owned by you. The control definition function will not dispose of handle-based content. If you replace handle-based content with resource-based content on the fly, you must dispose of the handle properly to avoid a memory leak.

ue	
kControlContentTextOnly	0 Content type is text only. This constant is passed in the <code>contentType</code> field of the bevel button and image well content structure if the content is text only. The variation code <code>kControlUsesOwningWindowsFontVariant</code> applies when text content is used.
kControlContentIconSuiteRes	1 Content type uses an icon suite resource ID. The resource ID of the icon suite resource you wish to display should be in the <code>resID</code> field of the bevel button and image well content structure.
kControlContentColorIconRes	2 The resource ID of the colour icon resource you wish to display should be in the <code>resID</code> field of the bevel button and image well content structure.
kControlContentPictureRes	3 Content type is a picture resource ID. The resource ID of the picture resource you wish to display should be in the <code>resID</code> field of the bevel button and image well content structure.
kControlContentIconSuiteHandle	129 Content type is an icon suite handle. The handle of the icon suite you wish to display should be in the <code>iconSuite</code> field of the bevel button and image well content structure.
kControlContentColorIconHandle	130 Content type uses a colour icon handle. The handle of the colour icon you wish to display should be in the <code>colorIconHandle</code> field of the bevel button and image well content structure.
kControlContentPictureHandle	131 Content type uses a picture handle. The handle of the picture you wish to display should be in the <code>picture</code> field of the bevel button and image well content structure.
kControlContentIconRef	132 Reserved.

Control Data Tag Constant – Content Type

The control data tag constant relevant to content type in bevel buttons is as follows:

Control Data Tag Constant	Meaning and Data Type Returned or Set
kControlBevelButtonContentTag	Gets or sets a bevel button's content type for drawing. (See Bevel Button and Image Well Content Type Constants, above. See also The Bevel Button and Image Well Structure, below.) Data type returned or set: <code>ControlButtonContentInfo</code> structure

Bevel Button Alignment and Placement Constants, and Associated Control Data Tag Constants

By calling `SetControlData` with certain control data tag constants, and with certain constants passed in the `inData` parameter, you can specify the alignment of icon suites, colour icons, pictures, and text in a bevel button, and you can specify the placement of text in relation to an icon suite, colour icon, or picture. By calling `GetControlData` with these constants you can also ascertain alignment and placement.

Bevel Button Graphic Alignment Constants

The following constants are used to specify the alignment of icon suites, colour icons, and pictures.

Constant	Value	Description
kControlBevelButtonAlignSysDirection	-1	Bevel button graphic is aligned according to the system default script direction (only left or right).
kControlBevelButtonAlignCenter	0	Graphic is aligned centre.
kControlBevelButtonAlignLeft	1	Graphic is aligned left.
kControlBevelButtonAlignRight	2	Graphic is aligned right.
kControlBevelButtonAlignTop	3	Graphic is aligned top.
kControlBevelButtonAlignBottom	4	Graphic is aligned bottom.
kControlBevelButtonAlignTopLeft	5	Graphic is aligned top left.
kControlBevelButtonAlignBottomLeft	6	Graphic is aligned bottom left.
kControlBevelButtonAlignTopRight	7	Graphic is aligned top right.
kControlBevelButtonAlignBottomRight	8	Graphic is aligned bottom right.

Bevel Button Text Alignment Constants

The following constants are used to specify the alignment of text.

Constant	Value	Description
kControlBevelButtonAlignTextSysDirection	0	Text is aligned according to the current script direction (left or right).
kControlBevelButtonAlignTextCenter	1	Text is aligned centre.
kControlBevelButtonAlignTextFlushRight	-1	Text is aligned flush right.
kControlBevelButtonAlignTextFlushLeft	-2	Text is aligned flush left.

Bevel Button Text Placement Constants

The following constants are used to specify the placement of text in relation to an icon suite, colour icon, or picture.

Constant	Value	Description
kControlBevelButtonPlaceSysDirection	-1	Text is placed according to the system default script direction.
kControlBevelButtonPlaceNormally	0	Text is centred.
kControlBevelButtonPlaceToRightOfGraphic	1	Text is placed to the right of the graphic.
kControlBevelButtonPlaceToLeftOfGraphic	2	Text is placed to the left of the graphic.
kControlBevelButtonPlaceBelowGraphic	3	Text is placed below the graphic.
kControlBevelButtonPlaceAboveGraphic	4	Text is placed above the graphic.

Control Data Tag Constants – Alignment and Placement

The control data tag constants relevant to the alignment and placement of graphics and text in bevel buttons are as follows:

Control Data Tag Constant	Meaning and Data Type Returned or Set
kControlBevelButtonTextAlignTag	Gets or sets the alignment of text in a bevel button. (See Bevel Button Text Alignment Constants, above.) Data type returned or set: ControlButtonTextAlignment
kControlBevelButtonGraphicAlignTag	Gets or sets the alignment of graphics in a bevel

	button in relation to any text the button may contain. (See Bevel Button Graphic Alignment Constants.)
kControlBevelButtonTextPlaceTag	Data type returned or set: ControlButtonGraphicAlignment Gets or sets the placement of a bevel button's text. (See Bevel Button Text Placement Constants, above.)
kControlBevelButtonTextOffsetTag	Data type returned or set: ControlButtonTextPlacement Gets or sets the number of pixels that text is offset in a bevel button from the button's left or right edge. This is used with left, right, or system justification, but it is ignored when the text is centre aligned.
kControlBevelButtonGraphicOffsetTag	Data type returned or set: SInt16 Gets or sets the horizontal and vertical amounts that a graphic element contained in a bevel button is offset from the button's edges. This value is ignored when the graphic is specified to be centred on the button.

The Bevel Button and Image Well Content Structure

As previously stated, you can use bevel button and image well content type constants in the `contentType` field of the **bevel button and image well content structure** and you can then pass a pointer to this structure in the `inBuffer` parameter of `GetControlData` and `SetControlData`. The bevel button and image well content structure is as follows:

```
struct ControlButtonContentInfo
{
    ControlContentType contentType;
    union
    {
        Sint16             resID;
        ClconHandle        clconHandle;
        Handle             iconSuite;
        Handle             iconRef;
        PicHandle          picture;
    } u;
};

typedef struct ControlButtonContentInfo ControlButtonContentInfo;
typedef ControlButtonContentInfo *ControlButtonContentInfoPtr;
```

Field Descriptions

- contentType** Specifies the bevel button or image well content type and whether the content is text-only, resource-based, or handle-based. (See Bevel Button and Image Well Content Type Constants, above.) The value specified in the `contentType` field determines which of the other fields in the structure are used.
- resID** If the content type specified in the `contentType` field is `kControlContentIconSuiteRes`, `kControlContentClconRes`, or `kControlContentPictRes`, this field contains the resource ID of a picture, colour icon, or icon suite resource.
- clconHandle** If the content type specified in the `contentType` field is `kControlContentClconHandle`, this field contains a handle to a colour icon.
- iconSuite** If the content type specified in the `contentType` field is `kControlContentIconSuiteHandle`, this field contains a handle to an icon suite.
- iconRef** Reserved.
- picture** If the content type specified in the `contentType` field is `kControlContentPictHandle`, this field contains a handle to a picture.

Other Control Data Tag Constants

The remaining control data tag constants relevant to bevel buttons are as follows:

Control Data Tag Constant	Meaning and Data Type Returned or Set
kControlBevelButtonCenterPopUpGlyphTag	Gets or sets the position of the pop-up arrow in a bevel button when a pop-up menu is attached. Data type returned or set: Boolean. If true, glyph is vertically centred on the right; if false, glyph is on the bottom right.
kControlBevelButtonTransformTag	Gets or sets a transform that is added to the standard transform of a bevel button. See the Icons section at Chapter 13 — Offscreen Graphics Worlds, Pictures, Cursors, and Icons.) Data type returned or set: IconTransformType
kControlBevelButtonMenuValueTag	Gets the menu value for a bevel button with an attached menu. (See "Bevel Button Menu Constants, above.) Data type returned or set: SInt16
kControlBevelButtonMenuHandleTag	Gets the menu handle for a bevel button with an attached menu. Data type returned or set: MenuHandle
kControlBevelButtonLastMenuTag	Gets the menu ID of the last menu selected in the submenu or main menu. Data type returned or set: Boolean
kControlBevelButtonMenuDelayTag	Gets or sets the delay (in number of ticks) before the menu is displayed. Data type returned or set: SInt32
kControlBevelButtonScaleIconTag	Gets or sets whether, when the proper icon size is unavailable, the icon should be scaled. For use only with icon suites or the IconRef data type. Data type returned or set: Boolean. If true, indicates that if an icon of the ideal size is not available a larger or smaller icon should be scaled. If false, no scaling should occur; instead, a smaller icon should be drawn or a larger icon clipped.

With regard to the kControlBevelButtonMenuDelayTag constant, setting a delay before the menu is displayed in a bevel button with sticky behaviour is useful for providing option sets in tool palettes. You can set up the bevel button so that:

- If the user clicks it once, it simply turns on the function represented by the button.
- If the user presses it for longer than the user-set double-click time, it displays a pop-up menu which offers further options for that function.

Control Part Codes

The following control part codes are relevant to bevel buttons:

Constant	Value	Description
kControlNoPart	0	For bevel buttons with a menu attached, this part code indicates that either the mouse was released outside the bevel button and menu or that the button was disabled.
kControlMenuPart	2	For bevel buttons with a menu attached, this part code indicates that the event occurred in a menu item of the bevel button.
kControlButtonPart	10	For bevel buttons with a menu attached, this part code indicates

that the event occurred in the button but not in the attached menu.

Bevel Button States

Bevel buttons can exist in five active states and two disabled states. The active states are off, pressed (was off), on, pressed (was on), and mixed.² The mixed state is used, where appropriate, when the bevel button is behaving as a checkbox or radio button. Disabled bevel buttons can be shown as off or on.

Image Wells

Image wells are used to display non-text visual content, such as icons or pictures. They have a two-pixel-wide rectangular frame and have a recessed appearance with a white background fill. Image wells are controlled in much the same way as bevel buttons, but with fewer options and states. They should not be used in place of push buttons or bevel buttons. Typical image wells are shown at Fig 2.



FIG 2 - TYPICAL IMAGE WELLS

Variants and Control Definition IDs

The image well CDEF resource ID is 11. The two available variants and their control definition IDs are as follows:

Variant	Var Code	Control Definition ID	
Image well.	0	176	kControllImageWellProc
Image well with autotracking.	1	177	kControllImageWellAutoTrackProc

Future versions will support drag-and-drop functionality.

Control Values

Control Value	Content
Initial	Resource ID of image well's content ('cicn', 'PICT' or icon suite).
Minimum	Content type. (See Bevel Button and Image Well Content Type Constants, above.) After the image well is created, reset to 0.
Maximum	Ignored. Reset to 2 after creation.

Bevel Button and Image Well Content Type Constants and The Bevel Button and Image Well Content Structure

The bevel button and image well content type constants (see Bevel Buttons, above) apply to an image well's minimum value. For image wells created programmatically using NewControl, these constants are passed in the minValue parameter.

² Under platinum appearance, both pressed states look the same, but this may change in future themes.

You can also use these constants in the `contentType` field of the bevel button and image well content structure (see Bevel Buttons, above). You can then pass a pointer to this structure in the `inBuffer` parameter of `GetControlData` and `SetControlData` to get and set the resource ID (for resource-based content) or handle (for handle-based content) of a colour icon, icon suite, or picture in an image well.

Control Data Tag Constants

<i>Control Data Tag Constant</i>	<i>Meaning and Data Type Returned or Set</i>
<code>kControllImageWellContentTag</code>	Gets or sets the content for an image well. (See The Bevel Button and Image Well Content Structure, above.) Data type returned or set: <code>ControlButtonContentInfo</code> structure
<code>kControllImageWellTransformTag</code>	Gets or sets a transform that is added to the standard transform of an image well. (See the Icons section at Chapter 13 — Offscreen Graphics Worlds, Pictures, Cursors, and Icons.) Data type returned or set: <code>IconTransformType</code>

Control Part Codes

<i>Constant</i>	<i>Value</i>	<i>Description</i>
<code>kControllImageWellPart</code>	26	Event occurred in an image well.

Tab

Embedding Control

The tab control is an embedding control which provides a convenient way to present information in a multi-page format. The tab control is distinguished by the visual appearance of folder tabs. The user selects the desired "page" by clicking the appropriate tab, which highlights and displays its page.

The tab control supports one row of tabs running along the top (see Fig 3). You specify the names and icons that label the tabs.



FIG 3 - TAB CONTROL

The appearance of the content area of a tab control (also known as a pane) depends on where it is used. In a control panel, the sides of the pane should be tucked under the edge of the content region by one pixel. In a modal dialog box, the left and right sides of the pane should be inset two pixels from the edge of the dialog box's content region. This small distinction helps emphasise the fact that the tab is part of a dialog box. (See Fig 3.)

Controls such as push buttons, radio buttons, scroll bars, etc., may be used within a tab control, and should be embedded within an individual pane. Controls whose effect is intended to be global (that is, their setting are intended to affect all the panes in a set of tabs) should be located outside the tab control. It is important that you make such distinctions unambiguous to the user through clear, specific labelling and placement.

The tab information ('tab#') resource is used to provide the tab names and icon suite IDs.

Variants and Control Definition IDs

The tab control CDEF resource ID is 8. The two available variants and their control definition ID are follows:

Variant	Var Code	Control Definition ID	
Normal tab control.	0	128	kControlTabLargeProc
Small tab control.	1	129	kControlTabSmallProc

Control Values

Control Value	Content
Initial	Resource ID of the 'tab#' resource you are using to hold tab information. Reset to the minimum setting after creation. A value of 0 indicates not to read a 'tab#' resource. (See The Tab Information Structure, below.)
Minimum	Ignored. Reset to 1 after creation.
Maximum	Ignored. Reset to the number of individual tabs in the tab control after creation.

Control Data Tag Constants

Control Data Tag Constant	Meaning and Data Type Returned or Set
kControlTabContentRectTag	Gets the content rectangle of a tab control. Data type returned: Rect
kControlTabEnabledFlagTag	Enables or disables a single tab in a tab control. Data type returned or set: Boolean; if true, enabled; if false, disabled.
kControlTabInfoTag	Gets or sets information for a tab in a tab control. (See The Tab Information Structure, below.) Data type returned or set: ControlTabInfoRec

The Tab Information Structure

If you are not creating a tab control with a 'tab#' resource, you can call SetControlMaximum to set the number of tabs in a tab control and then call SetControlData with the kControlTabInfoTag to set the information for an individual tab in a tab control. The tab information structure passed in the SetControlData call is as follows:

```
struct ControlTabInfoRec
{
    SInt16    version;
    SInt16    iconSuiteID;
    Str255   name;
};
```

Field Descriptions

- | | |
|-------------|---|
| version | A signed 16-bit integer indicating the version of the tab information structure. The only currently available version value is 0. |
| iconSuiteID | A signed 16-bit integer indicating the ID of an icon suite to be used for the tab label. Pass 0 for no icon. |
| name | A string specifying the title to be used for the tab label. |

The Tab Information Resource

You can use a tab information resource to specify the icon suite ID and name of each tab in a tab control. A tab information resource is a resource of type 'tab#'. All tab information resources must have resource ID numbers greater than 127. The Control Manager uses the information you specify to provide additional information to the corresponding tab control. Fig 4 shows the structure of a compiled 'tab#' resource.




FIG 4 - STRUCTURE OF A COMPILED TAB INFORMATION ('tab#') RESOURCE

The following describes the fields of a compiled 'tab#' resource and one of its tab information entries:

Field	Description
VERSION NUMBER	An integer specifying the version of the resource.
NUMBER OF ENTRIES	An integer that specifies the number of tab information entries in the resource.
ICON SUITE ID	Icon suite resource ID.
TAB NAME	A variable-length string indicating the tab name.

Edit Text

Edit text controls are rectangular areas in which the user enters text or modifies existing text. Edit text controls supports keyboard focus and a password entry variant is available. Fig 5 shows a typical edit text control.



FIG 5 - EDIT TEXT CONTROL

Edit text controls can have an application-defined key filter function attached to filter key strokes or modify them on return.

Variants and Control Definition IDs

The edit text control CDEF resource ID is 17. The three available variants and their control definition IDs are as follows:

Variant	Var Code	Control Definition ID
Edit text control for windows. This control	0	272 kControlEditTextProc

maintains its own TEHandle.		
Edit text control for dialog boxes. This control uses the dialog box common TEHandle.	1	273 kControlEditTextDialogProc
Edit text control for passwords. This control is supported by the Script Manager. Password text can be accessed via the kEditTextPasswordTag constant. (See Control Data Tag Constants, below.)	2	274 kControlEditTextPasswordProc
Edit text control for inline input. This control supports 2-byte script systems.	4	276 kControlEditTextInlineInputProc

Control Values

Control Value	Content
Initial	Reserved. Set to 0.
Minimum	Reserved. Set to 0.
Maximum	Reserved. Set to 0.

Control Data Tag Constants

Control Data Tag Constant	Meaning and Data Type Returned or Set
kControlEditTextTextTag	Gets or sets text in an editable text control. Data type returned or set: character buffer
kControlEditTextTEHandleTag	Gets a handle to a text edit structure. Data type returned or set: TEHandle
kControlEditTextSelectionTag	Gets or sets the selection in an editable text control. Data type returned or set: ControlEditTextSelectionRec structure. (See The Edit Text Selection Structure, below.)
kControlEditTextPasswordTag	Gets clear password text from an editable text control, that is, the text of the actual password typed, not the bullet text. Data type returned or set: character buffer
kControlKeyFilterTag	Gets or sets a key filter function. Data type returned or set: ControlKeyFilterUPP
kControlEditTextStyleTag	Gets or sets the font style. Data type returned or set: ControlFontStyleRec
KControlEditTextLockedTag	Gets or sets whether the text is currently editable. Data type returned or set: Boolean. If true, text is locked. If false, text is editable
kControlEditTextValidationProcTag	Gets or sets a universal procedure pointer to a callback function which can be used to validate editable text after an operation that changes the text, such as a cut or paste. Data type returned or set: ControlEditTextValidationUPP

Control Part Codes

Constant	Value	Description
kControlEditTextPart	5	Event occurred in an Edit text control.

The Edit Text Selection Structure

You can pass a pointer to the edit text selection structure to GetControlData and SetControlData to access and set the current selection range in an edit text control. An edit text selection structure is of type ControlEditTextSelectionRec:

```

struct ControlEditTextSelectionRec
{
    SInt16      selStart;
    SInt16      selEnd;
};

typedef struct ControlEditTextSelectionRec ControlEditTextSelectionRec;
typedef ControlEditTextSelectionRec *ControlEditTextSelectionPtr;

```

Field Descriptions

selStart A signed 16-bit integer indicating the beginning of the edit text selection.

selEnd A signed 16-bit integer indicating the end of the edit text selection.

Sliders

A slider control consists of a **slider bar**, which displays a range of allowable values, and an **indicator**, which marks the current setting. The user can drag the indicator to set a new value within the range.

Sliders can be horizontal or vertical. The indicator can point in any direction or be nondirectional. Typical sliders are shown at Fig 6.




FIG 6 - SLIDERS

A slider can display tick marks to represent increments within the range of values. You can specify the number of tick marks required. If you use tick marks, they are drawn appropriately for the direction of the slider. You should ensure that tick marks are labelled so that they clearly indicate the effect of moving the indicator.

A live feedback variant is available. This variant continually updates the value of the control as the indicator is dragged, as opposed to the standard behaviour of updating the value only when the mouse button is released.

Variants and Control Definition IDs

The slider CDEF resource ID is 3. The ten available variants and their control definition IDs are as follows:

Variant	Var Code	Control Definition ID
Slider. If the slider is horizontal, the indicator points down, and if the slider is vertical, the indicator points right.	0	48 kControlSliderProc
Slider with live feedback. The value of the control is updated automatically by the Control Manager before your action function is called. If no application-defined action function is supplied, the slider draws ghosted image of the indicator as the user moves it.	1	49 kControlSliderProc + kControlSliderLiveFeedback

Slider with tick marks. The control rectangle must be large enough to include the tick marks.	2	50	kControlSliderProc + kControlSliderHasTickMarks
Slider with live feedback and tick marks.	3	51	kControlSliderProc + kControlSliderLiveFeedback + kControlSliderHasTickMarks
Slider with indicator reversed. . If the slider is horizontal, the indicator points up, and if the slider is vertical, the indicator points left.	4	52	kControlSliderProc + kControlSliderReverseDirection
Slider with live feedback and indicator reversed.	5	53	kControlSliderProc + kControlSliderLiveFeedback + kControlSliderReverseDirection
Slider with tick marks and indicator reversed.	6	54	kControlSliderProc + kControlSliderHasTickMarks + kControlSliderReverseDirection
Slider with live feedback, tick marks and indicator reversed.	7	55	kControlSliderProc + kControlSliderLiveFeedback + kControlSliderHasTickMarks + kControlSliderReverseDirection
Slider with a rectangular, non-directional indicator.	8	56	kControlSliderProc + kControlSliderNonDirectional
Slider with live feedback and a rectangular, non-directional indicator.	9	57	kControlSliderProc + kControlSliderLiveFeedback + kControlSliderNonDirectional

Control Values

<i>Control Value</i>	<i>Content</i>
Initial	Appropriate value between -32768 and 32768. For the tick mark variant, the number of ticks required. Reset to the minimum setting after creation.
Minimum	-32768 to 32768.
Maximum	-32768 to 32768. When the maximum setting is equal to the minimum setting, the slider is inactive.

Control Part Codes

<i>Constant</i>	<i>Value</i>	<i>Description</i>
kControlIndicatorPart	129	Event occurred in the indicator.

Group Boxes

Embedding Control

Group boxes are embedding controls used to associate, isolate, and distinguish groups of related items in a dialog box. You can embed other controls, such as radio groups, checkboxes, and pop-up menu buttons, within group boxes.

Group boxes are defined as either primary or secondary. The main visual distinction between the two types is their border: primary group box border lines are two pixels wide with an etched look; secondary group box borders are one pixel wide.

You can use any of four titling options for the border of a group box. The group box can be untitled or it can have a text title, a pop-up menu title, or a checkbox title. Group boxes with a pop-up menu title are useful for displaying a variety of related settings in a limited space. Group boxes with a checkbox title are useful for indicating that a group of settings may be deactivated by the user.

Secondary group boxes are generally used for nesting and grouping together subsidiary information. Secondary group boxes should not be used in lieu of primary group boxes, since this produces an inconsistent appearance which could confuse users.

Typical group boxes are shown at Fig 7.




FIG 7 - TYPICAL GROUP BOXES

Variants and Control Definition IDs

The group box CDEF resource ID is 10. The six available variants and their control definition IDs are as follows:

Variant	Var Code	Control Definition ID
Primary group box, text title.	0	160 kControlGroupBoxTextTitleProc
Primary group box, checkbox title.	1	161 kControlGroupBoxCheckBoxProc
Primary group box, pop-up button title.	2	162 kControlGroupBoxPopupButtonProc
Secondary group box, text title.	4	164 kControlGroupBoxSecondaryTextTitleProc
Secondary group box, checkbox title.	5	165 kControlGroupBoxSecondaryCheckBoxProc
Secondary group box, pop-up button title.	6	166 kControlGroupBoxSecondaryPopupButtonProc

Control Values

Control Value	Content
Initial	Ignored if group box has text title. If the group box has a checkbox or pop-up button title, same value as the checkbox or pop-up button.
Minimum	Ignored if group box has text title. If the group box has a checkbox or pop-up button title, same minimum setting as the checkbox or pop-up button.
Maximum	Ignored if group box has text title. If the group box has a checkbox or pop-up button title, same maximum setting as the checkbox or pop-up button.

Control Data Tag Constant

Control Data Tag Constant	Meaning and Data Type Returned or Set
kControlGroupBoxMenuHandleTag	Gets the menu handle of a group box. Data type returned or set: MenuHandle
kControlGroupBoxFontStyleTag	Gets or sets the font style.

Control Part Codes

Constant	Value	Description
kControlNoPart	0	Returned if the group box title is a text title. If the group box title is a checkbox title or a pop-up menu button title, the user tracked completely out of the control.
kControlButtonPart	10	The group box title is a checkbox title and the check box was hit. The group box title is a pop-up menu button and the mouse button was released over the button.
kControlMenuPart	2	The group box title is a pop-up menu button and the mouse button was released in the menu.

Clock

Clock controls are a combination of an edit text control and little arrows. The user can change the date and time displayed by using the little arrows or by typing a value into the edit text control. Fig 8 shows a clock control displaying the date.



FIG 8 - CLOCK CONTROL DISPLAY

The clock control supports keyboard navigation and focus. When the clock control has keyboard focus, pressing the up-arrow and down-arrow keys has the same effect as clicking the up and down arrows in the control.

You can make a clock control inactive, in which case it displays time and date values without allowing the user to change them.

Variants and Control Definition IDs

The clock control CDEF resource ID is 15. The four available variants and their control definition ID are follows:

Variant	Var Code	Control Definition ID	
Clock control displaying hour/minutes.	0	240	kControlClockTimeProc
Clock control displaying hours/minutes/seconds.	1	241	kControlClockTimeSecondsProc
Clock control displaying date/month/year.	2	242	kControlClockDateProc
Clock control displaying month/year.	3	243	kControlClockMonthYearProc

Control Values

Control Value	Content
Initial	One or more of the clock value flags. (See Clock Value Flag Constants, below.) Reset to 0 after creation.
Minimum	Reserved. Set to 0.
Maximum	Reserved. Set to 0.

Clock Value Flag Constants

Constant	Value	Description
kControlClockNoFlags	0	Indicates that clock is editable but does not display the current "live" time.
kControlClockIsDisplayOnly	1	When only this bit is set, the clock is not editable. When this bit and the kControlClockIsLive bit is set, the clock automatically updates on idle (clock will have the current time).
kControlClockIsLive	2	When only this bit is set, the clock automatically updates on idle and any changes to the clock affect the system clock. When this bit and the kControlClockIsDisplayOnly bit is set, the clock automatically updates on idle (clock will have the current time), but is not editable.

Control Data Tag Constant

Control Data Tag Constant	Meaning and Data Type Returned or Set
kControlClockLongDateTag	Gets or sets the clock control's time or date. Data type returned or set: LongDateRec structure.
kControlClockFontStyleTag	Gets or sets the font style. Data type returned or set: ControlFontStyleRec

Control Part Codes

Constant	Value	Description
kControlClockPart	8	Event occurred in a clock control.
kControlClockHourDayPart	9	Event occurred in the part that contains the hour.
kControlClockMinuteMonthPart	10	Event occurred in the part that contains the minute or the month.
kControlClockSecondYearPart	11	Event occurred in the part that contains the second or the year.
kControlClockAMPPMPart	12	Event occurred in the part that contains the AM/PM information.

Progress Indicators

Progress indicators are used to indicate that a lengthy operation is in progress. Two types of progress indicators can be used: an **ineterminate progress indicator**, which shows that an operation is occurring but does not indicate its duration; a **determinate progress indicator**, which shows how much of the operation has been completed. The two types are shown at Fig 9. Progress indicators are horizontal in orientation.



FIG 9 - PROGRESS INDICATORS

You might use a determinate progress indicator to, for example, show the progress of a file copying operation. You might use an indeterminate progress indicator to, for example, let the user know that the application is in the process of attempting a communication connection or is waiting to receive data during file transfer. You should consider switching from an indeterminate progress indicator to a determinate one if a process reaches a point where its scope becomes determinable. For example, a remote file

transfer may not become determinate until the application has had time to establish a connection and calculate the data transfer rate.

Variants and Control Definition IDs

The progress indicator CDEF resource ID is 5. The one available variant and its control definition ID is follows:

Variant	Var Code	Control Definition ID
Progress indicator. To make the control determinate or indeterminate, set the kControlProgressBarIndeterminateTag constant. (See Control Data Tag Constant Relevant to Progress Indicators, below.)	0	80 kControlProgressBarProc

Progress Indicator Control Values

Control Value	Content
Initial	Appropriate value between -32768 and 32768.
Minimum	-32768 to 32768.
Maximum	-32768 to 32768.

Control Data Tag Constant

Control Data Tag Constant	Meaning and Data Type Returned or Set
kControlProgressBarIndeterminateTag	Gets or sets whether a progress indicator is determinate or indeterminate. Data type returned or set: Boolean. If true, switches to an indeterminate progress indicator. If false, switches to a determinate progress indicator.

Little Arrows

Little arrows provide the user with a means of increasing or decreasing values in a series, and consists of two arrows pointing in opposite directions. Little arrows should be accompanied by a label that identifies the content to which the control relates.

If the user clicks the up arrow, the value displayed is incremented by one unit of change. If the user presses the arrow, the value increases or decreases until the user releases the mouse button. While the user presses the arrow, it is highlighted to provide feedback to the user.

The unit of change should depend on the content. If the content area displays years, for example, the increment should be one year. On the other hand, if you used little arrows to control the size of a RAM cache, for example, you might use multiples of 32K as the increment.

Fig 10 shows a little arrows control used in conjunction with a placard and static text control.




FIG 10 - LITTLE ARROWS WITH PLACARD AND ST

Variant and Control Definition ID

The little arrows CDEF resource ID is 6. The one available variant and its control definition ID is as follows:

Variant	Var Code	Control Definition ID
Little arrows.	0	96 kControlLittleArrowsProc

Control Values

Control Value	Content
Initial	Appropriate value between -32768 and 32768.
Minimum	-32768 and 32768.
Maximum	-32768 and 32768.

Control Part Codes

Constant	Val ue	Description
kControlUpButtonPart	20	Event occurred in up arrow.
kControlDownButtonPart	21	Event occurred in down arrow.

Disclosure Triangles

Disclosure triangles are controls that allow the display or "disclosure" of information which elaborates on the primary information in a window. Disclosure triangles have two possible values: 0 for collapsed and 1 for expanded.




FIG 11 - DISCLOSURE TRIANGLES USED IN FINDER LIST VIEW

One usage of the disclosure triangle is to expand a dialog box or control panel. When the user clicks on the disclosure triangle, the triangle rotates downward and the window expands to provide additional information. A further click on the triangle rotates the triangle back to the right and restores the original appearance of the window.

Another usage pertains to list views (see Fig 11). The triangle appears next to the icon of each folder in the window. The user clicks the triangle to expand the view by revealing a list of the contents of the folder without opening it. The triangle rotates downward when the folder is expanded, which tells the user that the view is expanded even in cases when

the folder is empty. Clicking the triangle again restores the view to its original (collapsed) state and turns the triangle back to the right.

Variants and Control Definition IDs

The disclosure triangle CDEF resource ID is 4. The one available variant and its control definition ID is as follows:

Variant	Var Code	Control Definition ID
Disclosure triangle.	0	64 kControlTriangleProc
Left-facing disclosure triangle.	1	65 kControlTriangleLeftFacingProc
Auto-tracking disclosure triangle. This variant maintains its last value, so it knows what transition is taking place when a SetControlValue is called on it (expanded to collapsed, or vice versa). (See Control Data Tag Constants, below.)	2	66 kControlTriangleAutoToggleProc
Left-facing, auto-tracking disclosure triangle.	3	67 kControlTriangleLeftFacingAutoToggleProc

Control Values

Control Value	Content
Initial	0 (collapsed) or 1 (expanded)
Minimum	0 (collapsed)
Maximum	1 (expanded)

Control Data Tag Constant

Control Data Tag Constant	Meaning and Data Type Returned or Set
kControlTriangleLastValueTag	Gets or sets the last value of a disclosure triangle. Used primarily for setting up a disclosure triangle properly when using the kControlTriangleAutoToggleProc variant. Data type returned or set: SInt16

Control Part Codes

Constant	Value	Description
kControlTrianglePart	4	Event occurred in a disclosure triangle.

Picture

Picture controls display pictures.

Variants and Control Definition IDs

The picture control CDEF resource ID is 19. The two available variants and their control definition IDs are as follows:

Variant	Var Code	Control Definition ID
Picture control.	0	304 kControlPictureProc
Non-tracking picture control. If hit, immediately returns the control part code kControlNoPart and does not track.	1	305 kControlPictureNoTrackProc

Control Values

Control Value	Content
Initial	Resource ID of the 'PICT' resource you wish to display. Reset to 0 after creation.
Minimum	Reserved. Set to 0.
Maximum	Reserved. Set to 0.

Control Part Codes

Constant	Val ue	Description
kControlPicturePart	6	Event occurred in a picture control.

Icon

Icon controls display colour icons and icons from an icon suite.

A non-tracking variant is available for use in dialog boxes which have an embedding hierarchy and want an icon. This variant just returns the part hit immediately; it does not actually track the mouse.

Variants and Control Definition IDs

The icon CDEF resource ID is 20. The four available variants and their control definition IDs are as follows:

Variant	Var Code	Control Definition ID
Icon control.	0	320 kControlIconProc
Non-tracking icon. If hit, immediately returns the control part code kControlIconPart without tracking.	1	321 kControlIconNoTrackProc
Icon suite.	2	322 kControlIconSuiteProc
Non-tracking icon suite. If hit, immediately returns the control part code kControlIconPart without tracking.	3	323 kControlIconSuiteNoTrackProc
Supports all standard types of icon-based content.	4	324 kControlIconRefProc
Supports all standard types of icon-based content. Non-tracking variant.	5	325 kControlIconRefNoTrackProc

Control Values

Control Value	Content

Initial	Resource ID of the 'cicn', 'ICON', or icon suite resource you wish to display. (The icon suite variant looks for an icon suite. If not found, it looks for a 'cicn' or 'ICON' resource.) Reset to 0 after creation.
Minimum	Reserved. Set to 0.
Maximum	Reserved. Set to 0.

Control Data Tag Constants

<i>Control Data Tag Constant</i>	<i>Meaning and Data Type Returned or Set</i>
kControlIconTransformTag	Gets or sets a transform that is added to the standard transform for an icon. (See Chapter 13 — Offscreen Graphics Worlds, Pictures, Cursors, and Icons.) Data type returned or set: IconTransformType
kControlIconAlignmentTag	Gets or sets an icon's position. (See Chapter 13 — Offscreen Graphics Worlds, Pictures, Cursors, and Icons.) Data type returned or set: IconAlignmentType
kControlIconResourceIDTag	Gets or sets the resource ID of the icon to use. Data type returned or set: Sint16
kControlIconContentTag	Gets or sets the type of content to be used in an icon control. Data type returned or set: ControlButtonContentInfo

Control Part Codes

<i>Constant</i>	<i>Value</i>	<i>Description</i>
kControlIconPart	7	Event occurred in an icon control.

Window Headers

Embedding Control

Window headers (see Fig 12) are bevelled rectangles which should be located at the top of a window's content region and used to provide information about the window's contents. The outside lines should share the same space as the inside lines of the document window and the scroll bar arrows.




FIG 12 - WINDOW HEADER

The list view header variant provides the same functionality as the window header, but removes the line which separates a standard window header from the content area.

Variants and Control Definition IDs

The window header CDEF resource ID is 21. The two available variants and their control definition IDs are as follows:

<i>Variant</i>	<i>Var Code</i>	<i>Control Definition ID</i>
Window header.	0	336 kControlWindowHeaderProc

Control Values

Control Value	Content
Initial	Reserved. Set to 0.
Minimum	Reserved. Set to 0.
Maximum	Reserved. Set to 0.

Placard

Embedding Control

Placards, which are embedding controls, are rectangular controls used as an information display or as background fill for a control area. Typically, placards are used as a small information panel placed at the bottom of a window to the left of the horizontal scroll bar (see Fig 13).




FIG 13 - PLACARD

Variants and Control Definition IDs

The placard CDEF resource ID is 14. The one available variant and its control definition ID is as follows:

Variant	Var Code	Control Definition ID
Placard.	0	224 kControlPlacardProc

Future versions will provide a push button variant.

Control Values

Control Value	Content
Initial	Reserved. Set to 0.
Minimum	Reserved. Set to 0.
Maximum	Reserved. Set to 0.

Static Text

Static text controls display static text, that is, text that cannot be changed by the user.

Variant and Control Definition ID

The static text control CDEF resource ID is 18. The one available variant and its control definition ID is as follows:

Variant	Var Code	Control Definition ID
Static text control.	0	288 kControlStaticTextProc

Control Values

Control Value	Content
Initial	Reserved. Set to 0.
Minimum	Reserved. Set to 0.
Maximum	Reserved. Set to 0.

Control Data Tag Constants

Control Data Tag Constant	Meaning and Data Type Returned or Set
kControlStaticTextTextTag	Gets or sets text in a static text control. Data type returned or set: character buffer
kControlStaticTextTextHeightTag	Gets the height of text in a static text control. Data type returned or set: SInt16
kControlStaticTextStyleTag	Gets or sets the font style. Data type returned or set: ControlFontStyleRec
kControlStaticTextTruncTag	Gets or or sets how text is truncated at the end of a line for a static text control. Data type returned or set: TruncCode. The value truncEnd indicates that characters are truncated off the end of the string. truncMiddle indicates that characters are truncated from the middle of the string. The default is -1, which indicates that no truncation occurs and, instead, the text is wrapped.

Separator Lines

Separator lines (see Fig 14) are two-pixel-wide vertical or horizontal lines used to visually separate groups of controls. The orientation of the bounding rectangle determines the orientation of the line.



FIG 14 - SEPARATOR LINE

Variants and Control Definition IDs

The separator line CDEF resource ID is 9. The one available variant and its control definition ID is as follows:

Variant	Var Code	Control Definition ID
Separator line.	0	144 kControlSeparatorLineProc

Control Values

Control Value	Content
Initial	Reserved. Set to 0.
Minimum	Reserved. Set to 0.
Maximum	Reserved. Set to 0.

Pop-up Arrows

The pop-up arrow control simply draws the pop-up glyph.

Variants and Control Definition IDs

The pop-up arrow CDEF resource ID is 12. The eight available variants and their control definition IDs are as follows:

Variant	Var Code	Control Definition ID
Large, right-facing pop-up arrow.	0	192 kControlPopupArrowEastProc
Large, left-facing pop-up arrow.	1	193 kControlPopupArrowWestProc
Large, up-facing pop-up arrow.	2	194 kControlPopupArrowNorthProc
Large, down-facing pop-up arrow.	3	195 kControlPopupArrowSouthProc
Small, right-facing pop-up arrow.	4	196 kControlPopupArrowSmallEastProc
Small, left-facing pop-up arrow.	5	197 kControlPopupArrowSmallWestProc
Small, up-facing pop-up arrow.	6	198 kControlPopupArrowSmallNorthProc
Small, down-facing pop-up arrow.	7	199 kControlPopupArrowSmallSouthProc

Control Values

Control Value	Content
Initial	Reserved. Set to 0.
Minimum	Reserved. Set to 0.
Maximum	Reserved. Set to 0.

Radio Groups

Embedding Control

Radio groups are embedder controls which relieve your application of much of the work involved in managing a group of radio buttons (or bevel buttons which are intended to operate like radio buttons). For example, if a group of radio buttons are embedded in a radio group control, the radio group control handles the checking and unchecking of the radio buttons when the user clicks on one of them. The current value of the radio group control represents the radio button currently selected.

Variant and Control Definition ID

The radio group CDEF resource ID is 26. The one available variant and its control definition ID is as follows:

Variant	Var Code	Control Definition ID
Radio group.	0	416 kControlRadioGroupProc

Control Values

Control Value	Content
Initial	Set to 0 on creation. Reset to the index of currently selected embedded radio control after creation. If the currently selected control does not support radio behaviour, this value will be set to 0 and the control will be deselected. To deselect all controls, set to 0.
Minimum	Set to 0.
Maximum	Set to 0 on creation. Reset to the number of embedded controls as controls

are added.

Control Part Codes

Constant	Value	Description
kControlRadioGroupPart	27	Event occurred in a radio group.

Asynchronous Arrows

Asynchronous arrows (see Fig 15) are a simple animation used to indicate that an asynchronous background process is occurring, in other words a process which does not display a dialog box containing a progress indicator. Asynchronous arrows are also known as "chasing arrows".




FIG 15 - FRAMES OF ASYNCHRONOUS ARROWS A

Variant and Control Definition ID

The asynchronous arrows CDEF resource ID is 7. The one available variant and its control definition ID is as follows:

Variant	Var Code	Control Definition ID
Asynchronous arrows.	0	112 kControlChasingArrowsProc

Control Values

Control Value	Content
Initial	Reserved. Set to 0.
Minimum	Reserved. Set to 0..
Maximum	Reserved. Set to 0.

User Panes

Embedding Control

The user pane has two main uses:

- It can be used as an embedder control, that is, other controls may be embedded within it. It is thus particularly useful for grouping together the controls belonging to an individual pane of a tab control or pop-up button group box.
- It provides a way to hook in application-defined functions, known as **user pane functions** (see below), which perform actions such as drawing, hit testing, tracking, etc.

Variants and Control Definition IDs

The user pane CDEF resource ID is 16. The one available variant and its control definition ID is as follows:

Variant	Var Code	Control Definition ID
User pane.	0	256 kControlUserPaneProc

Control Values

Control Value	Content
Initial	One or more of the control feature constants. (See Defining Your Own User Pane Functions, below.) Reset to 0 after creation.
Minimum	Ignored. After user pane creation, reset to a setting between -32768 to 32768.
Maximum	Ignored. After user pane creation, reset to a setting between -32768 to 32768.

Control Data Tag Constants

The control data tag constants relevant to user panes all relate to user pane functions. See Defining Your Own User Pane Function, below.

Scrolling Text Box

The scrolling text box implements a scrolling box of non-editable text. This is useful for credits in About boxes, etc. There are two variants:

- The standard variant, which has a scroll bar.
- The auto-scrolling variant, which does not have a scroll bar. This variant needs two pieces of information to work: the delay (in ticks) before the scrolling starts; the time (in ticks) between scrolls. By default, the text will scroll one pixel at a time, although this may be changed via SetControlData.

In order to advance the scrolling in the auto-scrolling variant, you must call IdleControls on a periodic basis, such as when you receive a null event.

Variants and Control Definition IDs

The scrolling text box CDEF resource ID is 27. The two available variants and their control definition IDs are as follows:

Variant	Var Code	Control Definition ID
Standard.	0	432 kControlScrollTextBoxProc
Auto-scrolling.	1	433 kControlScrollTextBoxAutoScrollProc

Control Values

Control Value	Content
Initial	Resource ID of a 'TEXT' and, optionally, a 'styl' resource.
Minimum	For the standard variant, set to 0. For the auto-scrolling variant, the delay (in ticks) before scrolling begins. (This delay is also used between when the scrolling completes and when it begins again.)
Maximum	For the standard variant, set to 0. For the auto-scrolling variant, the delay (in ticks) between each unit of scrolling.

Control Data Tag Constants

Control Data Tag Constant	Meaning and Data Type Returned or Set
KControlScrollTextBoxDelayBeforeAutoScrollTag	Gets or sets the number of ticks of delay before the initial scrolling of an auto-scrolling text box begins. Data type returned or set: UInt32
KControlScrollTextBoxDelayBetweenAutoScrollTag	Gets or sets the number of ticks of delay between each unit of scrolling in an auto-scrolling text box. Data type returned or set: UInt32
KControlScrollTextBoxAutoScrollAmountTag	Gets or sets the number of pixels by which an auto scrolling text box scrolls. (The default is 1.) Data type returned or set: UInt16
kControlScrollTextBoxContentsTag	Sets the ID of a 'TEXT' resource and, optionally, a 'styl' resource, to be used as the content of a standard or auto-scrolling text box. Data set: Sint16

Idle Processing

The following four controls need to perform idle processing for the reasons indicated:

Control	Reason For Idle Processing
Progress Indicator (indeterminate variant).	Animate the indicator.
Clocks (when the kControlClockIsLive clock value flag constant is used).	Update the clock.
Asynchronous arrows.	Animate the arrows.
Edit text controls.	Cause TextEdit to be called to blink the insertion point caret.

When these controls are displayed in a document window, your application should call the IdleControls function at least once in your event loop. IdleControls sends a particular message to the CDEF, which responds appropriately.

Defining Your Own Key Filter Function

Controls that support text input (such as edit text control and list box controls) can attach an application-defined **key filter function** to filter key strokes or modify them on return. Your key filter function can change the keystroke, leave it alone, or block the CDEF from receiving it. For example, an edit text control could use a key filter function to allow only numeric values to be input in its field.

The Control Manager declares the type for an application-defined key filter function as follows:

```
typedef CALLBACK_API(ControlKeyFilterResult,ControlKeyFilterProcPtr)
    (ControlHandle theControl,SInt16 *keyCode,SInt16 *charCode,
     SInt16 *modifiers);
```

The Control Manager defines the data type ControlKeyFilterUPP to identify the universal procedure pointer for this application-defined function:

```
typedef STACK_UPP_TYPE(ControlKeyFilterProcPtr) ControlKeyFilterUPP;
```

As stated at Edit Text, above, the control data tag constant for getting and setting a key filter function is kControlKeyFilterTag and the data type returned or set is ControlKeyFilterUPP.

Example

The following example relates to an edit text control and assumes an application-defined key filter function named numericFilter.

```
#define kLeftArrow 0x1C
#define kRightArrow 0x1D
#define kUpArrow 0x1E
#define kDownArrow 0x1F
#define kBackspace 0x08
...
ControlKeyFilterUPP numericFilterUPP;
ControlHandle controlHdl;
...
// .....
// create routine descriptor
numericFilterUPP = NewControlKeyFilterProc(numericFilter);
// ..... attach key filter function to the
control
GetDialogItemAsControl(dialogPtr,itemNumber,&controlHdl);
SetControlData(controlHdl,kControlNoPart,kControlEditTextKeyFilterTag,
               sizeof(numericFilterUPP),(Ptr) &numericFilterUPP);
...
// /////////////////////////////////////////////////////////////////// numericFilter
//
// This function will be called each time the edit text control receives a keystroke.
// Keystrokes that are to be accepted must return kControlKeyFilterPassKey. Keystrokes
// that are to be blocked must return kControlKeyFilterBlockKey. This function blocks
// all but the numeric keys, the "dash" key, and the arrow keys.
pascal ControlKeyFilterResult numericFilter(ControlHandle control,SInt16* keyCode,
                                             SInt16 *charCode,SInt16 *modifiers)
{
if(((char) *charCode >= '0') && ((char) *charCode <= '9'))
    return kControlKeyFilterPassKey;

switch(*charCode)
{
    case '-':
    case kLeftArrow:
    case kRightArrow:
    case kUpArrow:
    case kDownArrow:
    case kBackspace:
        return kControlKeyFilterPassKey;
        break;

    default:
        SysBeep(10);
        return kControlKeyFilterBlockKey;
        break;
}
}
```

Defining Your Own Edit Text Validation Function

A key filter function, however, does not cater for the case of pasting text to an edit text item. Accordingly, you will ordinarily want to combine an **edit text validation function** with the key filter function for a specific edit text control. The following example ensures that, if a user supplied filename pasted to the edit text item contains one or more colons, those colons will be replaced with dashes.

```
ControlEditTextValidationUPP editTextValidatorUPP;
ControlHandle controlHdl;
...
```

```

// ..... create routine descriptor
editTextValidatorUPP = NewControlEditTextValidationProc(editTextValidator);
// ..... attach edit text validation function to the control
GetDialogItemAsControl(dialogPtr,iEditText1,&controlHdl);
SetControlData(controlHdl,kControlNoPart,kControlEditTextValidationProcTag,
              sizeof(editTextValidatorUPP),(Ptr)&editTextValidatorUPP);
...
pascal void editTextValidator(ControlHandle controlHdl)
{
Str31    theText;
Size    actualSize;
UInt8    a;

// ..... Get the text to be examined from the control
GetControlData(controlHdl,kControlNoPart,kControlEditTextTextTag,sizeof(theText)-1,
                (Ptr)&theText[1],&actualSize);

// ..... Set the length byte to the
// ..... number of characters in the text, limited to the current maximum for filenames
if(actualSize <= 31)
    theText[0] = actualSize;
else
    theText[0] = 31;

// ..... Replace any colons with dashes
for(a=1;a<=theText[0];a++)
{
    if(theText[a] == ':')
        theText[a] = '-';
}

// ..... You might want to add code
// ..... here to check whether any characters were replaced before bothering to redraw
// ..... Put the replaced text into the control and redraw the control
SetControlData(controlHdl,kControlNoPart,kControlEditTextTextTag,theText[0],
                (Ptr)&theText[1]);

Draw1Control(controlHdl);
}

```

Defining Your Own User Pane Functions

As previously stated, one of the functions of a user pane is to provide a way to hook in application-defined functions which perform actions such as drawing, hit testing, tracking, etc. Such application-defined functions are called **user pane functions**.

User pane functions provide you with the ability to create a custom Appearance-compliant control without writing your own control definition function.

Once you have provided a user pane function, you call `SetControlData` with the control data tag constant representing the user pane function you wish to get or set passed in the `inTagName` parameter and a universal procedure pointer to the user pane function passed in the `inData` parameter.

User Pane Functions

User pane functions are categorised as follows:

Function	Description
Draw	Draws the content of a user pane control in the rectangle of user pane control.
Hit test	Returns the part code of the control that the point was in when the mouse-down event occurred.
Tracking	Tracks a control while the user holds down the mouse button. The function should track the control by repeatedly calling the action function specified in the actionProc parameter until the mouse button is released. When the mouse button is released, your function should return the part code of the control part that was tracked. This function will only get called if you have set the kControlHandlesTracking control feature bit on creation of the user pane control.
Idle	Performs idle processing. This function will only get called if you have set the kControlWantsIdle control feature bit on creation of the user pane control.
Key Down	Handles keyboard event processing. The function should handle the key pressed or released by the user and return the part code of the control where the keyboard event occurred. This function will only get called if you've set the kControlSupportsFocus control feature bit on creation of the user pane control.
Activate	Handles activate and deactivate event processing. The function should perform any special processing before the user pane becomes activated or deactivated. For example, it should deactivate its TEHandle or ListHandle if the user pane is about to be deactivated. This function will only get called if you have set the kControlWantsActivate control feature bit on creation of the user pane control.
Focus	Handle keyboard focus. The function is called in response to a change in keyboard focus. It should respond by changing keyboard focus based on the part code passed in the action parameter. This function will only get called if you have set the kControlSupportsFocus control feature bit on creation of the user pane control.
Background	Sets the background colour or pattern (only for user panes that support embedding). The function should set the user pane background colour or pattern to whatever is appropriate given the bit depth and device type passed in. This function will only get called if you have set the kControlHasSpecialBackground and kControlSupportsEmbedding control feature bits on creation of the user pane control.

Control Feature Flags

As stated at User Panes, above, the initial value of a user pane is one or more of the control feature constants. As stated in the preceding list of user pane functions, certain user pane functions will only get called if certain control feature flags are set. The control feature flags relevant to user pane functions are as follows:

KControlSupportsEmbedding	= 1 << 1,
KControlSupportsFocus	= 1 << 2,
KControlWantsIdle	= 1 << 3,
KControlWantsActivate	= 1 << 4,
KControlHandlesTracking	= 1 << 5,
KControlHasSpecialBackground	= 1 << 7,

Type Definitions

The Control Manager declares the following types for user pane functions:

```
typedef CALLBACK_API(void,ControlUserPaneDrawProcPtr)
    (ControlHandle control,SInt16 part);
```

```

typedef CALLBACK_API(ControlPartCode,ControlUserPanelHitTestProcPtr)
    (ControlHandle control,Point where);

typedef CALLBACK_API(ControlPartCode,ControlUserPanelTrackingProcPtr)
    (ControlHandle control,Point startPt,ControlActionUPP actionProc);

typedef CALLBACK_API(void,ControlUserPanelIdleProcPtr)
    (ControlHandle control);

typedef CALLBACK_API(ControlPartCode,ControlUserPanelKeyDownProcPtr)
    (ControlHandle control,SInt16 keyCode, SInt16 charCode,
     SInt16 modifiers);

typedef CALLBACK_API(void,ControlUserPaneActivateProcPtr)
    (ControlHandle control,Boolean activating);

typedef CALLBACK_API(ControlPartCode,ControlUserPanelFocusProcPtr)
    (ControlHandle control,ControlFocusPart action);

typedef CALLBACK_API(void,ControlUserPanelBackgroundProcPtr)
    (ControlHandle control, ControlBackgroundPtr info);

```

The Control Manager defines the following data types to identify the universal procedure pointer for user pane functions:

typedef STACK_UPP_TYPE(ControlUserPanelDrawProcPtr)	ControlUserPaneDrawUPP;
typedef STACK_UPP_TYPE(ControlUserPanelHitTestProcPtr)	ControlUserPaneHitTestUPP;
typedef STACK_UPP_TYPE(ControlUserPanelTrackingProcPtr)	ControlUserPanelTrackingUPP;
typedef STACK_UPP_TYPE(ControlUserPanelIdleProcPtr)	ControlUserPanelIdleUPP;
typedef STACK_UPP_TYPE(ControlUserPanelKeyDownProcPtr)	ControlUserPanelKeyDownUPP;
typedef STACK_UPP_TYPE(ControlUserPanelActivateProcPtr)	ControlUserPanelActivateUPP;
typedef STACK_UPP_TYPE(ControlUserPanelFocusProcPtr)	ControlUserPanelFocusUPP;
typedef STACK_UPP_TYPE(ControlUserPanelBackgroundProcPtr)	ControlUserPanelBackgroundUPP;

Control Data Tag Constants

The control data tag constants relating to user pane functions are as follows:

<i>Control Data Tag Constant</i>	<i>Meaning and Data Type Returned or Set</i>
kControlUserPaneDrawProcTag	Gets or sets a user pane drawing function. Indicates that the Control Manager needs to draw a control. Data type returned or set: ControlUserPanelDrawingUPP
kControlUserPaneHitTestProcTag	Gets or sets a user pane hit-testing function. Indicates that the Control Manager needs to determine if a control part was hit. Data type returned or set: ControlUserPanelHitTestUPP
kControlUserPanelTrackingProcTag	Gets or sets a user pane tracking function, which will be called when a control definition function returns the kControlHandlesTracking feature bit in response to a kControlMsgGetFeatures message. Indicates that a user pane handles its own tracking. Data type returned or set: ControlUserPanelTrackingUPP
kControlUserPanelIdleProcTag	Gets or sets a user pane idle function, which will be called when a control definition function returns the kControlWantsIdle feature bit in response to kControlMsgGetFeatures message. Indicates that a user pane performs idle processing. Data type returned or set: ControlUserPanelIdleUPP
kControlUserPanelKeyDownProcTag	Gets or sets a user pane key down function, which will be called when a control definition function returns the kControlSupportsFocus feature bit in response to a kControlMsgGetFeatures message. Indicates that a user pane performs keyboard event processing. Data type returned or set: ControlUserPanelKeyDownUPP
kControlUserPanelActivateProcTag	Gets or sets a user pane activate function, which will be called when a control definition function returns the kControlWantsActivate feature bit in response to a

	kControlMsgGetFeatures message. Indicates that a user pane wants to be informed of activate and deactivate events.
	Data type returned or set: ControlUserPaneActivateUPP
kControlUserPaneFocusProcTag	Gets or sets a user pane keyboard focus function, which will be called when a control definition function returns the kControlSupportsFocus feature bit in response to a kControlMsgGetFeatures message. Indicates that a user pane handles keyboard focus.
	Data type returned or set: ControlUserPaneFocusUPP
kControlUserPaneBackgroundProcTag	Gets or sets a user pane background function, which will be called when a control definition function returns the kControlHasSpecialBackground and kControlSupportsEmbedding feature bits in response to a kControlMsgGetFeatures message. Indicates that a user pane can set its background colour or pattern.
	Data type returned or set: ControlUserPaneBackgroundUPP

Main Constants, Data Types and Functions

All of the following constants, data types, and functions, with the exception of some of the control part code constants, were introduced with Mac OS 8 and the Appearance Manager. Those introduced with Mac OS 8.5 appear on a dark gray background.

Constants

Control Definition IDs

KControlBevelButtonSmallBevelProc	= 32
KControlBevelButtonNormalBevelProc	= 33
KControlBevelButtonLargeBevelProc	= 34
kControlSliderProc	= 48
kControlSliderLiveFeedback	= (1 << 0)
kControlSliderHasTickMarks	= (1 << 1)
kControlSliderReverseDirection	= (1 << 2)
kControlSliderNonDirectional	= (1 << 3)
kControlTriangleProc	= 64
kControlTriangleLeftFacingProc	= 65
kControlTriangleAutoToggleProc	= 66
kControlTriangleLeftFacingAutoToggleProc	= 67
kControlProgressBarProc	= 80
kControlLittleArrowsProc	= 96
kControlChasingArrowsProc	= 112
kControlTabLargeProc	= 128
kControlTabSmallProc	= 129
kControlSeparatorLineProc	= 144
kControlGroupBoxTextTitleProc	= 160
kControlGroupBoxCheckBoxProc	= 161
kControlGroupBoxPopupButtonProc	= 162
kControlGroupBoxSecondaryTextTitleProc	= 164
kControlGroupBoxSecondaryCheckBoxProc	= 165
kControlGroupBoxSecondaryPopupButtonProc	= 166
kControlImageWellProc	= 176
kControlPopupArrowEastProc	= 192
kControlPopupArrowWestProc	= 193
kControlPopupArrowNorthProc	= 194
kControlPopupArrowSouthProc	= 195
kControlPopupArrowSmallEastProc	= 196
kControlPopupArrowSmallWestProc	= 197
kControlPopupArrowSmallNorthProc	= 198
kControlPopupArrowSmallSouthProc	= 199
kControlPlacardProc	= 224
kControlClockTimeProc	= 240
kControlClockTimeSecondsProc	= 241
kControlClockDateProc	= 242
kControlClockMonthYearProc	= 243
kControlUserPaneProc	= 256
kControlEditTextProc	= 272
kControlEditTextDialogProc	= 273

kControlEditTextPasswordProc	= 274
kControlEditTextInlineInputProc	= 276
kControlStaticTextProc	= 288
kControlPictureProc	= 304
kControlPictureNoTrackProc	= 305
kControllconProc	= 320
kControllconNoTrackProc	= 321
kControllconSuiteProc	= 322
kControllconSuiteNoTrackProc	= 323
kControllconRefProc	= 324
kControllconRefNoTrackProc	= 325
kControlWindowHeaderProc	= 336
kControlWindowListViewHeaderProc	= 337
kControlListBoxProc	= 352
kControlListBoxAutoSizeProc	= 353
kControlRadioGroupProc	= 416
kControlScrollTextBoxProc	= 432
kControlScrollTextBoxAutoScrollProc	= 433

Control Variants

kControlNoVariant	= 0
kControlUsesOwningWindowsFontVariant	= 1 << 3

Control Part Codes

kControlNoPart	= 0
kControlLabelPart	= 1
kControlMenuPart	= 2
kControlTrianglePart	= 4
kControlEditTextPart	= 5
kControlPicturePart	= 6
kControllconPart	= 7
kControlClockPart	= 8
kControlClockHourDayPart	= 9,
kControlClockMinuteMonthPart	= 10
kControlClockSecondYearPart	= 11
kControlClockAMPPMPart	= 12
kControlListBoxPart	= 24
kControlListBoxDoubleClickPart	= 25
kControllImageWellPart	= 26
kControlRadioGroupPart	= 27
kControlButtonPart	= 10
kControlCheckBoxPart	= 11
kControlRadioButtonPart	= 11
kControlUpButtonPart	= 20
kControlDownButtonPart	= 21
kControlPageUpPart	= 22
kControlPageDownPart	= 23
kControllIndicatorPart	= 129
kControlDisabledPart	= 254
kControllInactivePart	= 255

Bevel Button Graphic Alignment

KControlBevelButtonAlignSysDirection	= -1
KControlBevelButtonAlignCenter	= 0
KControlBevelButtonAlignLeft	= 1
KControlBevelButtonAlignRight	= 2
KControlBevelButtonAlignTop	= 3
KControlBevelButtonAlignBottom	= 4
KControlBevelButtonAlignTopLeft	= 5
KControlBevelButtonAlignBottomLeft	= 6
KControlBevelButtonAlignTopRight	= 7
KControlBevelButtonAlignBottomRight	= 8

Bevel Button Text Alignment values

KControlBevelButtonAlignTextSysDirection	= teFlushDefault
KControlBevelButtonAlignTextCenter	= teCenter
KControlBevelButtonAlignTextFlushRight	= teFlushRight
KControlBevelButtonAlignTextFlushLeft	= teFlushLeft

Bevel Button Text Placement

KControlBevelButtonPlaceSysDirection	= -1
--------------------------------------	------

KControlBevelButtonPlaceNormally	= 0
KControlBevelButtonPlaceToRightOfGraphic	= 1
KControlBevelButtonPlaceToLeftOfGraphic	= 2
KControlBevelButtonPlaceBelowGraphic	= 3
KControlBevelButtonPlaceAboveGraphic	= 4

Bevel Button Behaviour

kControlBehaviorPushButton	= 0
kControlBehaviorToggle	= 0x0100
kControlBehaviorSticky	= 0x0200
kControlBehaviorMultiValueMenu	= 0x4000
kControlBehaviorOffsetContents	= 0x8000
kControlBehaviorCommandMenu	= 0x2000

Bevel Button Content Type

kControlContentTextOnly	= 0
kControlContentIconSuiteRes	= 1
kControlContentClconRes	= 2
kControlContentPictRes	= 3
kControlContentIconSuiteHandle	= 129
kControlContentClconHandle	= 130
kControlContentPictHandle	= 131
kControlContentIconRef	= 132

Clock Value Flag Constants

kControlClockNoFlags	= 0
kControlClockIsDisplayOnly	= 1
kControlClockIsLive	= 2

Control Data Tags

kControlFontStyleTag	= FOUR_CHAR_CODE('font')
kControlKeyFilterTag	= FOUR_CHAR_CODE('fltr')
kControlBevelButtonContentTag	= FOUR_CHAR_CODE('cont')
kControlBevelButtonTransformTag	= FOUR_CHAR_CODE('tran')
kControlBevelButtonTextAlignTag	= FOUR_CHAR_CODE('tali')
kControlBevelButtonTextOffsetTag	= FOUR_CHAR_CODE('toff')
kControlBevelButtonGraphicAlignTag	= FOUR_CHAR_CODE('gali')
kControlBevelButtonGraphicOffsetTag	= FOUR_CHAR_CODE('goff')
kControlBevelButtonTextPlaceTag	= FOUR_CHAR_CODE('tplc')
kControlBevelButtonMenuValueTag	= FOUR_CHAR_CODE('mval')
kControlBevelButtonMenuHandleTag	= FOUR_CHAR_CODE('mhnd')
kControlBevelButtonCenterPopupGlyphTag	= FOUR_CHAR_CODE('pglc')
kControlBevelButtonLastMenuTag	= FOUR_CHAR_CODE('lmnu')
kControlBevelButtonMenuDelayTag	= FOUR_CHAR_CODE('mdly')
kControlBevelButtonScaleIconTag	= FOUR_CHAR_CODE('scal')
kControlTriangleLastValueTag	= FOUR_CHAR_CODE('last')
kControlProgressBarIndeterminateTag	= FOUR_CHAR_CODE('inde')
kControlTabContentRectTag	= FOUR_CHAR_CODE('rect')
kControlTabEnabledFlagTag	= FOUR_CHAR_CODE('enab')
kControlTabFontStyleTag	= kControlFontStyleTag
kControlGroupBoxMenuHandleTag	= FOUR_CHAR_CODE('mhan')
kControlGroupBoxFontStyleTag	= kControlFontStyleTag
kControlImageWellContentTag	= FOUR_CHAR_CODE('cont')
kControlImageWellTransformTag	= FOUR_CHAR_CODE('tran')
kControlClockLongDateTag	= FOUR_CHAR_CODE('date')
kControlClockFontStyleTag	= kControlFontStyleTag
kControlUserItemDrawProcTag	= FOUR_CHAR_CODE('uidp')
kControlUserPaneDrawProcTag	= FOUR_CHAR_CODE('draw')
kControlUserPaneHitTestProcTag	= FOUR_CHAR_CODE('hitt')
kControlUserPaneTrackingProcTag	= FOUR_CHAR_CODE('trak')
kControlUserPanelIdleProcTag	= FOUR_CHAR_CODE('idle')
kControlUserPaneKeyDownProcTag	= FOUR_CHAR_CODE('keyd')
kControlUserPaneActivateProcTag	= FOUR_CHAR_CODE('acti')
kControlUserPaneFocusProcTag	= FOUR_CHAR_CODE('foci')
kControlUserPaneBackgroundProcTag	= FOUR_CHAR_CODE('back')
kControlEditTextStyleTag	= kControlFontStyleTag
kControlEditTextTextTag	= FOUR_CHAR_CODE('text')
kControlEditTextTEHandleTag	= FOUR_CHAR_CODE('than')
kControlEditTextKeyFilterTag	= kControlKeyFilterTag,
kControlEditTextSelectionTag	= FOUR_CHAR_CODE('sele')
kControlEditTextPasswordTag	= FOUR_CHAR_CODE('pass')
kControlEditTextLockedTag	= FOUR_CHAR_CODE('lock')
kControlEditTextValidationProcTag	= FOUR_CHAR_CODE('vali')

kControlStaticTextStyleTag	= kControlFontStyleTag
kControlStaticTextTextTag	= FOUR_CHAR_CODE('text')
kControlStaticTextTextHeightTag	= FOUR_CHAR_CODE('thei')
kControlStaticTextTruncTag	= FOUR_CHAR_CODE('trun')
kControlIconTransformTag	= FOUR_CHAR_CODE('trfm')
kControlIconAlignmentTag	= FOUR_CHAR_CODE('algn')
kControlIconResourceIDTag	= FOUR_CHAR_CODE('ires')
kControlIconContentTag	= FOUR_CHAR_CODE('cont')
kControlListBoxListHandleTag	= FOUR_CHAR_CODE('lhan')
kControlListBoxKeyFilterTag	= kControlKeyFilterTag
kControlListBoxFontStyleTag	= kControlFontStyleTag
kControlListBoxDoubleClickTag	= FOUR_CHAR_CODE('dblcl')
kControlScrollTextBoxDelayBeforeAutoScrollTag	= FOUR_CHAR_CODE('stdl')
kControlScrollTextBoxDelayBetweenAutoScrollTag	= FOUR_CHAR_CODE('scdl')
kControlScrollTextBoxAutoScrollAmountTag	= FOUR_CHAR_CODE('samt')
kControlScrollTextBoxContentsTag	= FOUR_CHAR_CODE('tres')

Key Filter Result Codes

kControlKeyFilterBlockKey	= 0
kControlKeyFilterPassKey	= 1

Control Feature Bits

kControlSupportsGhosting	= 1 << 0
kControlSupportsEmbedding	= 1 << 1
kControlSupportsFocus	= 1 << 2
kControlWantsIdle	= 1 << 3
kControlWantsActivate	= 1 << 4
kControlHandlesTracking	= 1 << 5
kControlSupportsDataAccess	= 1 << 6
kControlHasSpecialBackground	= 1 << 7
kControlGetsFocusOnClick	= 1 << 8
kControlSupportsCalcBestRect	= 1 << 9
kControlSupportsLiveFeedback	= 1 << 10
kControlHasRadioBehavior	= 1 << 11

Focusing Part Codes

KcontrolFocusNoPart	= 0
KcontrolFocusNextPart	= -1
KcontrolFocusPrevPart	= -2

Data Types

```
typedef SInt16 ControlFocusPart;
typedef SInt16 ControlKeyFilterResult;
typedef SInt16 ControlButtonGraphicAlignment;
typedef SInt16 ControlButtonTextAlignment;
typedef SInt16 ControlButtonTextPlacement;
typedef SInt16 ControlContentType;
typedef SInt16 ControlVariant;
```

Bevel Button and Image Well Content Structure

```
struct ControlButtonContentInfo
{
    ControlContentType    contentType;
    union
    {
        SInt16      resID;
        CIconHandle  cIconHandle;
        Handle      iconSuite;
        Handle      iconRef;
        PicHandle   picture;
    } u;
};

typedef struct ControlButtonContentInfo ControlButtonContentInfo;
typedef ControlButtonContentInfo *ControlButtonContentInfoPtr;
```

Edit Text Selection Structure

```
struct ControlEditTextSelectionRec
{
    SInt16      selStart;
    SInt16      selEnd;
};

typedef struct ControlEditTextSelectionRec ControlEditTextSelectionRec;
typedef ControlEditTextSelectionRec * ControlEditTextSelectionPtr;
```

Tab Information Structure

```
struct ControlTabInfoRec
{
    SInt16      version;
    SInt16      iconSuiteID;
    Str255     name;
};
```

User Pane Functions

```
typedef CALLBACK_API(void,ControlUserPaneDrawProcPtr)
                    (ControlHandle control,SInt16 part);

typedef CALLBACK_API(ControlPartCode,ControlUserPaneHitTestProcPtr)
                    (ControlHandle control,Point where);

typedef CALLBACK_API(ControlPartCode,ControlUserPaneTrackingProcPtr)
                    (ControlHandle control,Point startPt,ControlActionUPP actionProc);

typedef CALLBACK_API(void,ControlUserPanelIdleProcPtr)
                    (ControlHandle control);

typedef CALLBACK_API(ControlPartCode,ControlUserPaneKeyDownProcPtr)
                    (ControlHandle control,SInt16 keyCode, SInt16 charCode,
                     SInt16 modifiers);

typedef CALLBACK_API(void,ControlUserPaneActivateProcPtr)
                    (ControlHandle control,Boolean activating);

typedef CALLBACK_API(ControlPartCode,ControlUserPaneFocusProcPtr)
                    (ControlHandle control,ControlFocusPart action);

typedef CALLBACK_API(void,ControlUserPaneBackgroundProcPtr)
                    (ControlHandle control, ControlBackgroundPtr info);
```

Universal Procedure Pointer Types For User Pane Functions

typedef STACK_UPP_TYPE(ControlUserPaneDrawProcPtr)	ControlUserPaneDrawUPP;
typedef STACK_UPP_TYPE(ControlUserPaneHitTestProcPtr)	ControlUserPaneHitTestUPP;
typedef STACK_UPP_TYPE(ControlUserPaneTrackingProcPtr)	ControlUserPaneTrackingUPP;
typedef STACK_UPP_TYPE(ControlUserPanelIdleProcPtr)	ControlUserPanelIdleUPP;
typedef STACK_UPP_TYPE(ControlUserPaneKeyDownProcPtr)	ControlUserPaneKeyDownUPP;
typedef STACK_UPP_TYPE(ControlUserPaneActivateProcPtr)	ControlUserPaneActivateUPP;
typedef STACK_UPP_TYPE(ControlUserPaneFocusProcPtr)	ControlUserPaneFocusUPP;
typedef STACK_UPP_TYPE(ControlUserPaneBackgroundProcPtr)	ControlUserPaneBackgroundUPP;

Functions

Give Idle Time To Controls

```
void      IdleControls(WindowPtr inWindow)
```

Send Keyboard Event to Control With keyboard Focus

```
Sint16    HandleControlKey(ControlHandle inControl,SInt16 inKeyCode,SInt16 inCharCode,
                           SInt16 inModifiers);
```

Set the Background For a Control

```
OSErr     SetUpControlBackground (ControlHandle inControl,SInt16 inDepth,
                                   Boolean inIsColorDevice);
```

KeyBoard Focus

```
OSErr    GetKeyboardFocus(WindowPtr inWindow,ControlHandle *outControl);
OSErr    SetKeyboardFocus(WindowPtr inWindow,ControlHandle inControl,ControlFocusPart  inPart);
OSErr    AdvanceKeyboardFocus(WindowPtr inWindow);
OSErr    ReverseKeyboardFocus(WindowPtr inWindow);
OSErr    ClearKeyboardFocus(WindowPtr inWindow);
```

Control Features

```
OSErr    GetControlFeatures(ControlHandle inControl,UInt32 *outFeatures);
```

Validating Controls

```
Boolean  IsValidControlHandle(ControlHandle theControl);
```

Control List

```
#define  GetControlListFromWindow(theWindow)
        (*(ControlHandle *) (((UInt8 *) theWindow) + sizeof(GrafPort) + 0x20))
#define  GetControlOwningWindowControlList(theWindow)
        (*(ControlHandle *) (((UInt8 *) theWindow) + sizeof(GrafPort) + 0x20))
```

Routine Descriptors — User Pane Functions

```
#define  NewControlUserPaneDrawProc(userRoutine)
        (ControlUserPaneDrawUPP)NewRoutineDescriptor((ProcPtr)(userRoutine),
        uppControlUserPaneDrawProcInfo, GetCurrentArchitecture())
#define  NewControlUserPaneHitTestProc(userRoutine) (ControlUserPaneHitTestUPP)NewRoutineDescriptor((ProcPtr)
(userRoutine),
        uppControlUserPaneHitTestProcInfo, GetCurrentArchitecture())
#define  NewControlUserPaneTrackingProc(userRoutine)
        (ControlUserPaneTrackingUPP)NewRoutineDescriptor((ProcPtr)(userRoutine),
        uppControlUserPaneTrackingProcInfo, GetCurrentArchitecture())
#define  NewControlUserPanelIdleProc(userRoutine) (ControlUserPanelIdleUPP)NewRoutineDescriptor((ProcPtr)
(userRoutine),
        uppControlUserPanelIdleProcInfo, GetCurrentArchitecture())
#define  NewControlUserPaneKeyDownProc(userRoutine) (ControlUserPaneKeyDownUPP)NewRoutineDescriptor((ProcPtr)
(userRoutine),
        uppControlUserPaneKeyDownProcInfo, GetCurrentArchitecture())
#define  NewControlUserPaneActivateProc(userRoutine) (ControlUserPaneActivateUPP)NewRoutineDescriptor((ProcPtr)
(userRoutine),
        uppControlUserPaneActivateProcInfo, GetCurrentArchitecture())
#define  NewControlUserPaneFocusProc(userRoutine) (ControlUserPaneFocusUPP)NewRoutineDescriptor((ProcPtr)
(userRoutine),
        uppControlUserPaneFocusProcInfo, GetCurrentArchitecture())
#define  NewControlUserPaneBackgroundProc(userRoutine)
        (ControlUserPaneBackgroundUPP)NewRoutineDescriptor((ProcPtr)(userRoutine),
        uppControlUserPaneBackgroundProcInfo, GetCurrentArchitecture())
```

Demonstration Program

```

// Controls3.h
// This program demonstrates the creation and handling of those controls not demonstrated
// in the programs Controls1 and Controls2 (Chapter 7), with the exception of List boxes
// and determinate progress bars.
//
// The program utilises the following resources:
//
// • An 'MBAR' resource, and 'MENU' resources for Apple, File, Edit, and Demonstration
//   menus (preload, non-purgeable).
//
// • 'MENU' resources (non-purgeable) for bevel button menus and for a pop-up group box.
//
// • A 'WIND' resource (purgeable) (initially not visible).
//
// • 'DLOG' resources and associated 'DITL', 'dlgx' and 'dftb' resources (purgeable).
//
// • 'CNTL' resources (purgeable).
//
// • A 'tab#' resource (purgeable).
//
// • An icon family resource (purgeable).
//
// • 'PICT' resources (purgeable).
//
// • 'cicn' resources (purgeable).
//
// • 'STR#' resources (purgeable).
//
// • 'TEXT' and 'styl' resources (purgeable).
//
// • 'hrct' and an 'hwin' resources (preload, purgeable), which provide help
//   balloons describing the various controls.
//
// • A 'SIZE' resource with the acceptSuspendResumeEvents, doesActivateOnFGSwitch,
//   and is32BitCompatible flags set.
//
// .... includes

#include <Appearance.h>
#include <ControlDefinitions.h>
#include <Devices.h>
#include <Gestalt.h>
#include <LowMem.h>
#include <Sound.h>
#include <ToolUtils.h>
#include <Resources.h>

//
// .... defines

#define rMenubar          128
#define mApple            128
#define iAbout             1
#define mFile              129
#define iQuit              11
#define mDemonstration    131
#define iBevelAndImage     1
#define iTabEditClock      2
#define iGroupArrowsProgress 3
#define iSliders            4
#define rBevelImageWindow  128
#define cBevelButton1       128
#define cBevelButton2       129
#define cBevelButton3       130
#define cBevelButton4       131

```

```

#define cBevelButton5          132
#define cBevelButton6          133
#define cBevelButton7          134
#define cBevelButton8          135
#define cBevelButton9          136
#define cBevelButton10         137
#define cBevelButton11         138
#define cBevelButton12         139
#define cBevelButton13         140
#define cBevelButton14         141
#define cBevelButton15         142
#define cBevelButton16         143
#define cBevelButton17         144
#define cBevelButton18         145
#define cBevelButton19         146
#define cBevelButton20         147
#define cBevelButton21         148
#define cImageWell1            149
#define cImageWell2            150
#define cPicture1              151
#define cPicture2              152
#define cColourIcon1           153
#define cColourIcon2           154
#define clconSuite1             155
#define clconSuite2             156
#define cWindowHeader           157
#define rPartCodeStrings        128
#define rGraphicAlignStrings    129
#define rTextAlignStrings       130
#define rTextPlacementStrings   131
#define rTabEditClockDialog     128
#define iTabs                   2
#define tabEditText             1
#define tabClocks               2
#define iEditTextUserPane       3
#define iEditText1               5
#define iEditText2               7
#define iEditText3               9
#define iExtractEditText        10
#define iClocksUserPane         12
#define iImageWellEditText      11
#define iClocks1                 14
#define iClocks2                 16
#define iClocks3                 18
#define iExtractClocks          19
#define iImageWellClocks        20
#define kLeftArrow               0x1C
#define kRightArrow              0x1D
#define kUpArrow                  0x1E
#define kDownArrow                0x1F
#define kBackspace                0x08
#define rGroupArrowsProgDialog   129
#define iCheckboxGroup            2
#define iRadioGroupColour         3
#define iStaticTextColourDepth    7
#define iPopupGroup               8
#define iUserPaneNamesInitials   9
#define iRadioGroupNames          10
#define iCheckboxShowInitials    13
#define iUserPaneScoreAverage    15
#define iRadioGroupScores         16
#define iCheckboxShowAverages     19
#define iStaticTextCache          26
#define iLittleArrows              27
#define iPushButtonExtract        28
#define iImageWell                  29
#define iDisclosureTriangle      31
#define iStaticTextDisclosure     32
#define iProgressBar                34
#define rSlidersDialog             131
#define iSlider1                   2
#define iSlider2                   3
#define iSlider3                   4
#define iSlider4                   5
#define iSlider1StaticText         9
#define iSlider2StaticText         11
#define iSlider3StaticText         13
#define iSlider4StaticText         15
#define iSlider5                   17

```

```
#define iUserPanel1          18
#define iSlider6              19
#define rAboutDialog          132
#define MAXLONG                0x7FFFFFFF
#define MIN(a,b)               ((a) < (b) ? (a)

// -----
..... typedefs

typedef struct
{
    ControlHandle bevelButton1Hdl;
    ControlHandle bevelButton2Hdl;
    ControlHandle bevelButton3Hdl;
    ControlHandle bevelButton4Hdl;
    ControlHandle bevelButton5Hdl;
    ControlHandle bevelButton6Hdl;
    ControlHandle bevelButton7Hdl;
    ControlHandle bevelButton8Hdl;
    ControlHandle bevelButton9Hdl;
    ControlHandle bevelButton10Hdl;
    ControlHandle bevelButton11Hdl;
    ControlHandle bevelButton12Hdl;
    ControlHandle bevelButton13Hdl;
    ControlHandle bevelButton14Hdl;
    ControlHandle bevelButton15Hdl;
    ControlHandle bevelButton16Hdl;
    ControlHandle bevelButton17Hdl;
    ControlHandle bevelButton18Hdl;
    ControlHandle bevelButton19Hdl;
    ControlHandle bevelButton20Hdl;
    ControlHandle bevelButton21Hdl;
    ControlHandle imageWell1Hdl;
    ControlHandle imageWell2Hdl;
    ControlHandle picture1Hdl;
    ControlHandle picture2Hdl;
    ControlHandle colourIcon1Hdl;
    ControlHandle colourIcon2Hdl;
    ControlHandle iconSuite1Hdl;
    ControlHandle iconSuite2Hdl;
    ControlHandle windowHeaderHdl;
} BevelDocStruc;
```

```
typedef BevelDocStruc **BevelDocStrucHandle;
```

```
//  
..... function prototypes  
  
void main() {}  
void doInitManagers() {}  
void doGetControls(WindowPtr) {}  
void doEvents(EventRecord *) {}  
void doMouseDown(EventRecord *) {}  
void doMenuChoice(SInt32) {}  
void doUpdate(EventRecord *) {}  
void doActivate(EventRecord *) {}  
void doActivateWindow(WindowPtr, Boolean) {}  
void doConcatPStrings(Str255, Str255) {}  
void doCopyPString(Str255, Str255) {}  
void doGetDepthAndDevice(void) {}  
void doBevelImagePictIcon(void) {}  
void doBevelImagePictIconContent(EventRecord *, WindowPtr) {}  
void doDrawPartCode(WindowPtr, ControlHandle, SInt16, SInt16) {}  
void doGraphicAlignment(WindowPtr, ControlHandle, ControlHandle) {}  
void doTextAlignment(WindowPtr, ControlHandle, ControlHandle) {}  
void doTextOffset(WindowPtr, ControlHandle, ControlHandle) {}  
void doTextPlacement(WindowPtr, ControlHandle, ControlHandle) {}  
void doDrawMessage(WindowPtr, Boolean) {}  
void doDrawLegends(Boolean) {}  
void doTabEditClock(void) {}  
void doExtractEditText(DialogPtr) {}  
void doExtractDateTime(DialogPtr) {}  
void doGroupArrowsProgress(void) {}  
void doCheckBoxGroupBox(DialogPtr) {}  
void doPopupGroupBox(DialogPtr) {}  
void doAsynchronousAndProgress(DialogPtr) {}  
void doExtractCurrentStatus(DialogPtr) {}
```

```

void doSliderUserPane           (void);
void doDrawSliderValues        (DialogPtr,ControlHandle);
void doAboutBox                (void);

pascal Boolean     eventFilter          (DialogPtr,EventRecord *,SInt16 *);
pascal void        editTextValidator    (ControlHandle controlHdl);
pascal ControlKeyFilterResult numericFilter   (ControlHandle,SInt16 *,SInt16 *,SInt16 *);
pascal void        arrowsActionFunction (ControlHandle,SInt16);
pascal void        sliderActionFunction1 (ControlHandle,SInt16);
pascal void        sliderActionFunction2 (ControlHandle,SInt16);
pascal void        userPaneDrawFunction (ControlHandle,SInt16);
pascal void        userPaneActivateFunction (ControlHandle,Boolean);

// /////////////////////////////////
// Controls3.c
// /////////////////////////////////

// ..... includes
#include "Controls3.h"

// ..... global variables

Boolean gInBackground;
Boolean gDone;
Str255 gCurrentString;
Boolean gBevelAndImageActive = false;
Boolean gGroupArrowsProgressActive = false;
Boolean gSlidersActive = false;
Boolean gPixelDepth;
Boolean gIsColourDevice;

// ////////////////////////////// main

void main(void)
{
    OSErr      osError;
    SInt32    response;
    Boolean   macOS85Present = false;
    Handle    menuBarHdl;
    MenuHandle menuHdl;
    EventRecord EventStructure;

    //
    ... initialise managers

    doInitManagers();

    // ..... check whether Mac OS 8.5 or later is
    present

    osError = Gestalt(gestaltSystemVersion,&response);

    if(osError == noErr && response >= 0x000000850)
        macOS85Present = true;

    // ..... set
    up menu bar and menus

    menuBarHdl = GetNewMBar(rMenuBar);
    if(menuBarHdl == NULL)
        ExitToShell();
    SetMenuBar(menuBarHdl);
    DrawMenuBar();

    menuHdl = GetMenuHandle(mApple);
    if(menuHdl == NULL)
        ExitToShell();
    else
        AppendResMenu(menuHdl,'DRVR');

    // ..... if Mac OS 8.5 or later not present, disable About... item in Apple menu
    if(!macOS85Present)

```



```

        break;
    }
    HiliteMenu(0);
    break;
}
}

// ////////////////////////////// doMouseDown

void doMouseDown(EventRecord *eventStrucPtr)
{
    SInt16      partCode;
    WindowPtr   windowPtr;
    MenuHandle menuHdl;

    partCode = FindWindow(eventStrucPtr->where,&windowPtr);

    switch(partCode)
    {
        case inMenuBar:
            menuHdl = GetMenuHandle(mDemonstration);
            if(gBevelAndImageActive)
                DisableItem(menuHdl,iBevelAndImage);
            else
                EnableItem(menuHdl,iBevelAndImage);
            doMenuChoice(MenuSelect(eventStrucPtr->where));
            break;

        case inContent:
            if(windowPtr != FrontWindow())
                SelectWindow(windowPtr);
            else
            {
                if(gBevelAndImageActive)
                    doBevelImagePictIconContent(eventStrucPtr,windowPtr);
            }
            break;

        case inDrag:
            DragWindow(windowPtr,eventStrucPtr->where,&qd.screenBits.bounds);
            break;

        case inGoAway:
            if(TrackGoAway(windowPtr,eventStrucPtr->where) == true)
            {
                DisposeWindow(windowPtr);
                gBevelAndImageActive = false;
            }
            break;
    }
}

// ////////////////////////////// doMenuChoice

void doMenuChoice(SInt32 menuChoice)
{
    SInt16  menuID, menuItem;
    Str255  itemName;
    SInt16  daDriverRefNum;

    menuID = HiWord(menuChoice);
    menuItem = LoWord(menuChoice);

    if(menuID == 0)
        return;

    switch(menuID)
    {
        case mApple:
            if(menuItem == iAbout)
                doAboutBox();
            else
            {
                GetMenuItemText(GetMenuHandle(mApple),menuItem,itemName);
                daDriverRefNum = OpenDeskAcc(itemName);
            }
            break;
    }
}

```

```

case mFile:
    if(menuItem == iQuit)
        gDone = true;
    break;

case mDemonstration:
    switch(menuItem)
    {
        case iBevelAndImage:
            gBevelAndImageActive = true;
            doBevelImagePictIcon();
            break;

        case iTabEditClock:
            doTabEditClock();
            break;

        case iGroupArrowsProgress:
            gGroupArrowsProgressActive = true;
            doGroupArrowsProgress();
            break;

        case iSliders:
            gSlidersActive = true;
            doSliderUserPane();
            break;
    }
    break;
}

HiliteMenu(0);
}

// ////////////////////////////// doUpdate

void doUpdate(EventRecord *eventStrucPtr)
{
    WindowPtr windowPtr;
    Boolean drawMode = false;

    windowPtr = (WindowPtr) eventStrucPtr->message;

    BeginUpdate(windowPtr);

    if(gBevelAndImageActive)
    {
        SetPort(windowPtr);
        UpdateControls(windowPtr,windowPtr->visRgn);
        if(windowPtr == FrontWindow())
            drawMode = true;
        doDrawMessage(windowPtr,drawMode);
        doDrawLegends(drawMode);
    }

    EndUpdate(windowPtr);
}

// ////////////////////////////// doActivate

void doActivate(EventRecord *eventStrucPtr)
{
    WindowPtr windowPtr;
    Boolean becomingActive;

    windowPtr = (WindowPtr) eventStrucPtr->message;
    becomingActive = ((eventStrucPtr->modifiers & activeFlag) == activeFlag);
    doActivateWindow(windowPtr,becomingActive);
}

// ////////////////////////////// doActivateWindow

void doActivateWindow(WindowPtr windowPtr,Boolean becomingActive)
{
    ControlHandle controlHdl;

    GetRootControl(windowPtr,&controlHdl);

    if(becomingActive)
    {
}

```

```

if(gBevelAndImageActive)
{
    ActivateControl(controlHdl);
    doDrawMessage(windowPtr,becomingActive);
    doDrawLegends(becomingActive);
}
else
{
    if(gBevelAndImageActive)
    {
        DeactivateControl(controlHdl);
        doDrawMessage(windowPtr,becomingActive);
        doDrawLegends(becomingActive);
    }
}
}

// ////////////////////////////// doConcatPStrings

void doConcatPStrings(Str255 targetString,Str255 appendString)
{
    SInt16 appendLength;

    appendLength = MIN(appendString[0],255 - targetString[0]);

    if(appendLength > 0)
    {
        BlockMoveData(appendString+1,targetString+targetString[0]+1,(SInt32) appendLength);
        targetString[0] += appendLength;
    }
}

// ////////////////////////////// doCopyPString

void doCopyPString(Str255 sourceString,Str255 destinationString)
{
    SInt16 stringLength;

    stringLength = sourceString[0];
    BlockMove(sourceString + 1,destinationString + 1,stringLength);
    destinationString[0] = stringLength;
}

// ////////////////////////////// doGetDepthAndDevice

void doGetDepthAndDevice(void)
{
    GDHandle deviceHdl;

    deviceHdl = LMGetMainDevice();
    gPixelDepth = (*(*deviceHdl)->gdPMap)->pixelSize;
    if(BitTst(&(*deviceHdl)->gdFlags,gdDevType))
        glsColourDevice = true;
}

// ////////////////////////////// BevellImagePictIcon.c
// ////////////////////////////// includes

#include "Controls3.h"

// .....
..... global variables

extern Str255      gCurrentString;
extern Boolean     gInBackground;
extern SInt16       gPixelDepth;
extern Boolean     glsColourDevice;

// ////////////////////////////// doBevellImagePictIcon

void doBevellImagePictIcon(void)
{
}

```

```

WindowPtr           windowPtr;
BevelDocStrucHandle bevelDocStrucHdl;

// ..... initial advisory text for window
header

doCopyPString("\pBalloon help is available",gCurrentString);

// ..... open a window, set font size, set Appearance-compliant colour/pattern for window

if(!(windowPtr = GetNewCWindow(rBevelImageWindow,NULL,(WindowPtr)-1)))
    ExitToShell();

SetPort(windowPtr);
TextSize(10);

SetThemeWindowBackground(windowPtr,kThemeBrushDialogBackgroundActive,true);

// ..... get block for document structure, assign handle to window record refCon field

if(!(bevelDocStrucHdl = (BevelDocStrucHandle) NewHandle(sizeof(BevelDocStruc))))
    ExitToShell();

SetWRefCon(windowPtr,(SInt32) bevelDocStrucHdl);

// ..... get controls, adjust scroll bars, and show window

doGetControls(windowPtr);
ShowWindow(windowPtr);

// ..... get pixel depth and whether colour device for certain Appearance functions

doGetDepthAndDevice();
}

// /////////////////////////////// doGetControls

void doGetControls(WindowPtr windowPtr)
{
    ControlHandle          controlHdl;
    BevelDocStrucHandle    bevelDocStrucHdl;
    ControlButtonTextPlacement textPlacement = kControlBevelButtonPlaceAboveGraphic;
    Boolean                centrePopupGlyph = true;
    ControlFontStyleRec    controlFontStyleStruc;

    // ..... create root control for window, get handle to window's document structure

    CreateRootControl(windowPtr,&controlHdl);

    bevelDocStrucHdl = (BevelDocStrucHandle) (GetWRefCon(windowPtr));

    //

    // ..... get the controls

    if(!(*bevelDocStrucHdl)->bevelButton1Hdl = GetNewControl(cBevelButton1,windowPtr))
        ExitToShell();
    if(!(*bevelDocStrucHdl)->bevelButton2Hdl = GetNewControl(cBevelButton2,windowPtr))
        ExitToShell();
    if(!(*bevelDocStrucHdl)->bevelButton3Hdl = GetNewControl(cBevelButton3,windowPtr))
        ExitToShell();
    if(!(*bevelDocStrucHdl)->bevelButton4Hdl = GetNewControl(cBevelButton4,windowPtr))
        ExitToShell();
    if(!(*bevelDocStrucHdl)->bevelButton5Hdl = GetNewControl(cBevelButton5,windowPtr))
        ExitToShell();
    if(!(*bevelDocStrucHdl)->bevelButton6Hdl = GetNewControl(cBevelButton6,windowPtr))
        ExitToShell();
    if(!(*bevelDocStrucHdl)->bevelButton7Hdl = GetNewControl(cBevelButton7,windowPtr))
        ExitToShell();
    if(!(*bevelDocStrucHdl)->bevelButton8Hdl = GetNewControl(cBevelButton8,windowPtr))
        ExitToShell();
    if(!(*bevelDocStrucHdl)->bevelButton9Hdl = GetNewControl(cBevelButton9,windowPtr))
        ExitToShell();
    if(!(*bevelDocStrucHdl)->bevelButton10Hdl = GetNewControl(cBevelButton10,windowPtr))
        ExitToShell();
    if(!(*bevelDocStrucHdl)->bevelButton11Hdl = GetNewControl(cBevelButton11,windowPtr))
        ExitToShell();
    if(!(*bevelDocStrucHdl)->bevelButton12Hdl = GetNewControl(cBevelButton12,windowPtr))
        ExitToShell();
}

```

```

if(!(*bevelDocStrucHdl)->bevelButton13Hdl = GetNewControl(cBevelButton13,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->bevelButton14Hdl = GetNewControl(cBevelButton14,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->bevelButton15Hdl = GetNewControl(cBevelButton15,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->bevelButton16Hdl = GetNewControl(cBevelButton16,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->bevelButton17Hdl = GetNewControl(cBevelButton17,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->bevelButton18Hdl = GetNewControl(cBevelButton18,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->bevelButton19Hdl = GetNewControl(cBevelButton19,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->bevelButton20Hdl = GetNewControl(cBevelButton20,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->bevelButton21Hdl = GetNewControl(cBevelButton21,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->imageWell1Hdl = GetNewControl(cImageWell1,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->imageWell2Hdl = GetNewControl(cImageWell2,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->picture1Hdl = GetNewControl(cPicture1,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->picture2Hdl = GetNewControl(cPicture2,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->colourIcon1Hdl = GetNewControl(cColourIcon1,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->colourIcon2Hdl = GetNewControl(cColourIcon2,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->iconSuite1Hdl= GetNewControl(cIconSuite1,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->iconSuite2Hdl= GetNewControl(cIconSuite2,windowPtr))
    ExitToShell();
if(!(*bevelDocStrucHdl)->windowHeaderHdl = GetNewControl(cWindowHeader,windowPtr))
    ExitToShell();

// ..... set text placement for 2nd and 21st bevel button

SetControlData((*bevelDocStrucHdl)->bevelButton2Hdl,kControlNoPart,
               kControlBevelButtonTextPlaceTag,sizeof(textPlacement),
               (Ptr) &textPlacement);
SetControlData((*bevelDocStrucHdl)->bevelButton21Hdl,kControlNoPart,
               kControlBevelButtonTextPlaceTag,sizeof(textPlacement),
               (Ptr) &textPlacement);

// ..... set position of pop-up arrow in 6th bevel button

SetControlData((*bevelDocStrucHdl)->bevelButton6Hdl,kControlNoPart,
               kControlBevelButtonCenterPopupGlyphTag,sizeof(centrePopupGlyph),
               (Ptr) &centrePopupGlyph);

// ..... set font for 20th bevel button to small bold system font

controlFontStyleStruc.flags = kControlUseFontMask;
controlFontStyleStruc.font = kControlFontSmallBoldSystemFont;
SetControlFontStyle((*bevelDocStrucHdl)->bevelButton20Hdl,&controlFontStyleStruc);

// ..... set 3rd bevel button to the mixed state

SetControlValue((*bevelDocStrucHdl)->bevelButton3Hdl,2);
}

// oooooooooooooooooooo doBevelImagePictIconContent

void doBevelImagePictIconContent(EventRecord *eventStrucPtr,WindowPtr windowPtr)
{
    BevelDocStrucHandle bevelDocStrucHdl;
    ControlHandle controlHdl;
    SInt16 partCode, menuitem;

    bevelDocStrucHdl = (BevelDocStrucHandle) (GetWRefCon(windowPtr));

    SetPort(windowPtr);
    GlobalToLocal(&eventStrucPtr->where);
    partCode = FindControl(eventStrucPtr->where,windowPtr,&controlHdl);

    doDrawPartCode(windowPtr,(*bevelDocStrucHdl)->windowHeaderHdl,partCode,1234);
}

```

```

if(partCode)
{
    partCode = TrackControl(controlHdl,eventStrucPtr->where,NULL);

    if(controlHdl == (*bevelDocStrucHdl)->bevelButton1Hdl ||
       controlHdl == (*bevelDocStrucHdl)->bevelButton2Hdl ||
       controlHdl == (*bevelDocStrucHdl)->bevelButton3Hdl ||
       controlHdl == (*bevelDocStrucHdl)->bevelButton4Hdl ||
       controlHdl == (*bevelDocStrucHdl)->bevelButton9Hdl ||
       controlHdl == (*bevelDocStrucHdl)->bevelButton13Hdl ||
       controlHdl == (*bevelDocStrucHdl)->bevelButton14Hdl ||
       controlHdl == (*bevelDocStrucHdl)->bevelButton15Hdl ||
       controlHdl == (*bevelDocStrucHdl)->bevelButton16Hdl ||
       controlHdl == (*bevelDocStrucHdl)->bevelButton17Hdl)
    {
        doDrawPartCode(windowPtr,(*bevelDocStrucHdl)->windowHeaderHdl,partCode,4321);
    }
    else if(controlHdl == (*bevelDocStrucHdl)->bevelButton5Hdl ||
            controlHdl == (*bevelDocStrucHdl)->bevelButton6Hdl ||
            controlHdl == (*bevelDocStrucHdl)->bevelButton7Hdl ||
            controlHdl == (*bevelDocStrucHdl)->bevelButton8Hdl)
    {
        if(partCode == kControlMenuPart)
        {
            GetControlData(controlHdl,kControlMenuPart,kControlBevelButtonMenuValueTag,
                           sizeof(menuItem),(Ptr) &menuItem,NULL);
            doDrawPartCode(windowPtr,(*bevelDocStrucHdl)->windowHeaderHdl,partCode,menuItem);
        }
        else
            doDrawPartCode(windowPtr,(*bevelDocStrucHdl)->windowHeaderHdl,partCode,4321);
    }
    else if(controlHdl == (*bevelDocStrucHdl)->bevelButton10Hdl ||
            controlHdl == (*bevelDocStrucHdl)->bevelButton11Hdl ||
            controlHdl == (*bevelDocStrucHdl)->bevelButton12Hdl)
    {
        if(partCode != kControlNoPart)
        {
            SetControlValue((*bevelDocStrucHdl)->bevelButton10Hdl,0);
            SetControlValue((*bevelDocStrucHdl)->bevelButton11Hdl,0);
            SetControlValue((*bevelDocStrucHdl)->bevelButton12Hdl,0);
            SetControlValue(controlHdl,1);
        }
        doDrawPartCode(windowPtr,(*bevelDocStrucHdl)->windowHeaderHdl,partCode,4321);
    }
    else if(controlHdl == (*bevelDocStrucHdl)->bevelButton18Hdl)
    {
        doDrawPartCode(windowPtr,(*bevelDocStrucHdl)->windowHeaderHdl,partCode,4321);
        doGraphicAlignment(windowPtr,controlHdl,(*bevelDocStrucHdl)->windowHeaderHdl);
    }
    else if(controlHdl == (*bevelDocStrucHdl)->bevelButton19Hdl)
    {
        doDrawPartCode(windowPtr,(*bevelDocStrucHdl)->windowHeaderHdl,partCode,4321);
        doTextAlignment(windowPtr,controlHdl,(*bevelDocStrucHdl)->windowHeaderHdl);
    }
    else if(controlHdl == (*bevelDocStrucHdl)->bevelButton20Hdl)
    {
        doDrawPartCode(windowPtr,(*bevelDocStrucHdl)->windowHeaderHdl,partCode,4321);
        doTextOffset(windowPtr,controlHdl,(*bevelDocStrucHdl)->windowHeaderHdl);
    }
    else if(controlHdl == (*bevelDocStrucHdl)->bevelButton21Hdl)
    {
        doDrawPartCode(windowPtr,(*bevelDocStrucHdl)->windowHeaderHdl,partCode,4321);
        doTextPlacement(windowPtr,controlHdl,(*bevelDocStrucHdl)->windowHeaderHdl);
    }
    else
        doDrawPartCode(windowPtr,(*bevelDocStrucHdl)->windowHeaderHdl,partCode,4321);
}
}

// /////////////////////////////////////////////////////////////////// doDrawPartCode

void doDrawPartCode(WindowPtr windowPtr,ControlHandle windowHeaderHdl,SInt16 partCode,
                   SInt16 menuItem)
{
    SInt16 stringIndex;
    Str255 theString;

    if(partCode == kControlNoPart)

```

```

        stringIndex = 1;
    else if(partCode == kControlMenuPart)
        stringIndex = 2;
    else if(partCode == kControlTrianglePart)
        stringIndex = 3;
    else if(partCode == kControlEditTextPart)
        stringIndex = 4;
    else if(partCode == kControlPicturePart)
        stringIndex = 5;
    else if(partCode == kControlIconPart)
        stringIndex = 6;
    else if(partCode == kControlClockPart)
        stringIndex = 7;
    else if(partCode == kControlListBoxPart)
        stringIndex = 8;
    else if(partCode == kControlListBoxDoubleClickPart)
        stringIndex = 9;
    else if(partCode == kControlImageWellPart)
        stringIndex = 10;
    else if(partCode == kControlRadioGroupPart)
        stringIndex = 11;
    else if(partCode == kControlButtonPart)
        stringIndex = 12;
    else if(partCode == kControlIndicatorPart)
        stringIndex = 13;

if(menuItem > 0 && menuItem < 1234)
{
    doCopyPString("\pTrackControl returned ",gCurrentString);
    GetIndString(theString,rPartCodeStrings,stringIndex);
    doConcatPStrings(gCurrentString,theString);
    doConcatPStrings(gCurrentString,"\\p  GetControlData returned menu item ");
    NumToString(SInt32) menuItem,theString);
    doConcatPStrings(gCurrentString,theString);
}
else if(menuItem == 1234 || menuItem == 4321)
{
    if(menuItem == 1234)
        doCopyPString("\pMouse-down in ",gCurrentString);
    else if(menuItem == 4321)
        doCopyPString("\pTrackControl returned ",gCurrentString);
    GetIndString(theString,rPartCodeStrings,stringIndex);
    doConcatPStrings(gCurrentString,theString);
}

Draw1Control(windowHeaderHdl);
doDrawMessage(windowPtr,!gInBackground);
}

// ////////////////////////////// doGraphicAlignment

void doGraphicAlignment(WindowPtr windowPtr,ControlHandle controlHdl,
                      ControlHandle windowHeaderHdl)
{
    SInt16
    UInt32
    finalTicks;
    ControlButtonGraphicAlignment alignmentConstant = 0;

    SetCursor(*GetCursor(watchCursor));

    for(a=1;a<10;a++)
    {
        Delay(60,&finalTicks);
        alignmentConstant++;
        if(alignmentConstant == 9)
            alignmentConstant = 0;
        SetControlData(controlHdl,kControlNoPart,kControlBevelButtonGraphicAlignTag,
                      sizeof(alignmentConstant),(Ptr) &alignmentConstant);
        Draw1Control(controlHdl);
        Draw1Control(windowHeaderHdl);
        GetIndString(gCurrentString,rGraphicAlignStrings,a);
        doDrawMessage(windowPtr,!gInBackground);
    }

    SetCursor(&qd.arrow);
}

// ////////////////////////////// doTextAlignment

```

```

void doTextAlignment(WindowPtr windowPtr,ControlHandle controlHdl,
                     ControlHandle windowHeaderHdl)
{
    SInt16                                a;
    UInt32                                finalTicks;
    ControlButtonTextAlignment alignmentConstant = -3;

    SetCursor(*(GetCursor(watchCursor)));

    for(a=1;a<4;a++)
    {
        Delay(60,&finalTicks);
        alignmentConstant++;
        if(alignmentConstant == 0)
            alignmentConstant++;
        SetControlData(controlHdl,kControlNoPart,kControlBevelButtonTextAlignTag,
                      sizeof(alignmentConstant),(Ptr) &alignmentConstant);
        Draw1Control(controlHdl);
        Draw1Control(windowHeaderHdl);
        GetIndString(gCurrentString,rTextAlignStrings,a);
        doDrawMessage(windowPtr,!gInBackground);
    }

    SetCursor(&qd.arrow);
}

// //////////////////////////////// doTextOffset

void doTextOffset(WindowPtr windowPtr,ControlHandle controlHdl,
                  ControlHandle windowHeaderHdl)
{
    ControlButtonTextAlignment alignmentConstant;
    SInt16                                offset;
    UInt32                                finalTicks;

    SetCursor(*(GetCursor(watchCursor)));

    Draw1Control(windowHeaderHdl);
    doCopyPString("\pOffset from left",gCurrentString);
    doDrawMessage(windowPtr,!gInBackground);

    alignmentConstant = kControlBevelButtonAlignTextFlushLeft;
    SetControlData(controlHdl,kControlNoPart,kControlBevelButtonTextAlignTag,
                  sizeof(alignmentConstant),(Ptr) &alignmentConstant);
    Draw1Control(controlHdl);

    for(offset=1;offset<28;offset++)
    {
        Delay(15,&finalTicks);
        SetControlData(controlHdl,kControlNoPart,kControlBevelButtonTextOffsetTag,
                      sizeof(offset),(Ptr) &offset);
        Draw1Control(controlHdl);
    }

    Delay(60,&finalTicks);

    Draw1Control(windowHeaderHdl);
    doCopyPString("\pOffset from right",gCurrentString);
    doDrawMessage(windowPtr,!gInBackground);

    alignmentConstant = kControlBevelButtonAlignTextFlushRight;
    SetControlData(controlHdl,kControlNoPart,kControlBevelButtonTextAlignTag,
                  sizeof(alignmentConstant),(Ptr) &alignmentConstant);

    for(offset=0;offset<14;offset++)
    {
        Delay(15,&finalTicks);
        SetControlData(controlHdl,kControlNoPart,kControlBevelButtonTextOffsetTag,
                      sizeof(offset),(Ptr) &offset);
        Draw1Control(controlHdl);
    }

    SetCursor(&qd.arrow);
}

// //////////////////////////////// doTextPlacement

void doTextPlacement(WindowPtr windowPtr,ControlHandle controlHdl,
                     ControlHandle windowHeaderHdl)

```

```

{
    ControlButtonTextPlacement placementConstant;
    UInt32 finalTicks;

    SetCursor(*(GetCursor(watchCursor)));

    for(placementConstant = 1;placementConstant < 5;placementConstant++)
    {
        Delay(60,&finalTicks);
        SetControlData(controlHdl,kControlNoPart,kControlBevelButtonTextPlaceTag,
                      sizeof(placementConstant),(Ptr) &placementConstant);
        Draw1Control(controlHdl);
        Draw1Control(windowHeaderHdl);
        GetIndString(gCurrentString,rTextPlacementStrings,placementConstant);
        doDrawMessage(windowPtr,!gInBackground);
    }

    SetCursor(&qd.arrow);
}

// ////////////////////////////////////////////////////////////////// doDrawMessage

void doDrawMessage(WindowPtr windowPtr,Boolean inState)
{
    SInt16 windowHeight, stringWidth;

    if(inState == kThemeStateActive)
        SetThemeTextColor(kThemeTextColorWindowHeaderActive,gPixelDepth,gIsColourDevice);
    else
        SetThemeTextColor(kThemeTextColorWindowHeaderInactive,gPixelDepth,gIsColourDevice);

    windowHeight = (windowPtr)->portRect.right - (windowPtr)->portRect.left;
    stringWidth = StringWidth(gCurrentString);
    MoveTo((windowHeight / 2) - (stringWidth / 2), 17);
    DrawString(gCurrentString);
}

// ////////////////////////////////////////////////////////////////// doDrawLegends

void doDrawLegends(Boolean inState)
{
    if(inState == kThemeStateActive)
        SetThemeTextColor(kThemeTextColorWindowHeaderActive,gPixelDepth,gIsColourDevice);
    else
        SetThemeTextColor(kThemeTextColorWindowHeaderInactive,gPixelDepth,gIsColourDevice);

    MoveTo(30,63);
    DrawString("\pBevel sizes and bevel button content");
    MoveTo(313,63);
    DrawString("\pMenu position and behaviour");
    MoveTo(30,154);
    DrawString("\pBevel button behaviour");
    MoveTo(313,154);
    DrawString("\pGraphic/text alignment and offset");
    MoveTo(490,154);
    DrawString("\pText Placement");
    MoveTo(30,245);
    DrawString("\plmage wells");
    MoveTo(168,245);
    DrawString("\pPicture controls");
    MoveTo(313,245);
    DrawString("\plcon controls (cicn)");
    MoveTo(451,245);
    DrawString("\plcon controls (icon suite)");
}

// //////////////////////////////////////////////////////////////////
// TabEditClock.c
// //////////////////////////////////////////////////////////////////

//


..... includes

#include "Controls3.h"

// ////////////////////////////////////////////////////////////////// doTabEditClock

void doTabEditClock(void)

```

```

{
    DialogPtr           dialogPtr;
    ControlHandle      controlHdl;
    Str255              initialName = "\pYour name here";
    ControlEditTextSelectionRec selectionRec;
    ControlKeyFilterUPP numericFilterUPP;
    ModalFilterUPP      eventFilterUPP;
    ControlEditTextValidationUPP editTextValidatorUPP;
    SInt16               tabHit, itemHit;

    if(FrontWindow())
        doActivateWindow(FrontWindow(),false);

    if(!(dialogPtr = GetNewDialog(rTabEditClockDialog,NULL,(WindowPtr) -1)))
        ExitToShell();

    SetWTitle(dialogPtr,"\pTab, Edit Text, and Clock Controls");

    // ..... set default button and cursor tracking
    SetDialogDefaultItem(dialogPtr,kStdOkItemIndex);
    SetDialogTracksCursor(dialogPtr,true);

    // ..... hide user pane with embedded clocks
    GetDialogItemAsControl(dialogPtr,iClocksUserPane,&controlHdl);
    HideControl(controlHdl);

    // ..... assign some text to the first edit text control and select the whole text
    GetDialogItemAsControl(dialogPtr,iEditText1,&controlHdl);
    SetControlData(controlHdl,kControlNoPart,kControlEditTextTextTag,initialName[0],
                   (Ptr) &initialName[1]);
    selectionRec.selStart = 0;
    selectionRec.selEnd = 32767;
    SetControlData(controlHdl,kControlNoPart,kControlEditTextSelectionTag,
                   sizeof(selectionRec),(Ptr) &selectionRec);

    // ..... create routine descriptors for event filter, key filter, and edit text validator
    eventFilterUPP      = NewModalFilterProc(eventFilter);
    numericFilterUPP     = NewControlKeyFilterProc(numericFilter);
    editTextValidatorUPP = NewControlEditTextValidationProc(editTextValidator);

    // ..... attach an edit text validation function to the first edit text control
    GetDialogItemAsControl(dialogPtr,iEditText1,&controlHdl);
    SetControlData(controlHdl,kControlNoPart,kControlEditTextValidationProcTag,
                   sizeof(editTextValidatorUPP),(Ptr) &editTextValidatorUPP);

    // ..... attach a key filter function to the second edit text control
    GetDialogItemAsControl(dialogPtr,iEditText2,&controlHdl);
    SetControlData(controlHdl,kControlNoPart,kControlEditTextKeyFilterTag,
                   sizeof(numericFilterUPP),(Ptr) &numericFilterUPP);

    // ..... show dialog and enter modal dialog loop
    ShowWindow(dialogPtr);

    do
    {
        ModalDialog(eventFilterUPP,&itemHit);

        if(itemHit == iTabs)
        {
            GetDialogItemAsControl(dialogPtr,iTabs,&controlHdl);
            tabHit = GetControlValue(controlHdl);

            if(tabHit == tabEditText)
            {
                SetWTitle(dialogPtr,"\pTab, Edit Text, and Clock Controls");

                GetDialogItemAsControl(dialogPtr,iClocksUserPane,&controlHdl);
                HideControl(controlHdl);

```

```

        GetDialogItemAsControl(dialogPtr,iEditTextUserPane,&controlHdl);
        ActivateControl(controlHdl);
        ShowControl(controlHdl);

        GetDialogItemAsControl(dialogPtr,iEditText1,&controlHdl);
        SetKeyboardFocus(dialogPtr,controlHdl,kControlFocusNextPart);
    }
    else if(tabHit == tabClocks)
    {
        SetWTitle(dialogPtr,"\pTab, Clock, and Edit Text Controls");

        GetDialogItemAsControl(dialogPtr,iClocksUserPane,&controlHdl);
        DeactivateControl(controlHdl);
        HideControl(controlHdl);

        GetDialogItemAsControl(dialogPtr,iClocks1,&controlHdl);
        SetKeyboardFocus(dialogPtr,controlHdl,kControlFocusNextPart);
    }
}
else if(itemHit == iExtractEditText)
{
    GetDialogItemAsControl(dialogPtr,iImageWellEditText,&controlHdl);
    Draw1Control(controlHdl);
    doExtractEditText(dialogPtr);
}
else if(itemHit == iExtractClocks)
{
    GetDialogItemAsControl(dialogPtr,iImageWellClocks,&controlHdl);
    Draw1Control(controlHdl);
    doExtractDateTime(dialogPtr);
}
} while(itemHit != kStdOkItemIndex);

DisposeDialog(dialogPtr);
DisposeRoutineDescriptor(eventFilterUPP);
DisposeRoutineDescriptor(numericFilterUPP);
DisposeRoutineDescriptor(editTextValidatorUPP);
}

// ////////////////////////////////////////////////////////////////// doExtractEditText

void doExtractEditText(DialogPtr dialogPtr)
{
    GrafPtr      oldPort;
    RGBColor     saveBackColour, whiteColour = { 0xFFFF, 0xFFFF, 0xFFFF };
    SInt16       iType;
    Handle       theHandle;
    Rect         theRect;
    Str255       theString;
    ControlHandle controlHdl;
    Size         actualSize;

    GetPort(&oldPort);
    SetPort(dialogPtr);
    GetBackColor(&saveBackColour);
    RGBBackColor(&whiteColour);

    GetDialogItem(dialogPtr,iEditText1,&iType,&theHandle,&theRect);
    GetDialogItemText(theHandle,theString);
    MoveTo(100,182);
    DrawString(theString);

    GetDialogItem(dialogPtr,iEditText2,&iType,&theHandle,&theRect);
    GetDialogItemText(theHandle,theString);
    MoveTo(100,196);
    DrawString(theString);

    GetDialogItemAsControl(dialogPtr,iEditText3,&controlHdl);
    GetControlDataSize(controlHdl,kControlEditTextPart,kControlEditTextTextTag,&actualSize);
    GetControlData(controlHdl,kControlNoPart,kControlEditTextPasswordTag,actualSize,
                  (Ptr) &theString[1],NULL);
    theString[0] = actualSize;
    MoveTo(100,208);
    DrawString(theString);

    RGBBackColor(&saveBackColour);
}

```



```

    return kControlKeyFilterPassKey;

switch(*charCode)
{
    case '-':
    case kLeftArrow:
    case kRightArrow:
    case kUpArrow:
    case kDownArrow:
    case kBackspace:
        return kControlKeyFilterPassKey;
        break;

    default:
        SysBeep(10);
        return kControlKeyFilterBlockKey;
        break;
}
}

// /////////////////////////////// editTextValidator

pascal void editTextValidator(ControlHandle controlHdl)
{
    Str255 oldText, newText;
    Size actualSize;
    UInt8 a, count = 0;

    GetControlData(controlHdl,kControlNoPart,kControlEditTextTextTag,sizeof(oldText) -1,
                   (Ptr) &oldText[1],&actualSize);

    if(actualSize <= 255)
        oldText[0] = actualSize;
    else
        oldText[0] = 255;

    for(a=1;a<=oldText[0];a++)
    {
        if(((oldText[a] >= 'A') && (oldText[a] <= 'Z') ||
           (oldText[a] >= 'a') && (oldText[a] <= 'z')) ||
           (oldText[a] == ' ') || (oldText[a] == '.'))
        {
            newText[count + 1] = oldText[a];
            count++;
        }
    }

    newText[0] = count;

    SetControlData(controlHdl,kControlNoPart,kControlEditTextTextTag,newText[0],
                   (Ptr) &newText[1]);

    Draw1Control(controlHdl);
}

// /////////////////////////////// GroupArrowsProgress.c
// /////////////////////////////// includes

#include "Controls3.h"

//
..... global variables

ControlHandle gCacheSizeControlHdl;
ControlHandle gLittleArrowsControlHdl;
ControlActionUPP arrowsActionFunctionUPP;
extern Boolean gGroupArrowsProgressActive;

// /////////////////////////////// doTabEditClock

void doGroupArrowsProgress(void)
{
    DialogPtr dialogPtr;
}

```

```

ControlHandle      controlHdl;
ModalFilterUPP    eventFilterUPP;
SInt16            controlValue, itemHit;
Str255           theString;

if(FrontWindow())
    doActivateWindow(FrontWindow(),false);

if(!(dialogPtr = GetNewDialog(rGroupArrowsProgDialog,NULL,(WindowPtr)-1)))
    ExitToShell();

//
..... set default button

SetDialogDefaultItem(dialogPtr,kStdOkItemIndex);

// ..... create routine descriptors for event filter and little arrows action function

eventFilterUPP = NewModalFilterProc((ProcPtr) eventFilter);
arrowsActionFunctionUPP = NewControlActionProc((ProcPtr) arrowsActionFunction);

// ..... set initial value for checkbox
group box

GetDialogItemAsControl(dialogPtr,iCheckboxGroup,&controlHdl);
SetControlValue(controlHdl,1);

// ..... get and set initial cache value for little arrows

GetDialogItemAsControl(dialogPtr,iLittleArrows,&gLittleArrowsControlHdl);
NumToString((SInt32) GetControlValue(gLittleArrowsControlHdl),theString);
doConcatPStrings(theString,"\\pK");
GetDialogItemAsControl(dialogPtr,iStaticTextCache,&gCacheSizeControlHdl);
SetControlData(gCacheSizeControlHdl,kControlNoPart,kControlStaticTextTextTag,theString[0],
               (Ptr) &theString[1]);

// ..... hide second user pane in pop-up
group box

GetDialogItemAsControl(dialogPtr,iUserPaneScoreAverage,&controlHdl);
HideControl(controlHdl);

// ..... show dialog and enter
ModalDialog loop

ShowWindow(dialogPtr);

do
{
    ModalDialog(eventFilterUPP,&itemHit);

    if(itemHit == iCheckboxGroup)
    {
        doCheckBoxGroupBox(dialogPtr);
    }
    else if(itemHit == iPopupGroup)
    {
        doPopupGroupBox(dialogPtr);
    }
    else if(itemHit == iCheckboxShowInitials)
    {
        GetDialogItemAsControl(dialogPtr,iCheckboxShowInitials,&controlHdl);
        controlValue = (!(GetControlValue(controlHdl)));
        SetControlValue(controlHdl,controlValue);
    }
    else if(itemHit == iCheckboxShowAverages)
    {
        GetDialogItemAsControl(dialogPtr,iCheckboxShowAverages,&controlHdl);
        controlValue = (!(GetControlValue(controlHdl)));
        SetControlValue(controlHdl,controlValue);
    }
    else if(itemHit == iDisclosureTriangle)
    {
        doAsynchronousAndProgress(dialogPtr);
    }
    else if(itemHit == iPushButtonExtract)
    {
        GetDialogItemAsControl(dialogPtr,iImageWell,&controlHdl);
    }
}

```



```

GetDialogItemAsControl(dialogPtr,iDisclosureTriangle,&controlHdl);
controlValue = (!GetControlValue(controlHdl));
SetControlValue(controlHdl,controlValue);

if(controlValue == 1)
{
    ditlHdl = GetResource('DITL',130);
    AppendDITL(dialogPtr,ditlHdl,appendDITLBottom);
    ReleaseResource(ditlHdl);

    GetDialogItemAsControl(dialogPtr,iProgressBar,&controlHdl);
    SetControlData(controlHdl,kControlNoPart,kControlProgressBarIndeterminateTag,
                  sizeof(indeterminateFlag),(Ptr) &indeterminateFlag);

    GetDialogItemAsControl(dialogPtr,kStdOkItemIndex,&controlHdl);
    MoveControl(controlHdl,267,336);

    GetDialogItemAsControl(dialogPtr,iStaticTextDisclosure,&controlHdl);
    SetControlData(controlHdl,kControlNoPart,kControlStaticTextTextTag,
                  expandString[0],(Ptr) &expandString[1]);
    Draw1Control(controlHdl);

}
else if(controlValue == 0)
{
    GetDialogItemAsControl(dialogPtr,kStdOkItemIndex,&controlHdl);
    MoveControl(controlHdl,267,259);

    SizeWindow(dialogPtr,348,302,false);
    GetDialogItemAsControl(dialogPtr,iStaticTextDisclosure,&controlHdl);
    SetControlData(controlHdl,kControlNoPart,kControlStaticTextTextTag,
                  collapseString[0],(Ptr) &collapseString[1]);
    Draw1Control(controlHdl);
}

// ////////////////////////////// doExtractCurrentStatus

void doExtractCurrentStatus(DialogPtr dialogPtr)
{
    GrafPtr          oldPort;
    RGBColor         saveBackColour, whiteColour = { 0xFFFF, 0xFFFF, 0xFFFF };
    ControlHandle   controlHdl;
    SInt16           controlValue;
    Str255           theString;

    GetPort(&oldPort);
    SetPort(dialogPtr);
    GetBackColor(&saveBackColour);
    RGBBackColor(&whiteColour);

    GetDialogItemAsControl(dialogPtr,iCheckboxGroup,&controlHdl);
    controlValue = GetControlValue(controlHdl);
    MoveTo(98,191);
    if(controlValue)
    {
        doCopyPString("\pUse colour.",theString);
        GetDialogItemAsControl(dialogPtr,iRadioGroupColour,&controlHdl);
        controlValue = GetControlValue(controlHdl);
        if(controlValue == 1)
            doConcatPStrings(theString,"\p 8 bit.");
        else if(controlValue == 2)
            doConcatPStrings(theString,"\p 16 bit.");
        else if(controlValue == 3)
            doConcatPStrings(theString,"\p 32 bit.");
    }
    else
        doCopyPString("\pDont use colour.",theString);

    DrawString(theString);

    GetDialogItemAsControl(dialogPtr,iPopupGroup,&controlHdl);
    controlValue = GetControlValue(controlHdl);
    MoveTo(98,205);
    if(controlValue == 1)
    {
        doCopyPString("\pPlayer, ",theString);
        GetDialogItemAsControl(dialogPtr,iRadioGroupNames,&controlHdl);
    }
}
```

```

controlValue = GetControlValue(controlHdl);
if(controlValue == 1)
    doConcatPStrings(theString, "\pname first,");
else if(controlValue == 2)
    doConcatPStrings(theString, "\pname last,");
GetDialogItemAsControl(dialogPtr,iCheckboxShowInitials,&controlHdl);
controlValue = GetControlValue(controlHdl);
if(controlValue == 1)
    doConcatPStrings(theString, "\p show number.");
else if(controlValue == 0)
    doConcatPStrings(theString, "\p no number.");
}
else if(controlValue == 2)
{
    doCopyPString("\pScore, ",theString);
    GetDialogItemAsControl(dialogPtr,iRadioGroupScores,&controlHdl);
    controlValue = GetControlValue(controlHdl);
    if(controlValue == 1)
        doConcatPStrings(theString, "\pbatting, ");
    else if(controlValue == 2)
        doConcatPStrings(theString, "\pbowling, ");
    GetDialogItemAsControl(dialogPtr,iCheckboxShowAverages,&controlHdl);
    controlValue = GetControlValue(controlHdl);
    if(controlValue == 1)
        doConcatPStrings(theString, "\pshow average.");
    else if(controlValue == 0)
        doConcatPStrings(theString, "\pno average.");
}
DrawString(theString);

MoveTo(98,219);
DrawString("\pCache size: ");
GetDialogItemAsControl(dialogPtr,iLittleArrows,&controlHdl);
NumToString((SInt32) GetControlValue(controlHdl),theString);
DrawString(theString);

RGBBackColor(&saveBackColour);
SetPort(oldPort);
}

// ///////////////////////////////////////////////////////////////////
// Sliders.c
// ///////////////////////////////////////////////////////////////////
//
..... includes
#include "Controls3.h"

//
..... global variables

ControlActionUPP      sliderActionFunction1UPP;
ControlActionUPP      sliderActionFunction2UPP;
ControlUserPaneDrawUPP userPaneDrawFunctionUPP;
ControlUserPaneActivateUPP userPaneActivateFunctionUPP;
ControlHandle         gSlider1Hdl;
ControlHandle         gSlider2Hdl;
ControlHandle         gSlider3Hdl;
ControlHandle         gSlider4Hdl;
ControlHandle         gSlider5Hdl;
ControlHandle         gSlider6Hdl;
RGBColor              gRedColour = { 0x0000, 0x0000, 0x0000 };
RGBColor              gBlueColour = { 0x0000, 0x0000, 0x0000 };
Boolean               gDrawActivated = true;
extern Boolean         gSlidersActive;

// /////////////////////////////////////////////////////////////////// doSliderUserPane

void doSliderUserPane(void)
{
    DialogPtr      dialogPtr;
    ModalFilterUPP eventFilterUPP;
    ControlHandle  controlHdl;
    SInt16          itemHit;
}

```

```

if(FrontWindow())
    doActivateWindow(FrontWindow(),false);

if(!(dialogPtr = GetNewDialog(rSlidersDialog,NULL,(WindowPtr) -1)))
    ExitToShell();

//
..... set default button

SetDialogDefaultItem(dialogPtr,kStdOkItemIndex);

// ..... create routine descriptor for event filter function

eventFilterUPP = NewModalFilterProc(eventFilter);

// ..... create routine descriptors for slider action functions

sliderActionFunction1UPP = NewControlActionProc((ProcPtr) sliderActionFunction1);
sliderActionFunction2UPP = NewControlActionProc((ProcPtr) sliderActionFunction2);

// ..... create routine descriptors for user pane functions, set user pane functions

userPaneDrawFunctionUPP = NewControlUserPaneDrawProc(userPaneDrawFunction);
GetDialogItemAsControl(dialogPtr,iUserPane1,&controlHdl);
SetControlData(controlHdl,kControlNoPart,kControlUserPaneDrawProcTag,
               sizeof(userPaneDrawFunctionUPP),(Ptr) &userPaneDrawFunctionUPP);

userPaneActivateFunctionUPP = NewControlUserPaneActivateProc(userPaneActivateFunction);
GetDialogItemAsControl(dialogPtr,iUserPane1,&controlHdl);
SetControlData(controlHdl,kControlNoPart,kControlUserPaneActivateProcTag,
               sizeof(userPaneActivateFunctionUPP),(Ptr) &userPaneActivateFunctionUPP);

// ..... get control handles of, and draw initial control values for, top four sliders

GetDialogItemAsControl(dialogPtr,iSlider1,&gSlider1Hdl);
doDrawSliderValues(dialogPtr,gSlider1Hdl);
GetDialogItemAsControl(dialogPtr,iSlider2,&gSlider2Hdl);
doDrawSliderValues(dialogPtr,gSlider2Hdl);
GetDialogItemAsControl(dialogPtr,iSlider3,&gSlider3Hdl);
doDrawSliderValues(dialogPtr,gSlider3Hdl);
GetDialogItemAsControl(dialogPtr,iSlider4,&gSlider4Hdl);
doDrawSliderValues(dialogPtr,gSlider4Hdl);

// ..... get control handles and values for bottom two sliders, set colour

GetDialogItemAsControl(dialogPtr,iSlider5,&gSlider5Hdl);
gRedColour.red = 2 * GetControlValue(gSlider5Hdl);
GetDialogItemAsControl(dialogPtr,iSlider6,&gSlider6Hdl);
gBlueColour.blue = 2 * GetControlValue(gSlider5Hdl);

// ..... show dialog and enter
ModalDialog loop

ShowWindow(dialogPtr);

do
{
    ModalDialog(eventFilterUPP,&itemHit);
} while(itemHit != kStdOkItemIndex);

//
..... clean up

DisposeDialog(dialogPtr);
DisposeRoutineDescriptor(eventFilterUPP);
DisposeRoutineDescriptor(sliderActionFunction1UPP);
DisposeRoutineDescriptor(sliderActionFunction2UPP);
DisposeRoutineDescriptor(userPaneDrawFunctionUPP);
DisposeRoutineDescriptor(userPaneActivateFunctionUPP);
gSlidersActive = false;
}

//
..... doDrawSliderValues

void doDrawSliderValues(DialogPtr dialogPtr,ControlHandle controlHdl)

```



```

if(!(dialogPtr = GetNewDialog(rAboutDialog,NULL,(WindowPtr)-1)))
    ExitToShell();

SetWTitle(dialogPtr,"pAbout Box (Text Boxes)");

//
..... set default button

SetDialogDefaultItem(dialogPtr,kStdOkItemIndex);

// ..... create routine descriptor for event
filter

eventFilterUPP = NewModalFilterProc(eventFilter);

// ..... show dialog and enter modal
dialog loop

ShowWindow(dialogPtr);

do
{
    ModalDialog(eventFilterUPP,&itemHit);
} while(itemHit != kStdOkItemIndex);

DisposeDialog(dialogPtr);
DisposeRoutineDescriptor(eventFilterUPP);
}

// ///////////////////////////////////////////////////////////////////
// Callbacks.c
// ///////////////////////////////////////////////////////////////////

//

..... includes

#include "Controls3.h"

//
..... global variables

extern Boolean      gGroupArrowsProgressActive;
extern Boolean      gSlidersActive;
extern ControlActionUPP arrowsActionFunctionUPP;
extern ControlActionUPP sliderActionFunction1UPP;
extern ControlActionUPP sliderActionFunction2UPP;
extern ControlHandle gLittleArrowsControlHdl;
extern ControlHandle gCacheSizeControlHdl;
extern ControlHandle gSlider1Hdl;
extern ControlHandle gSlider2Hdl;
extern ControlHandle gSlider3Hdl;
extern ControlHandle gSlider4Hdl;
extern ControlHandle gSlider5Hdl;
extern ControlHandle gSlider6Hdl;
extern RGBColor      gRedColour;
extern RGBColor      gBlueColour;

// /////////////////////////////////////////////////////////////////// eventFilter

pascal Boolean eventFilter(DialogPtr dialogPtr,EventRecord *eventStrucPtr,
                           SInt16 *itemHit)
{
    Boolean      handledEvent;
    GrafPtr      oldPort;
    Point        mouseXY;
    ControlHandle controlHdl;

    handledEvent = false;

    if((eventStrucPtr->what == updateEvt) &&
       ((WindowPtr)eventStrucPtr->message != dialogPtr))
    {
        doUpdate(eventStrucPtr);
    }
    else
    {

```

```

GetPort(&oldPort);
SetPort(dialogPtr);

if(gGroupArrowsProgressActive)
{
    if(eventStrucPtr->what == mouseDown)
    {
        mouseXY = eventStrucPtr->where;
        GlobalToLocal(&mouseXY);
        if(FindControl(mouseXY,dialogPtr,&controlHdl))
        {
            if(controlHdl == gLittleArrowsControlHdl)
            {
                TrackControl(controlHdl,mouseXY,arrowsActionFunctionUPP);
                handledEvent = true;
            }
        }
    }
}
else if(gSlidersActive)
{
    if(eventStrucPtr->what == mouseDown)
    {
        mouseXY = eventStrucPtr->where;
        GlobalToLocal(&mouseXY);
        if(FindControl(mouseXY,dialogPtr,&controlHdl))
        {
            if(controlHdl == gSlider1Hdl || controlHdl == gSlider2Hdl)
            {
                TrackControl(controlHdl,mouseXY,NULL);
                doDrawSliderValues(dialogPtr,controlHdl);
                handledEvent = true;
            }
            else if(controlHdl == gSlider3Hdl || controlHdl == gSlider4Hdl)
            {
                TrackControl(controlHdl,mouseXY,sliderActionFunction1UPP);
                handledEvent = true;
            }
            else if(controlHdl == gSlider5Hdl || controlHdl == gSlider6Hdl)
            {
                TrackControl(controlHdl,mouseXY,sliderActionFunction2UPP);
                handledEvent = true;
            }
        }
    }
}
else
{
    handledEvent = StdFilterProc(dialogPtr,eventStrucPtr,itemHit);
}

SetPort(oldPort);
}

return(handledEvent);
}

// ////////////////////////////// arrowsActionFunction

pascal void arrowsActionFunction(ControlHandle controlHdl,SInt16 partCode)
{
    Str255 theString;
    SInt32 controlValue;

    if(partCode)
    {
        controlValue = GetControlValue(controlHdl);

        switch(partCode)
        {
            case kControlUpButtonPart:
                controlValue += 32;
                if(controlValue > GetControlMaximum(controlHdl))
                {
                    controlValue = GetControlMaximum(controlHdl);
                    return;
                }
        }
        break;
    }
}

```

```

        case kControlDownButtonPart:
            controlValue -= 32;
            if(controlValue < GetControlMinimum(controlHdl))
            {
                controlValue = GetControlMinimum(controlHdl);
                return;
            }
            break;
    }

    SetControlValue(controlHdl,controlValue);

    NumToString((SInt32) controlValue,theString);
    doConcatPStrings(theString,"\\pK");
    SetControlData(gCacheSizeControlHdl,kControlNoPart,kControlStaticTextTextTag,
                    theString[0],(Ptr) &theString[1]);
    Draw1Control(gCacheSizeControlHdl);
}
}

// ////////////////////////////// sliderActionFunction1

pascal void sliderActionFunction1(ControlHandle controlHdl,SInt16 partCode)
{
    SInt16 staticTextItem;
    Str255 theString;
    DialogPtr dialogPtr;

    NumToString((SInt32) GetControlValue(controlHdl),theString);

    dialogPtr = (*controlHdl)->contrlOwner;

    if(controlHdl == gSlider3Hdl)
        staticTextItem = iSlider3StaticText;
    else if(controlHdl == gSlider4Hdl)
        staticTextItem = iSlider4StaticText;

    GetDialogItemAsControl(dialogPtr,staticTextItem,&controlHdl);
    SetControlData(controlHdl,kControlNoPart,kControlStaticTextTextTag,theString[0],
                    (Ptr) &theString[1]);
    Draw1Control(controlHdl);
}

// ////////////////////////////// sliderActionFunction2

pascal void sliderActionFunction2(ControlHandle controlHdl,SInt16 partCode)
{
    SInt16 controlValue;
    Rect theRect;

    controlValue = GetControlValue(controlHdl);

    if(controlHdl == gSlider5Hdl)
    {
        gRedColour.red = 2 * controlValue;
        RGBForeColor(&gRedColour);
        SetRect(&theRect,225,186,239,200);
    }
    else if(controlHdl == gSlider6Hdl)
    {
        gBlueColour.blue = 2 * controlValue;
        RGBForeColor(&gBlueColour);
        SetRect(&theRect,225,207,239,221);
    }

    PaintRect(&theRect);
}

```

Demonstration Program Comments

When this program is run, the user should:

- Choose the About Controls3... item from the Apple menu to view an About dialog containing a standard Text Box control and an auto-scrolling Text Box control. (Note: If Mac OS 8.5 is not present, the About Controls3... item will be disabled and this action will not be possible.)
- Choose items from the Demonstration menu to view and operate the various controls.
- Choose Show Balloons from the Help menu and note the information (and, in some cases, the instructions) in the help balloons as the cursor is moved over the various controls in the window and dialog boxes.
- Click in the Finder and then back in the window/dialog box, noting control activation/deactivation.
- In the Bevel Buttons, Image Wells, Picture Controls, and Icon Controls window:
 - Click in the various controls, noting in the window header the control part code returned by FindControl (or immediately by TrackControl in the case of the non-tracking icon controls).
 - Click in the various controls and then release the mouse button both within and outside the control, noting the control part code returned by TrackControl.
- In the Tab, Edit Text, and Clock Controls dialog box:
 - In the Edit Text Controls tab:
 - Change the keyboard focus using the tab key and mouse clicks.
 - Enter a name, age, and password, noting the effect of the key filter function attached to the "Age" edit text control and the behaviour of the "Password" edit text control.
 - Paste some text containing characters other than alphabetic characters, the space character, and the period character to the "Name" edit text control, noting that the edit text validation function strips out the "illegal" characters.
 - Note the cursor shape change when the cursor is over the top two edit text controls.
 - Click the Extract push button to extract and display the contents of the edit text controls.
 - In the Clock Controls Tab:
 - Change the keyboard focus using the tab key and mouse clicks.
 - Change the clock setting by typing and by using the integral little arrows.
 - Click the Extract push button to extract and display the clock settings.
- In the Group Boxes, Arrows, and Progress Bar dialog box:
 - Change the group box settings, the settings of the controls within the group boxes, and the (simulated) cache size setting controlled by the little arrows, and then click the Extract button to extract and display the settings of the various controls.
 - Click the disclosure triangle to show and hide the asynchronous arrows and indeterminate progress bar.
- In the Sliders and User Pane Functions dialog:
 - Operate the sliders and note the difference in the appearance of the dragged indicator in the live scrolling and non-live scrolling variants of the sliders.
 - Note the appearance, in the activated and deactivated modes, of the two custom "controls" to the right of the two horizontal sliders. Also note that these controls are re-drawn, in the appropriate mode, when an overlaying window or help balloon is removed.

Control3.h

#define

After the usual constants relating to the menu bar resource, menu resources and IDs, and menu items are established, constants are established for the resource IDs and dialog item numbers associated with the various demonstrations.

#typedef

A variable of type BevelDocStruc will be used to hold handles to the various controls created in the Bevel Buttons, Image Wells, Picture Controls, and Icon Controls window.

Control3.c

Controls3.c is simply the basic "engine" which supports the demonstration. There is nothing in this file which has not featured in previous demonstration programs.

Global Variables

gBevelAndImageActive will be set to true while the Bevel Buttons, Image Wells, Picture Controls, and Icon Controls window is open. gGroupArrowsProgressActive will be set to true while the Group Boxes, Arrows, and Progress Bar dialog box is open. gSlidersActive will be set to true while the Sliders and User Pane Functions dialog is open.

main

The Gestalt call determines whether Mac OS 8.5 or later is present. If so, the About Controls 3... item in the Apple menu is disabled. (The dialog box opened when this item is chosen contains Text Box controls, the CDEFs for which are only included with Mac OS 8.5 and later.)

doMouseDown

In the inContent case, if a mouse-down occurs in the Bevel Buttons, Image Wells, Picture Controls, and Icon Controls window when it is the front window, the function doBevellImagePictIconContent is called.

In the inGoAway case, the Bevel Buttons, Image Wells, Picture Controls, and Icon Controls window is disposed of and the global variable gBevelAndImageActive is set to false.

doMenuChoice

In the mDemonstration case, the relevant application-defined function is called when the user chooses items in the Demonstration menu. In three cases, the relevant global variable is also set to true.

doUpdate

If the Bevel Buttons, Image Wells, Picture Controls, and Icon Controls window is open, UpdateControls is called to redraw the controls in the appropriate mode. Also, two application-defined functions are called to draw the current window header string and the legends in the appropriate mode.

doActivateWindow

If the Bevel Buttons, Image Wells, Picture Controls, and Icon Controls window is open, and if it receives an activate event, GetRootControl is called to get a handle to the root control created for the window by the application (see below). The controls are then activated or deactivated en masse, and the window header string and the legends are re-drawn in the appropriate mode.

BevellImagePictIcon.c

BevellImagePictIcon.c contains most of the source code relating to the Bevel Buttons, Image Wells, Picture Controls, and Icon Controls window.

doBevellImagePictIcon

doBevellImagePictIcon opens a window, creates a relocatable block for a structure of type BevelDocStruc (to whose fields handles to the various controls will be assigned) and assigns the handle to this block to the refCon field of the window structure.

First, some initial advisory text for display in the window header is assigned to a global variable. The call to GetNewCWindow then creates the window. (Note that error handling here and in other areas of the demonstration is somewhat rudimentary in that the program simply terminates.) The window's graphics port is set as the current port for drawing and the window's text size is set to 10pt.

The call to SetThemeWindowBackground sets an Appearance-compliant colour/pattern for the window's content area. NewHandle creates the block for the variable of type BevelDocStruc and SetWRefCon assigns the handle to the block to the window structure's refCon field.

Before ShowWindow is called to make the window visible, the application-defined function doGetControls is called to create the controls. The call to doGetDepthAndDevice assigns appropriate values to two global variables required in later calls to the Appearance Manager function SetThemeTextColor.

doGetControls

doGetControls creates the controls from the various 'CNTL' resources.

At the first line, the root control is created. The first control created must be always be the root control (which is implemented as a user pane).

A handle to the structure in which the handles to the control structures will be stored is then retrieved. The following calls to GetNewControl create a control structure for each control, insert the structure into the control list for the specified window and draw the control. At the same time, the handle to each control is assigned to the appropriate field of the window's "document" structure.

At the next block, SetControlData is twice called with the kControlBevelButtonTextPlaceTag control data tag constant. The bevel button text placement constant passed in these calls causes the text in the specified bevel buttons to be placed above the graphic.

At the next block, SetControlData is called with the kControlBevelButtonCenterPopupGlyphTag control data tag constant to cause the pop-up glyph in the specified bevel button to be centred.

At the next block, the font for the text in the specified bevel button is changed. The flags and font fields of a control font style structure are assigned constants so that the following call to SetControlFontStyle will set the font to the small emphasised system font.

The final line sets the value of the specified bevel button to 2, causing it to appear in the mixed state.

doBevelImagePictIconContent

Recall that, if a mouse-down occurs in the Bevel Buttons, Image Wells, Picture Controls, and Icon Controls window when it is the front window, doBevelImagePictIconContent is called to further handle the event.

At the first line a handle to the structure containing handles to all the controls is obtained.

The call to GlobalToLocal changes the coordinates at which the mouse-down occurred to the local coordinates required by the following call to FindControl. The constant representing the part code returned by FindControl is then drawn in the window header.

If the part code returned by FindControl is not kControlNoPart (0), meaning that an enabled control was under the mouse cursor at the time of the mouse-down, the if block executes. TrackControl takes control while the mouse button remains down, returning a part code when the button is released.

In the case of the first 10 specified controls (bevel buttons), the control part code returned by TrackControl is simply drawn in the window header.

The next four controls are bevel button with menus. In these cases, if the part code returned indicates that the mouse button was released while the cursor was within the menu, GetControlData is called with the kControlBevelButtonMenuValueTag tag constant to get the menu item number. The part code and menu item number are then drawn in the window header. If the cursor was not in the menu when the mouse button was released, the part code returned by TrackControl is drawn in the window header.

The 10th, 11th, and 12th bevel buttons have toggle behaviour. With some assistance from the application, they behave like radio buttons. If the control in which the mouse-down occurred was one of these bevel buttons, and if the cursor was still within the control when the mouse button was released, SetControlValue is called to set the three controls to the unchecked state, following which the selected control is set to the checked state. Either way, the part code returned by TrackControl is drawn in the window header.

The 18th bevel button is used to demonstrate bevel button graphic alignments using a single bevel button. A mouse-down within this button causes the application-defined function doGraphicAlignment to be called.

The 19th bevel button is used to demonstrate bevel button text alignments using a single bevel button. A mouse-down within this button causes the application-defined function doTextAlignment to be called.

The 20th bevel button is used to demonstrate text offsetting using a single bevel button. A mouse-down within this button causes the application-defined function doTextOffset to be called.

The 21st bevel button is used to demonstrate bevel button text placement in relation to the bevel button's graphic using a single bevel button. A mouse-down within this button causes the application-defined function doTextPlacement to be called.

Finally, if the mouse-down was in an image well, picture control, or icon control, and except for the non-tracking picture and icon control variants, the part code returned by TrackControl is drawn in the window header.

doDrawPartCode

doDrawPartCode takes part codes and menu item numbers and assembles them into descriptive strings for drawing in the window header. The constants used are stored in 'STR#' resources, and are retrieved using GetIndString. In the final two lines, Draw1Control is called to redraw the window header control (in effect erasing the current text drawn within the window header area) and doDrawMessage is called to draw the assembled string.

doGraphicAlignment

doGraphicAlignment is called to demonstrate the effect of all bevel button graphic alignment constants except kControlBevelButtonAlignSysDirection. Each time around the for loop, the alignment constant is changed before SetControlData is called with the kControlBevelButtonGraphicAlignTag tag constant to set the alignment, Draw1Control is called to redraw the bevel button, and the alignment constant used during that pass is drawn in the window header.

doTextAlignment

doTextAlignment is called to demonstrate the effect of all bevel button text alignment constants except kControlBevelButtonAlignTextSysDirection. Each time around the for loop, the alignment constant is changed before SetControlData is called with the kControlBevelButtonTextAlignTag tag constant to set the alignment, Draw1Control is called to redraw the bevel button, and the alignment constant used during that pass is drawn in the window header.

doTextOffset

doTextOffset is called to demonstrate text offsetting from the left and the right within a bevel button. For the purposes of the demonstration, two animations involving incrementing offsets values are used. Prior to first animation, SetControlData is called with the kControlBevelButtonTextOffsetTag tag to align the text on the left. Prior to second animation, SetControlData is called with the kControlBevelButtonTextOffsetTag tag to align the text on the right. Within the for loops, SetControlData is called with the kControlBevelButtonTextOffsetTag tag to offset the text from the left or right by the specified number of pixels, and Draw1Control re-draws the control.

doTextPlacement

doTextPlacement is called to demonstrate the effect of all bevel button text placement constants except kControlBevelButtonPlaceSysDirection. Within a for loop which increments the text placement constant, SetControlData is called with the kControlBevelButtonTextPlaceTag tag and Draw1Control re-draws the control.

doDrawMessage and doDrawLegends

doDrawMessage and doDrawLegends are incidental to the demonstration. Both functions draw text in the window in an Appearance-compliant colour which depends on whether the window is currently in front or in the background.

TabEditClock.c

TabEditClock.c creates a movable modal dialog in which is demonstrated a tab control, edit text controls and clock controls. An application-defined numeric key filter function is attached to the second edit text control. The third edit text control is for password input. The controls displayed by each tab are embedded in user panes.

The kDialogFlagsUsesControlHierarchy flag is set in the 'dlgx' resources for all dialogs used in the demonstration. Recall that this means that the Dialog Manager creates a root control in the dialog and establishes an embedding hierarchy, that all dialog items automatically become controls, and that the Dialog Manager uses AutoEmbedControl to position dialog items in an embedding hierarchy based on both visual containment and their item list number.

The dialog item list used by the dialog created by TabEditClock.c is shown in the following, in which the indentation represents the embedding hierarchy:

1. OK push button primitive.
2. Tab control (kTabControlLargeProc variant).
Visually contains the two user panes (items 3 and 12) and thus automatically embeds those items.
 3. User pane control with kControlSupportsEmbedding feature bit set (initial value set to 2).
Visually contains items 4 to 11 and thus automatically embeds those items.
 4. Static text primitive "Name:".
 5. Edit text primitive.
 6. Static text primitive "Age:".
 7. Edit text primitive.
 8. Static text primitive "Password:".
 9. Edit text control (kControlEditTextPasswordProc variant).
 10. Extract push button primitive.
 11. Image well control.
 12. User pane control with kControlSupportsEmbedding feature bit set (initial value set to 2).
Visually contains items 13 to 20 and thus automatically embeds those items.
 13. Static text primitive "Hours, Mins, Secs:".
 14. Clock control (kControlClockTimeSecondsProc variant).
 15. Static text primitive "Date, Month, Year:".
 16. Clock control (kControlClockDateProc variant).
 17. Static text primitive "Month, Year:".
 18. Clock control (kControlClockMonthYearProc variant).
 19. Extract push button primitive.
 20. Image well control.
21. Clock control (kControlClockTimeSecondsProc variant, live, display only.)
22. Group box (kControlGroupBoxSecondaryTextTitleProc variant).
Visually contains item 23 and thus automatically embeds that item:
 23. Static text primitive.

doTabEditClock

`doTabEditClock` creates the dialog, calls `ModalDialog` to handle events in the dialog, and disposes of the dialog when the user hits the OK push button.

Firstly, and as is always required when a dialog box is to be displayed, the front window (if one exists) is explicitly deactivated.

The call to `GetNewDialog` creates the dialog. The call to `SetWTitle` sets the window's title so as to force an association with the 'hrct' resource containing the help balloons for the Edit Text Control tab. (Later calls to `SetWTitle` in this function are used for similar purposes.)

`SetDialogDefaultItem` tells the Dialog Manager which is the default push button item, to alias the Return and Enter keys to that item, and to draw the default ring around that item. `SetDialogTracksCursor` will cause the Dialog Manager to change the cursor shape to the I-Beam cursor whenever the cursor is over an edit text control specified in the 'DITL' as an edit text primitive.

The first call to `GetDialogItemAsControl` gets a handle to the user pane used for the clocks tab. `HideControls` hides this user pane and all the controls automatically embedded within it.

At the next block, `SetControlData` is called with the `kControlEditTextTextTag` tag to assign some text to the first edit text control. The fields of an edit text selection structure are then assigned values which will cause the following call to `SetControlData` to select the entire edit text control.

The next block creates routine descriptors for application-defined event filter, key filter, and edit text validator functions. (The event filter function is defined in the source code file `Callbacks.c`.) `SetControlData` is then called with the `kControlEditTextValidationProcTag` tag to attach the edit text validation function to the first edit text control. `SetControlData` is then called again with the `kControlEditTextKeyFilterTag` tag to attach the key filter function to the second edit text control.

With those preliminaries attended to, `ShowWindow` is called to display the window, following which the `ModalDialog` loop is entered. The loop will execute until the user hits the OK push button. Note that the previously created UPP is passed in the `filterProc` parameter of `ModalDialog`.

When a mouse-down event occurs in an enabled item, `ModalDialog` returns the item number of the item hit. If the item hit was the tab item, `GetDialogItemAsControl` is called to get a handle to the tab control and `GetControlValue` is called to determine which of the two tabs was hit. If the tab hit was the Edit Text Controls tab, the Clock Controls user pane is hidden, the Edit Text Controls user pane is shown, and the keyboard focus is set to the first edit text control. If the tab hit was the Clock Controls tab, the Edit Text Controls user pane is hidden, the Clock Controls user pane is shown, and the keyboard focus is set to the first clock control.

If the item hit was the Extract push button in the Edit Text Controls pane, the image well control is re-drawn to erase any previous text and an application-defined function is called to extract and display the contents of the edit text controls.

If the item hit was the Extract push button in the Clock Controls pane, the image well control is re-drawn to erase any previous text and an application-defined function is called to extract and display the contents of the clock controls.

When the user hits the OK button, `DisposeDialog` closes the dialog and disposes of the associated memory, and the routine descriptors associated with the event filter function and key filter function are disposed of.

doExtractEditText

`doExtractEditText` extracts the text from the edit text controls and draws it in the image well area. In the case of the Password edit text control, the text extracted is the actual password typed, not the bullet text.

In the case of the first two edit text controls, `GetDialogItem` is used to get the handle to the `hText` field of the `TERec` structure used by the item. This is where the characters are located. (Exactly what is returned in the `iHandle` field of a `GetDialogItem` call depends on the item type.) `GetDialogItemText` then copies these characters to a variable of type `Str255`.

In the case of the third (password) edit text control, `GetDialogItemAsControl` gets a handle to the control. `GetControlDataSize` is then called with the `kControlEditTextTextTag` tag to get the number of characters and `GetControlData` is called with the `kControlEditTextPasswordTag` to get the clear password text from the control.

doExtractDateTime

`doExtractDateTime` gets the settings in the three clock controls into a long date structure, extracts the content of the relevant fields of that structure, and draws that content in the image well area.

For each clock, `GetControlData` is called with the `kControlClockLongDateTag` tag to get the information into a long date structure. The rest of the code simply converts the values in the relevant fields of this structure to strings, which are concatenated with other identifying strings prior to being drawn in the image well.

numericFilter

`numericFilter` is the key filter function attached to the second edit text control.

The character code passed to this function by the control is first examined to determine whether it represents the numeric characters between 0 and 9 inclusive. If so, the function returns `kControlKeyFilterPassKey`, meaning that the character is to be accepted. If a return is not effected at that point, the character code is further examined to determine whether it

represents one of the arrow keys or the "dash" character. If so, kControlKeyFilterPassKey is returned. If not, the system alert sound is played and kControlKeyFilterBlockKey is returned, meaning that the character is to be rejected.

editTextValidator

editTextValidator is the edit text validation function attached to the first edit text control.

The call to GetControlData gets the text to be examined from the control into the variable *oldText*. The next block sets the length byte in *oldText* to the actual number of characters in the text, limited to 255 characters. The for loop then examines each character and, if it is an alphabetic character, the space character, or the period character, inserts it into the *newText* variable and increments a variable which is eventually used to set the length byte of *newText*. When the if loop exits, the length byte is set and SetControlData is called to put the replacement text into the control. Finally, Draw1Control redraws the control.

GroupArrowsProgress.c

GroupArrowsProgress.c creates a movable modal dialog in which is demonstrated a checkbox group box, a pop-up group box, little arrows, a disclosure triangle, asynchronous arrows, and an indeterminate progress bar.

The checkbox group box contains a static text item and three radio buttons. The radio buttons are embedded in a radio group. The pop-up group box contains two user panes. Embedded in each user pane are a checkbox and a radio group. Embedded in each radio group are two radio buttons.

The dialog item list used by the dialog created by *GroupArrowsProgress.c* is shown in the following, in which the indentation represents the embedding hierarchy:

1. Push button primitive.
2. Group box control (kControlGroupBoxCheckboxProc variant).
 3. Radio group control.
 4. Radio button primitive.
 5. Radio button primitive.
 6. Radio button primitive.
 7. Checkbox primitive.
8. Group box control(kControlGroupBoxPopupButtonProc variant).
 9. User pane control with kControlSupportsEmbedding feature bit set (initial value set to 2).
 10. Radio group control
 11. Radio button primitive.
 12. Radio button primitive.
 13. Checkbox primitive.
 14. Static text primitive.
 15. User pane control with kControlSupportsEmbedding feature bit set (initial value set to 2).
 16. Radio group control
 17. Radio button primitive.
 18. Radio button primitive.
 19. Checkbox primitive.
 20. Static text primitive.
 21. Group box control (kControlGroupBoxSecondaryTextTitleProc variant).
 22. Static text primitive.
 23. Group box control (kControlGroupBoxSecondaryTextTitleProc variant).
 24. Static text primitive.
 25. Placard control.
 26. Static text primitive.
 27. Little arrows control.
 28. Extract push button primitive.
 29. Image well
 30. Separator line
 31. Disclosure triangle (kControlTriangleProc variant).
 32. Static text primitive.

A second dialog item list resource, containing an asynchronous arrows control and a progress bar control, is appended to the dialog when the disclosure triangle is clicked.

doGroupArrowsProgress

doGroupArrowsProgress creates the dialog, calls *ModalDialog* to handle events until the user hits the OK push button, and then disposes of the dialog.

At the first two lines, if the Bevel Buttons, Image Wells, Picture Controls, and Icon Controls window is open, it is explicitly deactivated.

The call to *GetNewDialog* creates the dialog and *SetDialogDefaultItem* establishes the OK push button as the default push button.

The next two lines create routine descriptors for the application-defined event filter function and an application-defined action function for the little arrows control. (The event filter function is in the source code file *Callbacks.c*.)

The next block sets the initial value of the checkbox group box to 1 (checked).

The little arrows are used to set a (simulated) cache size, which is displayed in a static text item overlayed on a placard item. The little arrows initial value is set in the 'CNTL' resource to 96. The first three lines of the next block extract this value, convert it to a string and append the character "K". SetControlData is then called with the kControlStaticTextTextTag to set this string in the static text item.

The second user pane in the pop-up group box is then hidden before the call to ShowWindow, following which the ModalDialog loop is entered. Note that the UPP associated with the application-defined event filter function is passed in the filterProc parameter of ModalDialog.

If ModalDialog reports that the item hit was the checkbox group box's checkbox or the pop-up group box's pop-up menu, application-defined functions are called to further handle the hit.

If the item hit was one of the checkboxes within the pop-up group box, the control's control value is set so that the control is checked if it was unchecked, or unchecked if it was checked.

If the item hit was the disclosure triangle, an application-defined function is called to further handle the hit.

If the item hit was the Extract push button, Draw1Control is called to redraw the image well, thus erasing any previous text in the well, and an application-defined function is called to extract the control settings and draw them in the image well area.

Note that hits on the radio buttons will be handled automatically by the radio group controls in which they are embedded. The radio group control will set the new control values according to which radio button is hit, and will change the checked/unchecked appearance of the radio buttons to match.

Note also that mouse-down events in the little arrows are detected and handled in the event filter function. (See the source code file Callbacks.c.)

When the OK button is hit, the loop exits, DisposeDialog closes the dialog and disposes of the associated memory, and the two previously created routine descriptors are disposed of. In addition, the global variable which flags that the dialog was open is set to false.

doCheckBoxGroupBox

doCheckBoxGroupBox further handles a hit in the checkbox group box's checkbox.

The first three lines flip the control's value; that is, if the control's value was 1 (checked), it is set to 0 (unchecked), and vice versa.

If the new value of the control is 0 (unchecked), the radio group and checkbox within the group box are deactivated. Since the radio buttons are embedded in the radio group, they will also be deactivated when the radio group is deactivated.

If the new value of the control is 1 (checked), the radio group and checkbox within the group box are activated. Since the radio buttons are embedded in the radio group, they will also be activated when the radio group is activated.

doPopupGroupBox

doPopupGroupBox further handles a hit in the pop-up group box's pop-up menu button.

The first two lines get the control's value, which represents the menu item chosen. Depending on the item chosen, the appropriate user panes are hidden or shown, thus hiding or showing all controls embedded in each user pane.

doAsynchronousAndProgress

doAsynchronousAndProgress further handles a hit in the disclosure triangle.

The first three lines flip the control's value; that is, if the control's value was 1 (expanded), it is set to 0 (collapsed), and vice versa.

If the new control value is 1 (expanded), GetResource is called to load the item list resource containing the asynchronous arrows and progress bar items. AppendDITL is then called to append these items to the end of the dialog's item list. The constant passed in the third parameter of this call causes the dialog box to be expanded downwards to accommodate the new items. SetControlData is then called with the kControlProgressBarIndeterminateTag tag to make the progress bar an indeterminate progress bar.

Not previously mentioned is the fact that the appended 'DITL' resource contains a static text item, with not text, the function of which is simply to expand the dialog further downwards to accommodate a move of the OK push button. The call to MoveControl moves the OK push button to a position below the asynchronous arrows and progress bar.

Finally, SetControlData is called with the kControlStaticTextTextTag tag to change the text in the static text control adjacent to the disclosure triangle. Draw1Control re-draws the control to display the changed text.

If the new disclosure triangle control value is 0 (collapsed), the OK button is moved back to its previous location, SizeWindow is called to resize the window to its previous size, SetControlData is called with the kControlStaticTextTextTag tag to change the text in the static text control adjacent to the disclosure triangle, and Draw1Control re-draws the control to display the changed text.

doExtractCurrentStatus

doExtractCurrentStatus is called when the Extract push button is hit. It simply extracts the values of the various controls, builds up strings based on those values, and draws those strings in the image well area.

Note in the second last block that the value of the little arrows control represents the current (simulated) cache size. The little arrows control value is set within the action function *arrowsActionFunction* in the source code file *Callbacks.c*.

Sliders.c

Sliders.c creates a movable modal dialog box in which is demonstrated various slider control variants and two simple user pane functions.

doSliderUserPane

doSliderUserPane creates the dialog, calls *ModalDialog* to handle events until the user hits the OK push button, and then disposes of the dialog.

At the first two lines, if the Bevel Buttons, Image Wells, Picture Controls, and Icon Controls window is open, it is explicitly deactivated.

The call to *GetNewDialog* creates the dialog and *SetDialogDefaultItem* establishes the OK push button as the default push button.

The next three lines create routine descriptors for the application-defined event filter function and two application-defined action functions for the live-feedback slider variants, one for the two at top right of the dialog and one for the two horizontal sliders. (The event filter function and the action functions are in the source code file *Callbacks.c*.)

The next two blocks creates routine descriptors for two user pane functions (one a draw function and one an activate function), and attach these functions to a user pane located immediately to the right of the two horizontal sliders.

The next block assign handles to the first four sliders to global variables and call an application-defined function to draw the respective control values in static text items located immediately below the sliders.

The following four lines assign handles to the horizontal sliders to global variables and assign a value based on the current slider control values to the red and blue fields of two global variables of type *RGBColor*.

The call to *ShowWindow* makes the dialog visible before the *ModalDialog* loop is entered. This loop executes until the OK button is hit, at which time *DisposeDialog* is called to remove the dialog and dispose of its associated memory, the previously created routine descriptors are disposed of, and the global variable which flags that the Sliders dialog is open is assigned false.

doDrawSliderValues

doDrawSliderValue is called by *doSliderUserPane* to draw the initial control values of the four top sliders in the static text controls immediately below the sliders.

The first line gets the control's value and converts it to a string. The next block determines, on the basis of the received control handle, which is the target static text item. *SetControlData* is then called with the *kControlStaticTextTextTag* tag to set the text, and *Draw1Control* re-draws the static text control.

As will be seen, this function is also called from within the event filter function when a mouse-down has been detected within the two non-live-scrolling sliders.

userPaneDrawFunction

userPaneDrawFunction will be called whenever an update event is received. This will occur when the dialog is opened and, subsequently, when an overlaying window or help balloon is removed from the area occupied by the user pane (to the immediate right of the horizontal sliders).

The two calls to *DrawThemeGenericWell* draw two Appearance image well primitives to the right of the horizontal sliders. The global variable *gDrawActivated* determines whether the primitive is drawn with an activated or deactivated appearance.

If the global variable *gDrawActivated* indicates that the interior of the well should be drawn, the foreground colour for each interior is set to that stored in global variables and *PaintRect* is called to paint the interior in that colour. (As will be seen, the value stored in these global variables is changed by the action function called while the mouse button remains down in the slider's indicators.)

If *gDrawActivated* indicates that the interior of the well should be displayed with a deactivated appearance, the interior is left as drawn by *DrawThemeGenericWell*, that is, white.

userPaneActivateFunction

The kControlWantsActivate feature bit is set in the user pane on creation, that is, the control's minimum value in the 'CNTL' resource is set to 16. This ensures that this function will be called when the dialog receives activate events.

Depending on whether the dialog is about to be activated or deactivated, the global variable gDrawActivated is set to true or false. As has been seen, this global variable controls the way in which the image well primitive and the interior of the image well is drawn.

TextBox.c

doAboutBox is called when the user chooses About Controls3... from the Apple menu. It opens a movable modal dialog containing a standard and scrolling text box controls.

Callbacks.c

Callbacks.c contains the event filter function used by all movable modal dialogs and three action functions, one for the little arrows, one for the live-feedback sliders at top right of the dialog, and one for the horizontal live-feedback sliders.

eventFilter

The event filter function eventFilter is identical to the event filter function introduced at Chapter 8 — Dialogs and Alerts except that it intercepts mouse-down events in the little arrows and sliders and informs ModalDialog that it has handled those events.

At the second and third if statements, if the Group Boxes, Arrows, and Progress Bar dialog is currently open, and if the event is a mouse-down event, the location of the mouse-down is extracted from the where field of the event structure and converted to the local coordinates required by the following call to FindControl. If FindControl determines that there is an enabled control under the mouse cursor, and if that control is the little arrows control, TrackControl is called to handle all user interaction while the mouse button remains down. While the mouse button remains down, TrackControl continually calls the action function whose routine descriptor is pointed to by the UPP passed in the third parameter. When the mouse button is released, the function exits with true being returned to ModalDialog.

if, on the other hand, the Sliders and User Pane Functions dialog is open, and if the event is a mouse-down event, and if FindControl reports an enabled control, and if that control is one of the two non-live-feedback sliders, TrackControl is called to handle all user interaction while the mouse button remains down. When the mouse button is released, the application-defined function doDrawSliderValues is called to draw the new control value in the static text item below the slider. Once again, the function then exits with true being returned to ModalDialog.

If the mouse-down was in one of the two live-feedback sliders at the top right of the dialog, TrackControl is called with a UPP to the first slider action function passed in the third parameter.

If the mouse-down was in one of the two horizontal live-feedback sliders, TrackControl is called with a UPP to the second slider action function passed in the third parameter.

arrowsActionFunction

arrowsActionFunction is the action function for the little arrows. It is called continually by TrackControl while the mouse button remains down.

if the mouse cursor is still within the control, GetControlValue is called to get the current control value. The function then switches according to the part code. If the cursor is in the top arrow, the control's value is increased by 32 unless this would cause the value to exceed the control's maximum value (set in the 'CNTL' resource to 7680). If the cursor is in the bottom arrow, the control's value is decreased by 32 unless this would cause the value to be lower than the control's minimum value (set in the 'CNTL' resource to 96).

If the control's value was increased or decreased within the switch, SetControlValue is called to set the new control value, and the final block sets the new text for the Cache size static text item and re-draws the item.

sliderActionFunction1

sliderActionFunction1 is the action function for the live-feedback sliders at the top right of the dialog. It is called continually by TrackControl while the mouse button remains down.

GetControlValue gets the control's current value and NumToString converts it to a string for display. The next line gets the pointer to the control's owning window required by the call to GetDialogItemAsControl. The if block determines which of the two sliders the mouse is down in. The last two lines set the text in the appropriate static text control and redraw the control.

sliderActionFunction2

sliderActionFunction3 is the action function for the horizontal live-feedback sliders. It is called continually by TrackControl while the mouse button remains down.

GetControlValue gets the control's current value. If the slider is the top horizontal slider, the red field of the RGBColor global variable gRedColor is assigned a new value based on the control's current value, and the local Rect variable is assigned the coordinates of the image well at the right of the slider. If the slider is the bottom horizontal slider, the blue field of the RGBColor global variable gBlueColor is assigned a new value based on the control's current value, and the local Rect variable is assigned the coordinates of the image well at the right of the slider.

Finally, PaintRect is called to paint the interior area of the relevant image well in the new colour.