



Đ

/ -  
 - -  
 ( ) . 0 0 /95/ 3,000 5,000  
 0 Ñ  
 0 Ñ  
 0  
 0  
 0  
 Đ 7:15  
 7:30. 0  
 1.25 95  
 5 Đ  
 1997. 9,  
 !  
 @ 284.  
 :0 0  
 ?0  
 Ñ  
 Ñ 0

2 &

- 0 .

( ) ,

8

< @ . . . >

< @ . >

8

14

://

?

24

16

( ) , 0

64

1.

/ / 11 6/ /

16

16

( . . = - 16 ).

0

0

( )

16

\* \*

( ) .

0

0

( &

) 16

0

/ / . / . / / . / . 1

0

( :// @ . . )

```

# Script begins below:
#!/bin/sh # By Kragen Sitaker, 21 April 1997
# Prevent any packets from reaching
doubleclick.net
/sbin/route add -net 199.95.207.0 netmask
255.255.255.0 lo
/sbin/route add -net 199.95.208.0 netmask
255.255.255.0 lo
# And ad.linkexchange.com too!
/sbin/route add -net 204.71.189.0 netmask
255.255.255.0 lo

```

0

0

86

1997,

17

1997

< @ . >

&

```

# <device><mountpoint><filesystemtype>
<options> <dump><fsckorder>
/dev/hdb /cdrom iso9660
ro,user 0 0

```

```

<figure> <eps file = "neuro">
<caption><label id = "decade"> Decade of
the brain </figure>

```

echo ""

.16  
65 ( )

( ://  
:// )

( :// /- / /  
)

@  
86

@4

16

16

(16  
5426)16

\* \*...

1 (

=0/ / |

{ =0} / :\*/{  
=1; }{ ( ==1){ =  
0; }0\| - :0{ 2}0|  
0{ 1}00

16 640 480 ( )800 600

14

\*

.16

1@

)

(

86

86

? :-)

@

4.0 /

16

8

16

@

@

256

8

edit /etc/rc.d/rc.sysinit and add the  
following lines at the beginning  
echo ""  
echo "\*\*\*\* Running /etc/rc.d/rc.sysinit \*\*\*\*"