

in

3šèÿýý□

ぱàÿýý□ÿÿÿÿÿÿÿ„if 6ÿÿÿÿÿÿÿÿÿ„if 8ÿÿÿÿÿÿÿÿĐ€if'ÿÿÿÿÿÿÿÿð€if"ÿÿÿÿÿÿÿÿ€if-ÿÿÿÿÿÿÿÿ0€if'ryÿÿÿÿÿÿÿÿP€if<ÿÿÿÿÿÿÿÿ3žÿýý‘

ÿÿÿ(ÿÿÿÿÿÿÿ„if 6ÿÿÿÿÿÿÿÿH€if 8ÿÿÿÿÿÿÿÿh€if:ÿÿÿÿÿÿÿÿ^€if<ÿÿÿÿÿÿÿÿÿÿÿ€XReturns a correlation matrix that measures the correlation between variables.

3¢8ÿýý‘

Đ0ÿÿÿPÿÿÿÿÿÿ„if 6ÿÿÿÿÿÿÿÿp€if 8ÿÿÿÿÿÿÿÿ□€if:ÿÿÿÿÿÿÿÿ^€if<ÿÿÿÿÿÿÿÿÿÿÿ€XReturns a correlation matrix that measures the correlation between variables.

3!ÿýý‘

øХÿýýxÿÿÿÿÿÿ„if 6ÿÿÿÿÿÿÿÿ~€if 8ÿÿÿÿÿÿÿÿ,€if:ÿÿÿÿÿÿÿÿØ€if<ÿÿÿÿÿÿÿÿÿÿÿ€VReturns a covariance matrix that measures the covariance between variables.

3a-ÿýý‘

€ÿÿýý ýÿÿÿÿÿÿ„if 6ÿÿÿÿÿÿÿÿ~À€if 8ÿÿÿÿÿÿÿÿ~€if:ÿÿÿÿÿÿÿÿ~€if<ÿÿÿÿÿÿÿÿÿÿÿ€VReturns a covariance matrix that measures the covariance between variables.

3@ÿýý‘

^ÿÿÿÈÿÿÿÿÿÿ„if 6ÿÿÿÿÿÿÿÿè€if 8ÿÿÿÿÿÿÿÿ€if°ÿÿÿÿÿÿÿÿ(€if pÿÿÿÿÿÿÿÿH€if'ryÿÿÿÿÿÿÿÿh€if<ÿÿÿÿÿÿÿÿÿÿÿ€|Project

3-ÿýý‘-

□ÿÿÿPÿÿÿÿÿÿ„if 6ÿÿÿÿÿÿÿÿp€if 8ÿÿÿÿÿÿÿÿ□€if°ÿÿÿÿÿÿÿÿ^€if pÿÿÿÿÿÿÿÿĐ€if'ryÿÿÿÿÿÿÿÿð€if<ÿÿÿÿÿÿÿÿÿÿÿ€|Project

3,Đÿýý—

~ÈÿÿÿØÿÿÿÿÿÿ„if tÿÿÿÿÿÿÿÿø€if^ÿÿÿÿÿÿÿÿ€if 8ÿÿÿÿÿÿÿÿ8€if<ÿÿÿÿÿÿÿÿX€if>ÿÿÿÿÿÿÿÿx€if°ÿÿÿÿÿÿÿÿÿÿÿ€

3%jÿýý‘

Đÿÿÿÿÿÿÿÿÿÿ„if tÿÿÿÿÿÿÿÿ0€if^ÿÿÿÿÿÿÿÿP€if 8ÿÿÿÿÿÿÿÿp€if<ÿÿÿÿÿÿÿÿ□€if>ÿÿÿÿÿÿÿÿ^€if°ÿÿÿÿÿÿÿÿÿÿÿ€

3ÃÂ jÿýý™

P ÿÿýüHÿÿÿÿÿÿ„if tÿÿÿÿÿÿÿÿh€if^ÿÿÿÿÿÿÿÿ~€if 8ÿÿÿÿÿÿÿÿ~€if<ÿÿÿÿÿÿÿÿÈ€if>ÿÿÿÿÿÿÿÿè€if°ÿÿÿÿÿÿÿÿÿÿÿ€ø@

3Æ'!ÿýýš

X! !ÿýý“ ýÿÿÿÿÿÿ„if tÿÿÿÿÿÿÿÿ,€if^ÿÿÿÿÿÿÿÿØ€if 8ÿÿÿÿÿÿÿÿØ€if<ÿÿÿÿÿÿÿÿ!€if>ÿÿÿÿÿÿÿÿ8!€if°ÿÿÿÿÿÿÿÿÿÿÿ€

3È#ÿýý£

~"ø"ÿÿýé!ÿÿÿÿÿÿ„if tÿÿÿÿÿÿÿÿ"€if^ÿÿÿÿÿÿÿÿ("€if 8ÿÿÿÿÿÿÿÿH"€if<ÿÿÿÿÿÿÿÿh"€if>ÿÿÿÿÿÿÿÿ~"€if°ÿÿÿÿÿÿÿÿÿÿÿ€

3ÎX\$ÿýý¤

\$P\$ÿýý@#ÿÿÿÿÿÿ„if tÿÿÿÿÿÿÿÿ #€if^ÿÿÿÿÿÿÿÿ€#€if 8ÿÿÿÿÿÿÿÿ #€if<ÿÿÿÿÿÿÿÿÀ#€if>ÿÿÿÿÿÿÿÿà#€if°ÿÿÿÿÿÿÿÿ

3Ò&ÿýý¥

%ø%øÿÿ\$ÿÿÿÿÿÿ„if tÿÿÿÿÿÿÿÿ,\$€if^ÿÿÿÿÿÿÿÿØ\$€if 8ÿÿÿÿÿÿÿÿø\$€if<ÿÿÿÿÿÿÿÿ%€if>ÿÿÿÿÿÿÿÿ8%€if°ÿÿÿÿÿÿÿÿ

3Ú"ÿýý¡

@' ýÿýý@&ÿÿÿÿÿÿ„if tÿÿÿÿÿÿÿÿ` &€if^ÿÿÿÿÿÿÿÿ€&€if 8ÿÿÿÿÿÿÿÿ &€if<ÿÿÿÿÿÿÿÿÀ&€if>ÿÿÿÿÿÿÿÿà&€if°ÿÿÿÿÿÿÿÿ

32~jÿýý

(□)ÿýýèÿÿÿÿÿÿ,,

if 8ÿÿÿÿÿÿÿÿÿÿ((€if þÿÿÿÿÿÿÿÿH(€if àÿÿÿÿÿÿÿÿH(€if àÿÿÿÿÿÿÿÿh(€if àÿÿÿÿÿÿÿÿ~(€if æÿÿÿÿÿÿÿÿ~(€if èÿÿÿÿÿÿÿÿÈ(€if è

3ò+ÿýýœ

+€+ÿýýØ)ÿÿÿÿÿÿ,,

if 8ÿÿÿÿÿÿÿÿø)€if þÿÿÿÿÿÿÿÿ*€if àÿÿÿÿÿÿÿÿ8*€if àÿÿÿÿÿÿÿÿX*€if àÿÿÿÿÿÿÿÿx*€if æÿÿÿÿÿÿÿÿ~*€if èÿÿÿÿÿÿÿÿ,*€if è

3ö°

H

3úØ-ÿýýž

p-Đ-ÿýýđ

3þđ/ÿýýÿ

,/è/ÿýý.ÿÿÿÿÿÿ,,

if yÿÿÿÿÿÿÿ8.€if yÿÿÿÿÿÿÿÿX.€if yÿÿÿÿÿÿÿÿx.€if<ÿÿÿÿÿÿÿÿ~.€if dÿÿÿÿÿÿÿÿ,€if yÿÿÿÿÿÿÿÿØ.€if yÿÿÿÿÿÿÿÿø.€if

yÿÿÿÿÿÿÿÿ/€if yÿÿÿÿÿÿÿÿ8/€if yÿÿÿÿÿÿÿÿX/€if yÿÿÿÿÿÿÿÿx/€if yÿÿÿÿÿÿÿÿ~/€if yÿÿÿÿÿÿÿÿÿÿ+Perform multiple linear regression

32ÿýý

Đ12ÿýý00ÿÿÿÿÿÿ,,

in

B%D'ýýoýý-2fnSample\$* 6 8 < B%D"ýýoýý,-3fnSampleQ\$* 6 8 < B%D'oroýýþà Setup & Registering functionsr p
 ¶Loc Table F%H%J!L' 8 : ¶Loc Table F%H%J!L"fnAnkýý0
 oýý((5 ¶Loc Table F%H%J!L'Da2Q\$→"\\$'T> Bý .þ (Š (",]òh5REGISTER.ID(T \$ D T¶
 ¶fnHistogram→+((¶fnMoveAvg→
 →+(È¶fnRandom→+(6¶
 fnRankPerc→+(¶fnRegress→
 →+(\$*¶fnSample→+(%D¶fnTtestM→+(fnFt¶
 fnTtestUeq→+(>¶fnTtestEq→+(¶fnZtestM→+(8 ¶fnAnova1Q→+(~¶fnAnova2Q→+(ramQ¶fnAnova3Q→+(r ¶
 fnMCorrelQ→+(¶fnMCovarQ→+(:¶fnDescrQ→+(ýý¶fnExponQ→+(6¶
 fnFourierQ→+(¶fnFtestVQ→+(+\$*¶fnHistogramQ→+(`¶
 fnMoveAvgQ→+(Q\$¶fnRandomQ→+(¶fnRankPercQ→+(¶
 fnRegressQ→+(¶fnSampleQ→-(Lýý¶fnTtestMQ→-(+¶fnTtestUeqQ→-#→+(ýý¶
 fnTtestEqQ→-(+Lýý¶fnZtestMQ→-%→+(varoýýXýyyýPýyyýNµAttribute VB_Name = "VBA Functions and Subs"
 ' ANALYSIS TOOLPAK - Excel AddInFThe following f□ declara"provide interface betw(een‡ArATP XLL.
 Sse variables poA9 to tlcorrespon6dp<WL Loc T1 sheÖetLCÖtXi□CellxB8nf MacDirSept
 3†
 WinŒ
 4†
 LibPath10□.‡1€
 Dim, * As S€Æng/
 ,(
 Ana`lysis□6□
 Weworkbookä'(é!Ds(37
 Á
 Álf (LCASE„,
 (i@())□DEL†Á €˜SEENot (IsErHror
 1) ýí
 ÁŠ:€Á@□IA HÃÉExitFÈÇ1e□E@ËIfÇÉNq□Pi
 ÁEA_€Procedu±
 @Û Anova1(inprÑArVÁ%nt
 @HelpID`457
 Q¡\$DataInvoke_i(á \nÁt0xf Applicž.Run"(kZ"fn#")-
)68/6b[_6H6QDEL6e6QÝ6s>62_kgS5sam€ple_row_2ET2292twoÙ1 €with ref[-jÅÉ39¡3B,c3x.2í5Ò!2,c
 ON
 G2Ùâ+_NfRN/s)N/cýò860?2Oé_O SO2/4oOcOÊ2/4goha?OBþ3i3Ýi□€U~5 b÷SV~IL3Ý3Çgoob@sï3ÉM‰1Ž"÷□□u3i3i3i3a
 Attribute DescrQ.(VB_iŽ = "Genera`tes d"ve statistics for data in theput€ range"a@HelpID\3464"ProcD*HInvok@e_FuncH „n
 Applic€ion.Run(GetMacroRegId("fnf"))

ExpAon(inp€)"¿Cf7"
 dampSs@tderrscðhart"3ÈJ{B+{Predicts a value based oCv@zecasFt,|□zpri□pe€ÀOadjs~t€A,,□.€,...a%t
 †#É...5É...ýF¤...Âa...
 ...d@,Ý_@}ZE^□Q(Æðý¿□
 DELB@B@b
 ī@‘~ý@ý@dÆDý@B□,1¢A~6AB?A,,c
 Af6n#□A ,nwAFo urier□g36Àinvers4½»zSDñzer€rmázFÓx\$ TÀ's!
 r;è)17)1h[115i`b1DÝ1fnD±1ýä#0ßqÂí²_1é²*kíBUBIêP□1xy‰}É8íä{ß™sPQýiïsEýátò*ý•qÒF°ftvô01J/sR~2□0□□ÝG'~0"ælp
 xHistogramQdApplication.Run(GetMacroRegId("fnZ"))

in

End Sub

Mcorrel(P As Variant)

€@Attr`ibute=□'D`escri,7□'Returns aF fN_x ma€x that me@asures€e between two or more datÀa sets€½?@HelpID€<3 473

'PrøocD\$Wê,,s€%ùžèMC,^'sDUñm½Q(i?pP~"pQ□Dy□pelfynpÂ‰p4_□p èp¢åqQuqv'ar□ogÓk□osxoï 7 □ce9ofßß6è~ a
é<7:!7j<¿' xM=□'iAvgç=Q'#

#8#gB#i##oD¿'n\$#□Dμu?#£:DX<#PttDestm,,E1Èuº>2:□μÝ—□ø!alpha/áDdifàferen@{+ dCÔ

/E"PerDm!a·pair€Ctw@o-sampàAS tudenðFt-þTÐš'(98¿/@/@T:M@1†ÒÓ vÝ;PóÔ__°öQñ³Variant

Attribute Pptestv.VB_D escri^a = "Performs a two-sample Student t-T7

œ½Q(tÃ+“A2?”

!”

~~DEL~~~tvQ¡¿~¢~ÅÉ~2Ð~ +~~DEL~~Q¡~~DEL~~Q¿~~DEL~~Å“m(~~DEL~~Ñ|¿zPòºzf=r| Å € meanáb¥}÷y}§ È=9J}GÝ="}÷_=}Eý|ý|ã|#/÷ß|c±~~DEL~~?gß½fž½iäÝ?Ý?Ý?e È

©??Šjhß?È?_½Eq÷?}@@zÝ?}îòÝºßÝº

0,'ß□C_CßÑy_CH□\$ÝÍ□o;ídx□□yÔ"□\$2|Ñ8□\$m÷"|"□"□ \$Æ¤□\$□\$iú¥ôA

iÝeí\$@!Rand<om†!WiaOblesÝpoint¿disSÁ lßÑseed<Ý'r

arg_#o'Ôß~ÙzÝ~4{ßØ5Ø:)E¿M"0Fill;í ge with `Ádepenâlom or paÒrn€numbers draMfrñne of seøver"iûlwè)p8ŠN'□N□N ed

Ate RanžQ.VB_@HelpIDf3484#ProcData/Invoke_Func, \n3Z xUApplicax.Run(GetMacroRegId("fn*"))

End Sub

~kPerc(inp€< As V□=nt

groutp€Àlabeå‡

@

½,=□¤Descri8ARRet(urn□t□A that cont\$ai@th€vrdLinÀ&o p0e...Ctka|each€PØluež'd€k@Lít□)FÉ}5l}'~~~DEL~~,d~Å

□~`‡€V

sü@rplotsól" xÀ□A¤npŽ1~c0p'À£form multiple linea~r r#àÉ a ',ysiiÊ'

é<7

SygßRÃR#ÝR€RCDRÖ!K

ïÑ2|ÙAID`QPickPlat<}sVàfyOpó5ahÓ' O12:624902à - un€€Bd€32.xll if it's nLotPwºvll`Òso³ìÁ M□am

" 7closeÀï ÚjÛUI iÂsàtmove°

aÛ¢bµDim f`ATPIn¥°-BÀooleans

SQ:= Fœee£F õEjÓai Inâ ÙAdd€cq

If UCASE(ai.Name)ð"ANALYSàXLL" Tühe,...

°Ö

¤µ Exit For

€ End IfxNex0t ai0If Not fATPIinstall€ed Then<ŠApplication.ExecuteExcel4Macro ("unregister(""analys32.xls"")")H†

Sub

Private VerifyOpen(6XLName ="isWorkbook.Sheets("Loc Table").Range(Cell). Value f?thÀeArray€\$‰gR\edFunc qsf,,~~DEL~~(IsN□ull())Ž€µ i*LBound‡ To UŒf

{ÄzÉC

Q\$uo]= Àin€g(1

in

Š& Di°rSepC
@OFÁb÷@Qz€(L€%,?□Áe@ÂM{K^M\R*">"ż %□sż%árł-LiþbG
'ZClose (Faxlsea□Âi«‘PickPlatformå‘Dim ?ecŁ'qfE'''C3`Select...
L0¡€ŽEFT(GET.WOR€KSPACE(†®3Fj1È "À"

Yÿfż-Åa`C<j:,Ißß Å

† E`2C"Ç!ÿEżWinyÿ~~DEL~~

iiäé"GEÅÉlùDs□UúÚjÚx,liX—□ -ii9maaC°€/Gpb "̄-IS€TER.ID(q]yc& _UQU a"N
ô>Óoi'tSetup%od0

0Eqo`X£-QXl<äjxì5J=Jjy#^¶yyyyyyy<yy/4•ëÜFóO°÷§<° PÀFd& WòK,¿DÒWm□Èéyyyyyyyyyyxd& WòK,¿DÒWm□Èé¹/4
F\$*!Rffff*0v46712957ßÿÿÿ4þÊÿÿÿÿÿÿxÿÿy°Attribute VB_Name = "ThisWorkbook"

ŒBasŒ0{00020P819-0C\$0046}□

|Global!ÄSpac'FalsedCreatablPred□eclald±Tru

BExposeTemplateDeriv'BustomizD2rU€€€€0q™Áÿÿÿl\$4éayyy

ÿÿÿÑSheet2ÿÿÿÿÿÿÿÿÿÿ*ÑrU€€€ÿÿÿÿÿÿ@n~~DEL~~ðÄÖÿÿÿ È5JMÿ#^¶ÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿxÿÿMEÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿ

èBasto{000À20820- C\$0046}

|Global!ÄSpac'FalsedCreatablPre declald«Tru

BExposeTemplateDeriv\$'BustomizD2ðÄÖÿÿÿ È5JMÿ#^¶ÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿxÿÿMEÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿ

èBasto{000À20820- C\$0046}

|Global!ÄSpac'FalsedCreatablPre declald«Tru

BExposeTemplateDeriv\$'BustomizD2ð€0*□pH,däatpvbaen .xls<a@

võe

DFŽ<Vrstdole>stdole

h%^*\G{00020430v-C

0046}#2.0#0#C:\WINDOWS\system32\STDOLE2.TLB# Aut€omation0€MSF€orms>SFFrm□s3€ED452EE1-E08F-101A-8-02

xRankPercQÊbRegress ſinpyrng†inxrng YTconstantæúsoutrngHcereſiduals

sresiduals,†plotsÊ0plotsÆ'routrng-Tnplots2ÖpoutrngÖäxRegressμ'RegressQ"xRegressQÈžSample¶,,methodž□ratek

xSampleUSampleQV—xSampleQëxauto_openV EnableCancelKeyêó

xlDisabled©SetupFunctionIDsš8PickPlatform5

VerifyOpen1RegisterFunctionIDsB;

auto_closew€

fATPIinstalledWáaiƒ\AddIns‰UCase5

InstalledþÆExecuteExcel4MacroÈOXLLNameüpThisWorkbook|äSheets

RangeÚValueäKtheArrayÿRegisteredFunctions;IsNull—ÄQuoteÚoActivate—|Sheet1èPath2~~DEL~~XLLFound.*RegisterXLL#XLLNo

ÿÿÿÿÿÿÿÿÿÿÿÿÿÿH46712957ÿÿ

□à...€.ŒM'A§"B¢Å5J@

VBA FuncAqs and SubsG

HB1Å³/Å_B

S e`st1[§2®í

%đ

Mªô

2í

2é

2í

"2ÿ

in

ñšé

bÿÿÿÿÿÿÿÿÿÿ"K*...ÿÿÿrU€€€~~~~~j~~E~~°ÿ/ M8ÜM®NçD—
äÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿf Ša1ÿÿÿÿÿ)

ÿÿÿÿÿÿÿÿÿÿÿÿQ

ÿÿÿÿÿÿÿÿÿÿÿ!1!atpvbaen.xlsVBA Functions and SubsThisWorkbookSheet1Sheet2iÀF/C:\PROGRA~1\COMMON~1\MICROS

□ÿÿÿÿ©`ÀF4C:\Program Files\Microsoft Office\Office12\EXCEL.EXEExcel

ÿÿÿÿÿp0ÀFC:\WINDOWS\system32\STDOLE2.TLB~~DE~~stdole

%oÿÿÿÿ±€á.E

□à....`ŒM`C:\WINDOWS\system32\FM20.DLLMSForms

yyjé□=¬n:□ItF%é€A—

1C:\DOCUME~1\markpar\LOCALS~1\Temp\VBE\MSFormsla...ÿä*\"G{000204EF-0000-0000-C000-000000000046}#4.0#9#C

□à....`ŒM'

ÿÿÿÿÿÿÿÿôe

Fyyy5J

Đ5>Đýÿÿé(JÚJI'S..."□üZÿyyà□l±\$h?`'Á»°E½üeÿÿÿ:¹NØEqÑD,{Ö³%6É^ÿÿÿÿÿÿ€µ·ÿ?"RandomExcel€+VBA+âWin16Á~Wi
MacDirSepCelli,

WinDirSepCell%LibPathWinCelláLibPathMacCell,,ÓDirSep«LibPathŒAnalysisPathã·WorkbookName+îFunctionIDs«
GetMacroRegIdV!FuncTextÿci`LCase:éIsErrorUÙAnova1ÿþinprng;foutrng½groupedí@labels-

xHistogramú®

HistogramQcbxHistogramQšMcurrexFxMcurrel÷McurrelQ²xMcurrelQt□McovarTÊxMcovar'šMcovarQ9ÓxMcovarQÍMoveavgñ
differenceØÁxPttestmjpTttestmQÝWxPttestmQÝÔPttestvP%oxPttestvsPttestvQ*YxPttestvQìÔTtestm{SxTtestmÛ#TtestmQlxTte

Yy□é ÚÀF½4•ëÜFóO°÷§<°PÀFd& WòK¿DÒWm□ÊëDÀFWorkbook

@~~DE~~rU€€€€~~~DE~~

ÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿÿ1ép~~DE~~VBA Functions and SubsVBA Functions and SubsThisWorkbookThisWorkbookSheet1Shee
Module=VBA Functions and Subs

Document=ThisWorkbook/&H00000000

Document=Sheet1/&H00000000

Document=Sheet2/&H00000000

HelpFile=""

Name="atpvbaen.xls"

HelpContextID="0"

VersionCompatible32="393222000"

CMG="EDEF2A876ABC6EBC6EBD6FBD6F"

DPB="1E1CD9D23B32613F613F36FFF30F3216F11E25E5B827D9"

GC="4F4D88258867B868B868B8"

[Host Extender Info]

&H00000001={3832D640-CF90-11CF-8E43-00A0C911005A};VBE;&H00000000

[Workspace]

VBA Functions and Subs=66

ThisWorkbook=66

Sheet1=22

Sheet2=44

in

based on the average value of the variable over a specific number of preceding periods

based on the average value of the variable over a specific number of preceding periods

Performs a paired two-sample Students t-Test

Performs a paired two-sample Students t-Test

assuming unequal variances

assuming unequal variances

assuming equal variances

assuming equal variances

assuming the two samples have known variances

assuming the two samples have known variances

yyyyy□

..

yyyyyyyy „if 6yyyyyyyyyy-€if 8yyyyyyyyy0-€if :yyyyyyyyyyP-€if <yyyyyyyyyyyy€VReturns a table that contains the ordinal an

in

↳ € ýýýý"□ð □:ø □8

\$0œ□\$iú .¬\$(\$2œi\$

¶fnRankPercQ\$* 6 8 : < B%D'ür thoÿÿD–Ø-¶fnRegress\$* < d

in

B(*,A@.A@0A@2A@4oÿjàP O12:624902 - unregister analys32.xll if it's not installed so that funcres.xlamÿjà* close

T .¬\$(T¶)'f f\$B .¬+(ÿ .þÈÈoÿÿ(¬5¶fnAnova1¬¬+(b ¶fnAnova2¬¬+(P¶fnAnova3¬¬+(: ¶fnMCorrel¬¬+(j¶fnMCovar¬¬+(n\$*¶f

0 To 1)XPrivaC□... Get+r€oRegId(□PTextÇ)% AFor iÀRLpBounCAzÀ)e□U□

OpAHal outÖgroupedAilabel,sÓalphaHÀCg,,f .@...Des~cri" @&"P€x@orms s plTe- ztBadU Äofcwnce ^

À...À

íH^{REL}¬Æ42í4íOíOsŠQia

...'ùB

xfZ□€

□Orng

,ĐýœŠÃî1>-l/i3-a¿/ç//ÒÝ3 ?ômp?uÀ-\$aHü70Ob__V3¥ß!nVQ□g□□¥Hðµogram¬dØ._2gbinß¬dÆpareto÷Ý7'7nc¿¶¬iš7æï7"ò
inprng

in

Op~~aldgrouped;~~[^]

bas°yoàphe average of²sÀ\$iable or specific numberapreceðdingdlt'
â“ÿH"?>O?>J"i")•i"ûi"~l,œi"ê"Â7yyy"ÿ"ÿ"ÿ"ÿ")•x"2

ùÂ

Optional alpha As Ðdiff@erence|)

assuming uPnequ~~v~~ÿces"ÿHelp,,IDa3481#ProcData–Invoke_Func– \nj3- x^A@pplica~~u~~.Run(GetMacroRegI@d("fnTsUeq")

ÿ²=~€°w1O1,□□¹g*€"€€zz-~~i~~t_A0€the±, £\$s have€ known iÅm□SÉ"3TMa'¿"qO□ x-B?□Zu□M/ag□C-□
™\$4ÿ\$/†ÿ¥~~ç~~ÿT~~ç~~\$~~ç~~\$~~ç~~_Gn~~ç~~\$

#!iMç

¾ aa–□Q436ú4–5°IÒ£^P~~i~~+ÿ~~i~~+*, "i+§~~i~~+"~~i~~+ÿ~~ç~~U/&(&~~i~~+~~i~~+>€~~ç~~³~~i~~+~~i~~+`ù`Ù+mµn = "Fills a range with @indepe ntXdom or patterne
outrng

Op~~Y~~€~~f~~J"

æ Q—nQ(j?qP~~ç~~#qÂ~~ç~~q~~ç~~8³8lw6Ñ8ÿ8xb3Q9Bxf?9s09egresÚsapÿ-p`x-@cØsta€'ßpiÀh{Ñ fids{~~s~~^ç °iduaÈ{è

à~~i~~p~~i~~H

ì€0(lnStr(i

34Ä\DT~~h~~PZREGÀXA€HAkÃ...cDh"[" &ËiB& "]³Am1.ÁÃA,ŠÀisPath€PÊÁCÒ

in

ibrary\G{00020430-0000-0000-C000-00000000046}#2.0#0#C:\WINDOWS\system32\STDOLE2.TLB#OLE Automation\G

VBA Functions and Subs0r46712957yy

alphaÍàxAnova1_íApplication¥*Run_DAnova1Q¤ÚxAnova1Q½Anova2ÿsample_rows}àxAnova2`íAnova2Q¤ÚxAnova2Q9½A

in

ÿÿÿÿÈ+ÿÿÿÿÿÿÿ„if6ÿÿÿÿÿÿÿÿè+€if8ÿÿÿÿÿÿÿÿ

in

3) B%~~B~~'dia0 d~~T~~Macœ~~ÿ~~ÿ ¶Loc Table F%H%J!L' x ¶Loc Table F%H%J!L'"%Dd~~ÿ~~ÿ~

PŒ<â~~DEL~~<ÿO@°2ïç„Á/#/#Dv' ant

out,grouped

¤"pc/C\>6□pÝåÀ□\$û□\$éld!¶"□\$¢C□2&o□\$ð□\$a1B ó□\$□\$e □\$□\$□\$àíÝ□\$tÔó×=G2Ý\$ =jG;.VB_Invoke_Func = " \n3"
ou"tbinpareto

in

‡"N@«ÿœ·?o€0yI@#□□ÿ?ö?àÚ?tmâ3×}@OO O E□#ùX80_foogû□;□;nsh;□%Ó□öe□3

in prng12

ÿ!

variables

□©"F?å^k" A@Ё% AЕesÿ#<`!9Å,

1ø)

in

o`E.yp

in

..exd#Microsoft Forms 2.0 Object Libraryá.E

VBA Functions and Subs  EÁ_  ThisWorkbook0v46712957  GThisWorkbook  =J  Sheet10t46712957  YSheet1  M0%

  stv  inprng1/  inprng20  exFtestvn  FtestvQ+xFtestvQ  Histogram"binrng  pareto  chartc  p

in

€if:ÿÿÿÿÿÿÿÿ(

in

D*

Optional summary As Variàds @_targetssmall:confid6)

I@abels

chartc

in

out€

À point€`"

àä\$2ü

„aŽ5...ò€—IXA

in

P^{..}

in

yy

506
510
529
551

in

f<yyyyyyyyyyy>Returns a table that contains the ordinal and percent rank of each value in a data set

in

Ä'ä

...À

labels)

in

l`abels€j©

ked

E/!Ö¢Øö\—?^ÿ?-p/_k>K/_P÷/‘-n9/’6/ÿv/·/8 3ß0¡qó//ss2QŒ[///ß// ””9/8?/scO/í” x 'ÀsÛ¬Xß”nµo/n€•e#ÿo/¤o/BNo/o/s3o/øSa

in

O@ γ^2

in

C%

↑ ...¶,,¬

in

Ý€™End SÀub

...arTg1†2†3†4†5)

I<□' Sð½p & À:pÙering fPÔñsµÉaut€o_open(Áo™ÔEn□ÁCan@celKey@\$xIDisAd

in

O@..Ô

in

yyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyy&.2þNuM«ñM

in

Ã"!A7çÀ3¡6§4Q(f2ÿ5Ó.ÿ5ÿ5`£ntð5Q6ß6¤ÄC&"

f¢□End Sub

in

o`I/yAV_P"-□€Çè\$-os(3ø3~~DEL~~_P>/B~~DEL~~pÉ/eþgQ-o`c-_PÛ²(M_PÝ/€~~DEL~~óp