

in

€ÿÿÿÿ,
 €ÿÿÿÿÀ
 €<à
 □V €ÿÿÿÿ€>x□ t,€ÿÿÿÿ€\0€:□□Ð□4Ø□
 €P
 □0"h
 € ÿÿÿÿ□□□€ ÿÿÿÿ"□ €(€0€8€@€H€ ÿÿÿÿ□:P□□€ ÿÿÿÿ□~€ ÿÿÿÿ□ € ÿÿÿÿ□À€ÿÿÿÿ□È□JÐ□ □X8□\$□□,€ÿÿÿÿ□À□à□"è
 □ □(□8€ÿÿÿÿ€ÿÿÿÿ□@□H□\$h□□□□°□
 Ð□à□è□□
 (□8□@□H□X€ÿÿÿÿ□`€ÿÿÿÿ□h□Æ`□P□p□
 □□ □`□°□À€ÿÿÿÿ□È€ÿÿÿÿB□Ð€ FØ€ €
 @€ ÿÿÿÿ□P€ÿÿÿÿ€ p□€€ ÿÿÿÿB□`□□□" □È□Ð□Ø□à€ ÿÿÿÿB□è□ð□H□H□P□X□x□€□`□□□~€ ÿÿÿÿB□ □`□°□È□□€
 □□
 Ø□è€ÿÿÿÿ"□ð€ÿÿÿÿ□□0□8□H□P□X□`□h□p□x€ÿÿÿÿ□&€□`□
 Å□
 È□Ð□Ø€ÿÿÿÿ□à□"□(□0□8€ÿÿÿÿB□@€H€P€X€ÿÿÿÿ□`□h□€□~€ÿÿÿÿ□
 □°□"È□ð□ø□*□8□@□P€ÿÿÿÿ□X€ÿÿÿÿ□`□
 p□€€ ÿÿÿÿB□`€€€€ ÿÿÿÿ□`□,□Ð□è€ ÿÿÿÿ□"ð□
 □(□"@□h□p□*€□°□,€ÿÿÿÿ□À€ÿÿÿÿ□È□Ø□□
 à□
 è□
 ð□
 ø□
 !□
 !□!□!€ÿÿÿÿ□
 !□0!€ ÿÿÿÿB□8!€ :H!□^□□!□\$!□È!□2Ð!□"□"□"□ "€ ÿÿÿÿ□("€ÿÿÿÿB□0"€ ÿÿÿÿ€ B@□"□~□&□"□,"€ ÿÿÿÿ□6À"€ ÿ
 °#□À#□È#€ÿÿÿÿB□Ð#€Ø#€à#€è#€ð#€ø#€ÿÿÿÿ□\$€L \$□p\$□x\$□€\$€ÿÿÿÿ□`\$□□\$□`\$□`\$□.`\$□à\$□ø\$□%□%□ %€ÿÿÿÿ□(%
 X%□h%□p%€ x%B□~%€ ÿÿÿÿ□□%€~%€ %€°%€ ÿÿÿÿ□,%□\$À%□è%□&□&□ &□(&□
 0&□@&€ ÿÿÿÿ□P&□:X&□2`&□Ð&□à&€ ÿÿÿÿ□è&€ ÿÿÿÿ□ð&€ ø&B□'€ ÿÿÿÿ□'€€'€0'€ ÿÿÿÿ□8'□\$@□'h□'□~□'□
 °□À'€ ÿÿÿÿ□Ø'□:à'□2 (□X(□p(€ ÿÿÿÿ□x(€ ÿÿÿÿ□€(€ ÿÿÿÿ€ ÿÿÿÿ€ ÿÿÿÿÿÿÿÿ□(Íÿÿxàversion 9709seKey]@ð à
 ò8ÿÿ]D-ò□^]D-ò,ÿÿ]D-
 ò`ð]D-òà]D-ò^]D-òÿÿÿÿà
 Al bA@v~oÿÿP-]ò@à&a-naderi. Determine if ExeMode is BiDi\$b ^!döute> h7fP9 j7fR l7fT n7fVp p7fXqÿÿ; P R T V X'NA@
]òH
]òh
]ò^
]ò
 í-~¶MenuDefinition | %z%p%,.bÿÿÿÿÿÿ-ŽA@Z b Ž \$\$'\$□aÿÿÿÿÿÿÉ8í°.Š!í b Ž 6\$' b Ž 4\$'·\$- ~%`%ª.Šÿÿÿÿÿÿ Š° Š!-œÿÿ!
 b Ž B\$' b Ž D\$'¶œ!
 b Ž *\$' b Ž
]ò]ò@]òX ü>G]jí-~¶MenuDefinition | %z%p%,.bÖ-Ž Ž-~ b%'\$□a!
 oÿÿà
 -p]òØ]òð·úí-~¶MenuDefinition | %z%p%,.bÿÿÿÿA@Z-Ž b Ž Ž \$\$'\$□aÿÿÿÿÿÿ D J "\$
 Fœÿÿ` " b Ž (\$'A@ò† " b Ž
 FœpÿÿÀ " b Ž @\$'A@ÿÿ "A@pÿðkÿÿ D J "\$
 Fœ² " b Ž D\$'A@ÿÿÿÿ "A@%ÖkÿÿÄkÿÿ, Ž-Ž'ÿÿÿ -Ž b Ž \$\$'\$□a't!ÿÿ D J b Ž :\$'\$œà""And 'Not CheckIfOtherWizards.
 Fœ' " b Ž :\$'A@^ "A@pÿðkÿÿXkÿÿP Ž-Ž'nÿÿÿ8oÿÿ0-à@If IsEmpty(rMenuTableBase.Offset(iCurrentMenu - 1
 Ä¶œ(J Ä-ŠÜ¶\--Ž- Ä--šÚ¶\--Ž-œ Ä'ždÿÿ` ^!Æ ^!È Ä'ž tkÿÿ€dÿÿx¶'žkÿÿÿÿÿÿ`-p
 Êê¶xiWorksheetKTð ìœ-

```
'-dÿÿ ¶Worksheet Menu Bar'-ÿÿÿÿÿÿÿ¶xlChartKT Ìœ-'-dÿÿ¶Chart Menu Bar'-ÿÿÿÿÿ'Sÿÿ'¶#xlWorksheet or xlChart is requi
]ð`ð,]ðØÉ@í Ò Ð ^%`%a.Şí Ô Ð ^%`%a.ÖÉØ Ş°œþÿ( Ô¶ Ö°œí ÜÑ!·ÑÞ Ð ^%`!a%Ú.Ş°Vdÿÿ` Ô!à'Øÿÿÿÿí ÜÑ! ØÑâ·ÑÞ Ð ^%`!a%
  °œ2,R ò¶ Ö°œí üÑ!·ÑÞ Ş!a%Ú.¶□dÿÿ □ Ô!à'Ø □ í üÑ! ØÑâ·ÑÞ Ş!a%Ú.¶□kÿÿHdÿÿ@kÿÿ8 ¶!-œ7 øð ð9â ø9þ ú9 ,9 ð9ì 9qÿÿ
¶œ □ Ð ¶
¶
¶>G ¶\
'jkÿÿ@ ú$ ,¶>G ,¶! úX ',j Ð ¶
  FœàE assume that others are not present if we can't check for some reason€.'şzÿÿ€kÿÿx·'-ÿÿ$ '4-ÿÿ' " 4 - - - - $ Fb 4 $Ü'4 4
  °í r $ ^%`%a.( !* "œ.&ÿÿÿÿØkÿÿÿÿÿÿÿ ãÿÿÿ;D (!ä'r%xÿ &œ "Ñ* $ $`!a!€- $ ^%`%aB@Ú$
  °í $ $`!a!€- $ ^%`%a.(ÿàþìþ6 (!ä'r"ðkÿÿí°.(ÿÿÿÿÿà-naderi%-8Éè]ð,]ðÐðèð!]ð.'&ÿÿ ãÿÿ- $ ^%`!a!€'í r $ ^%`%a.( !* "œ.&ÿÿÿÿXkÿÿÿÿÿÿÿÿÿÿÿÿ
xÿ
(!a!
```

Option Explicit

```
'verBs$9709BPriva"bNotInstalledByAddinMgr As €BooleanZ\ REGISTRY DECLARATIONS
GDecla€re Func{sd235vbv3 Lib "ADVAPI32" Alias "RegSetValueExA" (By hkey|Long
dwReserved□dwTyp,eŽ%BufFe,oÑ
$Len...)pcvv3325bsx5qDelete,_qjBvb3€9b33vxz!€OpenKey @A=GERef p,¡€ReturêFijg381b0Ä0dW%Cre €
ÿ% A«kbbb0€24nmj3x&ploseÄ%Ö°ax48ccj38c!Enum ...ll0ndexE£b_
$
  By:dW£Ä;SizîcpÖip««iz
  pDaÄta□pdwÁ%~*nCoÄ' HKEY_CURRE€NT_USER€ŽP&H801ERROR_SUCÐCESS 0
  ~8_SZ @mME€NU_ITEM□,AFTER_é[.†_ 2SEP;ŠÀBEFOtREÊ 3¿...ã4-à$RY_POINTÀ5ÍHELPP_ID@6RFhILE€7□âB€
%O+$ÿE
.).5É+¶âà-Béa-naderi. Variable to hold the €m@ù caø.@
!ðMníW1ÿÐs
dPtr€mine ifbÀExeModàpŠiDi or nJo€ŽPólsB±□%œÉÉArabp
í ²Hebrewñf□ÙThai...Ìc³Viet1ÍsÒUÿ Faà™™Sub set□à'Home()A]Dim sApp>V%œ□ã^'ã= ZC°!(À #a~.P;ÿ'gLeftÁ(ä
```

```
& "0\@Excellñ Commandsùª Y ²A1áEnd Sub!$` 4AutLo_q□ !r%ñT7Ba³Ranges '=÷4D)' é&#Wi°0™™Làuage;€á3scò$â&= ".E
Add_L r
TableBase
End Sub
```

```
oldAÐuto_/(:<Dim7 As | 'a-naderi. Determine if ExeMod
s BiDi
Fars<<#ÿB,,A~AaZ^[i@'ñ%o^Or Q...,Cp_CŞÁ,H;...B fCsetReg8Hom€CIfÃÃ"Thenf^™™Get theÂ AT offÀÂ&Tools mÀÁ (It should
aE<Ifc£Ätm,= ÷ _ — —lài
..._AÄ~CloseA~??,øB€]ß±ß±Reðmove3²áf(JB `EtoReÀ[keyword W/BEU@AA@V$"ÁA® WwÐas rÁd£ Nj3ß5/Í11€D€@mu@laR1C1
yÜ
```

```
LToA
@(i,,
```

in

nu¢1Ž

BAR_NUMBER)

DEL DEL

_K __¶EPARATOR_€BEFORE_f□d'Check±Q^!□BJCmde`€try exist /f yes

_7¢”_7c8@¥

□F@ÿ7Đ±11¥<ÿİH9ooj³1¶2{tOeÔè`+Èo

L

h =

† + 1PLoop

End Subz oldAdd_Init(rsŠ As R0angeifDim m!CommandBarCÀontrolb#CascadedC!+#Itemœ)s□O□String6

|XIntegerfSet ŒI= ThisWorkbook.sheets(WIZARD_DEFINITIOHN),□(“□TDefi”ion“€esize(1x

tr_W ~AFðTER_±2A 'fKey HKEY_CURRENT€_USER

€)âÇ:a€I€çás`Eac_uŃ,UpBDOlbiS;qAÿ”wÿarË†+abËpcÿéxdjb

+`-□İ□æ□— A ”□□Ö´□'

ü<>PXİBbA~54yû/hoyey...`5`5/hÖ?□??5

ofo—/İÿ”İCy—šŃf—ÿf,yQ

_fæY0ÓÉY0Y0Y0ÿi{ Y0Y0É¿o)ÿ0□~ÿ __İ/÷ __İÿóBè¿j_À²JPoi@ntPathÿÅni

ã

ERY_POđINT)¿³□ÿY•””#q¢Bßj´ GetTableEntry(rMenuXBase

, ÈHelpPath(.àFILE)))qAddRegKey HKEY_CURRENT_USER

aSub

D

À olÀ†m0ove_!šİ□ A€s RangeD)`Dim máCA#aBarCo@¥ol#asa>Filúeás”e±ªäg£`~Not b€InstalledBy7inMgrÂu Exit† éSet ¶ &

È.Offset()ê-

0¼4Reâm 4Frof/ YŽÃYs□ŽFals¿ŽEhÿæ_±gå¿ŽÍ¿šÿ”Ž?”

_□□u□ÇF\$¿□

5óÃ 0@ŒHomeóSÿ*

Æ6ž5=q`Gvb39b33pvxz(o””ñ)ðERRà<SUCCESS¿,, cvv3325bsxü5 1~¿:-!&<ÿÁ

1ÿ??5kºž«bbb024àn mj3xB×Okÿ²ĐÉ□0ÉR□Q□çºb,oy

□” i”_¼itMnÿC¼4ß’ß’Ń1□”□”□”ÿv”,œ(òÿ!bDY!ÿa□□èÉÿYÔ¿6ÿİÈiÜæÜ1:1`ÿuqÿÜ.ê□2’ÿ#Œet ³İ2İ2İ2äÿİ2PĐİ2İ2İ2İ2İ2Á—

If vb39b€33vxz(HL_CURRENT_USER

,²bbb024`nmj3x.<Eànd If±□#€f

+ 1Lo\$opf

Sub

Fun ctionšf AÀs RangÇ€Integer€Ó Index)□€Variant<€İIsEmpt

ó.Offsetb(Š.- 1...Èz”AL

_=””ÄElüsefC

È—%o>’^ÁN

QBfPointPath(sÇÁCStrin>g,FfÃF

<>x ””İjÀ1<=” &ÀisWorkbook.F€ullNameÀø””!□GHR†İSá;HelpC: ?AÜ8,Q7@à!Comp(Left(s!

ÿ□”””Á <”#È€ApplicaAe.”& MSepÀarator`/ÿ(xİ/¥X/et\$€Equival □ (sPly0

T%À

sÆ).±ds(s!

¢)Sß¶+OOI@—fT¶GoTo 5p9CIs No¼4th`ü9¹=!fÿàTm

İj4ßQ)ßar×.#(Type:=mso4Popup

Ç=Jđ.CapQe W\$3DEL+4~dá

in

AlertTable\$~5RB@b-KT·5\ (X¹nÿÿ□qÿÿ^oÿÿ€-]ðØ]ðø]ðð0ðH]ð`]ðxí\$Ê.Øü.-'8í !t!Ú.F·¶

in

in

XByyyyyyyyyyyE~ ByyyyyyyyyyE~€ByyyyyyyyyyyE~ Byy
 yyyyyyyyyyyE~ ByyyyyyyyyyE~|D(Hyy
 yyyyyyyyyyyâ€ø\$yyy@yyyyyyE□□,Hyyyyyyyyyyy€ yyy@yyyyyyRandomStringsTableFile yyyèyyyh€fyyyyyyH€
 @yyyyyyÀ%(yyyδiBe<àeàeØ@%<àefyyyy@yyyyyyyyyyyyyy\$,`yyyyyyyyyyppyyyy,)f&yyyyyy□€lâe%lf*yyy
 d2È yyyyyyyyyyy€yyyyyy,)f&yyyyyy `€dypS%lf*yyyyyyyyyyyyyy,€4P` yyyyyyyyyyyyyyy,)f&yyyyyy(0€y:hy%lf6yyyy
 `yyyyyyyyyy` yyy
 DD€iflyyyyyyyyyyy€ „, yyyyyyy+p `yyyyyyyyyyØyyy€if yyyyyyyyyyy€ „,çyyyyyy %z□ `yyyyyyyyyyX y
 `yyyyyyyyyyDyyyy
 „ifØyyyyyyyyyy€NP
 `yyyyyyyyyy0
 yyyyy„ifØyyyyyyyyyy€+~`yyyyyyyyyy□
 yyy€ifyyyyyy°
 €hy@if„yyyyyyyyyy€„, yyyyyyyδ „çyyyyyy,%Šh`yyyyyyyyyyHyyyyy„if€yyyyyyyyyy€ydy6+<`yyyyyyyyyy

€H(` yyyyyyyyyyy„Ph` yyyyyyyyyyy„+
 `yyyyyyyyyy yyyXX€if çyyyyyyyyyy„,`„pyyyyyyy:âp, „lyyyyyyy
 °
 „ yyyyyyy
 yC%+~□
 `yyyyyyyyyyX
 yyy€if çyyyyyyyyyy„,`„,yyyyyy+è@` yyyyyyyD
 yyy€if°yyyyyy€)„¼yyyyyy y€Mh „lyyyyyyy ù35T%„,ryyyyyyyqδ+¾8` yyyyyyy€yyy€)fÀyyyyyy `€

€ „Fyyyyyyδ€%+Öx` yyyyyyy8yyy€ifØyyyyyyX€if yyyyyyy€y6Lyyy` yyyyyyy„èàyyy(€
 „xÈ`yyy□
 ø~8xhàyyyyyy`yyy0yyyyyyyyyy
 □ pøyyy@yyyEyyyhyyyyyyy`Dhøyyyyyy yyyH@0□ `PyyyyyyèX,ð yyyyyyyPyyyyyy Dyyy,yyyδ0D,yy
 P□
 `□p□x€ yyy□^□□□~□ □
 °□
 Å□D€yyyB□Ø€àèèè€yyy□□ □0□8□@€yyy□H□P□`□x□\$□□,□D□Ø□à□ø€yyy€□□ €yyyB□(□0□8€yyy"□@€H€yy
 Å□D□Ø€yyy□à□"è□D
 □X
 □p
 □x
 □^
 □□
 □~
 □
 ..
 □
 ,
 □È
 □Ø
 €yyy□à
 □"è
 □D□X□p□x□^□□□~□
 ``□
 „,□È□Ø€yyy□à□"è□D□X□p□x□

in

^~` € yyy~`"€ Ø@ø€ 8

□P

€yyy□X

□`

□h

□p

□x

€yyyB□€

€^

□□

□`

□È

€6è

□ □

0□

@□P□p□x□€□^€yyy€J□□Jà□0□8□@□H□P€yyy"□X€`€yyy□h□p□^€yyy□□□~□

~□,□

È□Ø□

è□ø□

□ □

0□@□H€ yyy"□P□X□h□x€ yyy"□€□^□ □,□È□Ø€ yyy€

□□ □.~□Ø□è□δ€ yyy€ø□□2□H□P€ :X€ ~€ :°□δ□(ø□ € yyy€ :(€ h€ :^B□È□Ø□Ø□□

□□P□X□p□□□~□ °□Ø□Ø€yyy□à□è€yyy€:δ€0€:@B□€□.~□,□è€yyy€yyy€:δ€&0€:X€t"□□

€yyy□(□8□H€yyy"□P€yyy□X€yyy€yyy€ €6€€,€@Đ€€N(€Jx<È€yyy€€Vh€ÀB□Đ€Ø€àèè€yyy€€δ€ P□p€6x□°€À□Ø

(□8€D@€"~□

°€

yyy€&,□

à€

yyy€ € N € Dp€:,□ø€ &□"@€

yyy€h€D€€:È□ €>(€0h €>~ €@Ø €L!□h!€yyy€>€!□ À!€yyy€Dà!□("€yyy€@@□"0€"€yyy□°"€yyy€,□\$à"€7yyy□#€yy

H#€yyy□X#€yyy□\$ #□^#□□#□\$ #□À#□È#□Đ#□Ø#€Tà#□

8\$□H\$□P\$€ yyy€X\$□`\$□x\$□€\$€ yyyB□`\$€□\$€ yyy□`\$□ \$□

°\$□A\$□è\$□δ\$□ø\$□%€yyyB□%€%€€€ %€yyy□(%€yyy□@%□X%□`%□ h%□`%€yyy□□%□`%□pÀ%□

0&□@&□H&□x`&□

Ø&□è&€yyy□δ&□€yyyB□'€('€0'€yyy□8'□@'□P'€yyy□X'□`□p'□8€□,'□È'□è'€yyy□(δ'€v(□\□(□@δ(□0)□8)□@)€yyy€

ø)□*□

(*□

8*□H*□P*€ yyyB□X*€*€ yyy□h*□p*□□*□*□*€ yyy€~*□*□,*€ yyyB□À*□4È*□+□4 +□X+€ Op+□ +□`+€

X

WizDefinition | %z%pA@>7foÿÿÀà #####fàCODE TO HANDLE THE DIALOG BOXESà ##

'r ÿ Xp- Z'Nœ r %^! V-Ž-œe 1

'rÿÇ£\øí V !^%Ú.ÈiyÿØ-P 'iyÿÀ-□]òðò .b.'d →G.'bj ®>G|jÑ°C@ d Ø!

(X b Ø!f(X d Ø!h(Xoÿÿ(-]ð€A@.ä.'j lê

KT → %'\$□œ!;!àOn Error Resume Next!d¶! !¶! → %!' ^B@LàOn Error GoTo 0kÿÿPí\$Ê.Ø€ ØB@n, .A@æ

' KT → %'\$□œ%t¶! !¶! → %!' ^%L' j \$p>Gzj- Økÿÿ` @œl%.'jdyÿhí\$Ê.Ørÿ ØA@rr'À ØB@nyÿ ñ'kÿÿ KT → %'\$□œ'À¶! !¶!

Aler ØB@nA@Î ñ'kÿÿ KT → %'\$□œd\$Ê¶! !¶! → %!' ^%L' le\$ \$p>Gzjÿÿkÿÿí\$Ê.Ø- ØB@n%ÿÿÿ.A@æ ' KT → %'\$□œÿÿ

A@jçTÿ¶!HelpKTÿQ: A@jTÿnyÿ,oÿÿ°-□ Ø!,'bç\$ÿ Ø!Úÿ6oÿÿ€-ð →G-ñ →G-ñ Ø(, ÿ6 Ø(ÚÑ%oÿÿ à%#####

LookupString:a3-----Kÿÿ-P

]ðØ

in

```

]òè
„$J>G '„jÉ†Ø
í „X ¶Localization Table %z%p.çÿ ç¬· ^%α' Š $!œØ X ¬~¬pp~fdÿÿX
¶Missing Localization Key ^A@Îv|¶MISSING¬kÿÿ
zÿÿ
£†
¶MISSING¬¶Missing Localization Table „X ^A@Îÿ% zÿÿ°iyÿ¬à3----- ÿp«à ErrorAlert(àp%à3
AlertTable$ Ž ^A@ÎoÿÿØà3-----ÿÿ@_à VerifyRangeSelection$(à3-----
X)-h·' < □$v¶Worksheetœ) ¶MustHaveSheetActiveA@ŠQzÿÿà
!'e ÿ
d¶CanNotRunInPlaceA@Š(ÿ%zÿÿ¬
¬!¬!€¬
eÿb!
¶CanNotRunInGroupModeA@Š%zÿÿh
š$¶Rangee¶MustHaveRangeSelectionA@Šzÿÿ(
kÿÿ
·' < iyÿ
à3-----x:dÿ%¼à Test OSDÿà3----- ÿ'¬¬ ^!ž¶win¬†¬
>G 'œjß¬ ^!ž¶mac¬†¬
>G 'œjXiÿÿà3-----üíDÿðà OpenDependOS and CloseDependOS à3-----
d Ø!Ü') oÿÿ°-(oÿÿ à DependEntryDatatypeÿ¬_à/ Tests a string and determines if it is one of:%:à 1. DateüíDÿ%üà9 2. Num
3. String"ððàH Case 3 is assumed if the tests for date and number fail. The tests are'hàD tried in the order above. A varia
dÿÿÀà
>/ Turn OFF Error Handling (we might fail to convert the string)à
/ into a date or time value)@) ÉHà
/ Try to convert to a Date Value¶ çX¶$°$@!ü%èü%à
/ If that failedÿ%àH// If IsError(Evaluate(DateValue(¬ & CDate(sEntry) & ¬)) Thenÿ%à=AKeeler TypeName returns a str
/ Try to convert to a Time ValueK¶ çX¶$²$@!;$
à/ If that failed ÿà=AKeeler TypeName returns a string not an Integer changed from4ÿ%à4If (TypeName(v_priv_Evaluate_Re
]òx
·'¬ ç$äœ çX', ‚8@ ‚œ ·'¬kÿÿkÿÿiyÿÿø-□
]òð
]ò]ò(¶DBSumIf3$É.¼¬$d!f¬œ ¬'èdÿÿ¬$d!Î· °$¼'èkÿÿp ¼¼4!¬·œ ÿ rp¬ 8' ¶IF( r$d!Î· °$¼ r$d!h r$d!j$ ¶
DummySheet %t.F FB@î · ^ (Ø É°oÿÿ¬¬]òØÉÔ□í¶
DummySheet %t.F ·'NÉ`zÿÿXÉÔP·'Niÿÿ@¬ø Ø$¶String $v¶Stringœ Ø ¬Ž¬'Ö Ø$¶String $v¶Stringe Ø$¶Stringœà* string
'ÖkÿÿÈiyÿÀ-x¬è Ú(Ü ÚB@¼ oÿÿ□ÿÿÿÿÿÿÿÿÿ·Attribute VB_Name = "SumIf_Common"

Option Exp licitHPub
D(Num<s
>Dim¬rWizTa€bleBase€Range
biStaÿÿY

Global Const WIZ_RUNNIN
G¼0CANCEL1NEX
T
2
PREVPIOUS3F INISH4ÐHELP
5□¬
WÀOS_WIN

```


in

□TqMAC€R(p_iOn'dFudgÓ€□:ARD^_DE□KTIO□1æ DefiniG□âèÍdlG\Objec@uPriTv□Z€_top□@Varianlì8eftf CcRANDOM_
 vV€aluePar@«ÀterDDLÉ"†€OperatoXÑBDDCrj!Resul,B^sFormaBf<
 End OÁ3ÁFÆuLoÃYLøngÈ,A%ÁKó€XD()□†ÁGİđCounÂ"JÀ
 ÁÍBITOFFSE_i_À[
 'RibbonX callback to get group label
 Sub GetGaLA(cođntrof£~~DEL~~C!
 a/ AJ!ÖScree@~ip?†â)Æbl-eAAÝÆí7Súu`atııßßßßpııçàxtÀÓËÿ"8BSÁS"Sb_Rà
 _RÄ_R!nÀOry poi ufor •dc€İk£RDoBÁÀðandEx·6\$-£□\$aÄ Ę(Dİf Not V erifyÄ6SeŽİĐað~~DEL~~ GThea€Xit ,±VDàtÀeDummy,;ã=@
 .f°kà(1
 pwn€DependO0qpG~ = TruBà□çĐ□Cž=1œÄÆDos' s`c€p the pñjÿšáÑ c &j"©úD□(oĐu1t upBut Cs 7 —"p³-s€pecificDqàotina
~~DEL~~xO4ÑµH~~DEL~~Id
 0(ãSÜPÓsDBB! Őđ½orJeÀq
 Ñxs2Û•S7â»ä@LiAN@MiT`rieiP
 ÜExit Function□
 ~_Not2F1d:2(©.Add(sPaneàName¶™
 □},() As Integ<er?ŽRqg_&i>,
 □5Private Sub7€eupButtons(ByV@al dlg□9O bject`Diēm fBack□Boolean
 C[ã□uA,§(iÄÄLÄTÄWDTCAZvResultÁ VariaE«CCloseÄÄGBallo½,...#%YSel@r Cđase Ä□ĐBWIZ_CANC<ELÄZ□8IsEmp
 i'GoTo ~0<!İçCEãÁfah=;OzÄ™(„jÄÄRHidä[¥,<Assi|stÄ?)`%€^À1S>tAz€
 t8F=NEÜXTè==2=Yô= İ8(~~DEL~~8çMÄªc8|2)c8
 ^=~è□~~DEL~~Ë+j@5aÛæsHšf
 ü E†œ%áy!°Aè@oordin Csÿa°óNAJ`é
 M%\$ÆNPREVIØOUSà)?F?F»mýS3`Ñ4`„áCý`iC□N□NE`Xà
 ½`t`·.Ä` □ýŸr “r;İy&P%ý&ý□ý&i`ýKAý&ý&~~DEL~~1ý&0eý 6'FINIS>H«'o"
 pýçŠ&ÄX!çŠçŠ ÀçŠÿ©Ÿ
 ž
 ÄF«µçŠV€□žABeepyËđ□İ#Ä!çç±/?*i@i°á°r□°Ra„ng7ÀType1ŸÇ|= "String"CEŠ0ã Eađch r€ÔT»j`ØizeA-|
 End If`Next,`2' if @we fou,no match
 Sub SumIf_Wiza€rd_Defa5A,`s(oForm As Object)5Dim sveControlStringf fOn æE,□_merfœ= 4.Š).Name(9%GoTo 0f"fSelA
 BackPREVIOUS
 FinishžFINISH

Cancel"
 s.C€t > 100InGroÀupMode□□p vfS€ `di;#?:n¹sçñ²Truđ`=*B'Á-Test ~O0by
 BÓS1qÛictu€re withpcorr□ÁñRsýà.³-@%Æ,đŸ DÄ`uOntDixalo°í€,“Ÿ@_û„İ.Ÿ@ÀaZÄZ;GEDÖyDataPtPañ"QèsÄÖb
 determines;ëĐyis o ne ofàx`đ„p1. 0 5Ñ2ĐNumber (could be e@flop+ point Bđí□. k±3°€. ±BÖ3 àas sumedñthæ àÁtsbíd ÄÖB
 nfò0 »D\arb Đán,ord°aboveq°A vÄ¥
 äaŠp øpđ;te đê¶atype is

in

' returned bas(on how the argument can be evaluated.
rThere's no way to overr(ide|dT/number tests (ie pforc>MoZa string)
As SIVaria nt
Dim sOriginēv_pr0iv_E□;_R±#oCurr!€'_Sou□_Rđange□
er-ic*AA#Nuô*a 0f = CDbI...Ç
Else□§ '/ T€Æ OFF Err°or H@'B(ÀQ½#}f@D□^`À`X`ÃL`1o!ÁB @đtimec9,,Gjb,,On±
Resu€øNex^:B@fà~IFáâ; fuJ Ô|4= [DEL](A"("8" &€%ÀQF
'ÿ)ð c_>v=n_siðLoopà=rough'b>co0{ea@fiw!c ndq TÈhisÑmcoP±`N Offi°N10 BUG # 7`9936:o°W\$ÀV#"ou¶scâxçsÆs/Iy` □
cellð□xt looks ølik •ôŽÍÄHàus
wwv'rpeÒ□ ß,`À□L\$(.T`)óE,,_ÿô°£Ø [DEL]De_ "`
€ ß"Àwat ,c Zâ•?"Á...Ô □ [DEL] ypls wá?· .ù02)¿
·Ç±i
□ÿÇ@ð0jus□w8ink°+"5ó— (æcr¶ ¶al...àÀ :½ÁT?¿&(□feÀóO["Ésxs□ ± ãE'u")"T¿ÿ·Ý<—□□ç8ās@ôsitself□iç□¿¿
Ã"ßÐ}¿½"€"ÿ?~iwE@[iï' pBÁÿX€ÁA'BFOR -1Bpó_Exð(PM?4Í□,ï
,, ? ýj£ ÿöO [DEL] %4i`€` i ")^?¥ÿ/\$û1¶ Else
°(DependEntryDatatype = "
]:f©±sOri`ginalÇ,,iE'.<±5
... IêsAmbigN,t((ByÑ Ê As)BooleanHim dblÁDoužl,□Š€~FaÆ%lfÀericqÆ~The,`□=@±□NÁ€□<= `24# A€±□>à= 0# KB%
(lr"ùì
)~ 8 ì 2Æ ...HCou...5□GÃaE"IF(!—,i).ÿrG_Ã...í©(
#7OpeĐrato7&àž.~GŠ/Æâ#DDCâ®
?8Á7Ö™Jf

Kh= ôp_bO.ðS'¿t7gàb.Ã`3 - £
Ñ
_e_plumn_D` #0 p_iLoo&pĐÃk ' š reach□> la `ÿDB"we can modify2ases \$in°seRus@çchoàa sr~`|a bookr °feqw Àtjh0at
' p { .ãdñ' <>€"zd
ïeeóFyOrÝL;ýñ°V2IA{a`3 ""[Ácÿnvtç4!O]Â0J'p!±ù"gy~µql~'-
'<CIROURÀ~`Sužbð~
íðvIP"w(\$*!JØá°MWorkÂ#S
_JxTijApplica's.DisplayAler|ts@.µijø=Y□is!A*.!s;0j~a"t
±w.Dpeá³;·\? ...RQXÆWpÉstþ(Á??@6ÖgøNot×OÄÜOÿOPì
ÿ£æ,,a°ÿ½Ü`ðl
%Ý†rGM.–ÚGàL0°Thaèn(aQoVÆpyØ3ÿYG(T@øQ7(aÒ)□"Sâe""À0ÇbÈl]ç =?± (StrComp(a
ElseIf (TypeNam(e(at"Äin@g") Orlbá6ThenŠ'Š
^ '+' str's are always < any other data t"s`8GreaterThanyÄFa½ È.'N,\$%5>@(B)C<1True±E`nd If f<6' nei|a nđor b,6,,r .À(a > b,,?
Sub ForceUser©mA
v€,(DBSumlf0 .Left€Š-10009
Sho~w
□€
C\□rU€€€yyyyyyyyH4□`ýyyyyyyyyyy9Q=/4©`ýyyyyyyyyyy9Q=/4Ñ`ýyyyyyyyyyy9Q=/4ù`ýyyyyyyyyyy9q=/
`ýyyyyyyyyyyÁ&(9`ýyyyyyyyyyyÜ/(a`ýyyyyyyyyyyñ;(‰
`ýyyyyyyyyyyù;(±`ýyyyyyyyyyyù;
0`(`ýyyyyyyyyyy!
0\$)`ýyyyyyyyyyy\$Q`ýyyyyyyyyyy\$y`ýyyyyyyyyyy\$;`ýyyyyyyyyyy(É`ýyyyyyyyyyyA
(`ýyyyyyyyyyyA
(1`ýyyyyyyyyyyY
#<Y`ýyyyyyyyyyy'
©

in

```

vbFromUnicode0¼sValueKeyToCheck6
lValueNameLen%afFound¼ÝSpaceî
lControlID\lscbName°bFoundä.cbControlûID;]Parent@âcSumlf3hq
DBSumlf3_Next¹ôsCaption]VChoice1OBøÛp_iLoop
DBSumlf3_Back—RemoveConditionîkCSumlf2gqDBSumlf2_Setup$bSkipForceUserFormActivateµO
DummySheetTæWorksheetÁpIsMissing~íForceUserFormActivateýÝDummySheetExist#InitializeDBSumlf2ûLConditionLB□ŽC
p_RangeoËCopyÆ¿PasteSpecial¾KPaste□xIValueSoáxIFormats~UCells□Columnsp9Sort~Key1O_Orientationw
xlLeftToRighti>AutoFit&SumDDL_©OperatorDDL´1ValueDDC~úListIndex÷Qp_iOneBasedFudgeW´VarType~pvbDoubleÏb
vbCurrencyXLlistRowsF
SortAndFilter@ðiColCho4kbScreenUpdating!AdvancedFilterbzActionÝRxIFilterInPlaceN÷UniqueÂ
header'MxlYesæ
xlTopToBottom%oEntireRow÷Hidden]æList**DBSumlf2_ParameterDDLØ
iColumnChosen¾¼xDBSumlf2_AddBtnŠ.iFoundÝ!
sParameterDDL}□sValueDDC$Trim@iAddConditionO¾rRangeParameterDDL"èsFormatÃ¼NumberFormatÖRDBSumlf2_Re
iCondition°□DBSumlf2_ConditionLB=6
DBSumlf2_Backh€DeleteDummySheetEË
DBSumlf2_NextÝrDummyResult-$ IsNumeric$*FormulaArrayÎ SumlfFormula†;EntireColumnô• Choice21LÛChoice1L~ C
WIZ_CANCELØWIZ_NEXTHÖWIZ_PREVIOUSGð
WIZ_FINISH?WIZ_HELPV1OS_WINrOS_MACÆ@dIlg_top~AdIlg_leftÓbRANDOM_STRINGSGI
p_FirstRun|fConditionSumlf¾ÊrRangeResultîY
GetGroupLabel
.control²IRibbonControlÐòreturnedVal·©NamesÎ¿RefersTo^~GetSumlfScreentip§ÎGetSumlfSupertipUw
GetSumlfLabelkžlabelaDoSumlfCommandExr7DoSumlfCommand;#VerifyRangeSelection"
Wizard_Run¾MrWizTablef´fDoneI□EnableCancelKeyêó
xlDisabled©OpenDependOS Wizard_SetupButtonsiRun_ÐSetCoordinates~"
CloseDependOS±xlErrorHandlerâásDBNamepÑ
sPanelName"~iTries
Wizard_Actiona9iActionC~Hide9zGetNewPanelñGetCoordinates"ÐBeepÃTypeNameøðRow%oISumlf_Wizard_DefaultActions
ActiveControl™yTop5ÚvTableBadTableÑ±
vbExclamation...Ë
ErrorAlertlVsErrorKey+™vbOKOnlyð²ActiveSheet%NActiveWorkbookçIInplace
ActiveWindowÃ+SelectedSheets¶I€SelectionZ@TestOSöšOperatingSystem[DependEntryDatatype~sEntry\`sOriginalQv_priv_
IsAmbigNumberÍEvaluate°T DateValue/ê TimeValue°üValue2çDefaultToStringocædblÀ,vEvaluateFromDummySheetdIlg3
DisplayAlertsðöDummySheetNotExistGreaterThanaXDBSumlf0î
DBSumlf4_BackÔDBSumlf4_Next_Finisha"Replace_CellôColumnChosenbj RowChosenx<
CleanDBSumlf4ERWorkbooksBiProtectContentsÖËLockedvbYesa?vbNo$%FormulaLocalŠDCSumlf1fqDBSumlf1_SetupoR
ActiveCell½·
CurrentRegion|"ReferenceStyle9
DBSumlf1_NextMÆTopRowuò
LeftColumnG.cZEntryNotRefaV
MergeCellsÚ©Weird_RangeOË
Error_Top_RowÛnError_Left_Columnù UserForm_ActivateZsDBSumlf1Í
Back_Clickô/Cancel_ClickžFinish_ClickôÑ
Next_Click|aUserForm_QueryCloseøCancelñ~CloseModeØÝDBSumlf2Î
û
'(+&*
+ÿÿÿÿÿ. Ð@ 1,€AI P€@^@D,,@$EA@2`€°ØÀøKÈG' p\VB,,E,,K.exd 3€!€á.E
□à....`CEM`Aæf□Offi
c,,□O€~fijc,□□À

```

in

“ÅA12DF8D04C-5BFAA_B-BHDE5€AAA€€4Å2H1Program Files€\Common`Shared\OFFICE12
 Å5O€HÅ& 8.0ìh@%€C□RefE(ditC□R@.fšE³€´3w€fÁ/Àl24517Âm{□±1...±Ë/†
 Hç1šÚ"□
 «+ÁÍCB3àCCÀî}%3 %#5¬m[óR)ì\$‡
 2¬2Z2_2¿0¿+!ÓLoc alizaxGV\$QèL:c #!Upzptpo@»²"2n^{DELE}ä
 ßÓ!¡<S×dsE%CDmà%S
 7ýsEÿm? ÖDL_¿Ñ< 44Š44ÿ9_°×_Ó*tEÉ(1ZStEß*•_Ö!ð!DB0G;DBh20€%92?0]Ó0@□2°ó[(0wE¿Ø€;9f`WMBa@6ª-Ø ;
 ýi~w JÁJ3fP´??µþ<@/a/p/?ÿ/r—Ñ__SRP_0yyyyyyyyyyyyyNØ__SRP_1\$
 yyyyÀDBSumlf0+(□AY¹×Æ□AY¹×ÆfyyyyyyyyyyyyyyÝ_ÁY□cvw3325bsx5RegDeleteValueA
 Áé°

vb39b33vxzRegOpenKeyA
 Á©Ð
 ijg381b00dRegCreateKeyA
 Áað^{DELE}bbb024nmj3x
 x48ccj38cxRegEnumValueA
 ÁQ
 setRegHomeoldAuto_OpenoldAuto_Add
 oldAuto_CloseoldAuto_RemoveoldAdd_MenuFÀFoldAdd_InitoldRemove_MenuoldRemove_Init
 GetTableEntryGetEntryPointPathGetHelpPathGetIntegerEquivalentGetMenuÀFRemoveFromMenuGetCascadingMenuGetM
 \$DBSumlf2_SetupInitializeDBSumlf2
 SortAndFilterDBSumlf2_ParameterDDLDBSumlf2_AddBtnDBSumlf2_RemoveBtnAddConditionRemoveConditionDBSumlf2_
 DBSumlf2_Back
 DBSumlf2_Next

Sumlf Definition\$RandomStringsTable
 \$\$<<
 GetGroupLabel•ÀFGetSumlfScreentipGetSumlfSupertip
 GetSumlfLabelDoSumlfCommandExDoSumlfCommand
 Wizard_RunWizard_GetCurrentDialogWizard_GetCurrentPanelWizard_SetupButtons
 Wizard_ActionGetNewPanelSumlf_Wizard_DefaultActionsGetCoordinatesSetCoordinatesLookupString
 ErrorAlertVerifyRangeSelectionTestOSOpenDependOS
 CloseDependOSDependEntryDatatype
 IsAmbigNumberSumlfFormulaGetRangeNameDeleteDummySheetDummySheetExistGreaterThanForceUserFormActivate
 @@H\$4!o
 ýyi \tH,DBSumlf4_SetupInitializeSumlf4
 DBSumlf4_BackDBSumlf4_Next_Finish
 CleanDBSumlf4DBSumlf1_Setup
 DBSumlf1_NextÚÁF{gyrÆEbj"8Ú¶sÀFðCl□□ØRO€dZž#†?DÀFWorkbook
 @ØÀF4úq"1ËG¿;%^{DELE}Óú™» ÀFYE
 4³EG¬XèVC^DÀFWorksheet^^{DELE}C:\WINDOWS\system32\STD0LE2.TLBrU€€€€~-----s^{DELE}
 yyyyyyyyyyyyyyyyyyyyy
 yyyyyyyyyyyyyyyyyyyhkeysSubkeyIOptionssamphKeyResult
 sValueNameIReservedpdwTypepdwValueBufferpdwValueLenITypeIValueLensKeyToChecksPanel
 bFirstDisplay©'bInibtniPriviHelpIPriv“K*... ýyyý

rU€€€~-----□ÉçBhñPhN€□:Öß¶ñ²äyyyyýf Ša\$yyyyýýáf Ša\$yyyyýý
 yyyyyyyyyyy!´¹yyyy0yyyy™yi
 1ñ!Qq¹áÉ1Y%ýý9` yyyy0yyyy1Á□9)é1Qy;é1Y□±Ñlq;ÁAa±ÜýYyyyyyyyyyyyyyyyyyy% ^)yyyy€yyyAi™Àù!Qy;Üýy;yyyyyy
)yyyy0yyyyé!"A"i"i"ýý`)yyyyHyyyyÉ"ñ"yy)yyyyyyyyyyAyyyyyyyyyyayyyyyyyyyyy□yyyyyyyyyy;yyyyyyyyyyÁ□™yY©¹

in

CSumIf3=0
Character=0
SumIf_MenuAndInit=44
DBSumIf0=0
DBSumIf1=0
DBSumIf2=0
DBSumIf3=0
DBSumIf4=0
EÀF

in

f?sS"ubAS€~ng

—


visi@

jrE@TÁBasÂ-Range"

1d aSaÉ%oS= Get `mÀCtBit(BITOFFèSETD'ë€,
Cû,?& "!Æ%.€fnHelpC)€Back"

w"Kđ/ñ?V prob /y notl iđ□ed

©lertĩKy</jÁoO

□□ 1 Òř.ösA6s=yü 

op»Ÿ.đ†= mso³‡□=Non{Ôe9.^†j^1løesskMñw`aZ iSExit° Sub5O:#İçqöo±†
, 2

bFirstDisplPa†òt£Ô1in-Cy□b5.

in

Alert€Table")□\$-E•□-,/?tg□E€Expanded3lôSh€&k€^à&@x\$If□.C@zback@GThisWPorkbÀ>.Â□& "!"Character.ResØize□□□
 Á□ Show<E@1□ÿLxitp SubGÁE;N1□-i
 Á
 € 3(bln As,ïÀR, ibBtLong@PxrivÁ□D}ÈNotÆÈ € .Clo...ÍA1A:€ Wizard_Get@Currenaà log(),[, DÛE*fnHelpe5B5(i;Integer, "IA
 !...Y,fMsgLo calStOfif€ái†@C! ActIn JivE<'user doesn't w < h€ anym€p#'if bàWA+is up,tÁ—c□/ it< ...fà0visiy`x0€!P>é9...á
 p=%8%o;9MoG@)áEÿ!<)al)@Í(éeÈB!□'E,,i 'â.Á+(alr ²y`, (should ni _occuPt lghLçè
 'á/@ÆtçWAµ Á7no errÁÛn builç;)<aSetø dlÁÁÔiP %øepc@ømTru-OÁ'ñ?□2Í
 @Application.ÈââpE"= Á^ø!"NonebO _io
 AíJ
 'e%#Ñ†ó>žNfBtn(4¥□lVld 90)çtg \$be disñod. pUra safeütyCS°÷3Q□n)6□{±-(G2W@2G)w|/PG.R5 M3& ýÙ,sP,t\$ÿàO
 DEL
 i
 kW5qÈqDžiai'
 7up~#ÿ_ß9pÑ÷;4µ8S iÿpüpË•'bønd ÁWòy@H,,¥í
 n5b= l
 i à?8DELÑFunc
 QB b17(bSu ccess±{Boàolean4: `TsstB ŽBITÀOFFSET@%øgu†"P")* <> =ÿ†□#□#
 S<#u óš
 •1□'# €5!6 1 pb i<ÀD,s°indTes whichD b to €€,aere P} =W
 à-àfuÀ□yâ80É□ofádwo†r Jblow-Ð€er
 ' 8ás dvalue\$ a rep†ved f'hExceðl,,nPNEqP Ød b3ssÐ!
 routineø.
 Ó žcA.(^0\$€ø)ÑVariDim Èhke Ûs □\$WílÔÔ°IV²□rLe~çMaskç%ACUPCY2213x(HKEY_CURRENT_USERàÐSoftwP\MicroSE
 ,2)Ñ*ERROR_SUCCES&SqøàGò`iFaðilur...Vd=>ã
 blv= 4#fdb134xqw(Á, WIZARD_ASST_€VALUE, à□""u □ □ oû Ý, 1C•2' ÓÐ8REG_DWOTRD")
 "ó'1p,mpuÁ¼Q/mâ²@ask
 l@ValueMð = 2 ^ (8 + iBitOÀffset)~" m off the bit and return appropriate vC³hlf (Ê AXà)q0 Then(ŽGetWizardAsst,,"Elsše'1'clfB
 Failure1:—' fall€{rougPh,,~[<7EO†>L
 \$,E SCE}{†Â As Integer, By €Û f□□IsOn□
 BooleanÆ)^fdDim,}Long†
 ITyøpe□ÁfÔLe,□L,□€)ÇÃ€□ACUPCY2213x(HKEY_CURRENT_USER, "Software\@Micros@\Yice\9.0@\Excel† □Â

Ñ`yyyyyyyyyyyyÛñ0#8ù`yyyyyyyyyyyy9la=((

ð □ □ □ @ □ P □ ` □ p □ € € yyy □ (€ yyy € yyy □ ° € yyy □ , € ^ Á □ \$ € yyy € d H □ 6 ° € yyy € @ è □ " (□ P € yyy □ : X □

èByyyyyyyyyyyyyyÁ~0@Byy

in

Àð 00 00@P€yyy(X€yyy€yyy^v\$yyye^06Èyyy:Ð

in

ÿÿÿ€€ ÿÿÿ^□□□°□Đ□đ□

0□`□h□4x□°□,□È€ÿÿÿÿ□Đ€ÿÿÿÿ□

a-naderi. Variable to hold the menu caption.ÿÿ] ò0à)a-naderi. Variable to hold the menu name.] ò°à> mikeam. supporting a dy
but just in case it is not)–7u¶Worksheet Menu Bar\$z'HÿÿÿÿàXa-naderi. Reset the value of the corresponding cell in the locali

!
\$'¶œ5|

\$'A@ÿÿ "A@pÿ0kÿÿØ Ž–Ž¹ÿÿÀ–'Ž b Ž \$\$\$□apÿ@ D J b Ž @\$'šœp D L "\$

sInitMnsKey
iIndex)) Thenÿÿà GetTableEntry = ""ÿÿÿÿàElse Ž– ¼ b%""ÿÿÿÿàEnd Ifÿÿÿÿÿÿÿx–° À¶œ ¶! !Â¶! ! À'ÿÿ ÿÿÿÿ0¶'kÿÿ iÿÿ–

in

|| Ö°œí ÜÑI·ÑP Š!ª%Ú.öpydyö Ö!à!Øyÿÿÿí ÜÑI ØÑâ·ÑP Š!ª%Ú.öç'0kyÿÀ ð ö(ã°dÿÿ'kyÿ ô ö(íí ö.~.'iyÿx!-Øœ]ò]ò(]òHÉHí ð Š%ª

¶
Ô¶
¶

!':äp &œ "Ñ* \$\$'!ª!€- \$ ^%'%ªB@Ú4ÿ+ûíí \$\$\$'!ª!€- \$ ^%'%ª.(lp (!ª!

Ýs%ñKSE,‡

œub@ø s!üCSß5SZp}ßßn°, -Ëtr mikeam. supporting a dyDic reg jypath tr@0tthan c□:Ç sQ^Cmdžs T©

InQæ□".")ò ÂC)A\$softwĐž\@MicrosĐ\Office!" &-

I¢+//%ÿè-ooegÉf0ÿ~~DEL~~u\$□Qf>è¢? =ã8ªOrãÿ" =ããÂ□ãØ%?)ªW;òCIfãcTheàÔ5š¶&`: GetRMt_ ~off0"&T`Ø,scain wh@³AAÜ U

With Ap plicaµ.LËuageSet tingsIs€Arabic = PreferredForEd{ng(mso9...!ID~"Hepbrew*""T8hai*! Vietnamese‡*#‡
but jPust ÂcÆ ,iês notDKµAsÁÎN@o@GsÀ...(30007

ãfF`Befà-aùôVQ\$Equi'€Sent

in

àFalsepolQ6yOs

β□¿7__U²-_wÖ

âbuser loadÒfile Lusj...ñad mgôE!'so w~e5"□ddÖŽKc.□J#yíóI{œ±&ÒIfOÀrclsAre jpe¾/(HKEY_CURRENT_USERÐ+ãQAKe

IHe°lpID°

RY_POI|NT□□□eí□HÀELP_IDOOÂtáPath?f?f h□

1,□□ĒĀ»fBsetRegHomeffDo Until IsEm€pty(Get`úEUydÍ†‡,ÄAiĀAOn Error ResumĀe NextGGÁGĀu= NothÆWAppli" cat€?.

b/ĒMnsĀ

€Öyd□‡äyÿda□-ŸJòf¿sZÿ_□!□âŸ:??__Uòñ‡_ã;SÿO\$-!/</<¿Cyu '÷!/<

h"-ÿph¿hĪ//f

iCurrentX

sl€nitCmds

¶1\$!Š=E1c IDo Until€ IsEmpt

!êÆ:Ÿ8Ÿ8_ql3Ÿ8ž8hkĀ~4Loüngc±7zi5!□DEL5ùs5= ±g£S55irk55u5

—:<ñeCheckIfOtherWiza@rdsAre(iĀstered/ Ÿ`g¿Ā±ĀŸ

Ā,Ē2 'ùÿà '□□□μ4Ń0ĒμableEntry(rMenuTðBase

slnitMnsKey

2)

0bForÁ□/qSe@lect C ñ Gjç B"xIJsðheetDA!"a5?Ā

Nà-10_‡A.i"™Æ ááĀ Bari%&□ĀaâChar□¥□âud©Ā□e3 "BÿfâiMsgPBox 4 Nx,lfis reBðred.\$#Ā=ã¾%œé-Pr@Gte eó□Āá+(ij€

temporar€y:=TrueØÛ¿/?u`5û.r 7ÿ□__/_€U"/ô:=u/

in

_C!js0Kcdad;Toİl?0İ"Ó?:5:Wiüth□9BF?414f9EýÇ(¿

Æporary:=Trueá^□Else‡V5Ù{™ÊP.,uË

Ë3S|trÀÿ@|>@èè..._Ã*□yÍsCmdNaß^lHelp,,IDLlong@áFileé

2FâÖ'f?ã;Ûtí"í& k-

~

in

^au`„X„Zy„+`□`y„J`y„,ifØy„,„by

By„P(@ P

þÊH€y„€y„€€€ €y„,(„8„H„X„h"□€,□@Ø€□0€y„€8□

in

à€€

°+□à+□è+□đ+€"ø+□

□h

ÿÈà run the panel- ØA@N- ØB@¾Defini.' °pA@p '>A@P R ^{DP· ^{ò@· ^{deri. iÿÿ(-□]òđ]ò]ò ò8e> T\$JœP9 - - %'!"Vdÿÿ

í r %^.Êts="zÿÿ(kÿÿ r- Z

that's a program-error condition

in

we change the font

B_àO which might be worth doing. The obvious way would be to add quotes around theà value.–h]òÉ]òà]òøàU save the orig

if so

è¶

g_iCurrentPanel As Integer

in

ByRef returned.)(^ThisWorkbook.Sheets("LoÀizaÓb□ÁF)."(êÁ-Àâa" efeðrsTo€

1□†°œ†šªows.,ds£Mÿ= <w

i&:"Ú"03lsMisàsing(t 0xÿa*M_5Bó+0)ù+pEæ"J, # Y
End lfi€(i + 1) Mod iCount:Nex

| fž^fO f f =à True,,,%1 f l f L.À21 ThenÄ= F8als, 'Nuúm, =sC, ...:ÄC@6.!.EnabøledÀ,0G□8IÁGFinishçÈ†A
5))bÁ'On€ Error :8me Á2SÁAp plica!|.Run "" &ÀisWorkb0ook.Ák`"P!A?Ar%.À^¥TÁ

+%%À`ÊN'ew",,(,T Èß#Ñ;`/

~4'4ß&ß&ÿjÿjsieouRKÓ&4□NÑ!ÿÿ&ÿ&` ëÿ ? ý? ,çQ<|. Á□1`°)I□□nH^ELP_ot çŠieçŠiÅH6_

€âK C°Comp(r¹
that's a program-error condi}

CANC,,EL
HelpžpHELP^T
Ä
Äub
Ä%o—Coordina€tes(dlg†EÀ_€| = @.†T©□leftÄFL€NSetJlf□ < 0 Tèhen=eB,,Ä
ÿªDGä#A
ÄÁOÄää*###
'UTILITIES CO<DEÿ A-'--à Lookœup...pç`
E f AŠ (sKey|, Opžal v TableAVaÄriant)Çã)/!...ª—ÈgrjRang,,#`8lsM`issà%(f)Ä=\$= RANDOM_STRING%Dn
<,,Badf
L rà:Thi@sWorkbà%.sheets(À"Local □").b(CÀ*¥= Ap plicaÁ.V€0B&, r, 2,Ä°ª Not ôlsâç(,f Ä'ÿI9 £cÀäË¼...ìD& 7(□7□Èj8
ú
%-:c>> °â.,pÿi.ò,A
šmÿ/ÿ.ÄQ4rAlerĐv?Ú??S uW("4ÿ4tÉ×_Rt(OKOnly +?=□@çCB
--□QVerify².□Ä_Ä!ÿÿ8DOon(BBoole>a>o€xÈ<@3Ty,peâ€,S!;) Đ<> "<"BG47 "Mà-HavBer#8q/- ñ5`£!ÒBIsInp□lace¯orâ "{>Run
ÿø

in

Xwhic€h mightworth do. u ob viousvwoul¼ladd quom¼ound^Qk¶FunciãDependEntryDat,‡(ByVal s

f` sav€uïo#...@□ so€vat(if□z 'ry;€ñallyõ ±H we,,ù in@À□Á5' vir5

& 8""Mìà3thGa#ed€'///â□,7Â)(?ry6) !)€fA 'APKeelµTÃN~a`%ÃÂNDP□Xàhl%agcha"d pfrom%€=à(•å("\$)@Gvbb«Ñ?n!""1
qksoB

bđc@VALUE2€l°ong iq8(!{€Ppeiđ^RmmEF9ĐREaàn_‡W‡Inä p^.C ´zìV/€EL;°S¥k`, T"kkq

eValue(""" & Ci (sN)*)"šEnd If&{On Error GoTo DefaultToString@' test if a number by forc&conversion. y this @fails

83")Ã€Op_ Condi□œ(1).vBäParameterDDLýÀ1ÌR?□pl« BNà
A3¥Ô+€É6!(á!.ChoiÀce1OB.€@MÁ

f aJ& "
!□

1æS).Address(ro\$waT:=9

b

!`yyyyyyyyyyyyy9=\$!`yyyyyyyyyyyyy

Ù`yyyyyyyyyyyyy

in

Ñ`yyyyyyyyyyyyyùù

©

! 6\$d!"!

qal bBackVariaDntdDimoolBean~sTextL"1
É%oËLýT`N€½E<ÂÜÁ%oE9ÁIfÃC@î dilg@0=a4É@@.L1.Ca,,=xnO¢3@3)€pÑ"DEL= 1jbÁzüFaæ^ËHjqC
.Enabled@"-Defa }f`y`NotDEL~"dgl#`&IsMissing¾(¤'É¤;Á"¤Ž<(1`SrRange#.AdreŽsp"E.áSubÁ»xFun ¾àÀæÃa,(b)j°¤,ãBµ
Alert>TqLùbæØOCID•μóÁExit^ W"ÀVfO`£r~r€Vñ¤¥"
IÄsEñ(EvÁ•¤ú(~)ÝM'¤@>@€<id¤¤İshý'5'U!Áâ8(t=).yT°?ðtTB.ñZ8C50¤¤ÖGoTo

!"#pÿÿ%&'()*+,-./0123456789:;<=>?@ABCDEFGHIJKLMNpPQRSTUVWXYZ[]^_`abcdefghijklmnopqrstuvwxyz{|}~¤pÿÿÿ
ÄSProtè ¹tspAOM,†ÿðX}Lock'†¤→'_PRDePdß>¤50000ó?İ' 1i%]NuàmãâatÉúsÑãa çÑÅ" ê[À= vbYeÄ%0?" FPO ~Q*s
~No,ßß?ãRÿYy ¢f±f p_iLoop = 1 Th en
p_Condition(").rRangeResult.Formul@aArray€SumIf&(FaÐlse)šE0@`LocalW^v ValueDDBC]dlg.žTB.SetFocus|îø- 1ásCapx€.

ÿÿ

°¤à¤è¤ð¤ø¤ ¤ €ÿÿÿ¤(¤&0¤6X¤¤€ÿÿÿ¤~¤"¤°¤,€ÿÿÿ¤À¤Ð¤ð¤ ø¤¤(¤V8¤¤¤¤

-6/012345(789:;<=>?@ABCDpÿÿÿFMYIJKLpÿÿÿVOPQRSTUVWXYZ[,¤^_`abcdefghijklmnopqrstuvwxyz{|}~¤pÿÿÿ8s

in

½±□^ì`ýýýýçqúñbîûK€ª□î°k~¼v□,Ñ¶|ÖiEŠÊP,5m-□ýýýýv»ùÈNÓvLj
ùl.-:B¹n>`X8fPýýýý5□.,<âÿC-¿□íJ^aýýýý!;cåáE¥-ðM(-üýýýýý@gÆ-S•|@£5ç2;uýýýý³vR¹±
ilt□ªADVAPI32.DLL}0 fdb134xqwUÁ

Heading§Labels[~]
dWizard{ü

:000-000000000046}#1.6#0#C:\Program Files\Microsoft Office\Office12\EXCEL.EXE#Microsoft Excel 12.0 Object Library,*\G
)#C:\DOCUME~1\markpar\LOCALS~1\Temp\VBE\RefEdit.exd#Ref Edit ControlEÀF

/yyyyyyyyyyyyyyH yyyM7TOP_MENUð~MENU_AFTER_TOP_MEN

in

p_ConditionCountf€InitializeSumIf4kp

iCountl Wizard_GetCurrentDialog_NotFound>- UserFormsKÖWizard_GetCurrentPanel™fBackÁµfNextBack_FinishXŽ

CSumIf4iqDBSumIf4_Setups&iIntXAbBacknbBool!ºsTextL1sTextL3L1^L3^ResultTB:U

Assistant_Click9\

AddBtn_ClickÈ;ConditionLB_Clicky:DELParameterDDL_ChangeBRemoveBtn_ClickgODBSumIf3i
yyyyyyyyyyyyyyyyEGyyyyyyyyyyyyyyyyyyyyyyyyyyyyyy/)yyyyyyyyyyyyyyyyyyyyyy%A

in

\$\f€

âõd""+¢ÂŠShe et11GÂŠŠÀ¢€Ct1 @2¿!#Ýµ2@r2«21¯-UpÅ¬ `C`ia€cterGÁA ara@ytm rÀ.Ê2Ô/í"┐--þ!€¥- Sumlf_MenuAnd

048

\\BE6.DLLVBA

in

-. / 0 1 p y y y 3 p y y y 5 6 7 8 p y y y ; < = > ? p y y y A B C D E F G p y y y | p y y y K L M N p y y y P Q R S T U V p y y y X Y Z [] ^ _ ` a b c d e f g h i j p y y y p y y y y y y y y y y y y y
Ń€2ĀQuestionLrt:ÔÔ\$Ń€
ō

und dann geben Sie einen Vergleichswert für diese Spalte ein.

¿

Ń€2□ExplanationL¹>(Ń€28Choice1Lž

Ń€
\$W5€¥Tahoma >(€1092hÂu€¥Tahoma >(€78!

in

5€Tahoma >þÿ

{FBEAC09C-0025-11D0-8EDA-00A0C905604E}"

in

in

yyyyyyyyyyyyyyyyyyMEIyyyyyyByyyyyyyyyyyyyyyyyyyyyyyyyyyyyy!
n Wizard%Pyyyèyyh€Ryyh€Tyy dh€V0yy'h€XHyyh€ZyyyyyÉ€`8yyy@yy

€ifyyyyyyø

^Y!0F*\R4*#6c\$*\Rfff*3m4671297d(*\Rfff*3m4671297d\0BpÉ(€€

3 with mso constants="¬KTF
though)yyà7If fAsstHelp Then 'if no error in building help balloonÿí Ê.Ø(Ø

the next 8 bits are used by the Wizards

in

js`¤ToCheÜckál;á

ÅÃ"Ö

s€Ô&ð4NÐ[ÔIsâb(')i5íýÀCpæs

in

0

!`yyyyyyyyyyyyy'&(\$!`yyyyyyyyyyyyy\$q`yyyyyyyyyyyyy\$™`yyyyyyyyyyyyy(Á`yyyyy

in

Ô'@4Cdÿÿ0 Ð¶¶

'@,Ukÿÿðdÿÿè¶¶'@kÿÿØiÿÿÐ!- à<a-naderi. Add a backslash only when the Exe

¶¶

!zxykÿÿ´°. (iÿÿxyÿÿÿÿÿÿÿÿÿÿ¶¶Attribute VB_Name = "Sumlf_MenuAndInit"

Workshef0Ñ Bar"ôo\$^1Ð-' v±Ùe

corresponÉðäg 0?! Ð

m€localiz²HÆ tönQ

's ¶!wThisñbook.† s("L#iB<").ò;("øB50ÀrÀ†Y‡—“ãÙÒkeyw`ord W

`fèromrwóð7o

ñs(WIZARD_DEFINFI!ò6

M110

Clear 'tenætäA1,lf£S¼J= ThH¶¶isWorkbook.€sheets(WIZARD_DEFINITION).F

"Fè □ Balr",'/R€□0v□alueE/co [spondà` cell;áloc□alizf t□x to englHishGTh3'

MENU_ITEM)>ä!3= P

in

TOüP_1_*À__URAFTER__èjs" Ã2'Itemúð""

FILE)??□Q'uTableBase

„]Equival@¯/2BAR_NUMBER)
O>`

ySo""è□iß

HELP_ID)
)pMENU_àITEM_€*€s,\$<<lf^/SEPARATOR_B@EFORE_8)ð And'«)_/,g <> ""

•lr)
i€CurrentX
hkey) = ERROR_SUCCESSU`cw33@25bsx57

€"\\

iID,f@ç□ToAdd%oL€sBeforea‡Ç"N ymandÀ\$Co@ûol@Dim mÂyFol,lowàRiíc

in

☐€ yyyy☐(☐@☐H☐P☐X€ yyyy☐`☐Jx€ yyyy☐É€yyy☐

in

@†□cColumnÄ,,

_Qjpôpçq1P< jÁ

iColâ)

in

```

AlertTabøle"DcÁëUIÄ□*7 22T¹%Ä&>@€rjim"e,XÊu€Len(Š) > è255€Ñ b¥âk,S'
f'•²v#jŒë
ájPreàserve€x&€zPDELë
>€r□n0"a[1€ Step -x"e"(2n)./6k(òì?DL"ÁO/$ÿx5S( 1;
x7¿Jð »8± a'ÿ .?9ÿ
?

```

```

Ù7ç „iÃiL&+(Đfä/U&Ëtq"iÿ' ¥ ~?²³¼Û#QE_R?DLÿM1 B]g# Ä
ÿÛ¿ □ûWíÄ'¿ ý¾) □ /à:□/&□□ O"» q*ËiCnç# =ÁReOCâtOCç"•Ëó!LBÕMq~Zý
End If
pSub

```

```

0 DBSumlf2_Ba ck()
-DeleteDumm@ySheet
jF€unctiontNext() As Varian^âDim DSàRange_r^Resul
tiLong#"MSetM= ThisWork book.£s(" ").n("A3Cells (1, 1€es@ize(p_.Rows.Co
□)Áp_Æ1(ÀPvValueParaÚmÀ%ofÀ,&0<□J}Œ
r,Œ
Á3@,Óe - CnOffse:t□qiÁf"(sF`ormatL,8.1€?berff-EI|se0á,,W□GÇ"General"□.

```

-----,-]ð@¶

in

(€ÿÿÿÿ€:X€~€:°B□δ€ø€ÿÿÿÿ□ÿÿÿÿ□ □2(□`□€□

□0
€ÿÿÿÿ€ÿÿÿÿ€ÿÿÿÿÿÿÿÿÿÿÿÿx

so bail outÿÿ ¶9PROGRAM ERROR: Custom panel for Next that doesn't exist

in

the size and copy in DBLookup1 a picture with the correct font and size.ÿ-èí í
untrimmed format. ¢'pà0 start by picking of leading and trailing spacesÿ ¢\$É

the cell text looks like a stringàF/ to us

0)'èÿ rpÈ dÿÿ_y rp- 8' !¶IF(r\$d!Î.. °\$¾ r\$d!h r\$d!".. °\$¾¶

in

f8/T"í_`sFÀ¶äWT= VBA.°UserQÁZTiÃß@ĐX ModTóÙ if V @7Ó9Ó @Đ€□

?Á€Ä0L•' we have a hit. pis now become€s the n0%ü pA©«aİ8Ê8ÙA`C€'7O:
so bail ouhMsgBox "PROGRAM ERROR: Custom@ paneljr žc doesn't exist: '

qOS

in

uÀEimmã€f€kmat@N=F=„l%tarÀjy pickÀi o@f lead□a!□arailspaceÄDZ= TP

2

e€n we're(fts

0%±øNex !ãë>¿)æ½¿)e¿)¶)ß% .!ß<ResÀì
bRowAbso,lut,'\$¿C`ümnrí†ýR¶fcdøeOffsept°KPŞÓÚãæ€ùme2"AÙ€@½ó.¡JE

pcrØ³...¥W`|°¿ÜÀœ[ß

1) =

q`ýýýýýýýýýý%oy(TM`ýýýýýýýýýý©`\$Á`ýýýýýýýýýý(é`úýýýýýýýýýýù(

in

!

3\$Sång#If (Wizard_GetCurren,,tDjog(",,m3").Choice1OB.ValuŽTrue)đ The,,9{

in

ryyy%□pyyyyyyyyyXyy0yyyyyyyy%yyyy@€yyyyyyyyyyÀ€yyyyÀ@@yyyy€yy

yyBpÊ €yyyy€yy

€yy"0yyyyyy

in

R½6åå-yyÿÿ00G>...nG´vØ

Callback»ŠButtonÚæModeªvShowö

›-8D3A-491D-8646-25E9B0804197}#2.0#0#C:\DOCUME~1\markpar\LOCALS

/°3IsExeBiDi'IsExeArabic,,IsExeHebrewĚÔIsExeThaifIsExeVietnamesežš

in

DBSumIf4Đ

in

REFEDIT,-À! " Co ntrolý □ r\$2A5F43B1-6D4F-44EF-98AF`413C9€FD938}#&}

in

ö€2ÔExplanationL1,(ö€2~SelectL1\$å€8€RangeTB1'pÿ

einschließlich der Spaltenbeschriftung?o"45€¥Tahoma >€H€\$o"

in

\$ž5€¥Tahoma >|(€Welche Spalte beinhaltet die zu summierenden Werte? Wi

õ€28Choice21LonLžÆ

in

0
0
0
0
995
0
0
0

in

0
0
886
0
0
0
0
0

in

{00020819-0000-0000-C000-000000000046}yyyy`€pyyyyyy(yyyyyyyy%yyyHyyy@fpyyyyyyyhyyyyyyyyyyyy%, yyyby

in

WRITE Or READ

in

3iDià ^!dõ h7fPv j7fR0/ l7fT n7fV p7fXvqÿÿx| P R T V X'NA@Z NœàWa-naderi: Get the caption off of the &Tools menu in wh
sBeforeMenu)ÿÿÿÿ|í b Ž 4\$'·\$– b Ž 6\$' b Ž 8\$'\$".Šÿÿà7AddToMenu mMenu

¢í b Ž <\$' Š%ª.¢' ¢° ¢!–œÿÿ|<<\$< b Ž 4\$'·\$– b Ž 6\$' b Ž <\$' b Ž >\$'®'|'\$ D L b Ž @\$' |A@°lv|

(
b Ž 4\$'·\$– b Ž 6\$' b Ž <\$' b Ž \$\$'A@° Ž-Žÿÿ¹ÿÿè

iCurrentMenu

in

Mode is non-BiDi Noe

À¶

range("MenuDefinition" \esize(1, 1)

~"Lé,€□...f^B50â€V= F£

in

3Cß#ßÕSUB3 <F>°àEen ? Á\CascajnÁb(□

iCurrentMenu

False)) _□‡)A#Á€□ÁæKT"OP,ì)^KifÁ`ÄIs? Or□Ã.BuiltIn™CEen#Ã¤= AödÁ\$A^s`ÿD,;j"ðTrue@#T"É#iJ‡□\$

Ý

p_
ÄYqÉç&5Ç□f""È...t?Ê^eQ□<Mdp«LE\|>fgí%□€PÊ+ 1'On Error GoTo„ 0Loop#

TOP_MENU_KEY)) €Then
° Get§ .

1át 0 Or åMiödÆ\$:of (i

ðg„(fSOn E„rr0ResupRNexäi□Set-Ä =ú=w

in

d.Sort ÀKey1:=E''

€ header^aYes

in

"ntryTo>o□S_"#O" _Co8ndiÁác£p_ōÆ(à•v _À*ØOperatoprPXD“`Mòlÿ”ıpxEıµcRý,r²#FxiX3y±P,0<.Offse^t,...:—ĈĈEsp0ml

ı_¾ sP†ĐPKD,,Y²%øØ×Z) <> ž_Ă±9Ě—No□□†¼C4piêšdà+'I□´

unt, ... Colxumn%ø\Bdlg = Wizard_GetCurrentDi0alog... AdÀdCondi—f fi 1Do @Until +.ÅDDL.List(ĈIndex)€R...ii).TÀ'□"□.

ÄàÁCp_ıÁg{†O_~",ı¶ĂŠChoice1OBF.,fÀTru4'wear`d of À(@96 bug 172242 for FE (CYuÄ*«

in

□8

Íÿx] ò,] òà]ò]ò]-ò0l]-òP1E]-òX]-òx]-ò]-ò€x]-òÈBack]-ò` the]-òđg bo]¶Sumlf Definitionò€] òĐ]@ò@]@òø]\$¶RandomStrin

:: A@Î,,ÿÿÈdyÿÀ·pkÿÿ°ÿÿ-]òx É□ |!€%'- r-Ép ~ê¶NextKTÿÿÿÿ A@j\$d¶BackKT(A@j rp¶FinishKT A@j 8á@¶CancelKT

in

3:07 PM

which gets interpreted by IsDate and CDate as 3:07 PM. That's probably not what the user meant

but the cell VALUE2 is a long integer (the date serial value) See if this cell contains the value we're looking for

3:07 PM

in

```
Set Wizard_GetCurrentDialog = VBA.UserForms(i)
```

```
Function  
" & v ResulUSt,,op?Else^€GetNewP,*ð= Fa...†□‡—
```

```
IntegerS€"InStr(1
```

in

CŸgeD{□ÄinterpÀÊ©ÀDbyD! □6CÁ# 3:07 PM,,"atÀÅpro^bab€not@C€fAÕuserl

"yCDbl...pBŠ`xit Fu~nct€7

œiÆöWÁ³□- j-ä'a(Ä£/□(=SUM,R
...0C?S`T/

in

!\$ü%t!p·œ 6\$d!"!·œ¶SheetProtected¶

,9¶@Lookupf7("Copy€Result") &, ".ª3€´kFinishb",„yEls€£Select Caxse ¶¶fi...1ÿ<¶

in

i`1½Ä)Áb'Defi top `row a ŠálÉ@} cá- oa¼"gAjä,,5Resiàze(1,F7*μ`WÁ`%oNET†', 1~~DEL~~às<4eàAc6i€s emptyCiÀa\$| Ü EacÀh c In

~~~DEL~~  
I(€ yyy□8□đ^ÔLyyy□W□d°yy^†lyyyyyyyyyyyyyyyyyyyyyx\_\_SRP\_dyyyâCEDBSumlf0yyyyyyyyyyyyyåzDBSumlf1 yyyú  
/yyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyy(SPyyyS

yyy"□□□€yyy"□□

in

yyyyyPyyyyyyyyyyyyyyEyyyyyyOyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyBpÊ1EyyyyEyyyyEyyyy"

yEyyyy"□□Eyyyy"□□

/yyyyyyyyyyyyyyyyy"2@yyyyyyyyyyyyyyyyyyyyyy"&Eyyyyyyyyyyyyyyyyyyyyyy"4yyyyyyyyyyyyyyyyyÀyyyyy

in

;~1\Temp\VBE\MSForms.exe#Microsoft Forms 2.0 Object Library.É

in

Workbookkyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyy)yyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyyÙ%Ý;



in

ÿH'âH□€@☿Eá□ÀÃFjF"b'â□d^ThisWorkbookG"àTh Is"Wbykbào"ki2úb



in

ählen Sie die Spaltenbeschriftung aus."O5€¥Tahoma >((€SSummierungsspalte:>œ§5€¥Tahoma >(€aSpalte:>Ú

õ€2<

in

in

in

<) <> ERROR\_SUCCESÂSMšoTo Ä}C\*□fEŽCÃ<sup>a</sup>== 4f€3fdb134xqw(A•

in

zard sheet | M11 | %z%pB@t-kÿÿ í → | MenuDefinition | %z%p%,.b  
sMenuItem

\$  
b Ž 4\$'.-\$- b Ž 6\$' b Ž <\$'¶-¶ b Ž \$\$'¶¶\$²'!° D J b Ž

TOP\_MENU\_KEY)) Thenÿÿ D L "\$

in

Ô¶



in

SEPARATOR\_BEFORE\_MENU\_ITEM)

Cümdî

in

Ori1aÁå□LeftToR8igh□†dAu,toFòà\*Ã.àçy!□È°iª lh□Ù[ay5FyÃÜR¯(S'd ÷v>†ST``Özi•ËiPÓ

OriaiTopToBottomYEnd With

in

€yÿÿ"□@

!.¶Localization Table %t%p\*oÿÿðà!RibbonX callback to get Screentip-,¶Screentip %

in

so probe to see if the string contains a plain number between 0 and 24

we look at a strangely formatted date | ''! \$äcèà:/ We just think this is a date (could it also be a time ?)!¶DateValue(" ''!X¶")' d

0)'èÿ rpÈ kÿÿ¶=SUM( è¶)'è iÿÿè|\_@ ]ò]ò ÉÀ À!'¼É'' °œ v!x'Æ v!Ê'È ÂÑÎ ÄÑÐ¬ Æ¬ È À%'%ì'¼ ¼¶¶e ÂÑÎ ÄÑÐ À%'¼ kÿÿ 6-

in

È`Oper`angSyste"m =win œ1)àô<C@^OS\_WINÙemactOSMAC□Ó<wQ\_B?SBàn@DependaÁÀClose¿□°~De□²

in

m:e-



in

ry"□□□€yyyy"□□



in



in

c  
c  
c  
c  
c  
c  
c  
c  
c

C  
C  
C  
C  
C  
C  
C  
C

in

in

WIZARD\_ASST\_VALUEó&ÂW

in

sBeforeMenuItem

-  
\$' |A@°dj kÿÿ0kÿÿ( Ž-ŽÉ¹ÿÿoÿÿ-,

in

3•/?

ï

in

□H

!.¶Localization Table %t%p\*oÿÿpà RibbonX callback to get Supertip-@¶Supertip %

in

and6TÿDà if so force a numeric%ð ¢\$-œiÿ% ¢X' '\$(

then we're a string ¢X' kÿÿ°zÿÿ`£¶ ¶¶" ¶¶'" zÿÿ€iÿÿx-

!



in

à×chA□f ÆCñ×Ð½ize □copy in D

in

AoÁ,±seçCqÄvcontaHins@qpl ÄŒbetweenÄ 0,"24

in

44  
66  
88  
110  
132

in

fÅ€\*&Ð´ fnÀ7REG\_ DWORDÂ6 G^4D-' comüpuÅå□íÁðÃfYpEã"...□ndiÁf`ãpE□ccording to,é

in

9

in

i

in

□

!Localization Table %t%p\*oÿÿà\$RibbonX callback to get button label–ÈLabelName %

in

! 6\$d!"!



in

Ál/fÀ...ÀBÝaA

in

44  
66  
88  
110  
132

in

à~ ofÿÇS#

in

B

in

, 'iÿÿ°-]ò "\$ Fœ€ " - " \$-A@p "A@kÿÿ8oÿÿ0-8]òØ]òð]òò ]ò8 "\$

in

DEL&sup3;bÿ-óÙ j =ý71'd+ñŠ²·if

in

!Localization Table %t%p'6oÿyhà\$RibbonX entry point for button click-F

in

!



in

886  
908  
930  
952  
974

in

"ÿÿ!% b Ž <\$'¶>Gí Š b Ž <\$' b Ž >\$' b Ž B\$'\$.ŠjÿÿÿÿàUCheck if the Init Cmds entry exist, if yes, the user load the file using the

K

in

ᵑA@:oÿÿ –,\$<>GjJA@PA@j†

in

! Ä!

in

in

b Ž \*\$'A@œÿÿÿÿ Ž-'Žÿÿ'ÿÿèöÿÿà-À]ò(

b Ž 4\$'·\$- b Ž 6\$' b Ž <\$' b Ž \$\$' b Ž .'\$' b Ž &\$' b Ž 0\$' b Ž 2\$'\$ž\$'!L D J b Ž (\$' !A@°È|

in

! 6\$d!"!

!œ ¶"[ À! !

in

C  
C  
C  
C  
C



in

!¶] À!

in

!¶! ¾¾¾kÿËkÿÄiÿÿ, à+----- àClose and test DummySheet Sub à+-----

in

π