
ABNewPersonViewControllerDelegate Protocol Reference

User Experience: Windows & Views





Apple Inc.
© 2009 Apple Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.
1 Infinite Loop
Cupertino, CA 95014
408-996-1010

Apple, the Apple logo, and iPhone are trademarks of Apple Inc., registered in the United States and other countries.

iOS is a trademark or registered trademark of Cisco in the U.S. and other countries and is used under license.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

ABNewPersonViewControllerDelegate Protocol Reference 5

Overview 5

Tasks 5

 Responding to User Events 5

Instance Methods 5

 newPersonViewController:didCompleteWithNewPerson: 5

Document Revision History 7

ABNewPersonViewControllerDelegate Protocol Reference

Conforms to	NSObject
Framework	/System/Library/Frameworks/AddressBookUI.framework
Availability	Available in iOS 2.0 and later.
Declared in	ABNewPersonViewController.h

Overview

The `ABNewPersonViewControllerDelegate` protocol declares the interface that `ABNewPersonViewController` delegates must implement.

Tasks

Responding to User Events

- `newPersonViewController:didCompleteWithNewPerson:` (page 5) *required method*
Sent when the user taps Save or Cancel. If the user tapped Save, the current address book has been saved to the Address Book database. (required)

Instance Methods

`newPersonViewController:didCompleteWithNewPerson:`

Sent when the user taps Save or Cancel. If the user tapped Save, the current address book has been saved to the Address Book database. (required)

```
- (void)newPersonViewController:(ABNewPersonViewController *)newPersonViewController  
didCompleteWithNewPerson:(ABRecordRef)person
```

Parameters

newPersonViewController

The new-person-view controller that manages the new-person interface.

person

On Save, the newly created (and saved) person record.

On Cancel, NULL.

Discussion

If the user tapped Save, pending changes in the current address book (`ABAddressBook`) have been saved by the time this message is sent to the receiver.

The receiver must dismiss *newPersonViewController*.

Availability

Available in iOS 2.0 and later.

Declared In

`ABNewPersonViewController.h`

Document Revision History

This table describes the changes to *ABNewPersonViewControllerDelegate Protocol Reference*.

Date	Notes
2009-05-15	Removed preliminary document boilerplate.
2008-10-15	Added companion document.
2008-03-12	New document that describes the interface for controlling the view used to create new contacts.

REVISION HISTORY

Document Revision History