ABPersonViewControllerDelegate Protocol Reference

User Experience: Windows & Views



ď

Apple Inc. © 2009 Apple Inc. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc. 1 Infinite Loop Cupertino, CA 95014 408-996-1010

Apple, the Apple logo, and iPhone are trademarks of Apple Inc., registered in the United States and other countries.

IOS is a trademark or registered trademark of Cisco in the U.S. and other countries and is used under license.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS 15," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

ABPersonViewControllerDelegate Protocol Reference 5

Overview 5

Tasks 5

Responding to User Events 5

Instance Methods 5

personViewController:shouldPerformDefaultActionForPerson:property:identifier: 5

Document Revision History 7

ABPersonViewControllerDelegate Protocol Reference

Conforms to NSObject

Framework /System/Library/Frameworks/AddressBookUl.framework

Availability Available in iOS 2.0 and later.

Declared in ABPersonViewController.h

Overview

The ABPersonViewControllerDelegate protocol declares the interface that must be implemented by ABPersonViewController delegates.

Tasks

Responding to User Events

- personViewController:shouldPerformDefaultActionForPerson:property:identifier: (page
5) required method

Sent when the user selects a property value of the person displayed in a person view controller. (required)

Instance Methods

person View Controller: should Perform Default Action For Person: property: identifier:

Sent when the user selects a property value of the person displayed in a person view controller. (required)

- (B00L)personViewController:(ABPersonViewController *)personViewController shouldPerformDefaultActionForPerson:(ABRecordRef)person property:(ABPropertyID)property identifier:(ABMultiValueIdentifier)identifierForValue

Parameters

personViewController

The sender.

person

The person personViewController is displaying.

property

The property whose value the user selected.

valueIdentifier

When property is a multivalue property, the value the user selected.

Return Value

- YES if personViewController should perform its default action. Your application may quit as a result of this action.
- N0: if personViewController should do nothing. The delegate may perform custom action processing.

Availability

Available in iOS 2.0 and later.

Declared In

ABPersonViewController.h

Document Revision History

This table describes the changes to ABPersonViewControllerDelegate Protocol Reference.

Date	Notes
2009-05-15	Removed preliminary document boilerplate.
2008-10-15	Added cross references. Added companion document.
2008-03-12	New document that describes the interface used to control the person view.

REVISION HISTORY

Document Revision History