
UIPickerViewAccessibilityDelegate Protocol Reference

User Experience



2010-05-18



Apple Inc.
© 2010 Apple Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.
1 Infinite Loop
Cupertino, CA 95014
408-996-1010

Apple, the Apple logo, and iPhone are trademarks of Apple Inc., registered in the United States and other countries.

iOS is a trademark or registered trademark of Cisco in the U.S. and other countries and is used under license.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

UIPickerViewAccessibilityDelegate Protocol Reference 5

Overview 5

Tasks 5

 Providing Descriptive Information 5

Instance Methods 5

 pickerView:accessibilityHintForComponent: 5

 pickerView:accessibilityLabelForComponent: 6

Document Revision History 7

UIPickerViewAccessibilityDelegate Protocol Reference

Conforms to	UIPickerViewDelegate
Framework	/System/Library/Frameworks/UIKit.framework
Availability	Available in iOS 4.0 and later.
Declared in	UIAccessibilityAdditions.h

Overview

The `UIPickerViewAccessibilityDelegate` protocol defines methods you can implement to provide accessibility information for individual components of a picker view.

Tasks

Providing Descriptive Information

- [pickerView:accessibilityLabelForComponent:](#) (page 6)
Returns a label that identifies the picker view component.
- [pickerView:accessibilityHintForComponent:](#) (page 5)
Returns a hint that describes the result of performing an action on the picker view component.

Instance Methods

pickerView:accessibilityHintForComponent:

Returns a hint that describes the result of performing an action on the picker view component.

```
- (NSString *)pickerView:(UIPickerView *)pickerView  
    accessibilityHintForComponent:(NSInteger)component
```

Return Value

A brief description, in a localized string, of the result of performing an action on the picker view component.

Discussion

Implement this optional method to ensure that the accessibility element representing the picker view provides an appropriate hint for each component. For in-depth information on how to create an appropriate hint, see “Guidelines for Creating Hints” in *Accessibility Programming Guide for iOS*.

Availability

Available in iOS 4.0 and later.

Declared In

UIAccessibilityAdditions.h

pickerView:accessibilityLabelForComponent:

Returns a label that identifies the picker view component.

```
- (NSString *)pickerView:(UIPickerView *)pickerView  
    accessibilityLabelForComponent:(NSInteger)component
```

Return Value

A succinct label, in a localized string, that identifies the picker view component.

Discussion

Implement this optional method to ensure that the accessibility element representing the picker view provides an appropriate label for each component. For in-depth information on how to create an appropriate label, see “Crafting Useful Labels and Hints” in *Accessibility Programming Guide for iOS*.

Availability

Available in iOS 4.0 and later.

Declared In

UIAccessibilityAdditions.h

Document Revision History

This table describes the changes to *UIPickerViewAccessibilityDelegate Protocol Reference*.

Date	Notes
2010-05-18	New document that describes the protocol for getting accessibility information for individual components in a picker view.

REVISION HISTORY

Document Revision History