NSCollectionViewItem Class Reference

User Experience: Windows & Views



Ć

Apple Inc. © 2009 Apple Inc. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc. 1 Infinite Loop Cupertino, CA 95014 408-996-1010

Apple, the Apple logo, Cocoa, Mac, and Mac OS are trademarks of Apple Inc., registered in the United States and other countries.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS 15," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY

DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

NSCollectionViewItem Class Reference 5

```
Overview 5
Tasks 5
Setting the Represented Object 5
Modifying the View 6
Managing the Selection 6
Parent Collection View 6
Instance Methods 6
collectionView 6
isSelected 6
setSelected: 7
```

Appendix A Deprecated NSCollectionViewItem Methods 9

```
Available in Mac OS X v10.5 through Mac OS X v10.5 9
representedObject 9
setRepresentedObject: 9
setView: 9
view 10
```

Document Revision History 11

NSCollectionViewItem Class Reference

Inherits from NSViewController: NSResponder: NSObject

Conforms to NSCopying

NSCoding (NSViewController) NSCoding (NSResponder) NSObject (NSObject)

NSEditor (Informal Protocol) (NSViewController)

NSEditorRegistration (Informal Protocol) (NSViewController)

Framework /System/Library/Frameworks/AppKit.framework

Availability Available in Mac OS X v10.5 and later.

Declared in NSCollectionView.h

Overview

NSCollectionViewItem class is a controller that manages the relationship between a compound view and the model object that provides its content. Instances of this class are replicated in a NSCollectionView.

Important: In Mac OS X v10.5, the superclass of the NSCollectionViewItem class was NSObject. In Mac OS X v10.6 and later, NSCollectionViewItem is now a subclass of NSViewController. This change was made to improve how the view is replicated within the NSCollectionView. NSCollectionViewItem remains binary compatible with the previous implementation and unarchiving is correctly handled.

Tasks

Setting the Represented Object

- represented0bject (page 9) Available in Mac OS X v10.5 through Mac OS X v10.5
 Returns the receiver's represented object.
- setRepresentedObject: (page 9) Available in Mac OS X v10.5 through Mac OS X v10.5 Sets the receiver's represented object to the specified model object.

Modifying the View

- setView: (page 9) Available in Mac OS X v10.5 through Mac OS X v10.5
 Sets the view the receiver uses to display its represented object.
- view (page 10) Available in Mac OS X v10.5 through Mac OS X v10.5
 Returns the view the receiver uses to display its represented object.

Managing the Selection

```
- setSelected: (page 7)
```

Sets the selection state of the receiver.

isSelected (page 6)

Returns the selection state of the receiver.

Parent Collection View

collectionView (page 6)

Returns the receiver's collection view.

Instance Methods

collectionView

Returns the receiver's collection view.

- (NSCollectionView *)collectionView

Return Value

The receiver's collection view.

Availability

Available in Mac OS X v10.5 and later.

Declared In

NSCollectionView.h

isSelected

Returns the selection state of the receiver.

- (BOOL)isSelected

Return Value

YES if the receiver is selected, otherwise NO.

Availability

Available in Mac OS X v10.5 and later.

Declared In

NSCollectionView.h

setSelected:

Sets the selection state of the receiver.

- (void)setSelected:(B00L)flag

Parameters

flag

YES if the receiver is selected, otherwise NO.

Availability

Available in Mac OS X v10.5 and later.

Declared In

NSCollectionView.h

NSCollectionViewItem Class Reference

Deprecated NSCollectionViewItem Methods

A method identified as deprecated has been superseded and may become unsupported in the future.

Available in Mac OS X v10.5 through Mac OS X v10.5

representedObject

Returns the receiver's represented object. (Available in Mac OS X v10.5 through Mac OS X v10.5.)

- (id)representedObject

Return Value

The receiver's represented object.

Availability

Available in Mac OS X v10.5 through Mac OS X v10.5.

Declared In

NSCollectionView.h

setRepresentedObject:

Sets the receiver's represented object to the specified model object. (Available in Mac OS X v10.5 through Mac OS X v10.5.)

- (void)setRepresentedObject:(id)object

Parameters

object

The receiver's model object.

Availability

Available in Mac OS X v10.5 through Mac OS X v10.5.

Declared In

NSCollectionView.h

setView:

Sets the view the receiver uses to display its represented object. (Available in Mac OS X v10.5 through Mac OS X v10.5.)

- (void)setView:(NSView *)view

APPENDIX A

Deprecated NSCollectionViewItem Methods

Parameters

view

The view that is used to display the receiver's represented object.

Availability

Available in Mac OS X v10.5 through Mac OS X v10.5.

Declared In

NSCollectionView.h

view

Returns the view the receiver uses to display its represented object. (Available in Mac OS X v10.5 through Mac OS X v10.5.)

- (NSView *)view

Return Value

The view the receiver uses to display its represented object.

Availability

Available in Mac OS X v10.5 through Mac OS X v10.5.

Declared In

NSCollectionView.h

Document Revision History

This table describes the changes to NSCollectionViewItem Class Reference.

Date	Notes
2009-05-01	Updated for Mac OS X v10.6. NSCollectionViewItem now inherits from NSViewController rather than NSObject.
2006-12-28	New document that describes the class that acts as a controller between a prototype view and a model object.

REVISION HISTORY

Document Revision History