

---

# UIImageBrowserItem Protocol Reference

Graphics & Animation: 2D Drawing



2010-02-20



Apple Inc.  
© 2010 Apple Inc.  
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.  
1 Infinite Loop  
Cupertino, CA 95014  
408-996-1010

Apple, the Apple logo, Cocoa, Mac, Mac OS, Quartz, and QuickTime are trademarks of Apple Inc., registered in the United States and other countries.

Simultaneously published in the United States and Canada.

**Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.**

**IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY**

**DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.**

**THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.**

**Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.**

# Contents

---

## **UIImageBrowserItem Protocol Reference 5**

---

Overview	5
Tasks	5
Providing Required Information for an Image	5
Providing Optional Information for an Image	5
Instance Methods	6
imageRepresentation	6
imageRepresentationType	6
imageSubtitle	7
imageTitle	7
imageUID	7
imageVersion	8
isSelectable	8
Constants	9
Image Representation Types	9

---

## **Document Revision History 13**

---



# IKImageBrowserItem Protocol Reference

(informal protocol)

---

<b>Framework</b>	System/Library/Frameworks/Quartz.framework/ImageKit.framework
<b>Declared in</b>	IKImageBrowserView.h

## Overview

The `IKImageBrowserItem` informal protocol declares the methods that an instance of the `IKImageBrowserView` class uses to access the contents of its data source for a given item. Some of the methods in this protocol are needed frequently, so you should implement them efficiently.

## Tasks

### Providing Required Information for an Image

- [imageUID](#) (page 7)  
Returns a unique string that identifies the data source item.
- [imageRepresentationType](#) (page 6)  
Returns the representation type of the image to display.
- [imageRepresentation](#) (page 6)  
Returns the image to display.

### Providing Optional Information for an Image

- [imageVersion](#) (page 8)  
Returns the version of the item.
- [imageTitle](#) (page 7)  
Returns the display title of the image.
- [imageSubtitle](#) (page 7)  
Returns the display subtitle of the image.
- [isSelectable](#) (page 8)  
Returns whether this item is selectable.

## Instance Methods

### **imageRepresentation**

Returns the image to display.

```
- (id) imageRepresentation;
```

#### **Return Value**

The image to display; can return `nil` if the item has no image to display.

#### **Discussion**

Your data source must implement this method. This method is called frequently, so the receiver should cache the returned instance.

#### **Availability**

Available in Mac OS X v10.5 and later.

#### **Related Sample Code**

CocoaCreateMovie

DesktopImage

ImageBrowser

ImageBrowserViewAppearance

ImageKitDemo

#### **Declared In**

IKImageBrowserView.h

### **imageRepresentationType**

Returns the representation type of the image to display.

```
- (NSString *) imageRepresentationType;
```

#### **Return Value**

A string that specifies the image representation type. The string can be any of the constants defined in [“Image Representation Types”](#) (page 9).

#### **Discussion**

Your data source must implement this method.

#### **Availability**

Available in Mac OS X v10.5 and later.

#### **Related Sample Code**

DesktopImage

Image Kit with Core Data

ImageBrowser

ImageBrowserViewAppearance

ImageKitDemo

**Declared In**

IKImageBrowserView.h

## imageSubtitle

Returns the display subtitle of the image.

```
- (NSString *) imageSubtitle
```

**Return Value**

The display subtitle of the image.

**Discussion**

This method is optional.

**Availability**

Available in Mac OS X v10.5 and later.

**Related Sample Code**

ImageBrowserViewAppearance

**Declared In**

IKImageBrowserView.h

## imageTitle

Returns the display title of the image.

```
- (NSString *) imageTitle;
```

**Return Value**

The display title of the image.

**Discussion**

This method is optional.

**Availability**

Available in Mac OS X v10.5 and later.

**Related Sample Code**

DesktopImage

ImageBrowserViewAppearance

ImageKitDemo

**Declared In**

IKImageBrowserView.h

## imageUID

Returns a unique string that identifies the data source item.

```
- (NSString *) imageUID;
```

### **Return Value**

The string that identifies the data source item

### **Discussion**

Your data source must implement this method. The image browser view uses this identifier to associate the data source item and its cache.

### **Availability**

Available in Mac OS X v10.5 and later.

### **Related Sample Code**

DesktopImage

Image Kit with Core Data

ImageBrowser

ImageBrowserViewAppearance

ImageKitDemo

### **Declared In**

IKImageBrowserView.h

## **imageVersion**

Returns the version of the item.

```
- (NSUInteger) imageVersion;
```

### **Return Value**

The version of the item.

### **Discussion**

This method is optional. The receiver can return a new version to let the image browser know that it should not use its cache for the item.

### **Availability**

Available in Mac OS X v10.5 and later.

### **Related Sample Code**

Image Kit with Core Data

### **Declared In**

IKImageBrowserView.h

## **isSelectable**

Returns whether this item is selectable.

```
- (BOOL) isSelectable;
```

### **Return Value**

YES if the item is selectable; NO otherwise.

### **Discussion**

This method is optional. You can prevent selection of this item by returning NO.



**Availability**

Available in Mac OS X v10.5 and later.

**Declared In**

IKImageBrowserView.h

## Constants

### Image Representation Types

Representation types for images.

```
NSString * const IKImageBrowserPathRepresentationType;
NSString * const IKImageBrowserNSURLRepresentationType;
NSString * const IKImageBrowserNSImageRepresentationType;
NSString * const IKImageBrowserCGImageRepresentationType;
NSString * const IKImageBrowserCGImageSourceRepresentationType;
NSString * const IKImageBrowserNSDataRepresentationType;
NSString * const IKImageBrowserNSBitmapImageRepresentationType;
NSString * const IKImageBrowserQTMovieRepresentationType;
NSString * const IKImageBrowserQTMoviePathRepresentationType;
NSString * const IKImageBrowserQCCompositionRepresentationType;
NSString * const IKImageBrowserQCCompositionPathRepresentationType;
NSString * const IKImageBrowserQuickLookPathRepresentationType;
NSString * const IKImageBrowserIconRefPathRepresentationType;
NSString * const IKImageBrowserIconRefRepresentationType;
NSString * const IKImageBrowserPDFPageRepresentationType;
```

**Constants**

IKImageBrowserPathRepresentationType

A path representation (NSString).

Available in Mac OS X v10.5 and later.

Declared in IKImageBrowserView.h.

IKImageBrowserNSURLRepresentationType

An NSURLObject.

Available in Mac OS X v10.5 and later.

Declared in IKImageBrowserView.h.

IKImageBrowserNSImageRepresentationType

An NSImage object.

Available in Mac OS X v10.5 and later.

Declared in IKImageBrowserView.h.

IKImageBrowserCGImageRepresentationType

A CGImageRef object.

Available in Mac OS X v10.5 and later.

Declared in IKImageBrowserView.h.

- `IKImageBrowserCGImageSourceRepresentationType`  
 A `CGImageSourceRef` object.  
 Available in Mac OS X v10.5 and later.  
 Declared in `IKImageBrowserView.h`.
- `IKImageBrowserNSDataRepresentationType`  
 An `NSData` object.  
 Available in Mac OS X v10.5 and later.  
 Declared in `IKImageBrowserView.h`.
- `IKImageBrowserNSBitmapImageRepresentationType`  
 An `NSBitmapImageRep` object.  
 Available in Mac OS X v10.5 and later.  
 Declared in `IKImageBrowserView.h`.
- `IKImageBrowserQTMovieRepresentationType`  
 A `QTMovie` object.  
 Available in Mac OS X v10.5 and later.  
 Declared in `IKImageBrowserView.h`.
- `IKImageBrowserQTMoviePathRepresentationType`  
 A path (`NSString`) or URL (`NSURL`) to a QuickTime movie.  
 Available in Mac OS X v10.5 and later.  
 Declared in `IKImageBrowserView.h`.
- `IKImageBrowserQCCCompositionRepresentationType`  
 A `QCCComposition` object.  
 Available in Mac OS X v10.5 and later.  
 Declared in `IKImageBrowserView.h`.
- `IKImageBrowserQCCCompositionPathRepresentationType`  
 A path (`NSString`) or URL (`NSURL`) to a Quartz Composer composition.  
 Available in Mac OS X v10.5 and later.  
 Declared in `IKImageBrowserView.h`.
- `IKImageBrowserQuickLookPathRepresentationType`  
 A path (`NSString`) or URL (`NSURL`) to load data using QuickLook.  
 Available in Mac OS X v10.5 and later.  
 Declared in `IKImageBrowserView.h`.
- `IKImageBrowserIconRefPathRepresentationType`  
 A path to an icon.  
 Available in Mac OS X v10.5 and later.  
 Declared in `IKImageBrowserView.h`.
- `IKImageBrowserIconRefRepresentationType`  
 An icon.  
 Available in Mac OS X v10.5 and later.  
 Declared in `IKImageBrowserView.h`.

IKImageBrowserPDFPageRepresentationType

A PDFPage **instance** or a CGPDFPageRef.

**Available in Mac OS X v10.6 and later.**

**Declared in** IKImageBrowserView.h.

**Declared In**

IKImageBrowserView.h



# Document Revision History

---

This table describes the changes to *IKImageBrowserItem Protocol Reference*.

Date	Notes
2010-02-20	Added <code>IKImageBrowserPDFPageRepresentationType</code> representation type.
2007-01-12	New document that describes the informal protocol used by an image browser view to access the data source for an item.

## REVISION HISTORY

### Document Revision History