# SafariValidateEvent Class Reference

**User Experience** 



Ć

Apple Inc.
© 2010 Apple Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc. 1 Infinite Loop Cupertino, CA 95014 408-996-1010

Apple, the Apple logo, and Safari are trademarks of Apple Inc., registered in the United States and other countries.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS 15," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM ANY

DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

## Contents

#### SafariValidateEvent Class Reference 5

```
Overview 5
Tasks 5
Working with Validation Events 5
Properties 5
command 5
```

# SafariValidateEvent Class Reference

Inherits fromSafari EventTechnology area:Safari Extensions

**Availability** Available in Safari 5.0 and later.

### Overview

Instances of the SafariValidateEvent class encapsulate a validate event. User interface elements such as contextual menu items and toolbar buttons send a validate event when they are about to display. You can prevent the element from displaying by listening for validate events and marking the element as disabled.

The event type for this class is validate.

## **Tasks**

### **Working with Validation Events**

command (page 5)

The command identifier of the target being validated.

## **Properties**

#### command

The command identifier of the target being validated.

readonly attribute DOMString command

#### **Availability**

Available in Safari 5.0 and later.

SafariValidateEvent Class Reference

# **Document Revision History**

This table describes the changes to SafariValidateEvent Class Reference.

Date	Notes
2010-07-13	Minor editorial changes throughout.
2010-05-20	New document that describes a class used to encapsulate a validate event.

#### **REVISION HISTORY**

**Document Revision History**