
TouchList Class Reference

User Experience



2010-02-24



Apple Inc.
© 2010 Apple Inc.
All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, mechanical, electronic, photocopying, recording, or otherwise, without prior written permission of Apple Inc., with the following exceptions: Any person is hereby authorized to store documentation on a single computer for personal use only and to print copies of documentation for personal use provided that the documentation contains Apple's copyright notice.

The Apple logo is a trademark of Apple Inc.

Use of the "keyboard" Apple logo (Option-Shift-K) for commercial purposes without the prior written consent of Apple may constitute trademark infringement and unfair competition in violation of federal and state laws.

No licenses, express or implied, are granted with respect to any of the technology described in this document. Apple retains all intellectual property rights associated with the technology described in this document. This document is intended to assist application developers to develop applications only for Apple-labeled computers.

Every effort has been made to ensure that the information in this document is accurate. Apple is not responsible for typographical errors.

Apple Inc.
1 Infinite Loop
Cupertino, CA 95014
408-996-1010

Apple, the Apple logo, and Safari are trademarks of Apple Inc., registered in the United States and other countries.

iPhone is a trademark of Apple Inc.

Simultaneously published in the United States and Canada.

Even though Apple has reviewed this document, APPLE MAKES NO WARRANTY OR REPRESENTATION, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT, ITS QUALITY, ACCURACY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE. AS A RESULT, THIS DOCUMENT IS PROVIDED "AS IS," AND YOU, THE READER, ARE ASSUMING THE ENTIRE RISK AS TO ITS QUALITY AND ACCURACY.

IN NO EVENT WILL APPLE BE LIABLE FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR

CONSEQUENTIAL DAMAGES RESULTING FROM ANY DEFECT OR INACCURACY IN THIS DOCUMENT, even if advised of the possibility of such damages.

THE WARRANTY AND REMEDIES SET FORTH ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHERS, ORAL OR WRITTEN, EXPRESS OR IMPLIED. No Apple dealer, agent, or employee is authorized to make any modification, extension, or addition to this warranty.

Some states do not allow the exclusion or limitation of implied warranties or liability for incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Contents

TouchList Class Reference 5

Overview	5
Tasks	5
Accessing Properties	5
Getting Touch Objects	5
Properties	5
length	5
Methods	6
item	6

Document Revision History 7

TouchList Class Reference

Availability Available in iPhone OS 2.0 and later.

Companion guide Safari Web Content Guide

Overview

The `TouchList` class is used to represent a collection of `Touch` objects. For example, the `changedTouches` method in `TouchEvent` returns a `TouchList` object.

Tasks

Accessing Properties

[length](#) (page 5)

The number of `Touch` objects in this `TouchList` object.

Getting Touch Objects

[item](#) (page 6)

Returns the `Touch` object at the given index.

Properties

length

The number of `Touch` objects in this `TouchList` object.

readonly attribute unsigned long length;

Availability

Available in iPhone OS 2.0 and later.

Methods

item

Returns the `Touch` object at the given index.

```
Touch item(  
    in unsigned long index);
```

Parameters

index

The index of the item to return.

Availability

Available in iPhone OS 2.0 and later.

Document Revision History

This table describes the changes to *TouchList Class Reference*.

Date	Notes
2010-02-24	First revision as a collection document.

REVISION HISTORY

Document Revision History