# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts:

AquaKana-Bold-78-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-78-EUC-V
AquaKana-Bold-78-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
AquaKana-Bold-78-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-78-RKSJ-V
AquaKana-Bold-78-V
AquaKana-Bold-78ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-78ms-RKSJ-V
AquaKana-Bold-83pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-90ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-90ms-RKSJ-V
AquaKana-Bold-90msp-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-90msp-RKSJ-V
AquaKana-Bold-90pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-90pv-RKSJ-V
AquaKana-Bold-Add-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
AquaKana-Bold-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-Add-RKSJ-V
AquaKana-Bold-Add-V
AquaKana-Bold-Adobe-Japan1-0 □□□□□□□□□□□卽□啡_□□□
AquaKana-Bold-Adobe-Japan1-1 □□□□□□□□□□□卽□啡_□□□
AquaKana-Bold-Adobe-Japan1-2 □□□□□□□□□□□卽□啡_□□□
AquaKana-Bold-Adobe-Japan1-3 □□□□□□□□□□□卽□啡_□□□
AquaKana-Bold-Adobe-Japan1-4 □□□□□□□□□□□卽□啡_□□□
AquaKana-Bold-Adobe-Japan1-5 □□□□□□□□□□□卽□啡_□□□
AquaKana-Bold-Adobe-Japan1-6 □□□□□□□□□□□卽□啡_□□□
AquaKana-Bold-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-EUC-V
AquaKana-Bold-Ext-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
AquaKana-Bold-Ext-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-Ext-RKSJ-V
AquaKana-Bold-Ext-V
AquaKana-Bold-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
AquaKana-Bold-Hankaku ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-Hiragana □□□□□□□□□□□□□□□□□□□□-□□□□□□□□□□□□□。、□□
AquaKana-Bold-Identity-H □□□□□□□□□□□卽□啡_□□□
AquaKana-Bold-Identity-V
AquaKana-Bold-Katakana ｯﾃﾄﾅﾆﾇ□□□□□□□□□-ｱｲｳｴｵｶｷｸｹ□ﾜｿ。、ｮｬ
AquaKana-Bold-NWP-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
AquaKana-Bold-NWP-V
AquaKana-Bold-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-RKSJ-V
AquaKana-Bold-Roman ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-UniJIS-UCS2-H □□□□慢□敦□□□□□□...□□□
AquaKana-Bold-UniJIS-UCS2-HW-H □□□□慢□敦□□□□□□...□□□
AquaKana-Bold-UniJIS-UCS2-HW-V
AquaKana-Bold-UniJIS-UCS2-V
AquaKana-Bold-UniJIS-UTF16-H □□□□慢□敦□□□□□□...□□□
AquaKana-Bold-UniJIS-UTF16-V
AquaKana-Bold-UniJIS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-UniJIS-UTF32-V
AquaKana-Bold-UniJIS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
AquaKana-Bold-UniJIS-UTF8-V
AquaKana-Bold-UniJIS2004-UTF16-H □□□□慢□敦□□□□□□...□□□
AquaKana-Bold-UniJIS2004-UTF16-V
AquaKana-Bold-UniJIS2004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts (continued):

AquaKana-Bold-UniJIS2004-UTF32-V
AquaKana-Bold-UniJIS2004-UTF8-H
AquaKana-Bold-UniJIS2004-UTF8-V
AquaKana-Bold-UniJISPro-UCS2-HW-V
AquaKana-Bold-UniJISPro-UCS2-V
AquaKana-Bold-UniJISPro-UTF8-V
AquaKana-Bold-UniJISX0213-UTF32-H
AquaKana-Bold-UniJISX0213-UTF32-V
AquaKana-Bold-UniJISX02132004-UTF32-H
AquaKana-Bold-UniJISX02132004-UTF32-V
AquaKana-Bold-V
AquaKana-Bold-WP-Symbol
Arial
Arial,Bold
Arial,BoldItalic
Arial,Italic
ArtifexBullet-Identity-H
ArtifexBullet-Identity-V
AvantGarde-Book
AvantGarde-BookOblique
AvantGarde-Demi
AvantGarde-DemiOblique
Baekmuk-Batang-Adobe-Korea1-0
Baekmuk-Batang-Adobe-Korea1-1
Baekmuk-Batang-Adobe-Korea1-2
Baekmuk-Batang-Identity-H
Baekmuk-Batang-Identity-V
Baekmuk-Batang-KSC-EUC-H
Baekmuk-Batang-KSC-EUC-V
Baekmuk-Batang-KSC-H
Baekmuk-Batang-KSC-Johab-H
Baekmuk-Batang-KSC-Johab-V
Baekmuk-Batang-KSC-V
Baekmuk-Batang-KSCms-UHC-H
Baekmuk-Batang-KSCms-UHC-HW-H
Baekmuk-Batang-KSCms-UHC-HW-V
Baekmuk-Batang-KSCms-UHC-V
Baekmuk-Batang-KSCpc-EUC-H
Baekmuk-Batang-KSCpc-EUC-V
Baekmuk-Batang-UniKS-UCS2-H
Baekmuk-Batang-UniKS-UCS2-V
Baekmuk-Batang-UniKS-UTF16-H
Baekmuk-Batang-UniKS-UTF16-V
Baekmuk-Batang-UniKS-UTF32-H
Baekmuk-Batang-UniKS-UTF32-V
Baekmuk-Batang-UniKS-UTF8-H
Baekmuk-Batang-UniKS-UTF8-V
Batang-Adobe-Korea1-0
Batang-Adobe-Korea1-1
Batang-Adobe-Korea1-2
Batang-Identity-H
Batang-Identity-V
Batang-KSC-EUC-H
Batang-KSC-EUC-V
Batang-KSC-H
Batang-KSC-Johab-H

ABCDEFG abcdefg 0123456789 &?!$.,

ABCDEFG abcdefg 0123456789 &?!$.,

ABCDEFG abcdefg 0123456789 &?!$.,

ABCDEFG abcdefg 0123456789 &?!$.,€

**ABCDEFG abcdefg 0123456789 &?!$.,€**

***ABCDEFG abcdefg 0123456789 &?!$.,€***

*ABCDEFG abcdefg 0123456789 &?!$.,€*

ABCDEFG abcdefg 0123456789 &?!$.,€

*ABCDEFG abcdefg 0123456789 &?!$.,€*

**ABCDEFG abcdefg 0123456789 &?!$.,€**

***ABCDEFG abcdefg 0123456789 &?!$.,€***

ABCDEFG abcdefg 0123456789 &?!$.,

ABCDEFG abcdefg 0123456789 &?!$.,

ABCDEFG abcdefg 0123456789 &?!$.,

ABCDEFG abcdefg 0123456789 &?!$.,

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

Batang-KSC-Johab-V
Batang-KSC-V
Batang-KSCms-UHC-H ABCDEFG abcdefg 0123456789 &?!$.,
Batang-KSCms-UHC-HW-H ABCDEFG abcdefg 0123456789 &?!$.,
Batang-KSCms-UHC-HW-V
Batang-KSCms-UHC-V
Batang-KSCpc-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
Batang-KSCpc-EUC-V
Batang-Medium-Adobe-Korea1-0 믐뒷햶 □ □ □ □ □ 묆붦쀁슽쓾 □ 춻 □ □
Batang-Medium-Adobe-Korea1-1 믐뒷햶 □ □ □ □ □ 묆붦쀁슽쓾 □ 춻 □ □
Batang-Medium-Adobe-Korea1-2 믐뒷햶 □ □ □ □ □ 묆붦쀁슽쓾 □ 춻 □ □
Batang-Medium-Identity-H 믐뒷햶 □ □ □ □ □ 묆붦쀁슽쓾 □ 춻 □ □
Batang-Medium-Identity-V
Batang-Medium-KSC-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
Batang-Medium-KSC-EUC-V
Batang-Medium-KSC-H 사쳐탬 □ 飡宸臆 □ 갚껙뉘떱많 □ 에ㄹ □
Batang-Medium-KSC-Johab-H ABCDEFG abcdefg 0123456789 &?!$.,
Batang-Medium-KSC-Johab-V
Batang-Medium-KSC-V
Batang-Medium-KSCms-UHC-H ABCDEFG abcdefg 0123456789 &?!$.,
Batang-Medium-KSCms-UHC-HW-H ABCDEFG abcdefg 0123456789 &?!$.,
Batang-Medium-KSCms-UHC-HW-V
Batang-Medium-KSCms-UHC-V
Batang-Medium-KSCpc-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
Batang-Medium-KSCpc-EUC-V
Batang-Medium-UniKS-UCS2-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ ... □ □ □
Batang-Medium-UniKS-UCS2-V
Batang-Medium-UniKS-UTF16-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ ... □ □ □
Batang-Medium-UniKS-UTF16-V
Batang-Medium-UniKS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
Batang-Medium-UniKS-UTF32-V
Batang-Medium-UniKS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
Batang-Medium-UniKS-UTF8-V
Batang-UniKS-UCS2-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ ... □ □ □
Batang-UniKS-UCS2-V
Batang-UniKS-UTF16-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ ... □ □ □
Batang-UniKS-UTF16-V
Batang-UniKS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
Batang-UniKS-UTF32-V
Batang-UniKS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
Batang-UniKS-UTF8-V
BatangChe-Adobe-Korea1-0 믐뒷햶 □ □ □ □ □ 묆붦쀁슽쓾 □ 춻 □ □
BatangChe-Adobe-Korea1-1 믐뒷햶 □ □ □ □ □ 묆붦쀁슽쓾 □ 춻 □ □
BatangChe-Adobe-Korea1-2 믐뒷햶 □ □ □ □ □ 묆붦쀁슽쓾 □ 춻 □ □
BatangChe-Identity-H 믐뒷햶 □ □ □ □ □ 묆붦쀁슽쓾 □ 춻 □ □
BatangChe-Identity-V
BatangChe-KSC-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
BatangChe-KSC-EUC-V
BatangChe-KSC-H 사쳐탬 □ 飡宸臆 □ 갚껙뉘떱많 □ 에ㄹ □
BatangChe-KSC-Johab-H ABCDEFG abcdefg 0123456789 &?!$.,
BatangChe-KSC-Johab-V
BatangChe-KSC-V
BatangChe-KSCms-UHC-H ABCDEFG abcdefg 0123456789 &?!$.,
BatangChe-KSCms-UHC-HW-H ABCDEFG abcdefg 0123456789 &?!$.,
BatangChe-KSCms-UHC-HW-V
BatangChe-KSCms-UHC-V

# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts (continued):

BatangChe-KSCpc-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

BatangChe-KSCpc-EUC-V

BatangChe-UniKS-UCS2-H

BatangChe-UniKS-UCS2-V

BatangChe-UniKS-UTF16-H

BatangChe-UniKS-UTF16-V

BatangChe-UniKS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

BatangChe-UniKS-UTF32-V

BatangChe-UniKS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,

BatangChe-UniKS-UTF8-V

Bookman-Demi **ABCDEFG abcdefg 0123456789 &?!$.,€**

Bookman-DemiItalic ***ABCDEFG abcdefg 0123456789 &?!$.,€***

Bookman-Light ABCDEFG abcdefg 0123456789 &?!$.,€

Bookman-LightItalic *ABCDEFG abcdefg 0123456789 &?!$.,€*

BousungEG-Light-GB-Adobe-GB1-0

BousungEG-Light-GB-Adobe-GB1-1

BousungEG-Light-GB-Adobe-GB1-2

BousungEG-Light-GB-Adobe-GB1-3

BousungEG-Light-GB-Adobe-GB1-4

BousungEG-Light-GB-Adobe-GB1-5

BousungEG-Light-GB-GB-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

BousungEG-Light-GB-GB-EUC-V

BousungEG-Light-GB-GB-H

BousungEG-Light-GB-GB-V

BousungEG-Light-GB-GBK-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

BousungEG-Light-GB-GBK-EUC-V

BousungEG-Light-GB-GBK2K-H ABCDEFG abcdefg 0123456789 &?!$.,

BousungEG-Light-GB-GBK2K-V

BousungEG-Light-GB-GBKp-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

BousungEG-Light-GB-GBKp-EUC-V

BousungEG-Light-GB-GBT-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

BousungEG-Light-GB-GBT-EUC-V

BousungEG-Light-GB-GBT-H

BousungEG-Light-GB-GBT-V

BousungEG-Light-GB-GBTpc-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

BousungEG-Light-GB-GBTpc-EUC-V

BousungEG-Light-GB-GBpc-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

BousungEG-Light-GB-GBpc-EUC-V

BousungEG-Light-GB-Identity-H

BousungEG-Light-GB-Identity-V

BousungEG-Light-GB-UniGB-UCS2-H

BousungEG-Light-GB-UniGB-UCS2-V

BousungEG-Light-GB-UniGB-UTF16-H

BousungEG-Light-GB-UniGB-UTF16-V

BousungEG-Light-GB-UniGB-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

BousungEG-Light-GB-UniGB-UTF32-V

BousungEG-Light-GB-UniGB-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,

BousungEG-Light-GB-UniGB-UTF8-V

C059-BdIta ***ABCDEFG abcdefg 0123456789 &?!$.,€***

C059-Bold **ABCDEFG abcdefg 0123456789 &?!$.,€**

C059-Italic *ABCDEFG abcdefg 0123456789 &?!$.,€*

C059-Roman ABCDEFG abcdefg 0123456789 &?!$.,€

CIDFallBack-Identity-H

CIDFallBack-Identity-V

CMB10 **ABCDEFG abcdefg 0123456789 &?!$.,**

CMBSY10 ***ABCDEFG*** ←⊣⌊⌈{}←∞∈∋△▽∀∃←↘⊥→↔↙⇔

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

CMBSY5 𝓐𝓑𝓒𝓓𝓔𝓕𝓖←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔
CMBSY6 𝓐𝓑𝓒𝓓𝓔𝓕𝓖←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔
CMBSY7 𝓐𝓑𝓒𝓓𝓔𝓕𝓖←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔
CMBSY8 𝓐𝓑𝓒𝓓𝓔𝓕𝓖←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔
CMBSY9 𝓐𝓑𝓒𝓓𝓔𝓕𝓖←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔
CMBX10 **ABCDEFG-abcdefg-0123456789-&?!$.,**
CMBX12 **ABCDEFG-abcdefg-0123456789-&?!$.,**
CMBX5 **ABCDEFG-abcdefg-0123456789-&?!$.,**
CMBX6 **ABCDEFG-abcdefg-0123456789-&?!$.,**
CMBX7 **ABCDEFG-abcdefg-0123456789-&?!$.,**
CMBX8 **ABCDEFG-abcdefg-0123456789-&?!$.,**
CMBX9 **ABCDEFG-abcdefg-0123456789-&?!$.,**
CMBXSL10 ***ABCDEFG-abcdefg-0123456789-&?!$.,***
CMBXTI10 ***ABCDEFG-abcdefg-0123456789-&?!£.,***
CMCSC10 ABCDEFG-ABCDEFG-0123456789-&?!$.,
CMCSC8 ABCDEFG-ABCDEFG-0123456789-&?!$.,
CMCSC9 ABCDEFG-ABCDEFG-0123456789-&?!$.,
CMDUNH10 ABCDEFG-abcdefg-0123456789-&?!$.,
CMEX10 ⎛ ⎜ ⎝ ⟨ ⟩ ⎣ ⎦ ⎩ ⎭ ∐ ⎧ ⎫ ⎪ ⎨ ⎬ ⎢ ⎡ ⎤ ⎥ ⎞ ⎟ ⎠ / \
CMEX7 ⎛ ⎜ ⎝ ⟨ ⟩ ⎣ ⎦ ⎩ ⎭ ∐ ⎧ ⎫ ⎪ ⎨ ⎬ ⎢ ⎡ ⎤ ⎥ ⎞ ⎟ ⎠ / \
CMEX8 ⎛ ⎜ ⎝ ⟨ ⟩ ⎣ ⎦ ⎩ ⎭ ∐ ⎧ ⎫ ⎪ ⎨ ⎬ ⎢ ⎡ ⎤ ⎥ ⎞ ⎟ ⎠ / \
CMEX9 ⎛ ⎜ ⎝ ⟨ ⟩ ⎣ ⎦ ⎩ ⎭ ∐ ⎧ ⎫ ⎪ ⎨ ⎬ ⎢ ⎡ ⎤ ⎥ ⎞ ⎟ ⎠ / \
CMFF10 ABCDEFG-abcdefg-0123456789-&?!$.,
CMFI10 *ABCDEFG-abcdefg-0123456789-&?!£.,*
CMFIB8 ABCDEFG-abcdefg-0123456789-&?!$.,
CMINCH ABCDEFG 0123456789
CMITT10 *ABCDEFG␣abcdefg␣0123456789␣&?!£.,*
CMR10 ABCDEFG-abcdefg-0123456789-&?!$.,
CMR12 ABCDEFG-abcdefg-0123456789-&?!$.,
CMR17 ABCDEFG-abcdefg-0123456789-&?!$.,
CMR5 ABCDEFG-abcdefg-0123456789-&?!$.,
CMR6 ABCDEFG-abcdefg-0123456789-&?!$.,
CMR7 ABCDEFG-abcdefg-0123456789-&?!$.,
CMR8 ABCDEFG-abcdefg-0123456789-&?!$.,
CMR9 ABCDEFG-abcdefg-0123456789-&?!$.,
CMSL10 *ABCDEFG-abcdefg-0123456789-&?!$.,*
CMSL12 *ABCDEFG-abcdefg-0123456789-&?!$.,*
CMSL8 *ABCDEFG-abcdefg-0123456789-&?!$.,*
CMSL9 *ABCDEFG-abcdefg-0123456789-&?!$.,*
CMSLTT10 *ABCDEFG␣abcdefg␣0123456789␣&?!$.,*
CMSS10 ABCDEFG-abcdefg-0123456789-&?!$.,
CMSS12 ABCDEFG-abcdefg-0123456789-&?!$.,
CMSS17 ABCDEFG-abcdefg-0123456789-&?!$.,
CMSS8 ABCDEFG-abcdefg-0123456789-&?!$.,
CMSS9 ABCDEFG-abcdefg-0123456789-&?!$.,
CMSSBX10 **ABCDEFG-abcdefg-0123456789-&?!$.,**
CMSSDC10 **ABCDEFG-abcdefg-0123456789-&?!$.,**
CMSSI10 *ABCDEFG-abcdefg-0123456789-&?!$.,*
CMSSI12 *ABCDEFG-abcdefg-0123456789-&?!$.,*
CMSSI17 *ABCDEFG-abcdefg-0123456789-&?!$.,*
CMSSI8 *ABCDEFG-abcdefg-0123456789-&?!$.,*
CMSSI9 *ABCDEFG-abcdefg-0123456789-&?!$.,*
CMSSQ8 ABCDEFG-abcdefg-0123456789-&?!$.,
CMSSQI8 *ABCDEFG-abcdefg-0123456789-&?!$.,*
CMSY10 𝐴𝐵𝐶𝐷𝐸𝐹𝐺←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔
CMSY5 𝓐𝓑𝓒𝓓𝓔𝓕𝓖←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

CMSY6 𝒜ℬ𝒞𝒟ℰℱ𝒢←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔

CMSY7 𝒜ℬ𝒞𝒟ℰℱ𝒢←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔

CMSY8 𝒜ℬ𝒞𝒟ℰℱ𝒢←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔

CMSY9 𝒜ℬ𝒞𝒟ℰℱ𝒢←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔

CMTCSC10 ABCDEFG␣ABCDEFG␣0123456789␣&?!$.,

CMTEX10 ABCDEFG abcdefg 0123456789 &?!$.,

CMTEX8 ABCDEFG abcdefg 0123456789 &?!$.,

CMTEX9 ABCDEFG abcdefg 0123456789 &?!$.,

CMTI10 *ABCDEFG-abcdefg-0123456789-&?!£.,*

CMTI12 *ABCDEFG-abcdefg-0123456789-&?!£.,*

CMTI7 *ABCDEFG-abcdefg-0123456789-&?!£.,*

CMTI8 *ABCDEFG-abcdefg-0123456789-&?!£.,*

CMTI9 *ABCDEFG-abcdefg-0123456789-&?!£.,*

CMTT10 ABCDEFG␣abcdefg␣0123456789␣&?!$.,

CMTT12 ABCDEFG␣abcdefg␣0123456789␣&?!$.,

CMTT8 ABCDEFG␣abcdefg␣0123456789␣&?!$.,

CMTT9 ABCDEFG␣abcdefg␣0123456789␣&?!$.,

CMU10 ABCDEFG-abcdefg-0123456789-&?!£.,

CMVTT10 ABCDEFG-abcdefg-0123456789-&?!$.,

Calligraphic-Hiragana わ うゆゑを かそすくうけこ 0123456789 へふ

Calligraphic-Katakana ワ ウユヱヲ カソスクウケコ 0123456789 へフ

CenturySchL-Bold **ABCDEFG abcdefg 0123456789 &?!$.,€**

CenturySchL-BoldItal ***ABCDEFG abcdefg 0123456789 &?!$.,€***

CenturySchL-Ital *ABCDEFG abcdefg 0123456789 &?!$.,€*

CenturySchL-Roma ABCDEFG abcdefg 0123456789 &?!$.,€

Charter-Bold **ABCDEFG abcdefg 0123456789 &?!$.,**

Charter-BoldItalic ***ABCDEFG abcdefg 0123456789 &?!$.,***

Charter-Italic *ABCDEFG abcdefg 0123456789 &?!$.,*

Charter-Roman ABCDEFG abcdefg 0123456789 &?!$.,

CharterBT-Bold **ABCDEFG abcdefg 0123456789 &?!$.,**

CharterBT-BoldItalic ***ABCDEFG abcdefg 0123456789 &?!$.,***

CharterBT-Italic *ABCDEFG abcdefg 0123456789 &?!$.,*

CharterBT-Roman ABCDEFG abcdefg 0123456789 &?!$.,

Cmb10 **ABCDEFG-abcdefg-0123456789-&?!$.,**

Cmbsy10 𝒜ℬ𝒞𝒟ℰℱ𝒢←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔

Cmbsy5 𝒜ℬ𝒞𝒟ℰℱ𝒢←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔

Cmbsy6 𝒜ℬ𝒞𝒟ℰℱ𝒢←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔

Cmbsy7 𝒜ℬ𝒞𝒟ℰℱ𝒢←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔

Cmbsy8 𝒜ℬ𝒞𝒟ℰℱ𝒢←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔

Cmbsy9 𝒜ℬ𝒞𝒟ℰℱ𝒢←⊣⌊⌋⌈⌉{}←∕∞∈∋△▽∀∃←↘⊥→↔↙⇔

Cmbx10 **ABCDEFG-abcdefg-0123456789-&?!$.,**

Cmbx12 **ABCDEFG-abcdefg-0123456789-&?!$.,**

Cmbx5 **ABCDEFG-abcdefg-0123456789-&?!$.,**

Cmbx6 **ABCDEFG-abcdefg-0123456789-&?!$.,**

Cmbx7 **ABCDEFG-abcdefg-0123456789-&?!$.,**

Cmbx8 **ABCDEFG-abcdefg-0123456789-&?!$.,**

Cmbx9 **ABCDEFG-abcdefg-0123456789-&?!$.,**

Cmbxsl10 ***ABCDEFG-abcdefg-0123456789-&?!$.,***

Cmbxti10 ***ABCDEFG-abcdefg-0123456789-&?!£.,***

Cmcsc10 ABCDEFG-ABCDEFG-0123456789-&?!$.,

Cmcsc8 ABCDEFG-ABCDEFG-0123456789-&?!$.,

Cmcsc9 ABCDEFG-ABCDEFG-0123456789-&?!$.,

Cmdunh10 ABCDEFG-abcdefg-0123456789-&?!$.,

Cmex10

Cmex7

Cmex8



# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

| | |
|---|---|
| Cmex9 |  |
| Cmff10 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmfi10 | *ABCDEFG-abcdefg-0123456789-&?!£.,* |
| Cmfib8 | **ABCDEFG-abcdefg-0123456789-&?!$.,** |
| Cminch | **ABCDEFG 0123456789** |
| Cmitt10 | *ABCDEFG␣abcdefg␣0123456789␣&?!£.,* |
| Cmmi10 | *ABCDEFGψabcdefgψ0123456789ψς⋆ωϖ▷ʿ* |
| Cmmi12 | *ABCDEFGψabcdefgψ0123456789ψς⋆ωϖ▷ʿ* |
| Cmmi5 | *ABCDEFGψabcdefgψ0123456789ψς⋆ωϖ▷ʿ* |
| Cmmi6 | *ABCDEFGψabcdefgψ0123456789ψς⋆ωϖ▷ʿ* |
| Cmmi7 | *ABCDEFGψabcdefgψ0123456789ψς⋆ωϖ▷ʿ* |
| Cmmi8 | *ABCDEFGψabcdefgψ0123456789ψς⋆ωϖ▷ʿ* |
| Cmmi9 | *ABCDEFGψabcdefgψ0123456789ψς⋆ωϖ▷ʿ* |
| Cmmib10 | ***ABCDEFGψabcdefgψ0123456789ψς⋆ωϖ▷ʿ*** |
| Cmmib5 | ***ABCDEFGψabcdefgψ0123456789ψς⋆ωϖ▷ʿ*** |
| Cmmib6 | ***ABCDEFGψabcdefgψ0123456789ψς⋆ωϖ▷ʿ*** |
| Cmmib7 | ***ABCDEFGψabcdefgψ0123456789ψς⋆ωϖ▷ʿ*** |
| Cmmib8 | ***ABCDEFGψabcdefgψ0123456789ψς⋆ωϖ▷ʿ*** |
| Cmmib9 | ***ABCDEFGψabcdefgψ0123456789ψς⋆ωϖ▷ʿ*** |
| Cmr10 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmr12 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmr17 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmr5 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmr6 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmr7 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmr8 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmr9 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmsl10 | *ABCDEFG-abcdefg-0123456789-&?!$.,* |
| Cmsl12 | *ABCDEFG-abcdefg-0123456789-&?!$.,* |
| Cmsl8 | *ABCDEFG-abcdefg-0123456789-&?!$.,* |
| Cmsl9 | *ABCDEFG-abcdefg-0123456789-&?!$.,* |
| Cmsltt10 | *ABCDEFG␣abcdefg␣0123456789␣&?!$.,* |
| Cmss10 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmss12 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmss17 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmss8 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmss9 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmssbx10 | **ABCDEFG-abcdefg-0123456789-&?!$.,** |
| Cmssdc10 | **ABCDEFG-abcdefg-0123456789-&?!$.,** |
| Cmssi10 | *ABCDEFG-abcdefg-0123456789-&?!$.,* |
| Cmssi12 | *ABCDEFG-abcdefg-0123456789-&?!$.,* |
| Cmssi17 | *ABCDEFG-abcdefg-0123456789-&?!$.,* |
| Cmssi8 | *ABCDEFG-abcdefg-0123456789-&?!$.,* |
| Cmssi9 | *ABCDEFG-abcdefg-0123456789-&?!$.,* |
| Cmssq8 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Cmssqi8 | *ABCDEFG-abcdefg-0123456789-&?!$.,* |
| Cmsy10 | *ABCDEFG←⊣⌊⌋⌈⌉{}←ı∞∈∋△▽∀∃←↘⊥→↔↙⇔* |
| Cmsy5 | *ABCDEFG←⊣⌊⌋⌈⌉{}←ı∞∈∋△▽∀∃←↘⊥→↔↙⇔* |
| Cmsy6 | *ABCDEFG←⊣⌊⌋⌈⌉{}←ı∞∈∋△▽∀∃←↘⊥→↔↙⇔* |
| Cmsy7 | *ABCDEFG←⊣⌊⌋⌈⌉{}←ı∞∈∋△▽∀∃←↘⊥→↔↙⇔* |
| Cmsy8 | *ABCDEFG←⊣⌊⌋⌈⌉{}←ı∞∈∋△▽∀∃←↘⊥→↔↙⇔* |
| Cmsy9 | *ABCDEFG←⊣⌊⌋⌈⌉{}←ı∞∈∋△▽∀∃←↘⊥→↔↙⇔* |
| Cmtcsc10 | ABCDEFG␣ABCDEFG␣0123456789␣&?!$., |
| Cmtex10 | ABCDEFG abcdefg 0123456789 &?!$., |
| Cmtex8 | ABCDEFG abcdefg 0123456789 &?!$., |
| Cmtex9 | ABCDEFG abcdefg 0123456789 &?!$., |

# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts (continued):

| | |
|---|---|
| Cmti10 | *ABCDEFG-abcdefg-0123456789-&?!£.,* |
| Cmti12 | *ABCDEFG-abcdefg-0123456789-&?!£.,* |
| Cmti7 | *ABCDEFG-abcdefg-0123456789-&?!£.,* |
| Cmti8 | *ABCDEFG-abcdefg-0123456789-&?!£.,* |
| Cmti9 | *ABCDEFG-abcdefg-0123456789-&?!£.,* |
| Cmtt10 | ABCDEFG␣abcdefg␣0123456789␣&?!$., |
| Cmtt12 | ABCDEFG␣abcdefg␣0123456789␣&?!$., |
| Cmtt8 | ABCDEFG␣abcdefg␣0123456789␣&?!$., |
| Cmtt9 | ABCDEFG␣abcdefg␣0123456789␣&?!$., |
| Cmu10 | ABCDEFG-abcdefg-0123456789-&?!£., |
| Cmvtt10 | ABCDEFG-abcdefg-0123456789-&?!$., |
| Courier | ABCDEFG abcdefg 0123456789 &?!$.,€ |
| Courier-Bold | **ABCDEFG abcdefg 0123456789 &?!$.,€** |
| Courier-BoldOblique | ***ABCDEFG abcdefg 0123456789 &?!$.,€*** |
| Courier-Oblique | *ABCDEFG abcdefg 0123456789 &?!$.,€* |
| Cyrillic | **АБЦДЕоГ** абцдефг **0123456789 ?! .,** |
| Cyrillic-Italic | ***АБЦДЕоГ*** *абцдефг* ***0123456789 ?! .,*** |
| Cyrillic-Regular | **АБЦДЕоГ** абцдефг **0123456789 ?! .,** |
| D050000L | ✡✢✣✤✥✦✧ ❁❂❄❄❄❄ ✐✑✒✓✔✕✖✗✘✙ ✆✝✁✂✃✌ |
| DFKai-SB-Adobe-CNS1-0 | □ □发□ □ □ □ □韓□蠟□蠟□ツ□惹□梗□ |
| DFKai-SB-Adobe-CNS1-1 | □ □发□ □ □ □ □韓□蠟□蠟□ツ□惹□梗□ |
| DFKai-SB-Adobe-CNS1-2 | □ □发□ □ □ □ □韓□蠟□蠟□ツ□惹□梗□ |
| DFKai-SB-Adobe-CNS1-3 | □ □发□ □ □ □ □韓□蠟□蠟□ツ□惹□梗□ |
| DFKai-SB-Adobe-CNS1-4 | □ □发□ □ □ □ □韓□蠟□蠟□ツ□惹□梗□ |
| DFKai-SB-Adobe-CNS1-5 | □ □发□ □ □ □ □韓□蠟□蠟□ツ□惹□梗□ |
| DFKai-SB-Adobe-CNS1-6 | □ □发□ □ □ □ □韓□蠟□蠟□ツ□惹□梗□ |
| DFKai-SB-Adobe-CNS1-7 | □ □发□ □ □ □ □韓□蠟□蠟□ツ□惹□梗□ |
| DFKai-SB-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| DFKai-SB-B5-V | |
| DFKai-SB-B5pc-H | ABCDEFG abcdefg 0123456789 &?!$., |
| DFKai-SB-B5pc-V | |
| DFKai-SB-CNS-EUC-H | □ □发□ □ □ □ □韓□蠟□蠟□ツ□惹□梗□ |
| DFKai-SB-CNS-EUC-V | |
| DFKai-SB-CNS1-H | □ □文□莱媽筷□ □ □ □ □ □ □ □ □Ⅳ□ |
| DFKai-SB-CNS1-V | |
| DFKai-SB-CNS2-H | □□□□

# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts (continued):

DFKai-SB-Identity-V

DFKai-SB-UniCNS-UCS2-H

DFKai-SB-UniCNS-UCS2-V

DFKai-SB-UniCNS-UTF16-H

DFKai-SB-UniCNS-UTF16-V

DFKai-SB-UniCNS-UTF32-H

DFKai-SB-UniCNS-UTF32-V

DFKai-SB-UniCNS-UTF8-H

DFKai-SB-UniCNS-UTF8-V

Dingbats

Dotum-Adobe-Korea1-0

Dotum-Adobe-Korea1-1

Dotum-Adobe-Korea1-2

Dotum-Identity-H

Dotum-Identity-V

Dotum-KSC-EUC-H

Dotum-KSC-EUC-V

Dotum-KSC-H

Dotum-KSC-Johab-H

Dotum-KSC-Johab-V

Dotum-KSC-V

Dotum-KSCms-UHC-H

Dotum-KSCms-UHC-HW-H

Dotum-KSCms-UHC-HW-V

Dotum-KSCms-UHC-V

Dotum-KSCpc-EUC-H

Dotum-KSCpc-EUC-V

Dotum-UniKS-UCS2-H

Dotum-UniKS-UCS2-V

Dotum-UniKS-UTF16-H

Dotum-UniKS-UTF16-V

Dotum-UniKS-UTF32-H

Dotum-UniKS-UTF32-V

Dotum-UniKS-UTF8-H

Dotum-UniKS-UTF8-V

EUEX10

EUEX7

EUEX8

EUEX9

EUFB10

EUFB5

EUFB7

EUFM10

EUFM5

EUFM7

EURB10

EURB5

EURB7

EURM10

EURM5

EURM7

EUSB10

EUSB5

EUSB7

EUSM10

EUSM5

# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts (continued):

EUSM7 $\mathcal{ABCDEFG}$ {}
Euex10 ← ← ∞ ←↘ →↔↙⇔
Euex7 ← ← ∞ ←↘ →↔↙⇔
Euex8 ← ← ∞ ←↘ →↔↙⇔
Euex9 ← ← ∞ ←↘ →↔↙⇔
Eufb10 **𝔄𝔅ℭ𝔇𝔈𝔉𝔊 abcdefg 0123456789 &?! .,**
Eufb5 **𝔄 𝔅 ℭ 𝔇 𝔈 𝔉 𝔊 a b c d e f g 0 1 2 3 4 5 6 7 8 9 & ? ! . ,**
Eufb7 **𝔄𝔅ℭ𝔇𝔈𝔉𝔊 abcdefg 0123456789 &?! .,**
Eufm10 𝔄𝔅ℭ𝔇𝔈𝔉𝔊 abcdefg 0123456789 &?! .,
Eufm5 𝔄 𝔅 ℭ 𝔇 𝔈 𝔉 𝔊 a b c d e f g 0 1 2 3 4 5 6 7 8 9 & ? ! . ,
Eufm7 𝔄𝔅ℭ𝔇𝔈𝔉𝔊 abcdefg 0123456789 &?! .,
Eurb10 **ABCDEFGψabcdefgψ0123456789ψ ωϖ**
Eurb5 **A B C D E F G ψ a b c d e f g ψ 0 1 2 3 4 5 6 7 8 9 ψ ω ϖ**
Eurb7 **ABCDEFGψabcdefgψ0123456789ψ ωϖ**
Eurm10 ABCDEFGψabcdefgψ0123456789ψ ωϖ
Eurm5 A B C D E F G ψ a b c d e f g ψ 0 1 2 3 4 5 6 7 8 9 ψ ω ϖ
Eurm7 ABCDEFGψabcdefgψ0123456789ψ ωϖ
Eusb10 $\boldsymbol{\mathcal{ABCDEFG}}$ {}
Eusb5 $\boldsymbol{\mathcal{A\,B\,C\,D\,E\,F\,G}}$ { }
Eusb7 $\boldsymbol{\mathcal{ABCDEFG}}$ {}
Eusm10 $\mathcal{ABCDEFG}$ {}
Eusm5 $\mathcal{A\,B\,C\,D\,E\,F\,G}$ { }
Eusm7 $\mathcal{ABCDEFG}$ {}
FutoGoB101-Bold-78-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoGoB101-Bold-78-EUC-V
FutoGoB101-Bold-78-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
FutoGoB101-Bold-78-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoGoB101-Bold-78-RKSJ-V
FutoGoB101-Bold-78-V
FutoGoB101-Bold-78ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoGoB101-Bold-78ms-RKSJ-V
FutoGoB101-Bold-83pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoGoB101-Bold-90ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoGoB101-Bold-90ms-RKSJ-V
FutoGoB101-Bold-90msp-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoGoB101-Bold-90msp-RKSJ-V
FutoGoB101-Bold-90pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoGoB101-Bold-90pv-RKSJ-V
FutoGoB101-Bold-Add-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
FutoGoB101-Bold-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoGoB101-Bold-Add-RKSJ-V
FutoGoB101-Bold-Add-V
FutoGoB101-Bold-Adobe-Japan1-0 □□□□□□□□□□□□卽□啡_□□□
FutoGoB101-Bold-Adobe-Japan1-1 □□□□□□□□□□□□卽□啡_□□□
FutoGoB101-Bold-Adobe-Japan1-2 □□□□□□□□□□□□卽□啡_□□□
FutoGoB101-Bold-Adobe-Japan1-3 □□□□□□□□□□□□卽□啡_□□□
FutoGoB101-Bold-Adobe-Japan1-4 □□□□□□□□□□□□卽□啡_□□□
FutoGoB101-Bold-Adobe-Japan1-5 □□□□□□□□□□□□卽□啡_□□□
FutoGoB101-Bold-Adobe-Japan1-6 □□□□□□□□□□□□卽□啡_□□□
FutoGoB101-Bold-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoGoB101-Bold-EUC-V
FutoGoB101-Bold-Ext-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
FutoGoB101-Bold-Ext-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoGoB101-Bold-Ext-RKSJ-V
FutoGoB101-Bold-Ext-V
FutoGoB101-Bold-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□

# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts (continued):

FutoGoB101-Bold-Hankaku
FutoGoB101-Bold-Hiragana
FutoGoB101-Bold-Identity-H
FutoGoB101-Bold-Identity-V
FutoGoB101-Bold-Katakana
FutoGoB101-Bold-NWP-H
FutoGoB101-Bold-NWP-V
FutoGoB101-Bold-RKSJ-H
FutoGoB101-Bold-RKSJ-V
FutoGoB101-Bold-Roman
FutoGoB101-Bold-UniJIS-UCS2-H
FutoGoB101-Bold-UniJIS-UCS2-HW-H
FutoGoB101-Bold-UniJIS-UCS2-HW-V
FutoGoB101-Bold-UniJIS-UCS2-V
FutoGoB101-Bold-UniJIS-UTF16-H
FutoGoB101-Bold-UniJIS-UTF16-V
FutoGoB101-Bold-UniJIS-UTF32-H
FutoGoB101-Bold-UniJIS-UTF32-V
FutoGoB101-Bold-UniJIS-UTF8-H
FutoGoB101-Bold-UniJIS-UTF8-V
FutoGoB101-Bold-UniJIS2004-UTF16-H
FutoGoB101-Bold-UniJIS2004-UTF16-V
FutoGoB101-Bold-UniJIS2004-UTF32-H
FutoGoB101-Bold-UniJIS2004-UTF32-V
FutoGoB101-Bold-UniJIS2004-UTF8-H
FutoGoB101-Bold-UniJIS2004-UTF8-V
FutoGoB101-Bold-UniJISPro-UCS2-HW-V
FutoGoB101-Bold-UniJISPro-UCS2-V
FutoGoB101-Bold-UniJISPro-UTF8-V
FutoGoB101-Bold-UniJISX0213-UTF32-H
FutoGoB101-Bold-UniJISX0213-UTF32-V
FutoGoB101-Bold-UniJISX02132004-UTF32-H
FutoGoB101-Bold-UniJISX02132004-UTF32-V
FutoGoB101-Bold-V
FutoGoB101-Bold-WP-Symbol
FutoMinA101-Bold-78-EUC-H
FutoMinA101-Bold-78-EUC-V
FutoMinA101-Bold-78-H
FutoMinA101-Bold-78-RKSJ-H
FutoMinA101-Bold-78-RKSJ-V
FutoMinA101-Bold-78-V
FutoMinA101-Bold-78ms-RKSJ-H
FutoMinA101-Bold-78ms-RKSJ-V
FutoMinA101-Bold-83pv-RKSJ-H
FutoMinA101-Bold-90ms-RKSJ-H
FutoMinA101-Bold-90ms-RKSJ-V
FutoMinA101-Bold-90msp-RKSJ-H
FutoMinA101-Bold-90msp-RKSJ-V
FutoMinA101-Bold-90pv-RKSJ-H
FutoMinA101-Bold-90pv-RKSJ-V
FutoMinA101-Bold-Add-H
FutoMinA101-Bold-Add-RKSJ-H
FutoMinA101-Bold-Add-RKSJ-V
FutoMinA101-Bold-Add-V
FutoMinA101-Bold-Adobe-Japan1-0
FutoMinA101-Bold-Adobe-Japan1-1



# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

FutoMinA101-Bold-Adobe-Japan1-2 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
FutoMinA101-Bold-Adobe-Japan1-3 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
FutoMinA101-Bold-Adobe-Japan1-4 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
FutoMinA101-Bold-Adobe-Japan1-5 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
FutoMinA101-Bold-Adobe-Japan1-6 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
FutoMinA101-Bold-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoMinA101-Bold-EUC-V
FutoMinA101-Bold-Ext-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
FutoMinA101-Bold-Ext-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoMinA101-Bold-Ext-RKSJ-V
FutoMinA101-Bold-Ext-V
FutoMinA101-Bold-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
FutoMinA101-Bold-Hankaku ABCDEFG abcdefg 0123456789 &?!$.,
FutoMinA101-Bold-Hiragana □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ - □ □ □ □ □ □ □ □ □ □ □ □ 。、 □ □
FutoMinA101-Bold-Identity-H □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
FutoMinA101-Bold-Identity-V
FutoMinA101-Bold-Katakana ｯﾃﾄﾅﾆﾇ □ □ □ □ □ □ □ □ □ - ｱｲｳｴｵｶｷｸｹ □ ﾗﾘ。、ﾖﾔ
FutoMinA101-Bold-NWP-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
FutoMinA101-Bold-NWP-V
FutoMinA101-Bold-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoMinA101-Bold-RKSJ-V
FutoMinA101-Bold-Roman ABCDEFG abcdefg 0123456789 &?!$.,
FutoMinA101-Bold-UniJIS-UCS2-H 亜 □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □
FutoMinA101-Bold-UniJIS-UCS2-HW-H 亜 □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □
FutoMinA101-Bold-UniJIS-UCS2-HW-V
FutoMinA101-Bold-UniJIS-UCS2-V
FutoMinA101-Bold-UniJIS-UTF16-H 亜 □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □
FutoMinA101-Bold-UniJIS-UTF16-V
FutoMinA101-Bold-UniJIS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoMinA101-Bold-UniJIS-UTF32-V
FutoMinA101-Bold-UniJIS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoMinA101-Bold-UniJIS-UTF8-V
FutoMinA101-Bold-UniJIS2004-UTF16-H 亜 □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □
FutoMinA101-Bold-UniJIS2004-UTF16-V
FutoMinA101-Bold-UniJIS2004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoMinA101-Bold-UniJIS2004-UTF32-V
FutoMinA101-Bold-UniJIS2004-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoMinA101-Bold-UniJIS2004-UTF8-V
FutoMinA101-Bold-UniJISPro-UCS2-HW-V
FutoMinA101-Bold-UniJISPro-UCS2-V
FutoMinA101-Bold-UniJISPro-UTF8-V
FutoMinA101-Bold-UniJISX0213-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoMinA101-Bold-UniJISX0213-UTF32-V
FutoMinA101-Bold-UniJISX02132004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
FutoMinA101-Bold-UniJISX02132004-UTF32-V
FutoMinA101-Bold-V
FutoMinA101-Bold-WP-Symbol ㈱㈲㈹㈾㈿㉀㉁㉂㉃㉄㉅㉆㉇㉈㉉㉊㉋㉌㉍㉎㉏㉐㉑㉒㉓㉔㉕㉖㉗㉘㉙㉚㉛㉜㉝㉞㉟㊱㊲㊳㊴㊵㊶㊷㊸㊹㊺㊻㊼㊽㊾㊿㋀㋁㋂㋃㋄㋅㋆㋇㋈㋉㋊㋋㋌㋍㋎㋏㋐㋑㋒㋓㋔㋕㋖㋗㋘㋙㋚㋛㋜㋝㋞㋟㋠㋡㋢㋣㋤㋥㋦㋧㋨㋩㋪㋫㋬㋭㋮㋯㋰㋱㋲㋳㋴㋵㋶㋷㋸㋹㋺㋻㋼㋽㋾㍀㍁㍂㍃㍄㍅㍆㍇㍈㍉㍊㍋㍌㍍㍎㍏㍐㍑㍒㍓㍔㍕㍖㍗㍘㍙㍚㍛㍜㍝㍞㍟㍠㍡㍢㍣㍤㍥㍦㍧㍨㍩㍪㍫㍬㍭㍮㍯㍰ viii ➡ □ □ ➡ □ ♠ ♥ viii calkcal ㇀ ㇋ ~ dBHzmsμsnsviiimm³㈠ix cm³ □ ℓ
GBZenKai-Medium-Adobe-GB1-0 鸞綩臕蘆 □ □ □ □ 嚾懃敍梱殱輌脊綛 □
GBZenKai-Medium-Adobe-GB1-1 鸞綩臕蘆 □ □ □ □ 嚾懃敍梱殱輌脊綛 □
GBZenKai-Medium-Adobe-GB1-2 鸞綩臕蘆 □ □ □ □ 嚾懃敍梱殱輌脊綛 □
GBZenKai-Medium-Adobe-GB1-3 鸞綩臕蘆 □ □ □ □ 嚾懃敍梱殱輌脊綛 □
GBZenKai-Medium-Adobe-GB1-4 鸞綩臕蘆 □ □ □ □ 嚾懃敍梱殱輌脊綛 □
GBZenKai-Medium-Adobe-GB1-5 鸞綩臕蘆 □ □ □ □ 嚾懃敍梱殱輌脊綛 □
GBZenKai-Medium-GB-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
GBZenKai-Medium-GB-EUC-V
GBZenKai-Medium-GB-H 涼媚牌 □ 徠沅ヨ □ 氨渤吹斗腹 □ 俊ぎ □

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

GBZenKai-Medium-GB-V
GBZenKai-Medium-GBK-EUC-H
GBZenKai-Medium-GBK-EUC-V
GBZenKai-Medium-GBK2K-H
GBZenKai-Medium-GBK2K-V
GBZenKai-Medium-GBKp-EUC-H
GBZenKai-Medium-GBKp-EUC-V
GBZenKai-Medium-GBT-EUC-H
GBZenKai-Medium-GBT-EUC-V
GBZenKai-Medium-GBT-H
GBZenKai-Medium-GBT-V
GBZenKai-Medium-GBTpc-EUC-H
GBZenKai-Medium-GBTpc-EUC-V
GBZenKai-Medium-GBpc-EUC-H
GBZenKai-Medium-GBpc-EUC-V
GBZenKai-Medium-Identity-H
GBZenKai-Medium-Identity-V
GBZenKai-Medium-UniGB-UCS2-H
GBZenKai-Medium-UniGB-UCS2-V
GBZenKai-Medium-UniGB-UTF16-H
GBZenKai-Medium-UniGB-UTF16-V
GBZenKai-Medium-UniGB-UTF32-H
GBZenKai-Medium-UniGB-UTF32-V
GBZenKai-Medium-UniGB-UTF8-H
GBZenKai-Medium-UniGB-UTF8-V
GothicBBB-Medium-78-EUC-H
GothicBBB-Medium-78-EUC-V
GothicBBB-Medium-78-H
GothicBBB-Medium-78-RKSJ-H
GothicBBB-Medium-78-RKSJ-V
GothicBBB-Medium-78-V
GothicBBB-Medium-78ms-RKSJ-H
GothicBBB-Medium-78ms-RKSJ-V
GothicBBB-Medium-83pv-RKSJ-H
GothicBBB-Medium-90ms-RKSJ-H
GothicBBB-Medium-90ms-RKSJ-V
GothicBBB-Medium-90msp-RKSJ-H
GothicBBB-Medium-90msp-RKSJ-V
GothicBBB-Medium-90pv-RKSJ-H
GothicBBB-Medium-90pv-RKSJ-V
GothicBBB-Medium-Add-H
GothicBBB-Medium-Add-RKSJ-H
GothicBBB-Medium-Add-RKSJ-V
GothicBBB-Medium-Add-V
GothicBBB-Medium-Adobe-Japan1-0
GothicBBB-Medium-Adobe-Japan1-1
GothicBBB-Medium-Adobe-Japan1-2
GothicBBB-Medium-Adobe-Japan1-3
GothicBBB-Medium-Adobe-Japan1-4
GothicBBB-Medium-Adobe-Japan1-5
GothicBBB-Medium-Adobe-Japan1-6
GothicBBB-Medium-EUC-H
GothicBBB-Medium-EUC-V
GothicBBB-Medium-Ext-H
GothicBBB-Medium-Ext-RKSJ-H
GothicBBB-Medium-Ext-RKSJ-V


ABCDEFG abcdefg 0123456789 &?!$.,
ABCDEFG abcdefg 0123456789 &?!$.,
ABCDEFG abcdefg 0123456789 &?!$.,

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

GothicBBB-Medium-Ext-V

GothicBBB-Medium-H

GothicBBB-Medium-Hankaku

GothicBBB-Medium-Hiragana

GothicBBB-Medium-Identity-H

GothicBBB-Medium-Identity-V

GothicBBB-Medium-Katakana

GothicBBB-Medium-NWP-H

GothicBBB-Medium-NWP-V

GothicBBB-Medium-RKSJ-H

GothicBBB-Medium-RKSJ-V

GothicBBB-Medium-Roman

GothicBBB-Medium-UniJIS-UCS2-H

GothicBBB-Medium-UniJIS-UCS2-HW-H

GothicBBB-Medium-UniJIS-UCS2-HW-V

GothicBBB-Medium-UniJIS-UCS2-V

GothicBBB-Medium-UniJIS-UTF16-H

GothicBBB-Medium-UniJIS-UTF16-V

GothicBBB-Medium-UniJIS-UTF32-H

GothicBBB-Medium-UniJIS-UTF32-V

GothicBBB-Medium-UniJIS-UTF8-H

GothicBBB-Medium-UniJIS-UTF8-V

GothicBBB-Medium-UniJIS2004-UTF16-H

GothicBBB-Medium-UniJIS2004-UTF16-V

GothicBBB-Medium-UniJIS2004-UTF32-H

GothicBBB-Medium-UniJIS2004-UTF32-V

GothicBBB-Medium-UniJIS2004-UTF8-H

GothicBBB-Medium-UniJIS2004-UTF8-V

GothicBBB-Medium-UniJISPro-UCS2-HW-V

GothicBBB-Medium-UniJISPro-UCS2-V

GothicBBB-Medium-UniJISPro-UTF8-V

GothicBBB-Medium-UniJISX0213-UTF32-H

GothicBBB-Medium-UniJISX0213-UTF32-V

GothicBBB-Medium-UniJISX02132004-UTF32-H

GothicBBB-Medium-UniJISX02132004-UTF32-V

GothicBBB-Medium-V

GothicBBB-Medium-WP-Symbol

Gulim-Adobe-Korea1-0

Gulim-Adobe-Korea1-1

Gulim-Adobe-Korea1-2

Gulim-Identity-H

Gulim-Identity-V

Gulim-KSC-EUC-H

Gulim-KSC-EUC-V

Gulim-KSC-H

Gulim-KSC-Johab-H

Gulim-KSC-Johab-V

Gulim-KSC-V

Gulim-KSCms-UHC-H

Gulim-KSCms-UHC-HW-H

Gulim-KSCms-UHC-HW-V

Gulim-KSCms-UHC-V

Gulim-KSCpc-EUC-H

Gulim-KSCpc-EUC-V

Gulim-Medium-Adobe-Korea1-0

Gulim-Medium-Adobe-Korea1-1

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

Gulim-Medium-Adobe-Korea1-2
Gulim-Medium-Identity-H
Gulim-Medium-Identity-V
Gulim-Medium-KSC-EUC-H
Gulim-Medium-KSC-EUC-V
Gulim-Medium-KSC-H
Gulim-Medium-KSC-Johab-H
Gulim-Medium-KSC-Johab-V
Gulim-Medium-KSC-V
Gulim-Medium-KSCms-UHC-H
Gulim-Medium-KSCms-UHC-HW-H
Gulim-Medium-KSCms-UHC-HW-V
Gulim-Medium-KSCms-UHC-V
Gulim-Medium-KSCpc-EUC-H
Gulim-Medium-KSCpc-EUC-V
Gulim-Medium-UniKS-UCS2-H
Gulim-Medium-UniKS-UCS2-V
Gulim-Medium-UniKS-UTF16-H
Gulim-Medium-UniKS-UTF16-V
Gulim-Medium-UniKS-UTF32-H
Gulim-Medium-UniKS-UTF32-V
Gulim-Medium-UniKS-UTF8-H
Gulim-Medium-UniKS-UTF8-V
Gulim-UniKS-UCS2-H
Gulim-UniKS-UCS2-V
Gulim-UniKS-UTF16-H
Gulim-UniKS-UTF16-V
Gulim-UniKS-UTF32-H
Gulim-UniKS-UTF32-V
Gulim-UniKS-UTF8-H
Gulim-UniKS-UTF8-V
HGHeiseiMinchotaiW9-78-EUC-H
HGHeiseiMinchotaiW9-78-EUC-V
HGHeiseiMinchotaiW9-78-H
HGHeiseiMinchotaiW9-78-RKSJ-H
HGHeiseiMinchotaiW9-78-RKSJ-V
HGHeiseiMinchotaiW9-78-V
HGHeiseiMinchotaiW9-78ms-RKSJ-H
HGHeiseiMinchotaiW9-78ms-RKSJ-V
HGHeiseiMinchotaiW9-83pv-RKSJ-H
HGHeiseiMinchotaiW9-90ms-RKSJ-H
HGHeiseiMinchotaiW9-90ms-RKSJ-V
HGHeiseiMinchotaiW9-90msp-RKSJ-H
HGHeiseiMinchotaiW9-90msp-RKSJ-V
HGHeiseiMinchotaiW9-90pv-RKSJ-H
HGHeiseiMinchotaiW9-90pv-RKSJ-V
HGHeiseiMinchotaiW9-Add-H
HGHeiseiMinchotaiW9-Add-RKSJ-H
HGHeiseiMinchotaiW9-Add-RKSJ-V
HGHeiseiMinchotaiW9-Add-V
HGHeiseiMinchotaiW9-Adobe-Japan1-0
HGHeiseiMinchotaiW9-Adobe-Japan1-1
HGHeiseiMinchotaiW9-Adobe-Japan1-2
HGHeiseiMinchotaiW9-Adobe-Japan1-3
HGHeiseiMinchotaiW9-Adobe-Japan1-4
HGHeiseiMinchotaiW9-Adobe-Japan1-5

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

HGHeiseiMinchotaiW9-Adobe-Japan1-6
HGHeiseiMinchotaiW9-EUC-H
HGHeiseiMinchotaiW9-EUC-V
HGHeiseiMinchotaiW9-Ext-H
HGHeiseiMinchotaiW9-Ext-RKSJ-H
HGHeiseiMinchotaiW9-Ext-RKSJ-V
HGHeiseiMinchotaiW9-Ext-V
HGHeiseiMinchotaiW9-H
HGHeiseiMinchotaiW9-Hankaku
HGHeiseiMinchotaiW9-Hiragana
HGHeiseiMinchotaiW9-Identity-H
HGHeiseiMinchotaiW9-Identity-V
HGHeiseiMinchotaiW9-Katakana
HGHeiseiMinchotaiW9-NWP-H
HGHeiseiMinchotaiW9-NWP-V
HGHeiseiMinchotaiW9-RKSJ-H
HGHeiseiMinchotaiW9-RKSJ-V
HGHeiseiMinchotaiW9-Roman
HGHeiseiMinchotaiW9-UniJIS-UCS2-H
HGHeiseiMinchotaiW9-UniJIS-UCS2-HW-H
HGHeiseiMinchotaiW9-UniJIS-UCS2-HW-V
HGHeiseiMinchotaiW9-UniJIS-UCS2-V
HGHeiseiMinchotaiW9-UniJIS-UTF16-H
HGHeiseiMinchotaiW9-UniJIS-UTF16-V
HGHeiseiMinchotaiW9-UniJIS-UTF32-H
HGHeiseiMinchotaiW9-UniJIS-UTF32-V
HGHeiseiMinchotaiW9-UniJIS-UTF8-H
HGHeiseiMinchotaiW9-UniJIS-UTF8-V
HGHeiseiMinchotaiW9-UniJIS2004-UTF16-H
HGHeiseiMinchotaiW9-UniJIS2004-UTF16-V
HGHeiseiMinchotaiW9-UniJIS2004-UTF32-H
HGHeiseiMinchotaiW9-UniJIS2004-UTF32-V
HGHeiseiMinchotaiW9-UniJIS2004-UTF8-H
HGHeiseiMinchotaiW9-UniJIS2004-UTF8-V
HGHeiseiMinchotaiW9-UniJISPro-UCS2-HW-V
HGHeiseiMinchotaiW9-UniJISPro-UCS2-V
HGHeiseiMinchotaiW9-UniJISPro-UTF8-V
HGHeiseiMinchotaiW9-UniJISX0213-UTF32-H
HGHeiseiMinchotaiW9-UniJISX0213-UTF32-V
HGHeiseiMinchotaiW9-UniJISX02132004-UTF32-H
HGHeiseiMinchotaiW9-UniJISX02132004-UTF32-V
HGHeiseiMinchotaiW9-V
HGHeiseiMinchotaiW9-WP-Symbol
HGPHeiseiMinchotaiW9-78-EUC-H
HGPHeiseiMinchotaiW9-78-EUC-V
HGPHeiseiMinchotaiW9-78-H
HGPHeiseiMinchotaiW9-78-RKSJ-H
HGPHeiseiMinchotaiW9-78-RKSJ-V
HGPHeiseiMinchotaiW9-78-V
HGPHeiseiMinchotaiW9-78ms-RKSJ-H
HGPHeiseiMinchotaiW9-78ms-RKSJ-V
HGPHeiseiMinchotaiW9-83pv-RKSJ-H
HGPHeiseiMinchotaiW9-90ms-RKSJ-H
HGPHeiseiMinchotaiW9-90ms-RKSJ-V
HGPHeiseiMinchotaiW9-90msp-RKSJ-H
HGPHeiseiMinchotaiW9-90msp-RKSJ-V



# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

HGPHeiseiMinchotaiW9-90pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
HGPHeiseiMinchotaiW9-90pv-RKSJ-V
HGPHeiseiMinchotaiW9-Add-H 逧団兎 痰邃繙 葦桶患況弦 拭ぎ
HGPHeiseiMinchotaiW9-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
HGPHeiseiMinchotaiW9-Add-RKSJ-V
HGPHeiseiMinchotaiW9-Add-V
HGPHeiseiMinchotaiW9-Adobe-Japan1-0 □□□□

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

HGPMinchoB-78-EUC-V
HGPMinchoB-78-H
HGPMinchoB-78-RKSJ-H
HGPMinchoB-78-RKSJ-V
HGPMinchoB-78-V
HGPMinchoB-78ms-RKSJ-H
HGPMinchoB-78ms-RKSJ-V
HGPMinchoB-83pv-RKSJ-H
HGPMinchoB-90ms-RKSJ-H
HGPMinchoB-90ms-RKSJ-V
HGPMinchoB-90msp-RKSJ-H
HGPMinchoB-90msp-RKSJ-V
HGPMinchoB-90pv-RKSJ-H
HGPMinchoB-90pv-RKSJ-V
HGPMinchoB-Add-H
HGPMinchoB-Add-RKSJ-H
HGPMinchoB-Add-RKSJ-V
HGPMinchoB-Add-V
HGPMinchoB-Adobe-Japan1-0
HGPMinchoB-Adobe-Japan1-1
HGPMinchoB-Adobe-Japan1-2
HGPMinchoB-Adobe-Japan1-3
HGPMinchoB-Adobe-Japan1-4
HGPMinchoB-Adobe-Japan1-5
HGPMinchoB-Adobe-Japan1-6
HGPMinchoB-EUC-H
HGPMinchoB-EUC-V
HGPMinchoB-Ext-H
HGPMinchoB-Ext-RKSJ-H
HGPMinchoB-Ext-RKSJ-V
HGPMinchoB-Ext-V
HGPMinchoB-H
HGPMinchoB-Hankaku
HGPMinchoB-Hiragana
HGPMinchoB-Identity-H
HGPMinchoB-Identity-V
HGPMinchoB-Katakana
HGPMinchoB-NWP-H
HGPMinchoB-NWP-V
HGPMinchoB-RKSJ-H
HGPMinchoB-RKSJ-V
HGPMinchoB-Roman
HGPMinchoB-UniJIS-UCS2-H
HGPMinchoB-UniJIS-UCS2-HW-H
HGPMinchoB-UniJIS-UCS2-HW-V
HGPMinchoB-UniJIS-UCS2-V
HGPMinchoB-UniJIS-UTF16-H
HGPMinchoB-UniJIS-UTF16-V
HGPMinchoB-UniJIS-UTF32-H
HGPMinchoB-UniJIS-UTF32-V
HGPMinchoB-UniJIS-UTF8-H
HGPMinchoB-UniJIS-UTF8-V
HGPMinchoB-UniJIS2004-UTF16-H
HGPMinchoB-UniJIS2004-UTF16-V
HGPMinchoB-UniJIS2004-UTF32-H
HGPMinchoB-UniJIS2004-UTF32-V



# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

HGPMinchoB-UniJIS2004-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,

HGPMinchoB-UniJIS2004-UTF8-V

HGPMinchoB-UniJISPro-UCS2-HW-V

HGPMinchoB-UniJISPro-UCS2-V

HGPMinchoB-UniJISPro-UTF8-V

HGPMinchoB-UniJISX0213-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

HGPMinchoB-UniJISX0213-UTF32-V

HGPMinchoB-UniJISX02132004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

HGPMinchoB-UniJISX02132004-UTF32-V

HGPMinchoB-V

HGPMinchoB-WP-Symbol ⒢⑹⑴⑶⑹⑴⑽viii➡ □ □ ➡ □ ♠ ♥viiicalkcal⌒⌣ ~ dBHzmsμsnsviiimm³⑹ixcm² □ ℓ

HGSHeiseiMinchotaiW9-78-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

HGSHeiseiMinchotaiW9-78-EUC-V

HGSHeiseiMinchotaiW9-78-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □

HGSHeiseiMinchotaiW9-78-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

HGSHeiseiMinchotaiW9-78-RKSJ-V

HGSHeiseiMinchotaiW9-78-V

HGSHeiseiMinchotaiW9-78ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

HGSHeiseiMinchotaiW9-78ms-RKSJ-V

HGSHeiseiMinchotaiW9-83pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

HGSHeiseiMinchotaiW9-90ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

HGSHeiseiMinchotaiW9-90ms-RKSJ-V

HGSHeiseiMinchotaiW9-90msp-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

HGSHeiseiMinchotaiW9-90msp-RKSJ-V

HGSHeiseiMinchotaiW9-90pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

HGSHeiseiMinchotaiW9-90pv-RKSJ-V

HGSHeiseiMinchotaiW9-Add-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □

HGSHeiseiMinchotaiW9-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

HGSHeiseiMinchotaiW9-Add-RKSJ-V

HGSHeiseiMinchotaiW9-Add-V

HGSHeiseiMinchotaiW9-Adobe-Japan1-0 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HGSHeiseiMinchotaiW9-Adobe-Japan1-1 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HGSHeiseiMinchotaiW9-Adobe-Japan1-2 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HGSHeiseiMinchotaiW9-Adobe-Japan1-3 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HGSHeiseiMinchotaiW9-Adobe-Japan1-4 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HGSHeiseiMinchotaiW9-Adobe-Japan1-5 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HGSHeiseiMinchotaiW9-Adobe-Japan1-6 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HGSHeiseiMinchotaiW9-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

HGSHeiseiMinchotaiW9-EUC-V

HGSHeiseiMinchotaiW9-Ext-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □

HGSHeiseiMinchotaiW9-Ext-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

HGSHeiseiMinchotaiW9-Ext-RKSJ-V

HGSHeiseiMinchotaiW9-Ext-V

HGSHeiseiMinchotaiW9-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □

HGSHeiseiMinchotaiW9-Hankaku ABCDEFG abcdefg 0123456789 &?!$.,

HGSHeiseiMinchotaiW9-Hiragana □ □ □ □ □ □ □ □ □ □ □ □

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

HGSHeiseiMinchotaiW9-UniJIS-UCS2-HW-V
HGSHeiseiMinchotaiW9-UniJIS-UCS2-V
HGSHeiseiMinchotaiW9-UniJIS-UTF16-H
HGSHeiseiMinchotaiW9-UniJIS-UTF16-V
HGSHeiseiMinchotaiW9-UniJIS-UTF32-H
HGSHeiseiMinchotaiW9-UniJIS-UTF32-V
HGSHeiseiMinchotaiW9-UniJIS-UTF8-H
HGSHeiseiMinchotaiW9-UniJIS-UTF8-V
HGSHeiseiMinchotaiW9-UniJIS2004-UTF16-H
HGSHeiseiMinchotaiW9-UniJIS2004-UTF16-V
HGSHeiseiMinchotaiW9-UniJIS2004-UTF32-H
HGSHeiseiMinchotaiW9-UniJIS2004-UTF32-V
HGSHeiseiMinchotaiW9-UniJIS2004-UTF8-H
HGSHeiseiMinchotaiW9-UniJIS2004-UTF8-V
HGSHeiseiMinchotaiW9-UniJISPro-UCS2-HW-V
HGSHeiseiMinchotaiW9-UniJISPro-UCS2-V
HGSHeiseiMinchotaiW9-UniJISPro-UTF8-V
HGSHeiseiMinchotaiW9-UniJISX0213-UTF32-H
HGSHeiseiMinchotaiW9-UniJISX0213-UTF32-V
HGSHeiseiMinchotaiW9-UniJISX02132004-UTF32-H
HGSHeiseiMinchotaiW9-UniJISX02132004-UTF32-V
HGSHeiseiMinchotaiW9-V
HGSHeiseiMinchotaiW9-WP-Symbol
HGSMinchoB-78-EUC-H
HGSMinchoB-78-EUC-V
HGSMinchoB-78-H
HGSMinchoB-78-RKSJ-H
HGSMinchoB-78-RKSJ-V
HGSMinchoB-78-V
HGSMinchoB-78ms-RKSJ-H
HGSMinchoB-78ms-RKSJ-V
HGSMinchoB-83pv-RKSJ-H
HGSMinchoB-90ms-RKSJ-H
HGSMinchoB-90ms-RKSJ-V
HGSMinchoB-90msp-RKSJ-H
HGSMinchoB-90msp-RKSJ-V
HGSMinchoB-90pv-RKSJ-H
HGSMinchoB-90pv-RKSJ-V
HGSMinchoB-Add-H
HGSMinchoB-Add-RKSJ-H
HGSMinchoB-Add-RKSJ-V
HGSMinchoB-Add-V
HGSMinchoB-Adobe-Japan1-0
HGSMinchoB-Adobe-Japan1-1
HGSMinchoB-Adobe-Japan1-2
HGSMinchoB-Adobe-Japan1-3
HGSMinchoB-Adobe-Japan1-4
HGSMinchoB-Adobe-Japan1-5
HGSMinchoB-Adobe-Japan1-6
HGSMinchoB-EUC-H
HGSMinchoB-EUC-V
HGSMinchoB-Ext-H
HGSMinchoB-Ext-RKSJ-H
HGSMinchoB-Ext-RKSJ-V
HGSMinchoB-Ext-V
HGSMinchoB-H

# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts (continued):

HGSMinchoB-Hankaku ABCDEFG abcdefg 0123456789 &?!$.,

HGSMinchoB-Hiragana □□□□

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

HYGoThic-Medium-UniKS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
HYGoThic-Medium-UniKS-UTF32-V
HYGoThic-Medium-UniKS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
HYGoThic-Medium-UniKS-UTF8-V
HYSMyeongJo-Medium-Adobe-Korea1-0 □□□□□□묆붊쀁숕쓾□춻□□
HYSMyeongJo-Medium-Adobe-Korea1-1 □□□□□□묆붊쀁숕쓾□춻□□
HYSMyeongJo-Medium-Adobe-Korea1-2 □□□□□□묆붊쀁숕쓾□춻□□
HYSMyeongJo-Medium-Identity-H □□□□□□묆붊쀁숕쓾□춻□□
HYSMyeongJo-Medium-Identity-V
HYSMyeongJo-Medium-KSC-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
HYSMyeongJo-Medium-KSC-EUC-V
HYSMyeongJo-Medium-KSC-H 솨쳐탬□滾宸臆□갚껙뉘떱많□에ㄹ□
HYSMyeongJo-Medium-KSC-Johab-H ABCDEFG abcdefg 0123456789 &?!$.,
HYSMyeongJo-Medium-KSC-Johab-V
HYSMyeongJo-Medium-KSC-V
HYSMyeongJo-Medium-KSCms-UHC-H ABCDEFG abcdefg 0123456789 &?!$.,
HYSMyeongJo-Medium-KSCms-UHC-HW-H ABCDEFG abcdefg 0123456789 &?!$.,
HYSMyeongJo-Medium-KSCms-UHC-HW-V
HYSMyeongJo-Medium-KSCms-UHC-V
HYSMyeongJo-Medium-KSCpc-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
HYSMyeongJo-Medium-KSCpc-EUC-V
HYSMyeongJo-Medium-UniKS-UCS2-H □□□□慢□敦□□□□□□...□□□
HYSMyeongJo-Medium-UniKS-UCS2-V
HYSMyeongJo-Medium-UniKS-UTF16-H □□□□慢□敦□□□□□□...□□□
HYSMyeongJo-Medium-UniKS-UTF16-V
HYSMyeongJo-Medium-UniKS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
HYSMyeongJo-Medium-UniKS-UTF32-V
HYSMyeongJo-Medium-UniKS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
HYSMyeongJo-Medium-UniKS-UTF8-V
HeiseiKakuGo-W5-78-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
HeiseiKakuGo-W5-78-EUC-V
HeiseiKakuGo-W5-78-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
HeiseiKakuGo-W5-78-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
HeiseiKakuGo-W5-78-RKSJ-V
HeiseiKakuGo-W5-78-V
HeiseiKakuGo-W5-78ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
HeiseiKakuGo-W5-78ms-RKSJ-V
HeiseiKakuGo-W5-83pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
HeiseiKakuGo-W5-90ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
HeiseiKakuGo-W5-90ms-RKSJ-V
HeiseiKakuGo-W5-90msp-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
HeiseiKakuGo-W5-90msp-RKSJ-V
HeiseiKakuGo-W5-90pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
HeiseiKakuGo-W5-90pv-RKSJ-V
HeiseiKakuGo-W5-Add-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
HeiseiKakuGo-W5-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
HeiseiKakuGo-W5-Add-RKSJ-V
HeiseiKakuGo-W5-Add-V
HeiseiKakuGo-W5-Adobe-Japan1-0 □□□□□□□□□□□卽□啡_□□□
HeiseiKakuGo-W5-Adobe-Japan1-1 □□□□□□□□□□□卽□啡_□□□
HeiseiKakuGo-W5-Adobe-Japan1-2 □□□□□□□□□□□卽□啡_□□□
HeiseiKakuGo-W5-Adobe-Japan1-3 □□□□□□□□□□□卽□啡_□□□
HeiseiKakuGo-W5-Adobe-Japan1-4 □□□□□□□□□□□卽□啡_□□□
HeiseiKakuGo-W5-Adobe-Japan1-5 □□□□□□□□□□□卽□啡_□□□
HeiseiKakuGo-W5-Adobe-Japan1-6 □□□□□□□□□□□卽□啡_□□□
HeiseiKakuGo-W5-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts (continued):

HeiseiKakuGo-W5-EUC-V
HeiseiKakuGo-W5-Ext-H
HeiseiKakuGo-W5-Ext-RKSJ-H
HeiseiKakuGo-W5-Ext-RKSJ-V
HeiseiKakuGo-W5-Ext-V
HeiseiKakuGo-W5-H
HeiseiKakuGo-W5-Hankaku
HeiseiKakuGo-W5-Hiragana
HeiseiKakuGo-W5-Identity-H
HeiseiKakuGo-W5-Identity-V
HeiseiKakuGo-W5-Katakana
HeiseiKakuGo-W5-NWP-H
HeiseiKakuGo-W5-NWP-V
HeiseiKakuGo-W5-RKSJ-H
HeiseiKakuGo-W5-RKSJ-V
HeiseiKakuGo-W5-Roman
HeiseiKakuGo-W5-UniJIS-UCS2-H
HeiseiKakuGo-W5-UniJIS-UCS2-HW-H
HeiseiKakuGo-W5-UniJIS-UCS2-HW-V
HeiseiKakuGo-W5-UniJIS-UCS2-V
HeiseiKakuGo-W5-UniJIS-UTF16-H
HeiseiKakuGo-W5-UniJIS-UTF16-V
HeiseiKakuGo-W5-UniJIS-UTF32-H
HeiseiKakuGo-W5-UniJIS-UTF32-V
HeiseiKakuGo-W5-UniJIS-UTF8-H
HeiseiKakuGo-W5-UniJIS-UTF8-V
HeiseiKakuGo-W5-UniJIS2004-UTF16-H
HeiseiKakuGo-W5-UniJIS2004-UTF16-V
HeiseiKakuGo-W5-UniJIS2004-UTF32-H
HeiseiKakuGo-W5-UniJIS2004-UTF32-V
HeiseiKakuGo-W5-UniJIS2004-UTF8-H
HeiseiKakuGo-W5-UniJIS2004-UTF8-V
HeiseiKakuGo-W5-UniJISPro-UCS2-HW-V
HeiseiKakuGo-W5-UniJISPro-UCS2-V
HeiseiKakuGo-W5-UniJISPro-UTF8-V
HeiseiKakuGo-W5-UniJISX0213-UTF32-H
HeiseiKakuGo-W5-UniJISX0213-UTF32-V
HeiseiKakuGo-W5-UniJISX02132004-UTF32-H
HeiseiKakuGo-W5-UniJISX02132004-UTF32-V
HeiseiKakuGo-W5-V
HeiseiKakuGo-W5-WP-Symbol
HeiseiMin-W3-78-EUC-H
HeiseiMin-W3-78-EUC-V
HeiseiMin-W3-78-H
HeiseiMin-W3-78-RKSJ-H
HeiseiMin-W3-78-RKSJ-V
HeiseiMin-W3-78-V
HeiseiMin-W3-78ms-RKSJ-H
HeiseiMin-W3-78ms-RKSJ-V
HeiseiMin-W3-83pv-RKSJ-H
HeiseiMin-W3-90ms-RKSJ-H
HeiseiMin-W3-90ms-RKSJ-V
HeiseiMin-W3-90msp-RKSJ-H
HeiseiMin-W3-90msp-RKSJ-V
HeiseiMin-W3-90pv-RKSJ-H
HeiseiMin-W3-90pv-RKSJ-V

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

HeiseiMin-W3-Add-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □

HeiseiMin-W3-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

HeiseiMin-W3-Add-RKSJ-V

HeiseiMin-W3-Add-V A

HeiseiMin-W3-Adobe-Japan1-0 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HeiseiMin-W3-Adobe-Japan1-1 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HeiseiMin-W3-Adobe-Japan1-2 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HeiseiMin-W3-Adobe-Japan1-3 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HeiseiMin-W3-Adobe-Japan1-4 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HeiseiMin-W3-Adobe-Japan1-5 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HeiseiMin-W3-Adobe-Japan1-6 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HeiseiMin-W3-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

HeiseiMin-W3-EUC-V

HeiseiMin-W3-Ext-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □

HeiseiMin-W3-Ext-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

HeiseiMin-W3-Ext-RKSJ-V

HeiseiMin-W3-Ext-V

HeiseiMin-W3-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □

HeiseiMin-W3-Hankaku ABCDEFG abcdefg 0123456789 &?!$.,

HeiseiMin-W3-Hiragana □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ - □ □ □ □ □ □ □ □ □ □ □ □ 。、 □ □

HeiseiMin-W3-Identity-H □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

HeiseiMin-W3-Identity-V

HeiseiMin-W3-Katakana ｯﾃﾄﾅﾆﾇ □ □ □ □ □ □ □ □ □ □ - ｱｲｳｴｵｶｷｸｹ □ ﾜﾝ 。、ﾖﾔ

HeiseiMin-W3-NWP-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □

HeiseiMin-W3-NWP-V

HeiseiMin-W3-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

HeiseiMin-W3-RKSJ-V

HeiseiMin-W3-Roman ABCDEFG abcdefg 0123456789 &?!$.,

HeiseiMin-W3-UniJIS-UCS2-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □

HeiseiMin-W3-UniJIS-UCS2-HW-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □

HeiseiMin-W3-UniJIS-UCS2-HW-V

HeiseiMin-W3-UniJIS-UCS2-V

HeiseiMin-W3-UniJIS-UTF16-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □

HeiseiMin-W3-UniJIS-UTF16-V

HeiseiMin-W3-UniJIS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

HeiseiMin-W3-UniJIS-UTF32-V

HeiseiMin-W3-UniJIS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,

HeiseiMin-W3-UniJIS-UTF8-V

HeiseiMin-W3-UniJIS2004-UTF16-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □

HeiseiMin-W3-UniJIS2004-UTF16-V

HeiseiMin-W3-UniJIS2004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

HeiseiMin-W3-UniJIS2004-UTF32-V

HeiseiMin-W3-UniJIS2004-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,

HeiseiMin-W3-UniJIS2004-UTF8-V

HeiseiMin-W3-UniJISPro-UCS2-HW-V

HeiseiMin-W3-UniJISPro-UCS2-V

HeiseiMin-W3-UniJISPro-UTF8-V

HeiseiMin-W3-UniJISX0213-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

HeiseiMin-W3-UniJISX0213-UTF32-V

HeiseiMin-W3-UniJISX02132004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

HeiseiMin-W3-UniJISX02132004-UTF32-V

HeiseiMin-W3-V

HeiseiMin-W3-WP-Symbol ⒢⑹⑹⑴⑴⑴viii ➡ □ □ ➡ □ ♠ ♥ viiicalkcal ⌒ ⌣ ~ dBHzmsμsnsviiimm³⑹ix cm² □ ℓ

Helvetica ABCDEFG abcdefg 0123456789 &?!$.,€

Helvetica-Bold **ABCDEFG abcdefg 0123456789 &?!$.,€**

Helvetica-BoldOblique ***ABCDEFG abcdefg 0123456789 &?!$.,€***

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

| | |
|---|---|
| Helvetica-Narrow | ABCDEFG abcdefg 0123456789 &?!$.,€ |
| Helvetica-Narrow-Bold | **ABCDEFG abcdefg 0123456789 &?!$.,€** |
| Helvetica-Narrow-BoldOblique | ***ABCDEFG abcdefg 0123456789 &?!$.,€*** |
| Helvetica-Narrow-Oblique | *ABCDEFG abcdefg 0123456789 &?!$.,€* |
| Helvetica-Oblique | *ABCDEFG abcdefg 0123456789 &?!$.,€* |
| Hershey-Gothic-English | |
| Hershey-Gothic-English-Bold | |
| Hershey-Gothic-English-Oblique | |
| Hershey-Gothic-English-SemiBold | |
| Hershey-Gothic-German | |
| Hershey-Gothic-German-Bold | |
| Hershey-Gothic-German-Oblique | |
| Hershey-Gothic-Italian | |
| Hershey-Gothic-Italian-Bold | |
| Hershey-Gothic-Italian-Oblique | |
| Hershey-Greek-Complex | ΑΒΓΔΕΖΗ αβγδεζη 0123456789 &?!$., |
| Hershey-Greek-Simplex | ΑΒΓΔΕΖΗ αβγδεζη 0123456789 &?!$., |
| Hershey-Plain | ABCDEFG abcdefg 0123456789 &?!$., |
| Hershey-Plain-Bold | **ABCDEFG abcdefg 0123456789 &?!$.,** |
| Hershey-Plain-Bold-Oblique | ***ABCDEFG abcdefg 0123456789 &?!$.,*** |
| Hershey-Plain-Duplex | |
| Hershey-Plain-Duplex-Bold | |
| Hershey-Plain-Duplex-Bold-Italic | |
| Hershey-Plain-Duplex-Italic | |
| Hershey-Plain-Oblique | *ABCDEFG abcdefg 0123456789 &?!$.,* |
| Hershey-Plain-Simplex | ABCDEFG abcdefg 0123456789 &?!$., |
| Hershey-Plain-Simplex-Bold | ABCDEFG abcdefg 0123456789 &?!$., |
| Hershey-Plain-Simplex-Bold-Oblique | *ABCDEFG abcdefg 0123456789 &?!$.,* |
| Hershey-Plain-Simplex-Oblique | *ABCDEFG abcdefg 0123456789 &?!$.,* |
| Hershey-Plain-Triplex | |
| Hershey-Plain-Triplex-Bold | |
| Hershey-Plain-Triplex-Bold-Italic | |
| Hershey-Plain-Triplex-Italic | |
| Hershey-Script-Complex | |
| Hershey-Script-Complex-Bold | |
| Hershey-Script-Complex-Oblique | |
| Hershey-Script-Simplex | |
| Hershey-Script-Simplex-Bold | |
| Hershey-Script-Simplex-Oblique | |
| Hershey-Symbol | ΑΒΧΔΕΦΓ αβχδεφγ 0123456789 &?!∃., |
| Jun101-Light-78-EUC-H | ABCDEFG abcdefg 0123456789 &?!$., |
| Jun101-Light-78-EUC-V | |
| Jun101-Light-78-H | 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □ |
| Jun101-Light-78-RKSJ-H | ABCDEFG abcdefg 0123456789 &?!$., |
| Jun101-Light-78-RKSJ-V | |
| Jun101-Light-78-V | |
| Jun101-Light-78ms-RKSJ-H | ABCDEFG abcdefg 0123456789 &?!$., |
| Jun101-Light-78ms-RKSJ-V | |
| Jun101-Light-83pv-RKSJ-H | ABCDEFG abcdefg 0123456789 &?!$., |
| Jun101-Light-90ms-RKSJ-H | ABCDEFG abcdefg 0123456789 &?!$., |
| Jun101-Light-90ms-RKSJ-V | |
| Jun101-Light-90msp-RKSJ-H | ABCDEFG abcdefg 0123456789 &?!$., |
| Jun101-Light-90msp-RKSJ-V | |
| Jun101-Light-90pv-RKSJ-H | ABCDEFG abcdefg 0123456789 &?!$., |
| Jun101-Light-90pv-RKSJ-V | |
| Jun101-Light-Add-H | 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □ |

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

Jun101-Light-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
Jun101-Light-Add-RKSJ-V
Jun101-Light-Add-V
Jun101-Light-Adobe-Japan1-0
Jun101-Light-Adobe-Japan1-1
Jun101-Light-Adobe-Japan1-2
Jun101-Light-Adobe-Japan1-3
Jun101-Light-Adobe-Japan1-4
Jun101-Light-Adobe-Japan1-5
Jun101-Light-Adobe-Japan1-6
Jun101-Light-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
Jun101-Light-EUC-V
Jun101-Light-Ext-H 辣団兎 痰邃繙 葦桶患況弦 拭ぎ
Jun101-Light-Ext-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
Jun101-Light-Ext-RKSJ-V
Jun101-Light-Ext-V
Jun101-Light-H 辣団兎 痰邃繙 葦桶患況弦 拭ぎ
Jun101-Light-Hankaku ABCDEFG abcdefg 0123456789 &?!$.,
Jun101-Light-Hiragana
Jun101-Light-Identity-H
Jun101-Light-Identity-V
Jun101-Light-Katakana ｯﾃﾄﾅﾆﾇ ｰｱｲｳｴｵｶｷｸｹ ﾜﾝ｡､ｮﾔ
Jun101-Light-NWP-H 辣団兎 痰邃繙 葦桶患況弦 拭ぎ
Jun101-Light-NWP-V
Jun101-Light-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
Jun101-Light-RKSJ-V
Jun101-Light-Roman ABCDEFG abcdefg 0123456789 &?!$.,
Jun101-Light-UniJIS-UCS2-H
Jun101-Light-UniJIS-UCS2-HW-H
Jun101-Light-UniJIS-UCS2-HW-V
Jun101-Light-UniJIS-UCS2-V
Jun101-Light-UniJIS-UTF16-H
Jun101-Light-UniJIS-UTF16-V
Jun101-Light-UniJIS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
Jun101-Light-UniJIS-UTF32-V
Jun101-Light-UniJIS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
Jun101-Light-UniJIS-UTF8-V
Jun101-Light-UniJIS2004-UTF16-H
Jun101-Light-UniJIS2004-UTF16-V
Jun101-Light-UniJIS2004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
Jun101-Light-UniJIS2004-UTF32-V
Jun101-Light-UniJIS2004-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
Jun101-Light-UniJIS2004-UTF8-V
Jun101-Light-UniJISPro-UCS2-HW-V
Jun101-Light-UniJISPro-UCS2-V
Jun101-Light-UniJISPro-UTF8-V
Jun101-Light-UniJISX0213-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
Jun101-Light-UniJISX0213-UTF32-V
Jun101-Light-UniJISX02132004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
Jun101-Light-UniJISX02132004-UTF32-V
Jun101-Light-V
Jun101-Light-WP-Symbol ♠♥ ~ dBHzmsμsnsmm㎡ℓ
KozGoPro-Medium-78-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
KozGoPro-Medium-78-EUC-V
KozGoPro-Medium-78-H 辣団兎 痰邃繙 葦桶患況弦 拭ぎ
KozGoPro-Medium-78-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

KozGoPro-Medium-78-RKSJ-V
KozGoPro-Medium-78-V
KozGoPro-Medium-78ms-RKSJ-H
KozGoPro-Medium-78ms-RKSJ-V
KozGoPro-Medium-83pv-RKSJ-H
KozGoPro-Medium-90ms-RKSJ-H
KozGoPro-Medium-90ms-RKSJ-V
KozGoPro-Medium-90msp-RKSJ-H
KozGoPro-Medium-90msp-RKSJ-V
KozGoPro-Medium-90pv-RKSJ-H
KozGoPro-Medium-90pv-RKSJ-V
KozGoPro-Medium-Add-H
KozGoPro-Medium-Add-RKSJ-H
KozGoPro-Medium-Add-RKSJ-V
KozGoPro-Medium-Add-V
KozGoPro-Medium-Adobe-Japan1-0
KozGoPro-Medium-Adobe-Japan1-1
KozGoPro-Medium-Adobe-Japan1-2
KozGoPro-Medium-Adobe-Japan1-3
KozGoPro-Medium-Adobe-Japan1-4
KozGoPro-Medium-Adobe-Japan1-5
KozGoPro-Medium-Adobe-Japan1-6
KozGoPro-Medium-EUC-H
KozGoPro-Medium-EUC-V
KozGoPro-Medium-Ext-H
KozGoPro-Medium-Ext-RKSJ-H
KozGoPro-Medium-Ext-RKSJ-V
KozGoPro-Medium-Ext-V
KozGoPro-Medium-H
KozGoPro-Medium-Hankaku
KozGoPro-Medium-Hiragana
KozGoPro-Medium-Identity-H
KozGoPro-Medium-Identity-V
KozGoPro-Medium-Katakana
KozGoPro-Medium-NWP-H
KozGoPro-Medium-NWP-V
KozGoPro-Medium-RKSJ-H
KozGoPro-Medium-RKSJ-V
KozGoPro-Medium-Roman
KozGoPro-Medium-UniJIS-UCS2-H
KozGoPro-Medium-UniJIS-UCS2-HW-H
KozGoPro-Medium-UniJIS-UCS2-HW-V
KozGoPro-Medium-UniJIS-UCS2-V
KozGoPro-Medium-UniJIS-UTF16-H
KozGoPro-Medium-UniJIS-UTF16-V
KozGoPro-Medium-UniJIS-UTF32-H
KozGoPro-Medium-UniJIS-UTF32-V
KozGoPro-Medium-UniJIS-UTF8-H
KozGoPro-Medium-UniJIS-UTF8-V
KozGoPro-Medium-UniJIS2004-UTF16-H
KozGoPro-Medium-UniJIS2004-UTF16-V
KozGoPro-Medium-UniJIS2004-UTF32-H
KozGoPro-Medium-UniJIS2004-UTF32-V
KozGoPro-Medium-UniJIS2004-UTF8-H
KozGoPro-Medium-UniJIS2004-UTF8-V
KozGoPro-Medium-UniJISPro-UCS2-HW-V



# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

KozGoPro-Medium-UniJISPro-UCS2-V
KozGoPro-Medium-UniJISPro-UTF8-V
KozGoPro-Medium-UniJISX0213-UTF32-H
KozGoPro-Medium-UniJISX0213-UTF32-V
KozGoPro-Medium-UniJISX02132004-UTF32-H
KozGoPro-Medium-UniJISX02132004-UTF32-V
KozGoPro-Medium-V
KozGoPro-Medium-WP-Symbol
KozMinPro-Regular-78-EUC-H
KozMinPro-Regular-78-EUC-V
KozMinPro-Regular-78-H
KozMinPro-Regular-78-RKSJ-H
KozMinPro-Regular-78-RKSJ-V
KozMinPro-Regular-78-V
KozMinPro-Regular-78ms-RKSJ-H
KozMinPro-Regular-78ms-RKSJ-V
KozMinPro-Regular-83pv-RKSJ-H
KozMinPro-Regular-90ms-RKSJ-H
KozMinPro-Regular-90ms-RKSJ-V
KozMinPro-Regular-90msp-RKSJ-H
KozMinPro-Regular-90msp-RKSJ-V
KozMinPro-Regular-90pv-RKSJ-H
KozMinPro-Regular-90pv-RKSJ-V
KozMinPro-Regular-Add-H
KozMinPro-Regular-Add-RKSJ-H
KozMinPro-Regular-Add-RKSJ-V
KozMinPro-Regular-Add-V
KozMinPro-Regular-Adobe-Japan1-0
KozMinPro-Regular-Adobe-Japan1-1
KozMinPro-Regular-Adobe-Japan1-2
KozMinPro-Regular-Adobe-Japan1-3
KozMinPro-Regular-Adobe-Japan1-4
KozMinPro-Regular-Adobe-Japan1-5
KozMinPro-Regular-Adobe-Japan1-6
KozMinPro-Regular-EUC-H
KozMinPro-Regular-EUC-V
KozMinPro-Regular-Ext-H
KozMinPro-Regular-Ext-RKSJ-H
KozMinPro-Regular-Ext-RKSJ-V
KozMinPro-Regular-Ext-V
KozMinPro-Regular-H
KozMinPro-Regular-Hankaku
KozMinPro-Regular-Hiragana
KozMinPro-Regular-Identity-H
KozMinPro-Regular-Identity-V
KozMinPro-Regular-Katakana
KozMinPro-Regular-NWP-H
KozMinPro-Regular-NWP-V
KozMinPro-Regular-RKSJ-H
KozMinPro-Regular-RKSJ-V
KozMinPro-Regular-Roman
KozMinPro-Regular-UniJIS-UCS2-H
KozMinPro-Regular-UniJIS-UCS2-HW-H
KozMinPro-Regular-UniJIS-UCS2-HW-V
KozMinPro-Regular-UniJIS-UCS2-V
KozMinPro-Regular-UniJIS-UTF16-H



# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

KozMinPro-Regular-UniJIS-UTF16-V

KozMinPro-Regular-UniJIS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

KozMinPro-Regular-UniJIS-UTF32-V

KozMinPro-Regular-UniJIS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,

KozMinPro-Regular-UniJIS-UTF8-V

KozMinPro-Regular-UniJIS2004-UTF16-H

KozMinPro-Regular-UniJIS2004-UTF16-V

KozMinPro-Regular-UniJIS2004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

KozMinPro-Regular-UniJIS2004-UTF32-V

KozMinPro-Regular-UniJIS2004-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,

KozMinPro-Regular-UniJIS2004-UTF8-V

KozMinPro-Regular-UniJISPro-UCS2-HW-V

KozMinPro-Regular-UniJISPro-UCS2-V

KozMinPro-Regular-UniJISPro-UTF8-V

KozMinPro-Regular-UniJISX0213-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

KozMinPro-Regular-UniJISX0213-UTF32-V

KozMinPro-Regular-UniJISX02132004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

KozMinPro-Regular-UniJISX02132004-UTF32-V

KozMinPro-Regular-V

KozMinPro-Regular-WP-Symbol

LASY10

LASY5

LASY6

LASY7

LASY8

LASY9

LASYB10

LCIRCLE10

LCIRCLEW10

LCMSS8 ABCDEFG-abcdefg-0123456789-&?!$.,

LCMSSB8 **ABCDEFG-abcdefg-0123456789-&?!$.,**

LCMSSI8 *ABCDEFG-abcdefg-0123456789-&?!$.,*

LINE10

LINEW10

Lasy10

Lasy5

Lasy6

Lasy7

Lasy8

Lasy9

Lasyb10

Lcircle10

Lcirclew10

Lcmss8 ABCDEFG-abcdefg-0123456789-&?!$.,

Lcmssb8 **ABCDEFG-abcdefg-0123456789-&?!$.,**

Lcmssi8 *ABCDEFG-abcdefg-0123456789-&?!$.,*

Line10

Linew10

MHei-Medium-Adobe-CNS1-0

MHei-Medium-Adobe-CNS1-1

MHei-Medium-Adobe-CNS1-2

MHei-Medium-Adobe-CNS1-3

MHei-Medium-Adobe-CNS1-4

MHei-Medium-Adobe-CNS1-5

MHei-Medium-Adobe-CNS1-6

MHei-Medium-Adobe-CNS1-7

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

MHei-Medium-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MHei-Medium-B5-V
MHei-Medium-B5pc-H ABCDEFG abcdefg 0123456789 &?!$.,
MHei-Medium-B5pc-V
MHei-Medium-CNS-EUC-H □ □发□□□□□韐鱖蠼ツ□忿□楩□
MHei-Medium-CNS-EUC-V
MHei-Medium-CNS1-H □ □文□莱媽筷□□□□□□□□IV□
MHei-Medium-CNS1-V
MHei-Medium-CNS2-H 閐旖瞗□擦蹜毯□浭膂埴梌羝□紨拑□
MHei-Medium-CNS2-V
MHei-Medium-ETHK-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MHei-Medium-ETHK-B5-V
MHei-Medium-ETen-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MHei-Medium-ETen-B5-V
MHei-Medium-ETenms-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MHei-Medium-ETenms-B5-V
MHei-Medium-HKdla-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MHei-Medium-HKdla-B5-V
MHei-Medium-HKdlb-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MHei-Medium-HKdlb-B5-V
MHei-Medium-HKgccs-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MHei-Medium-HKgccs-B5-V
MHei-Medium-HKm314-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MHei-Medium-HKm314-B5-V
MHei-Medium-HKm471-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MHei-Medium-HKm471-B5-V
MHei-Medium-HKscs-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MHei-Medium-HKscs-B5-V
MHei-Medium-Identity-H □ □发□□□□□韐鱖蠼ツ□忿□楩□
MHei-Medium-Identity-V
MHei-Medium-UniCNS-UCS2-H □□□□慢掘敦朠□□□□□...□□□
MHei-Medium-UniCNS-UCS2-V
MHei-Medium-UniCNS-UTF16-H □□□□慢□敦朠□□□□□...□□□
MHei-Medium-UniCNS-UTF16-V
MHei-Medium-UniCNS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MHei-Medium-UniCNS-UTF32-V
MHei-Medium-UniCNS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
MHei-Medium-UniCNS-UTF8-V
MS-Gothic-78-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Gothic-78-EUC-V
MS-Gothic-78-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
MS-Gothic-78-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Gothic-78-RKSJ-V
MS-Gothic-78-V
MS-Gothic-78ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Gothic-78ms-RKSJ-V
MS-Gothic-83pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Gothic-90ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Gothic-90ms-RKSJ-V
MS-Gothic-90msp-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Gothic-90msp-RKSJ-V
MS-Gothic-90pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Gothic-90pv-RKSJ-V
MS-Gothic-Add-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
MS-Gothic-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Gothic-Add-RKSJ-V

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

MS-Gothic-Add-V

MS-Gothic-Adobe-Japan1-0 疎□□□

# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts (continued):

MS-Mincho-78ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Mincho-78ms-RKSJ-V
MS-Mincho-83pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Mincho-90ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Mincho-90ms-RKSJ-V
MS-Mincho-90msp-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Mincho-90msp-RKSJ-V
MS-Mincho-90pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Mincho-90pv-RKSJ-V
MS-Mincho-Add-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MS-Mincho-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Mincho-Add-RKSJ-V
MS-Mincho-Add-V
MS-Mincho-Adobe-Japan1-0 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡_ □ □ □
MS-Mincho-Adobe-Japan1-1 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡_ □ □ □
MS-Mincho-Adobe-Japan1-2 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡_ □ □ □
MS-Mincho-Adobe-Japan1-3 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡_ □ □ □
MS-Mincho-Adobe-Japan1-4 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡_ □ □ □
MS-Mincho-Adobe-Japan1-5 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡_ □ □ □
MS-Mincho-Adobe-Japan1-6 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡_ □ □ □
MS-Mincho-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Mincho-EUC-V
MS-Mincho-Ext-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MS-Mincho-Ext-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Mincho-Ext-RKSJ-V
MS-Mincho-Ext-V
MS-Mincho-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MS-Mincho-Hankaku ABCDEFG abcdefg 0123456789 &?!$.,
MS-Mincho-Hiragana □ □ □ □ □ □ □ □ □ □

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

MS-Mincho-UniJISX0213-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Mincho-UniJISX0213-UTF32-V
MS-Mincho-UniJISX02132004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-Mincho-UniJISX02132004-UTF32-V
MS-Mincho-V
MS-Mincho-WP-Symbol ⒢(h)(i)(j)(k)(l)(m)viii➡ □ □ ➡ □ ♠ ♥viiicalkcal⌒⌣ ~ dBHzmsμsnsviiimm³(e)ixcm² □ ℓ
MS-PGothic-78-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PGothic-78-EUC-V
MS-PGothic-78-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MS-PGothic-78-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PGothic-78-RKSJ-V
MS-PGothic-78-V
MS-PGothic-78ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PGothic-78ms-RKSJ-V
MS-PGothic-83pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PGothic-90ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PGothic-90ms-RKSJ-V
MS-PGothic-90msp-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PGothic-90msp-RKSJ-V
MS-PGothic-90pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PGothic-90pv-RKSJ-V
MS-PGothic-Add-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MS-PGothic-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PGothic-Add-RKSJ-V
MS-PGothic-Add-V
MS-PGothic-Adobe-Japan1-0 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MS-PGothic-Adobe-Japan1-1 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MS-PGothic-Adobe-Japan1-2 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MS-PGothic-Adobe-Japan1-3 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MS-PGothic-Adobe-Japan1-4 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MS-PGothic-Adobe-Japan1-5 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MS-PGothic-Adobe-Japan1-6 □ □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MS-PGothic-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PGothic-EUC-V
MS-PGothic-Ext-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MS-PGothic-Ext-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PGothic-Ext-RKSJ-V
MS-PGothic-Ext-V
MS-PGothic-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MS-PGothic-Hankaku ABCDEFG abcdefg 0123456789 &?!$.,
MS-PGothic-Hiragana □ □ □ □ □ □ □ □ □ □ □ □

# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts (continued):

MS-PGothic-UniJIS-UTF32-V
MS-PGothic-UniJIS-UTF8-H
MS-PGothic-UniJIS-UTF8-V
MS-PGothic-UniJIS2004-UTF16-H
MS-PGothic-UniJIS2004-UTF16-V
MS-PGothic-UniJIS2004-UTF32-H
MS-PGothic-UniJIS2004-UTF32-V
MS-PGothic-UniJIS2004-UTF8-H
MS-PGothic-UniJIS2004-UTF8-V
MS-PGothic-UniJISPro-UCS2-HW-V
MS-PGothic-UniJISPro-UCS2-V
MS-PGothic-UniJISPro-UTF8-V
MS-PGothic-UniJISX0213-UTF32-H
MS-PGothic-UniJISX0213-UTF32-V
MS-PGothic-UniJISX02132004-UTF32-H
MS-PGothic-UniJISX02132004-UTF32-V
MS-PGothic-V
MS-PGothic-WP-Symbol
MS-PMincho-78-EUC-H
MS-PMincho-78-EUC-V
MS-PMincho-78-H
MS-PMincho-78-RKSJ-H
MS-PMincho-78-RKSJ-V
MS-PMincho-78-V
MS-PMincho-78ms-RKSJ-H
MS-PMincho-78ms-RKSJ-V
MS-PMincho-83pv-RKSJ-H
MS-PMincho-90ms-RKSJ-H
MS-PMincho-90ms-RKSJ-V
MS-PMincho-90msp-RKSJ-H
MS-PMincho-90msp-RKSJ-V
MS-PMincho-90pv-RKSJ-H
MS-PMincho-90pv-RKSJ-V
MS-PMincho-Add-H
MS-PMincho-Add-RKSJ-H
MS-PMincho-Add-RKSJ-V
MS-PMincho-Add-V
MS-PMincho-Adobe-Japan1-0
MS-PMincho-Adobe-Japan1-1
MS-PMincho-Adobe-Japan1-2
MS-PMincho-Adobe-Japan1-3
MS-PMincho-Adobe-Japan1-4
MS-PMincho-Adobe-Japan1-5
MS-PMincho-Adobe-Japan1-6
MS-PMincho-EUC-H
MS-PMincho-EUC-V
MS-PMincho-Ext-H
MS-PMincho-Ext-RKSJ-H
MS-PMincho-Ext-RKSJ-V
MS-PMincho-Ext-V
MS-PMincho-H
MS-PMincho-Hankaku
MS-PMincho-Hiragana
MS-PMincho-Identity-H
MS-PMincho-Identity-V
MS-PMincho-Katakana


ABCDEFG abcdefg 0123456789 &?!$.,
ABCDEFG abcdefg 0123456789 &?!$.,
ABCDEFG abcdefg 0123456789 &?!$.,

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

MS-PMincho-NWP-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MS-PMincho-NWP-V
MS-PMincho-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PMincho-RKSJ-V
MS-PMincho-Roman ABCDEFG abcdefg 0123456789 &?!$.,
MS-PMincho-UniJIS-UCS2-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □
MS-PMincho-UniJIS-UCS2-HW-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □
MS-PMincho-UniJIS-UCS2-HW-V
MS-PMincho-UniJIS-UCS2-V
MS-PMincho-UniJIS-UTF16-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □
MS-PMincho-UniJIS-UTF16-V
MS-PMincho-UniJIS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PMincho-UniJIS-UTF32-V
MS-PMincho-UniJIS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PMincho-UniJIS-UTF8-V
MS-PMincho-UniJIS2004-UTF16-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □
MS-PMincho-UniJIS2004-UTF16-V
MS-PMincho-UniJIS2004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PMincho-UniJIS2004-UTF32-V
MS-PMincho-UniJIS2004-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PMincho-UniJIS2004-UTF8-V
MS-PMincho-UniJISPro-UCS2-HW-V
MS-PMincho-UniJISPro-UCS2-V
MS-PMincho-UniJISPro-UTF8-V
MS-PMincho-UniJISX0213-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PMincho-UniJISX0213-UTF32-V
MS-PMincho-UniJISX02132004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-PMincho-UniJISX02132004-UTF32-V
MS-PMincho-V
MS-PMincho-WP-Symbol ⒢⑹⑴⑴⑽viii➡ □ □ ➡ □ ♠ ♥viiicalkcal⌒‿ ~ dBHzmsμsnsviiimm²⑷ixcm² □ ℓ
MS-UIGothic-78-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-UIGothic-78-EUC-V
MS-UIGothic-78-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MS-UIGothic-78-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-UIGothic-78-RKSJ-V
MS-UIGothic-78-V
MS-UIGothic-78ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-UIGothic-78ms-RKSJ-V
MS-UIGothic-83pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-UIGothic-90ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-UIGothic-90ms-RKSJ-V
MS-UIGothic-90msp-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-UIGothic-90msp-RKSJ-V
MS-UIGothic-90pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-UIGothic-90pv-RKSJ-V
MS-UIGothic-Add-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MS-UIGothic-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MS-UIGothic-Add-RKSJ-V
MS-UIGothic-Add-V
MS-UIGothic-Adobe-Japan1-0 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MS-UIGothic-Adobe-Japan1-1 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MS-UIGothic-Adobe-Japan1-2 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MS-UIGothic-Adobe-Japan1-3 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MS-UIGothic-Adobe-Japan1-4 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MS-UIGothic-Adobe-Japan1-5 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MS-UIGothic-Adobe-Japan1-6 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts (continued):

MS-UIGothic-EUC-H
MS-UIGothic-EUC-V
MS-UIGothic-Ext-H
MS-UIGothic-Ext-RKSJ-H
MS-UIGothic-Ext-RKSJ-V
MS-UIGothic-Ext-V
MS-UIGothic-H
MS-UIGothic-Hankaku
MS-UIGothic-Hiragana
MS-UIGothic-Identity-H
MS-UIGothic-Identity-V
MS-UIGothic-Katakana
MS-UIGothic-NWP-H
MS-UIGothic-NWP-V
MS-UIGothic-RKSJ-H
MS-UIGothic-RKSJ-V
MS-UIGothic-Roman
MS-UIGothic-UniJIS-UCS2-H
MS-UIGothic-UniJIS-UCS2-HW-H
MS-UIGothic-UniJIS-UCS2-HW-V
MS-UIGothic-UniJIS-UCS2-V
MS-UIGothic-UniJIS-UTF16-H
MS-UIGothic-UniJIS-UTF16-V
MS-UIGothic-UniJIS-UTF32-H
MS-UIGothic-UniJIS-UTF32-V
MS-UIGothic-UniJIS-UTF8-H
MS-UIGothic-UniJIS-UTF8-V
MS-UIGothic-UniJIS2004-UTF16-H
MS-UIGothic-UniJIS2004-UTF16-V
MS-UIGothic-UniJIS2004-UTF32-H
MS-UIGothic-UniJIS2004-UTF32-V
MS-UIGothic-UniJIS2004-UTF8-H
MS-UIGothic-UniJIS2004-UTF8-V
MS-UIGothic-UniJISPro-UCS2-HW-V
MS-UIGothic-UniJISPro-UCS2-V
MS-UIGothic-UniJISPro-UTF8-V
MS-UIGothic-UniJISX0213-UTF32-H
MS-UIGothic-UniJISX0213-UTF32-V
MS-UIGothic-UniJISX02132004-UTF32-H
MS-UIGothic-UniJISX02132004-UTF32-V
MS-UIGothic-V
MS-UIGothic-WP-Symbol
MSAM10
MSAM5
MSAM6
MSAM7
MSAM8
MSAM9
MSBM10
MSBM5
MSBM6
MSBM7
MSBM8
MSBM9
MSGothic-78-EUC-H
MSGothic-78-EUC-V

ABCDEFG abcdefg 0123456789 &?!$.,

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

MSGothic-78-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □

MSGothic-78-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-78-RKSJ-V

MSGothic-78-V

MSGothic-78ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-78ms-RKSJ-V

MSGothic-83pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-90ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-90ms-RKSJ-V

MSGothic-90msp-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-90msp-RKSJ-V

MSGothic-90pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-90pv-RKSJ-V

MSGothic-Add-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □

MSGothic-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-Add-RKSJ-V

MSGothic-Add-V

MSGothic-Adobe-Japan1-0 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

MSGothic-Adobe-Japan1-1 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

MSGothic-Adobe-Japan1-2 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

MSGothic-Adobe-Japan1-3 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

MSGothic-Adobe-Japan1-4 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

MSGothic-Adobe-Japan1-5 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

MSGothic-Adobe-Japan1-6 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

MSGothic-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-EUC-V

MSGothic-Ext-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □

MSGothic-Ext-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-Ext-RKSJ-V

MSGothic-Ext-V

MSGothic-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □

MSGothic-Hankaku ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-Hiragana □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ - □ □ □ □ □ □ □ □ □ □ □ □ 。、□ □

MSGothic-Identity-H 痰 □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □

MSGothic-Identity-V

MSGothic-Katakana ｧｯﾃﾄﾅﾆﾇ □ □ □ □ □ □ □ □ □ ｰｱｲｳｴｵｶｷｸｹ □ ﾗﾘ。、ｮﾔ

MSGothic-NWP-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □

MSGothic-NWP-V

MSGothic-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-RKSJ-V

MSGothic-Roman ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-UniJIS-UCS2-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □

MSGothic-UniJIS-UCS2-HW-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □

MSGothic-UniJIS-UCS2-HW-V

MSGothic-UniJIS-UCS2-V

MSGothic-UniJIS-UTF16-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □

MSGothic-UniJIS-UTF16-V

MSGothic-UniJIS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-UniJIS-UTF32-V

MSGothic-UniJIS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-UniJIS-UTF8-V

MSGothic-UniJIS2004-UTF16-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □

MSGothic-UniJIS2004-UTF16-V

MSGothic-UniJIS2004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

MSGothic-UniJIS2004-UTF32-V

MSGothic-UniJIS2004-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

MSGothic-UniJIS2004-UTF8-V
MSGothic-UniJISPro-UCS2-HW-V
MSGothic-UniJISPro-UCS2-V
MSGothic-UniJISPro-UTF8-V
MSGothic-UniJISX0213-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MSGothic-UniJISX0213-UTF32-V
MSGothic-UniJISX02132004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MSGothic-UniJISX02132004-UTF32-V
MSGothic-V
MSGothic-WP-Symbol viii➡ ➡ ♠ ♥viiicalkcal ~ dBHzmsμsnsviiimm㎡ix㎠ ℓ
MSung-Light-Adobe-CNS1-0 发 韐黵蠰ツ 惹 梗
MSung-Light-Adobe-CNS1-1 发 韐黵蠰ツ 惹 梗
MSung-Light-Adobe-CNS1-2 发 韐黵蠰ツ 惹 梗
MSung-Light-Adobe-CNS1-3 发 韐黵蠰ツ 惹 梗
MSung-Light-Adobe-CNS1-4 发 韐黵蠰ツ 惹 梗
MSung-Light-Adobe-CNS1-5 发 韐黵蠰ツ 惹 梗
MSung-Light-Adobe-CNS1-6 发 韐黵蠰ツ 惹 梗
MSung-Light-Adobe-CNS1-7 发 韐黵蠰ツ 惹 梗
MSung-Light-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MSung-Light-B5-V
MSung-Light-B5pc-H ABCDEFG abcdefg 0123456789 &?!$.,
MSung-Light-B5pc-V
MSung-Light-CNS-EUC-H 发 韐黵蠰ツ 惹 梗
MSung-Light-CNS-EUC-V
MSung-Light-CNS1-H 文 萊媽筷 Ⅳ
MSung-Light-CNS1-V
MSung-Light-CNS2-H 閐旖瞗 擦蹜穭 浭脀堍梌羝 紨拑
MSung-Light-CNS2-V
MSung-Light-ETHK-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MSung-Light-ETHK-B5-V
MSung-Light-ETen-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MSung-Light-ETen-B5-V
MSung-Light-ETenms-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MSung-Light-ETenms-B5-V
MSung-Light-HKdla-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MSung-Light-HKdla-B5-V
MSung-Light-HKdlb-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MSung-Light-HKdlb-B5-V
MSung-Light-HKgccs-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MSung-Light-HKgccs-B5-V
MSung-Light-HKm314-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MSung-Light-HKm314-B5-V
MSung-Light-HKm471-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MSung-Light-HKm471-B5-V
MSung-Light-HKscs-B5-H ABCDEFG abcdefg 0123456789 &?!$.,
MSung-Light-HKscs-B5-V
MSung-Light-Identity-H 发 韐黵蠰ツ 惹 梗
MSung-Light-Identity-V
MSung-Light-UniCNS-UCS2-H 慢捱敦朠 ...
MSung-Light-UniCNS-UCS2-V
MSung-Light-UniCNS-UTF16-H 慢 敦朠 ...
MSung-Light-UniCNS-UTF16-V
MSung-Light-UniCNS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MSung-Light-UniCNS-UTF32-V
MSung-Light-UniCNS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
MSung-Light-UniCNS-UTF8-V

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

MSungGB-Light-Adobe-GB1-0 穭綩膿薹 □ □ □ □ 巏慤敍梑殽輛脊綀 □
MSungGB-Light-Adobe-GB1-1 穭綩膿薹 □ □ □ □ 巏慤敍梑殽輛脊綀 □
MSungGB-Light-Adobe-GB1-2 穭綩膿薹 □ □ □ □ 巏慤敍梑殽輛脊綀 □
MSungGB-Light-Adobe-GB1-3 穭綩膿薹 □ □ □ □ 巏慤敍梑殽輛脊綀 □
MSungGB-Light-Adobe-GB1-4 穭綩膿薹 □ □ □ □ 巏慤敍梑殽輛脊綀 □
MSungGB-Light-Adobe-GB1-5 穭綩膿薹 □ □ □ □ 巏慤敍梑殽輛脊綀 □
MSungGB-Light-GB-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MSungGB-Light-GB-EUC-V
MSungGB-Light-GB-H 涼媚牌 □ 徠沅ヨ □ 氨渤吹斗腹 □ 俊ぎ □
MSungGB-Light-GB-V
MSungGB-Light-GBK-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MSungGB-Light-GBK-EUC-V
MSungGB-Light-GBK2K-H ABCDEFG abcdefg 0123456789 &?!$.,
MSungGB-Light-GBK2K-V
MSungGB-Light-GBKp-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MSungGB-Light-GBKp-EUC-V
MSungGB-Light-GBT-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MSungGB-Light-GBT-EUC-V
MSungGB-Light-GBT-H 涼媚牌 □ 徠沅ヨ □ 氨渤吹門腹 □ 俊ぎ □
MSungGB-Light-GBT-V
MSungGB-Light-GBTpc-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MSungGB-Light-GBTpc-EUC-V
MSungGB-Light-GBpc-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MSungGB-Light-GBpc-EUC-V
MSungGB-Light-Identity-H 穭綩膿薹 □ □ □ □ 巏慤敍梑殽輛脊綀 □
MSungGB-Light-Identity-V
MSungGB-Light-UniGB-UCS2-H □ □ □ □ 慢捱敦朠 □ □ □ □ □ … □ □ □
MSungGB-Light-UniGB-UCS2-V
MSungGB-Light-UniGB-UTF16-H □ □ □ □ 慢捱敦朠 □ □ □ □ □ … □ □ □
MSungGB-Light-UniGB-UTF16-V
MSungGB-Light-UniGB-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MSungGB-Light-UniGB-UTF32-V
MSungGB-Light-UniGB-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
MSungGB-Light-UniGB-UTF8-V
MidashiGo-MB31-78-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-78-EUC-V
MidashiGo-MB31-78-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MidashiGo-MB31-78-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-78-RKSJ-V
MidashiGo-MB31-78-V
MidashiGo-MB31-78ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-78ms-RKSJ-V
MidashiGo-MB31-83pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-90ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-90ms-RKSJ-V
MidashiGo-MB31-90msp-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-90msp-RKSJ-V
MidashiGo-MB31-90pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-90pv-RKSJ-V
MidashiGo-MB31-Add-H 辣団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MidashiGo-MB31-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-Add-RKSJ-V
MidashiGo-MB31-Add-V
MidashiGo-MB31-Adobe-Japan1-0 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡_ □ □ □
MidashiGo-MB31-Adobe-Japan1-1 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡_ □ □ □
MidashiGo-MB31-Adobe-Japan1-2 □ □ □ □ □ □ □ □ □ □ 卽 □ 啡_ □ □ □

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

MidashiGo-MB31-Adobe-Japan1-3 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MidashiGo-MB31-Adobe-Japan1-4 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MidashiGo-MB31-Adobe-Japan1-5 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MidashiGo-MB31-Adobe-Japan1-6 □ □ □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MidashiGo-MB31-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-EUC-V
MidashiGo-MB31-Ext-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MidashiGo-MB31-Ext-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-Ext-RKSJ-V
MidashiGo-MB31-Ext-V
MidashiGo-MB31-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MidashiGo-MB31-Hankaku ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-Hiragana □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ - □ □ □ □ □ □ □ □ □ □ □ □ □ 。、 □ □
MidashiGo-MB31-Identity-H 疎 □ □ □ □ □ □ □ □ □ 卽 □ 啡 _ □ □ □
MidashiGo-MB31-Identity-V
MidashiGo-MB31-Katakana ｱｯﾃﾄﾅﾆﾇ □ □ □ □ □ □ □ □ □ -ｱｲｳｴｵｶｷｸｹ □ ﾗﾘ。、ｮﾔ
MidashiGo-MB31-NWP-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MidashiGo-MB31-NWP-V
MidashiGo-MB31-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-RKSJ-V
MidashiGo-MB31-Roman ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-UniJIS-UCS2-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □
MidashiGo-MB31-UniJIS-UCS2-HW-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □
MidashiGo-MB31-UniJIS-UCS2-HW-V
MidashiGo-MB31-UniJIS-UCS2-V
MidashiGo-MB31-UniJIS-UTF16-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □
MidashiGo-MB31-UniJIS-UTF16-V
MidashiGo-MB31-UniJIS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-UniJIS-UTF32-V
MidashiGo-MB31-UniJIS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-UniJIS-UTF8-V
MidashiGo-MB31-UniJIS2004-UTF16-H □ □ □ □ 慢 □ 敦 □ □ □ □ □ □ … □ □ □
MidashiGo-MB31-UniJIS2004-UTF16-V
MidashiGo-MB31-UniJIS2004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-UniJIS2004-UTF32-V
MidashiGo-MB31-UniJIS2004-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-UniJIS2004-UTF8-V
MidashiGo-MB31-UniJISPro-UCS2-HW-V
MidashiGo-MB31-UniJISPro-UCS2-V
MidashiGo-MB31-UniJISPro-UTF8-V
MidashiGo-MB31-UniJISX0213-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-UniJISX0213-UTF32-V
MidashiGo-MB31-UniJISX02132004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiGo-MB31-UniJISX02132004-UTF32-V
MidashiGo-MB31-V
MidashiGo-MB31-WP-Symbol ⑻⑼⑽⑾⑿⒀viii➡ □ □ ➡ □ ♠ ♥viiicalkcal⌒⌣ ~ dBHzmsμsnsviiimm³⑸ixcm² □ ℓ
MidashiMin-MA31-78-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiMin-MA31-78-EUC-V
MidashiMin-MA31-78-H 疎団兎 □ 痰邃繙 □ 葦桶患況弦 □ 拭ぎ □
MidashiMin-MA31-78-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiMin-MA31-78-RKSJ-V
MidashiMin-MA31-78-V
MidashiMin-MA31-78ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiMin-MA31-78ms-RKSJ-V
MidashiMin-MA31-83pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
MidashiMin-MA31-90ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

MidashiMin-MA31-90ms-RKSJ-V
MidashiMin-MA31-90msp-RKSJ-H
MidashiMin-MA31-90msp-RKSJ-V
MidashiMin-MA31-90pv-RKSJ-H
MidashiMin-MA31-90pv-RKSJ-V
MidashiMin-MA31-Add-H
MidashiMin-MA31-Add-RKSJ-H
MidashiMin-MA31-Add-RKSJ-V
MidashiMin-MA31-Add-V
MidashiMin-MA31-Adobe-Japan1-0
MidashiMin-MA31-Adobe-Japan1-1
MidashiMin-MA31-Adobe-Japan1-2
MidashiMin-MA31-Adobe-Japan1-3
MidashiMin-MA31-Adobe-Japan1-4
MidashiMin-MA31-Adobe-Japan1-5
MidashiMin-MA31-Adobe-Japan1-6
MidashiMin-MA31-EUC-H
MidashiMin-MA31-EUC-V
MidashiMin-MA31-Ext-H
MidashiMin-MA31-Ext-RKSJ-H
MidashiMin-MA31-Ext-RKSJ-V
MidashiMin-MA31-Ext-V
MidashiMin-MA31-H
MidashiMin-MA31-Hankaku
MidashiMin-MA31-Hiragana
MidashiMin-MA31-Identity-H
MidashiMin-MA31-Identity-V
MidashiMin-MA31-Katakana
MidashiMin-MA31-NWP-H
MidashiMin-MA31-NWP-V
MidashiMin-MA31-RKSJ-H
MidashiMin-MA31-RKSJ-V
MidashiMin-MA31-Roman
MidashiMin-MA31-UniJIS-UCS2-H
MidashiMin-MA31-UniJIS-UCS2-HW-H
MidashiMin-MA31-UniJIS-UCS2-HW-V
MidashiMin-MA31-UniJIS-UCS2-V
MidashiMin-MA31-UniJIS-UTF16-H
MidashiMin-MA31-UniJIS-UTF16-V
MidashiMin-MA31-UniJIS-UTF32-H
MidashiMin-MA31-UniJIS-UTF32-V
MidashiMin-MA31-UniJIS-UTF8-H
MidashiMin-MA31-UniJIS-UTF8-V
MidashiMin-MA31-UniJIS2004-UTF16-H
MidashiMin-MA31-UniJIS2004-UTF16-V
MidashiMin-MA31-UniJIS2004-UTF32-H
MidashiMin-MA31-UniJIS2004-UTF32-V
MidashiMin-MA31-UniJIS2004-UTF8-H
MidashiMin-MA31-UniJIS2004-UTF8-V
MidashiMin-MA31-UniJISPro-UCS2-HW-V
MidashiMin-MA31-UniJISPro-UCS2-V
MidashiMin-MA31-UniJISPro-UTF8-V
MidashiMin-MA31-UniJISX0213-UTF32-H
MidashiMin-MA31-UniJISX0213-UTF32-V
MidashiMin-MA31-UniJISX02132004-UTF32-H
MidashiMin-MA31-UniJISX02132004-UTF32-V


ABCDEFG abcdefg 0123456789 &?!$.,
ABCDEFG abcdefg 0123456789 &?!$.,
ABCDEFG abcdefg 0123456789 &?!$.,

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

MidashiMin-MA31-V

MidashiMin-MA31-WP-Symbol

MingLiU-Adobe-CNS1-0

MingLiU-Adobe-CNS1-1

MingLiU-Adobe-CNS1-2

MingLiU-Adobe-CNS1-3

MingLiU-Adobe-CNS1-4

MingLiU-Adobe-CNS1-5

MingLiU-Adobe-CNS1-6

MingLiU-Adobe-CNS1-7

MingLiU-B5-H

MingLiU-B5-V

MingLiU-B5pc-H

MingLiU-B5pc-V

MingLiU-CNS-EUC-H

MingLiU-CNS-EUC-V

MingLiU-CNS1-H

MingLiU-CNS1-V

MingLiU-CNS2-H

MingLiU-CNS2-V

MingLiU-ETHK-B5-H

MingLiU-ETHK-B5-V

MingLiU-ETen-B5-H

MingLiU-ETen-B5-V

MingLiU-ETenms-B5-H

MingLiU-ETenms-B5-V

MingLiU-HKdla-B5-H

MingLiU-HKdla-B5-V

MingLiU-HKdlb-B5-H

MingLiU-HKdlb-B5-V

MingLiU-HKgccs-B5-H

MingLiU-HKgccs-B5-V

MingLiU-HKm314-B5-H

MingLiU-HKm314-B5-V

MingLiU-HKm471-B5-H

MingLiU-HKm471-B5-V

MingLiU-HKscs-B5-H

MingLiU-HKscs-B5-V

MingLiU-Identity-H

MingLiU-Identity-V

MingLiU-UniCNS-UCS2-H

MingLiU-UniCNS-UCS2-V

MingLiU-UniCNS-UTF16-H

MingLiU-UniCNS-UTF16-V

MingLiU-UniCNS-UTF32-H

MingLiU-UniCNS-UTF32-V

MingLiU-UniCNS-UTF8-H

MingLiU-UniCNS-UTF8-V

Msam10

Msam5

Msam6

Msam7

Msam8

Msam9

Msbm10

Msbm5

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

Msbm6 ABCDEFG
Msbm7 ABCDEFG
Msbm8 ABCDEFG
Msbm9 ABCDEFG
Munhwa-Regular-Adobe-Korea1-0 큙뒷햶 몀붦쀁슡쓾 춻
Munhwa-Regular-Adobe-Korea1-1 큙뒷햶 몀붦쀁슡쓾 춻
Munhwa-Regular-Adobe-Korea1-2 큙뒷햶 몀붦쀁슡쓾 춻
Munhwa-Regular-Identity-H 큙뒷햶 몀붦쀁슡쓾 춻
Munhwa-Regular-Identity-V
Munhwa-Regular-KSC-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
Munhwa-Regular-KSC-EUC-V
Munhwa-Regular-KSC-H 솨쳐탬 浪宸臆 갚껙뉘떱많 에ㄹ
Munhwa-Regular-KSC-Johab-H ABCDEFG abcdefg 0123456789 &?!$.,
Munhwa-Regular-KSC-Johab-V
Munhwa-Regular-KSC-V
Munhwa-Regular-KSCms-UHC-H ABCDEFG abcdefg 0123456789 &?!$.,
Munhwa-Regular-KSCms-UHC-HW-H ABCDEFG abcdefg 0123456789 &?!$.,
Munhwa-Regular-KSCms-UHC-HW-V
Munhwa-Regular-KSCms-UHC-V
Munhwa-Regular-KSCpc-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
Munhwa-Regular-KSCpc-EUC-V
Munhwa-Regular-UniKS-UCS2-H 慢 敦 ...
Munhwa-Regular-UniKS-UCS2-V
Munhwa-Regular-UniKS-UTF16-H 慢 敦 ...
Munhwa-Regular-UniKS-UTF16-V
Munhwa-Regular-UniKS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
Munhwa-Regular-UniKS-UTF32-V
Munhwa-Regular-UniKS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
Munhwa-Regular-UniKS-UTF8-V
NewCenturySchlbk-Bold **ABCDEFG abcdefg 0123456789 &?!$.,€**
NewCenturySchlbk-BoldItalic ***ABCDEFG abcdefg 0123456789 &?!$.,€***
NewCenturySchlbk-Italic *ABCDEFG abcdefg 0123456789 &?!$.,€*
NewCenturySchlbk-Roman ABCDEFG abcdefg 0123456789 &?!$.,€
NimbusMonL-Bold **ABCDEFG abcdefg 0123456789 &?!$.,€**
NimbusMonL-BoldObli ***ABCDEFG abcdefg 0123456789 &?!$.,€***
NimbusMonL-Regu ABCDEFG abcdefg 0123456789 &?!$.,€
NimbusMonL-ReguObli *ABCDEFG abcdefg 0123456789 &?!$.,€*
NimbusMonoPS-Bold **ABCDEFG abcdefg 0123456789 &?!$.,€**
NimbusMonoPS-BoldItalic ***ABCDEFG abcdefg 0123456789 &?!$.,€***
NimbusMonoPS-Italic *ABCDEFG abcdefg 0123456789 &?!$.,€*
NimbusMonoPS-Regular ABCDEFG abcdefg 0123456789 &?!$.,€
NimbusRomNo9L-Medi **ABCDEFG abcdefg 0123456789 &?!$.,€**
NimbusRomNo9L-MediItal ***ABCDEFG abcdefg 0123456789 &?!$.,€***
NimbusRomNo9L-Regu ABCDEFG abcdefg 0123456789 &?!$.,€
NimbusRomNo9L-ReguItal *ABCDEFG abcdefg 0123456789 &?!$.,€*
NimbusRoman-Bold **ABCDEFG abcdefg 0123456789 &?!$.,€**
NimbusRoman-BoldItalic ***ABCDEFG abcdefg 0123456789 &?!$.,€***
NimbusRoman-Italic *ABCDEFG abcdefg 0123456789 &?!$.,€*
NimbusRoman-Regular ABCDEFG abcdefg 0123456789 &?!$.,€
NimbusSanL-Bold **ABCDEFG abcdefg 0123456789 &?!$.,€**
NimbusSanL-BoldCond **ABCDEFG abcdefg 0123456789 &?!$.,€**
NimbusSanL-BoldCondItal ***ABCDEFG abcdefg 0123456789 &?!$.,€***
NimbusSanL-BoldItal ***ABCDEFG abcdefg 0123456789 &?!$.,€***
NimbusSanL-Regu ABCDEFG abcdefg 0123456789 &?!$.,€
NimbusSanL-ReguCond ABCDEFG abcdefg 0123456789 &?!$.,€
NimbusSanL-ReguCondItal *ABCDEFG abcdefg 0123456789 &?!$.,€*

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

| | |
|---|---|
| NimbusSanL-ReguItal | *ABCDEFG abcdefg 0123456789 &?!$.,€* |
| NimbusSans-Bold | **ABCDEFG abcdefg 0123456789 &?!$.,€** |
| NimbusSans-BoldItalic | ***ABCDEFG abcdefg 0123456789 &?!$.,€*** |
| NimbusSans-Italic | *ABCDEFG abcdefg 0123456789 &?!$.,€* |
| NimbusSans-Regular | ABCDEFG abcdefg 0123456789 &?!$.,€ |
| NimbusSansNarrow-Bold | **ABCDEFG abcdefg 0123456789 &?!$.,€** |
| NimbusSansNarrow-BoldOblique | ***ABCDEFG abcdefg 0123456789 &?!$.,€*** |
| NimbusSansNarrow-Oblique | *ABCDEFG abcdefg 0123456789 &?!$.,€* |
| NimbusSansNarrow-Regular | ABCDEFG abcdefg 0123456789 &?!$.,€ |
| P052-Bold | **ABCDEFG abcdefg 0123456789 &?!$.,€** |
| P052-BoldItalic | ***ABCDEFG abcdefg 0123456789 &?!$.,€*** |
| P052-Italic | *ABCDEFG abcdefg 0123456789 &?!$.,€* |
| P052-Roman | ABCDEFG abcdefg 0123456789 &?!$.,€ |
| PMingLiU-Adobe-CNS1-0 | □ □发□□□□□韐黵蠼ツ□惹□粳□ |
| PMingLiU-Adobe-CNS1-1 | □ □发□□□□□韐黵蠼ツ□惹□粳□ |
| PMingLiU-Adobe-CNS1-2 | □ □发□□□□□韐黵蠼ツ□惹□粳□ |
| PMingLiU-Adobe-CNS1-3 | □ □发□□□□□韐黵蠼ツ□惹□粳□ |
| PMingLiU-Adobe-CNS1-4 | □ □发□□□□□韐黵蠼ツ□惹□粳□ |
| PMingLiU-Adobe-CNS1-5 | □ □发□□□□□韐黵蠼ツ□惹□粳□ |
| PMingLiU-Adobe-CNS1-6 | □ □发□□□□□韐黵蠼ツ□惹□粳□ |
| PMingLiU-Adobe-CNS1-7 | □ □发□□□□□韐黵蠼ツ□惹□粳□ |
| PMingLiU-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| PMingLiU-B5-V | |
| PMingLiU-B5pc-H | ABCDEFG abcdefg 0123456789 &?!$., |
| PMingLiU-B5pc-V | |
| PMingLiU-CNS-EUC-H | □□发□□□□□韐黵蠼ツ□惹□粳□ |
| PMingLiU-CNS-EUC-V | |
| PMingLiU-CNS1-H | □□文□莱媽筷□□□□□□□□IV□ |
| PMingLiU-CNS1-V | |
| PMingLiU-CNS2-H | 閏旖瞗□擦蹜穩□浭脀堍梌粄□紨拑□ |
| PMingLiU-CNS2-V | |
| PMingLiU-ETHK-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| PMingLiU-ETHK-B5-V | |
| PMingLiU-ETen-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| PMingLiU-ETen-B5-V | |
| PMingLiU-ETenms-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| PMingLiU-ETenms-B5-V | |
| PMingLiU-HKdla-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| PMingLiU-HKdla-B5-V | |
| PMingLiU-HKdlb-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| PMingLiU-HKdlb-B5-V | |
| PMingLiU-HKgccs-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| PMingLiU-HKgccs-B5-V | |
| PMingLiU-HKm314-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| PMingLiU-HKm314-B5-V | |
| PMingLiU-HKm471-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| PMingLiU-HKm471-B5-V | |
| PMingLiU-HKscs-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| PMingLiU-HKscs-B5-V | |
| PMingLiU-Identity-H | □□发□□□□□韐黵蠼ツ□惹□粳□ |
| PMingLiU-Identity-V | |
| PMingLiU-UniCNS-UCS2-H | □□□□慢掜敦朠□□□□□...□□□ |
| PMingLiU-UniCNS-UCS2-V | |
| PMingLiU-UniCNS-UTF16-H | □□□□慢□敦朠□□□□□...□□□ |
| PMingLiU-UniCNS-UTF32-H | ABCDEFG abcdefg 0123456789 &?!$., |

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

PMingLiU-UniCNS-UTF32-V
PMingLiU-UniCNS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
PMingLiU-UniCNS-UTF8-V
Palatino-Bold **ABCDEFG abcdefg 0123456789 &?!$.,€**
Palatino-BoldItalic ***ABCDEFG abcdefg 0123456789 &?!$.,€***
Palatino-Italic *ABCDEFG abcdefg 0123456789 &?!$.,€*
Palatino-Roman ABCDEFG abcdefg 0123456789 &?!$.,€
RicohGothicB-78-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-78-EUC-V
RicohGothicB-78-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
RicohGothicB-78-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-78-RKSJ-V
RicohGothicB-78-V
RicohGothicB-78ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-78ms-RKSJ-V
RicohGothicB-83pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-90ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-90ms-RKSJ-V
RicohGothicB-90msp-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-90msp-RKSJ-V
RicohGothicB-90pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-90pv-RKSJ-V
RicohGothicB-Add-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
RicohGothicB-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-Add-RKSJ-V
RicohGothicB-Add-V
RicohGothicB-Adobe-Japan1-0 □□□□□□□□□□□□卽□啡_□□□
RicohGothicB-Adobe-Japan1-1 □□□□□□□□□□□□卽□啡_□□□
RicohGothicB-Adobe-Japan1-2 □□□□□□□□□□□□卽□啡_□□□
RicohGothicB-Adobe-Japan1-3 □□□□□□□□□□□□卽□啡_□□□
RicohGothicB-Adobe-Japan1-4 □□□□□□□□□□□□卽□啡_□□□
RicohGothicB-Adobe-Japan1-5 □□□□□□□□□□□□卽□啡_□□□
RicohGothicB-Adobe-Japan1-6 □□□□□□□□□□□□卽□啡_□□□
RicohGothicB-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-EUC-V
RicohGothicB-Ext-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
RicohGothicB-Ext-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-Ext-RKSJ-V
RicohGothicB-Ext-V
RicohGothicB-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
RicohGothicB-Hankaku ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-Hiragana □□□□□□□□□□□□

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

RicohGothicB-UniJIS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-UniJIS-UTF32-V
RicohGothicB-UniJIS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-UniJIS-UTF8-V
RicohGothicB-UniJIS2004-UTF16-H A□□□□慢□敦□□□□□□□...□□□
RicohGothicB-UniJIS2004-UTF16-V
RicohGothicB-UniJIS2004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-UniJIS2004-UTF32-V
RicohGothicB-UniJIS2004-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-UniJIS2004-UTF8-V
RicohGothicB-UniJISPro-UCS2-HW-V
RicohGothicB-UniJISPro-UCS2-V
RicohGothicB-UniJISPro-UTF8-V
RicohGothicB-UniJISX0213-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-UniJISX0213-UTF32-V
RicohGothicB-UniJISX02132004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
RicohGothicB-UniJISX02132004-UTF32-V
RicohGothicB-V
RicohGothicB-WP-Symbol (e)(h)(i)(j)(k)(l)(m)viii➡□□➡□♠♥viiicalkcal⌒⌣~dBHzmsμsnsviiimm²(e)ixcm²□ℓ
Ryumin-Light-78-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-78-EUC-V
Ryumin-Light-78-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
Ryumin-Light-78-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-78-RKSJ-V
Ryumin-Light-78-V
Ryumin-Light-78ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-78ms-RKSJ-V
Ryumin-Light-83pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-90ms-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-90ms-RKSJ-V
Ryumin-Light-90msp-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-90msp-RKSJ-V
Ryumin-Light-90pv-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-90pv-RKSJ-V
Ryumin-Light-Add-H 辣団兎□痰邃繙□葦桶患況弦□拭ぎ□
Ryumin-Light-Add-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-Add-RKSJ-V
Ryumin-Light-Add-V
Ryumin-Light-Adobe-Japan1-0 □□□□□□□□

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

Ryumin-Light-Katakana ﾁｯﾃﾄﾅﾆﾇ□□□□□□□□□□-ｱｲｳｴｵｶｷｸｹ□ﾗﾘ。、ｮﾔ
Ryumin-Light-NWP-H 疎団兎□痰邃繙□葦桶患況弦□拭ぎ□
Ryumin-Light-NWP-V
Ryumin-Light-RKSJ-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-RKSJ-V
Ryumin-Light-Roman ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-UniJIS-UCS2-H □□□□慢□敦□□□□□□...□□□
Ryumin-Light-UniJIS-UCS2-HW-H □□□□慢□敦□□□□□□...□□□
Ryumin-Light-UniJIS-UCS2-HW-V
Ryumin-Light-UniJIS-UCS2-V
Ryumin-Light-UniJIS-UTF16-H □□□□慢□敦□□□□□□...□□□
Ryumin-Light-UniJIS-UTF16-V
Ryumin-Light-UniJIS-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-UniJIS-UTF32-V
Ryumin-Light-UniJIS-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-UniJIS-UTF8-V
Ryumin-Light-UniJIS2004-UTF16-H □□□□慢□敦□□□□□□...□□□
Ryumin-Light-UniJIS2004-UTF16-V
Ryumin-Light-UniJIS2004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-UniJIS2004-UTF32-V
Ryumin-Light-UniJIS2004-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-UniJIS2004-UTF8-V
Ryumin-Light-UniJISPro-UCS2-HW-V
Ryumin-Light-UniJISPro-UCS2-V
Ryumin-Light-UniJISPro-UTF8-V
Ryumin-Light-UniJISX0213-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-UniJISX0213-UTF32-V
Ryumin-Light-UniJISX02132004-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,
Ryumin-Light-UniJISX02132004-UTF32-V
Ryumin-Light-V
Ryumin-Light-WP-Symbol ⒢⑻⑹⑴⑶⑴⑽viii➡□□➡□♠♥viiicalkcal⌒⌣~dBHzmsμsnsviiimm²⑻ixcm²□ℓ
STHeiti-Regular-Adobe-GB1-0 魯綩臕蘆□□□□巏慤敍梑殱輛脅綆□
STHeiti-Regular-Adobe-GB1-1 魯綩臕蘆□□□□巏慤敍梑殱輛脅綆□
STHeiti-Regular-Adobe-GB1-2 魯綩臕蘆□□□□巏慤敍梑殱輛脅綆□
STHeiti-Regular-Adobe-GB1-3 魯綩臕蘆□□□□巏慤敍梑殱輛脅綆□
STHeiti-Regular-Adobe-GB1-4 魯綩臕蘆□□□□巏慤敍梑殱輛脅綆□
STHeiti-Regular-Adobe-GB1-5 魯綩臕蘆□□□□巏慤敍梑殱輛脅綆□
STHeiti-Regular-GB-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
STHeiti-Regular-GB-EUC-V
STHeiti-Regular-GB-H 涼媚牌□徠沅ヨ□氨渤吹斗腹□俊ぎ□
STHeiti-Regular-GB-V
STHeiti-Regular-GBK-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
STHeiti-Regular-GBK-EUC-V
STHeiti-Regular-GBK2K-H ABCDEFG abcdefg 0123456789 &?!$.,
STHeiti-Regular-GBK2K-V
STHeiti-Regular-GBKp-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
STHeiti-Regular-GBKp-EUC-V
STHeiti-Regular-GBT-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
STHeiti-Regular-GBT-EUC-V
STHeiti-Regular-GBT-H 涼媚牌□徠沅ヨ□氨渤吹鬥腹□俊ぎ□
STHeiti-Regular-GBT-V
STHeiti-Regular-GBTpc-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
STHeiti-Regular-GBTpc-EUC-V
STHeiti-Regular-GBpc-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,
STHeiti-Regular-GBpc-EUC-V
STHeiti-Regular-Identity-H 魯綩臕蘆□□□□巏慤敍梑殱輛脅綆□

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

STHeiti-Regular-Identity-V
STHeiti-Regular-UniGB-UCS2-H
STHeiti-Regular-UniGB-UCS2-V
STHeiti-Regular-UniGB-UTF16-H
STHeiti-Regular-UniGB-UTF16-V
STHeiti-Regular-UniGB-UTF32-H
STHeiti-Regular-UniGB-UTF32-V
STHeiti-Regular-UniGB-UTF8-H
STHeiti-Regular-UniGB-UTF8-V
STSong-Light-Adobe-GB1-0
STSong-Light-Adobe-GB1-1
STSong-Light-Adobe-GB1-2
STSong-Light-Adobe-GB1-3
STSong-Light-Adobe-GB1-4
STSong-Light-Adobe-GB1-5
STSong-Light-GB-EUC-H
STSong-Light-GB-EUC-V
STSong-Light-GB-H
STSong-Light-GB-V
STSong-Light-GBK-EUC-H
STSong-Light-GBK-EUC-V
STSong-Light-GBK2K-H
STSong-Light-GBK2K-V
STSong-Light-GBKp-EUC-H
STSong-Light-GBKp-EUC-V
STSong-Light-GBT-EUC-H
STSong-Light-GBT-EUC-V
STSong-Light-GBT-H
STSong-Light-GBT-V
STSong-Light-GBTpc-EUC-H
STSong-Light-GBTpc-EUC-V
STSong-Light-GBpc-EUC-H
STSong-Light-GBpc-EUC-V
STSong-Light-Identity-H
STSong-Light-Identity-V
STSong-Light-UniGB-UCS2-H
STSong-Light-UniGB-UCS2-V
STSong-Light-UniGB-UTF16-H
STSong-Light-UniGB-UTF16-V
STSong-Light-UniGB-UTF32-H
STSong-Light-UniGB-UTF32-V
STSong-Light-UniGB-UTF8-H
STSong-Light-UniGB-UTF8-V
STSongStd-Light-Acro-Adobe-GB1-0
STSongStd-Light-Acro-Adobe-GB1-1
STSongStd-Light-Acro-Adobe-GB1-2
STSongStd-Light-Acro-Adobe-GB1-3
STSongStd-Light-Acro-Adobe-GB1-4
STSongStd-Light-Acro-Adobe-GB1-5
STSongStd-Light-Acro-GB-EUC-H
STSongStd-Light-Acro-GB-EUC-V
STSongStd-Light-Acro-GB-H
STSongStd-Light-Acro-GB-V
STSongStd-Light-Acro-GBK-EUC-H
STSongStd-Light-Acro-GBK-EUC-V
STSongStd-Light-Acro-GBK2K-H



# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

STSongStd-Light-Acro-GBK2K-V
STSongStd-Light-Acro-GBKp-EUC-H
STSongStd-Light-Acro-GBKp-EUC-V
STSongStd-Light-Acro-GBT-EUC-H
STSongStd-Light-Acro-GBT-EUC-V
STSongStd-Light-Acro-GBT-H
STSongStd-Light-Acro-GBT-V
STSongStd-Light-Acro-GBTpc-EUC-H
STSongStd-Light-Acro-GBTpc-EUC-V
STSongStd-Light-Acro-GBpc-EUC-H
STSongStd-Light-Acro-GBpc-EUC-V
STSongStd-Light-Acro-Identity-H
STSongStd-Light-Acro-Identity-V
STSongStd-Light-Acro-UniGB-UCS2-H
STSongStd-Light-Acro-UniGB-UCS2-V
STSongStd-Light-Acro-UniGB-UTF16-H
STSongStd-Light-Acro-UniGB-UTF16-V
STSongStd-Light-Acro-UniGB-UTF32-H
STSongStd-Light-Acro-UniGB-UTF32-V
STSongStd-Light-Acro-UniGB-UTF8-H
STSongStd-Light-Acro-UniGB-UTF8-V
ShanHeiSun-Light-Adobe-CNS1-0
ShanHeiSun-Light-Adobe-CNS1-1
ShanHeiSun-Light-Adobe-CNS1-2
ShanHeiSun-Light-Adobe-CNS1-3
ShanHeiSun-Light-Adobe-CNS1-4
ShanHeiSun-Light-Adobe-CNS1-5
ShanHeiSun-Light-Adobe-CNS1-6
ShanHeiSun-Light-Adobe-CNS1-7
ShanHeiSun-Light-B5-H
ShanHeiSun-Light-B5-V
ShanHeiSun-Light-B5pc-H
ShanHeiSun-Light-B5pc-V
ShanHeiSun-Light-CNS-EUC-H
ShanHeiSun-Light-CNS-EUC-V
ShanHeiSun-Light-CNS1-H
ShanHeiSun-Light-CNS1-V
ShanHeiSun-Light-CNS2-H
ShanHeiSun-Light-CNS2-V
ShanHeiSun-Light-ETHK-B5-H
ShanHeiSun-Light-ETHK-B5-V
ShanHeiSun-Light-ETen-B5-H
ShanHeiSun-Light-ETen-B5-V
ShanHeiSun-Light-ETenms-B5-H
ShanHeiSun-Light-ETenms-B5-V
ShanHeiSun-Light-HKdla-B5-H
ShanHeiSun-Light-HKdla-B5-V
ShanHeiSun-Light-HKdlb-B5-H
ShanHeiSun-Light-HKdlb-B5-V
ShanHeiSun-Light-HKgccs-B5-H
ShanHeiSun-Light-HKgccs-B5-V
ShanHeiSun-Light-HKm314-B5-H
ShanHeiSun-Light-HKm314-B5-V
ShanHeiSun-Light-HKm471-B5-H
ShanHeiSun-Light-HKm471-B5-V
ShanHeiSun-Light-HKscs-B5-H

ABCDEFG abcdefg 0123456789 &?!$.,

ABCDEFG abcdefg 0123456789 &?!$.,

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

ShanHeiSun-Light-HKscs-B5-V
ShanHeiSun-Light-Identity-H
ShanHeiSun-Light-Identity-V
ShanHeiSun-Light-UniCNS-UCS2-H
ShanHeiSun-Light-UniCNS-UCS2-V
ShanHeiSun-Light-UniCNS-UTF16-H
ShanHeiSun-Light-UniCNS-UTF16-V
ShanHeiSun-Light-UniCNS-UTF32-H
ShanHeiSun-Light-UniCNS-UTF32-V
ShanHeiSun-Light-UniCNS-UTF8-H
ShanHeiSun-Light-UniCNS-UTF8-V
Shareware-Cyrillic-Italic
Shareware-Cyrillic-Regular
SimHei-Adobe-GB1-0
SimHei-Adobe-GB1-1
SimHei-Adobe-GB1-2
SimHei-Adobe-GB1-3
SimHei-Adobe-GB1-4
SimHei-Adobe-GB1-5
SimHei-GB-EUC-H
SimHei-GB-EUC-V
SimHei-GB-H
SimHei-GB-V
SimHei-GBK-EUC-H
SimHei-GBK-EUC-V
SimHei-GBK2K-H
SimHei-GBK2K-V
SimHei-GBKp-EUC-H
SimHei-GBKp-EUC-V
SimHei-GBT-EUC-H
SimHei-GBT-EUC-V
SimHei-GBT-H
SimHei-GBT-V
SimHei-GBTpc-EUC-H
SimHei-GBTpc-EUC-V
SimHei-GBpc-EUC-H
SimHei-GBpc-EUC-V
SimHei-Identity-H
SimHei-Identity-V
SimHei-UniGB-UCS2-H
SimHei-UniGB-UCS2-V
SimHei-UniGB-UTF16-H
SimHei-UniGB-UTF16-V
SimHei-UniGB-UTF32-H
SimHei-UniGB-UTF32-V
SimHei-UniGB-UTF8-H
SimHei-UniGB-UTF8-V
SimSun-Adobe-GB1-0
SimSun-Adobe-GB1-1
SimSun-Adobe-GB1-2
SimSun-Adobe-GB1-3
SimSun-Adobe-GB1-4
SimSun-Adobe-GB1-5
SimSun-GB-EUC-H
SimSun-GB-EUC-V
SimSun-GB-H

A□□发□□□□□□鞣鬻蠼ツ□荵□榧□
B
C
D□□□□□慢捱敦腠□□□□□...□□□
E
F
G□□□□慢□敦腠□□□□□...□□□
ABCDEFG abcdefg 0123456789 &?!$.,
ABCDEFG abcdefg 0123456789 &?!$.,
*АБЦДЕоГ абцдефг 0123456789 ?! .,*
**АБЦДЕоГ абцдефг 0123456789 ?! .,**
□□□□□□

# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts (continued):

SimSun-GB-V

SimSun-GBK-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

SimSun-GBK-EUC-V

SimSun-GBK2K-H ABCDEFG abcdefg 0123456789 &?!$.,

SimSun-GBK2K-V

SimSun-GBKp-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

SimSun-GBKp-EUC-V

SimSun-GBT-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

SimSun-GBT-EUC-V

SimSun-GBT-H 諒媚牌 □ 徠沅ヨ □ 氨渤吹鬥腹 □ 俊ぎ □

SimSun-GBT-V

SimSun-GBTpc-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

SimSun-GBTpc-EUC-V

SimSun-GBpc-EUC-H ABCDEFG abcdefg 0123456789 &?!$.,

SimSun-GBpc-EUC-V

SimSun-Identity-H 魯綩膿蘆 □ □ □ □ 巘慤敍梑殽輛脊綆 □

SimSun-Identity-V

SimSun-UniGB-UCS2-H □ □ □ □ 慢掜敦朠 □ □ □ □ □ ... □ □ □

SimSun-UniGB-UCS2-V

SimSun-UniGB-UTF16-H □ □ □ □ 慢掜敦朠 □ □ □ □ □ ... □ □ □

SimSun-UniGB-UTF16-V

SimSun-UniGB-UTF32-H ABCDEFG abcdefg 0123456789 &?!$.,

SimSun-UniGB-UTF32-V

SimSun-UniGB-UTF8-H ABCDEFG abcdefg 0123456789 &?!$.,

SimSun-UniGB-UTF8-V

StandardSymL ΑΒΧΔΕΦΓ αβχδεφγ 0123456789 &?!∃.,€

StandardSymbolsPS ΑΒΧΔΕΦΓ αβχδεφγ 0123456789 &?!∃.,€

Symbol ΑΒΧΔΕΦΓ αβχδεφγ 0123456789 &?!∃.,€

Times-Bold **ABCDEFG abcdefg 0123456789 &?!$.,€**

Times-BoldItalic ***ABCDEFG abcdefg 0123456789 &?!$.,€***

Times-Italic *ABCDEFG abcdefg 0123456789 &?!$.,€*

Times-Roman ABCDEFG abcdefg 0123456789 &?!$.,€

TimesNewRoman ABCDEFG abcdefg 0123456789 &?!$.,€

TimesNewRoman,Bold **ABCDEFG abcdefg 0123456789 &?!$.,€**

TimesNewRoman,BoldItalic ***ABCDEFG abcdefg 0123456789 &?!$.,€***

TimesNewRoman,Italic *ABCDEFG abcdefg 0123456789 &?!$.,€*

URWAntiquaT-RegularCondensed ABCDEFG abcdefg 0123456789 &?!$.,

URWBookman-Demi **ABCDEFG abcdefg 0123456789 &?!$.,€**

URWBookman-DemiItalic ***ABCDEFG abcdefg 0123456789 &?!$.,€***

URWBookman-Light ABCDEFG abcdefg 0123456789 &?!$.,€

URWBookman-LightItalic *ABCDEFG abcdefg 0123456789 &?!$.,€*

URWBookmanL-DemiBold **ABCDEFG abcdefg 0123456789 &?!$.,€**

URWBookmanL-DemiBoldItal ***ABCDEFG abcdefg 0123456789 &?!$.,€***

URWBookmanL-Ligh ABCDEFG abcdefg 0123456789 &?!$.,€

URWBookmanL-LighItal *ABCDEFG abcdefg 0123456789 &?!$.,€*

URWChanceryL-MediItal *ABCDEFG abcdefg 0123456789 &?!$.,€*

URWGothic-Book ABCDEFG abcdefg 0123456789 &?!$.,€

URWGothic-BookOblique *ABCDEFG abcdefg 0123456789 &?!$.,€*

URWGothic-Demi **ABCDEFG abcdefg 0123456789 &?!$.,€**

URWGothic-DemiOblique ***ABCDEFG abcdefg 0123456789 &?!$.,€***

URWGothicL-Book ABCDEFG abcdefg 0123456789 &?!$.,€

URWGothicL-BookObli *ABCDEFG abcdefg 0123456789 &?!$.,€*

URWGothicL-Demi **ABCDEFG abcdefg 0123456789 &?!$.,€**

URWGothicL-DemiObli ***ABCDEFG abcdefg 0123456789 &?!$.,€***

URWGroteskT-Bold **ABCDEFG abcdefg 0123456789 &?!$.,**

URWPalladioL-Bold **ABCDEFG abcdefg 0123456789 &?!$.,€**

# GPL Ghostscript
# PostScript Font Listing

## Internal Fonts (continued):

| | |
|---|---|
| URWPalladioL-BoldItal | ***ABCDEFG abcdefg 0123456789 &?!$.,€*** |
| URWPalladioL-Ital | *ABCDEFG abcdefg 0123456789 &?!$.,€* |
| URWPalladioL-Roma | ABCDEFG abcdefg 0123456789 &?!$.,€ |
| Utopia-Bold | **ABCDEFG abcdefg 0123456789 &?!$.,** |
| Utopia-BoldItalic | ***ABCDEFG abcdefg 0123456789 &?!$.,*** |
| Utopia-Italic | *ABCDEFG abcdefg 0123456789 &?!$.,* |
| Utopia-Regular | ABCDEFG abcdefg 0123456789 &?!$., |
| WNCYB10 | **АБЦДЕФГ¨абцдефг¨0123456789¨ ´?!˘.,** |
| WNCYI10 | *АБЦДЕФГ¨абцдефг¨0123456789¨ ´?!˘.,* |
| WNCYR10 | АБЦДЕФГ¨абцдефг¨0123456789¨ ´?!˘., |
| WNCYSC10 | АБЦДЕФГ¨АБЦДЕФГ¨0123456789¨ ´?!˘., |
| WNCYSS10 | АБЦДЕФГ¨абцдефг¨0123456789¨ ´?!˘., |
| Wncyb10 | **АБЦДЕФГ¨абцдефг¨0123456789¨ ´?!˘.,** |
| Wncyi10 | *АБЦДЕФГ¨абцдефг¨0123456789¨ ´?!˘.,* |
| Wncyr10 | АБЦДЕФГ¨абцдефг¨0123456789¨ ´?!˘., |
| Wncysc10 | АБЦДЕФГ¨АБЦДЕФГ¨0123456789¨ ´?!˘., |
| Wncyss10 | АБЦДЕФГ¨абцдефг¨0123456789¨ ´?!˘., |
| Z003-MediumItalic | *ABCDEFG abcdefg 0123456789 &?!$.€* |
| ZapfChancery-MediumItalic | *ABCDEFG abcdefg 0123456789 &?!$.€* |
| ZapfDingbats | ✡✢✣✤✥✦✧ ❋✲✳✴✵✶✷ ✐✎✏✓✔✕✖✗✘ ✙ ✞✟✠✡☛☞ |
| ZenKai-Medium-Adobe-CNS1-0 | □ □发□ □ □ □ □韐黵蠾ツ□惹□楩□ |
| ZenKai-Medium-Adobe-CNS1-1 | □ □发□ □ □ □ □韐黵蠾ツ□惹□楩□ |
| ZenKai-Medium-Adobe-CNS1-2 | □ □发□ □ □ □ □韐黵蠾ツ□惹□楩□ |
| ZenKai-Medium-Adobe-CNS1-3 | □ □发□ □ □ □ □韐黵蠾ツ□惹□楩□ |
| ZenKai-Medium-Adobe-CNS1-4 | □ □发□ □ □ □ □韐黵蠾ツ□惹□楩□ |
| ZenKai-Medium-Adobe-CNS1-5 | □ □发□ □ □ □ □韐黵蠾ツ□惹□楩□ |
| ZenKai-Medium-Adobe-CNS1-6 | □ □发□ □ □ □ □韐黵蠾ツ□惹□楩□ |
| ZenKai-Medium-Adobe-CNS1-7 | □ □发□ □ □ □ □韐黵蠾ツ□惹□楩□ |
| ZenKai-Medium-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| ZenKai-Medium-B5-V | |
| ZenKai-Medium-B5pc-H | ABCDEFG abcdefg 0123456789 &?!$., |
| ZenKai-Medium-B5pc-V | |
| ZenKai-Medium-CNS-EUC-H | □ □发□ □ □ □ □韐黵蠾ツ□惹□楩□ |
| ZenKai-Medium-CNS-EUC-V | |
| ZenKai-Medium-CNS1-H | □ □文□萊媽筷□ □ □ □ □ □ □ □IV□ |
| ZenKai-Medium-CNS1-V | |
| ZenKai-Medium-CNS2-H | 閐旖瞗□擦蹂穭□浭膂堍梌牴□紨扫□ |
| ZenKai-Medium-CNS2-V | |
| ZenKai-Medium-ETHK-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| ZenKai-Medium-ETHK-B5-V | |
| ZenKai-Medium-ETen-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| ZenKai-Medium-ETen-B5-V | |
| ZenKai-Medium-ETenms-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| ZenKai-Medium-ETenms-B5-V | |
| ZenKai-Medium-HKdla-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| ZenKai-Medium-HKdla-B5-V | |
| ZenKai-Medium-HKdlb-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| ZenKai-Medium-HKdlb-B5-V | |
| ZenKai-Medium-HKgccs-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| ZenKai-Medium-HKgccs-B5-V | |
| ZenKai-Medium-HKm314-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| ZenKai-Medium-HKm314-B5-V | |
| ZenKai-Medium-HKm471-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| ZenKai-Medium-HKm471-B5-V | |
| ZenKai-Medium-HKscs-B5-H | ABCDEFG abcdefg 0123456789 &?!$., |
| ZenKai-Medium-HKscs-B5-V | |

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

ZenKai-Medium-Identity-H
ZenKai-Medium-Identity-V
ZenKai-Medium-UniCNS-UCS2-H
ZenKai-Medium-UniCNS-UCS2-V
ZenKai-Medium-UniCNS-UTF16-H
ZenKai-Medium-UniCNS-UTF16-V
ZenKai-Medium-UniCNS-UTF32-H
ZenKai-Medium-UniCNS-UTF32-V
ZenKai-Medium-UniCNS-UTF8-H
ZenKai-Medium-UniCNS-UTF8-V
cmb10
cmbsy10
cmbsy5
cmbsy6
cmbsy7
cmbsy8
cmbsy9
cmbx10
cmbx12
cmbx5
cmbx6
cmbx7
cmbx8
cmbx9
cmbxsl10
cmbxti10
cmcsc10
cmcsc8
cmcsc9
cmdunh10
cmex10
cmex7
cmex8
cmex9
cmff10
cmfi10
cmfib8
cminch
cmitt10
cmmi10
cmmi12
cmmi5
cmmi6
cmmi7
cmmi8
cmmi9
cmmib10
cmmib5
cmmib6
cmmib7
cmmib8
cmmib9
cmr10
cmr12
cmr17
cmr5

# GPL Ghostscript PostScript Font Listing

## Internal Fonts (continued):

cmr6 ABCDEFG-abcdefg-0123456789-&?!$.,
cmr7 ABCDEFG-abcdefg-0123456789-&?!$.,
cmr8 ABCDEFG-abcdefg-0123456789-&?!$.,
cmr9 ABCDEFG-abcdefg-0123456789-&?!$.,
cmsl10 *ABCDEFG-abcdefg-0123456789-&?!$.,*
cmsl12 *ABCDEFG-abcdefg-0123456789-&?!$.,*
cmsl8 *ABCDEFG-abcdefg-0123456789-&?!$.,*
cmsl9 *ABCDEFG-abcdefg-0123456789-&?!$.,*
cmsltt10 *ABCDEFG␣abcdefg␣0123456789␣&?!$.,*
cmss10 ABCDEFG-abcdefg-0123456789-&?!$.,
cmss12 ABCDEFG-abcdefg-0123456789-&?!$.,
cmss17 ABCDEFG-abcdefg-0123456789-&?!$.,
cmss8 ABCDEFG-abcdefg-0123456789-&?!$.,
cmss9 ABCDEFG-abcdefg-0123456789-&?!$.,
cmssbx10 **ABCDEFG-abcdefg-0123456789-&?!$.,**
cmssdc10 **ABCDEFG-abcdefg-0123456789-&?!$.,**
cmssi10 *ABCDEFG-abcdefg-0123456789-&?!$.,*
cmssi12 *ABCDEFG-abcdefg-0123456789-&?!$.,*
cmssi17 *ABCDEFG-abcdefg-0123456789-&?!$.,*
cmssi8 *ABCDEFG-abcdefg-0123456789-&?!$.,*
cmssi9 *ABCDEFG-abcdefg-0123456789-&?!$.,*
cmssq8 ABCDEFG-abcdefg-0123456789-&?!$.,
cmssqi8 *ABCDEFG-abcdefg-0123456789-&?!$.,*
cmsy10 $\mathcal{ABCDEFG}\leftarrow\dashv\lfloor\rfloor\lceil\rceil\{\}\leftarrow\prime\infty\in\ni\triangle\triangledown\forall\exists\leftarrow\searrow\perp\rightarrow\leftrightarrow\swarrow\Leftrightarrow$
cmsy5 $\mathcal{ABCDEFG}\leftarrow\dashv\lfloor\rfloor\lceil\rceil\{\}\leftarrow\prime\infty\in\ni\triangle\triangledown\forall\exists\leftarrow\searrow\perp\rightarrow\leftrightarrow\swarrow\Leftrightarrow$
cmsy6 $\mathcal{ABCDEFG}\leftarrow\dashv\lfloor\rfloor\lceil\rceil\{\}\leftarrow\prime\infty\in\ni\triangle\triangledown\forall\exists\leftarrow\searrow\perp\rightarrow\leftrightarrow\swarrow\Leftrightarrow$
cmsy7 $\mathcal{ABCDEFG}\leftarrow\dashv\lfloor\rfloor\lceil\rceil\{\}\leftarrow\prime\infty\in\ni\triangle\triangledown\forall\exists\leftarrow\searrow\perp\rightarrow\leftrightarrow\swarrow\Leftrightarrow$
cmsy8 $\mathcal{ABCDEFG}\leftarrow\dashv\lfloor\rfloor\lceil\rceil\{\}\leftarrow\prime\infty\in\ni\triangle\triangledown\forall\exists\leftarrow\searrow\perp\rightarrow\leftrightarrow\swarrow\Leftrightarrow$
cmsy9 $\mathcal{ABCDEFG}\leftarrow\dashv\lfloor\rfloor\lceil\rceil\{\}\leftarrow\prime\infty\in\ni\triangle\triangledown\forall\exists\leftarrow\searrow\perp\rightarrow\leftrightarrow\swarrow\Leftrightarrow$
cmtcsc10 ABCDEFG␣ABCDEFG␣0123456789␣&?!$.,
cmtex10 ABCDEFG abcdefg 0123456789 &?!$.,
cmtex8 ABCDEFG abcdefg 0123456789 &?!$.,
cmtex9 ABCDEFG abcdefg 0123456789 &?!$.,
cmti10 *ABCDEFG-abcdefg-0123456789-&?!£.,*
cmti12 *ABCDEFG-abcdefg-0123456789-&?!£.,*
cmti7 *ABCDEFG-abcdefg-0123456789-&?!£.,*
cmti8 *ABCDEFG-abcdefg-0123456789-&?!£.,*
cmti9 *ABCDEFG-abcdefg-0123456789-&?!£.,*
cmtt10 ABCDEFG␣abcdefg␣0123456789␣&?!$.,
cmtt12 ABCDEFG␣abcdefg␣0123456789␣&?!$.,
cmtt8 ABCDEFG␣abcdefg␣0123456789␣&?!$.,
cmtt9 ABCDEFG␣abcdefg␣0123456789␣&?!$.,
cmu10 ABCDEFG-abcdefg-0123456789-&?!£.,
cmvtt10 ABCDEFG-abcdefg-0123456789-&?!$.,
euex10 
euex7 
euex8 
euex9 
eufb10 $\mathfrak{ABCDEFG}$ abcdefg 0123456789 &?! .,
eufb5 $\mathfrak{A\,B\,C\,D\,E\,F\,G}$ a b c d e f g 0 1 2 3 4 5 6 7 8 9 &?! .,
eufb7 $\mathfrak{ABCDEFG}$ abcdefg 0123456789 &?! .,
eufm10 $\mathfrak{ABCDEFG}$ abcdefg 0123456789 &?! .,
eufm5 $\mathfrak{A\,B\,C\,D\,E\,F\,G}$ a b c d e f g 0 1 2 3 4 5 6 7 8 9 &?! .,
eufm7 $\mathfrak{ABCDEFG}$ abcdefg 0123456789 &?! .,
eurb10 ABCDEFGψabcdefgψ0123456789ψ ωϖ
eurb5 A B C D E F G ψ a b c d e f g ψ 0 1 2 3 4 5 6 7 8 9 ψ ω ϖ

## Internal Fonts (continued):

| | |
|---|---|
| eurb7 | **ABCDEFGψabcdefgψ0123456789ψ ωϖ** |
| eurm10 | ABCDEFGψabcdefgψ0123456789ψ ωϖ |
| eurm5 | A B C D E F G ψ a b c d e f g ψ 0 1 2 3 4 5 6 7 8 9 ψ ω ϖ |
| eurm7 | ABCDEFGψabcdefgψ0123456789ψ ωϖ |
| eusb10 | ***ABCDEFG*** {} |
| eusb5 | ***A B C D E F G*** { } |
| eusb7 | ***ABCDEFG*** {} |
| eusm10 | *ABCDEFG* {} |
| eusm5 | *A B C D E F G* { } |
| eusm7 | *ABCDEFG* {} |
| lasy10 | ∪⋈□◇ |
| lasy5 | ∪⋈□ ◇ |
| lasy6 | ∪⋈□◇ |
| lasy7 | ∪⋈□◇ |
| lasy8 | ∪⋈□◇ |
| lasy9 | ∪⋈□◇ |
| lasyb10 | **∪⋈□◇** |
| lcircle1 |  |
| lcircle10 | |
| lcirclew | |
| lcirclew10 | |
| lcmss8 | ABCDEFG-abcdefg-0123456789-&?!$., |
| lcmssb8 | **ABCDEFG-abcdefg-0123456789-&?!$.,** |
| lcmssi8 | *ABCDEFG-abcdefg-0123456789-&?!$.,* |
| line10 |  |
| linew10 | |
| msam10 | ⊐⊳◁⊵⊴★◊⇝∽∈∋⋓⋒≮≯≺≻≼≽≦≧≨≩↜↝≳≳⇜⇝≐≑≲≲≙≙ |
| msam5 | ⊐⊳◁⊵⊴★◊⇝∽∈∋⋓⋒≮≯≺≻≼≽≦≧≨≩↜↝≳≳⇜⇝≐≑≲≲≙≙ |
| msam6 | ⊐⊳◁⊵⊴★◊⇝∽∈∋⋓⋒≮≯≺≻≼≽≦≧≨≩↜↝≳≳⇜⇝≐≑≲≲≙≙ |
| msam7 | ⊐⊳◁⊵⊴★◊⇝∽∈∋⋓⋒≮≯≺≻≼≽≦≧≨≩↜↝≳≳⇜⇝≐≑≲≲≙≙ |
| msam8 | ⊐⊳◁⊵⊴★◊⇝∽∈∋⋓⋒≮≯≺≻≼≽≦≧≨≩↜↝≳≳⇜⇝≐≑≲≲≙≙ |
| msam9 | ⊐⊳◁⊵⊴★◊⇝∽∈∋⋓⋒≮≯≺≻≼≽≦≧≨≩↜↝≳≳⇜⇝≐≑≲≲≙≙ |
| msbm10 | ABCDEFG⊋ ∪∂⊊⊬⊮⊯⊱⊈⊉↛↠⊊⊋⊄⊊⊅⊋⊊⊅ |
| msbm5 | ABCDEFG⊊⊋ ∪∂⊊⊬⊮⊯⊱⊈⊉↛↠⊊⊋⊄⊊⊅⊋⊊⊅ |
| msbm6 | ABCDEFG⊊⊋ ∪∂⊊⊬⊮⊯⊱⊈⊉↛↠⊊⊋⊄⊊⊅⊋⊊⊅ |
| msbm7 | ABCDEFG⊊⊋ ∪∂⊊⊬⊮⊯⊱⊈⊉↛↠⊊⊋⊄⊊⊅⊋⊊⊅ |
| msbm8 | ABCDEFG⊊⊋ ∪∂⊊⊬⊮⊯⊱⊈⊉↛↠⊊⊋⊄⊊⊅⊋⊊⊅ |
| msbm9 | ABCDEFG⊊⊋ ∪∂⊊⊬⊮⊯⊱⊈⊉↛↠⊊⊋⊄⊊⊅⊋⊊⊅ |
| wncyb10 | **АБЦДЕФГ¨абцдефг¨0123456789¨´?!˘.,** |
| wncyi10 | *АБЦДЕФГ¨абцдефг¨0123456789¨´?!˘.,* |
| wncyr10 | АБЦДЕФГ¨абцдефг¨0123456789¨´?!˘., |
| wncysc10 | АБЦДЕФГ¨АБЦДЕФГ¨0123456789¨´?!˘., |
| wncyss10 | АБЦДЕФГ¨абцдефг¨0123456789¨´?!˘., |