

```

;PR;;«PT1»«LM0»«RM78»«MDBO»ASCII, ASCII printer file«MDNM». Temporary version Se
; 1988. Can be cleaned up from unnecessary modes.
;
TF=0      Top margin set (0--by program 1--by user manually advancing paper)
DF FF=1
;«RM80»
;«MDBO»ASCII.PRN«MDNM»
;«MDBO»General Settings«MDNM»«LD-»
FB<
FE<
MU=1
DU=1
;«MDBO»Print-Type Tables«MDNM»«LD-»
;10 = change upper ASCII to lower equivalents «LD-»
PT=10
MD NM+10
md 1+10
MD UL+10+UL
md 17+10+UL
MD BO+10+BO
md 109+10+BO
MD BU+10+UL+BO
md 105+10+UL+BO
;MD RV+itl-10
;md 49+itl-10
;MD BR+itl-10+BO
;md 177+itl-10+BO
MD SU+10+SU
md 65+10+SU
MD SD+10+SD
md 193+10+SD
MD FR+10+OVERSTRIKE
MD FN+10+FOOTNOTE
;Hebrew 10Hp
md 6+10H+NM
md 22+10H+UL
md 134+10H+NM
md 100+10H+UL
;md 70+10H+SUH
;md 198+10H+sdh
;
;12 = preserve upper ASCII
;12 cpi«LD-»
PT=12,210,120,101,102,
MD NM+12
md 1+12
MD UL+12+UL
md 17+12+UL
MD BO+12+BO
md 129+12+BO
MD BU+12+UL+BO
md 125+12+UL+BO
;MD RV+itl-12
;md 49+itl-12
;MD BR+itl-12+BO
;md 177+itl-12+BO
MD SU+12+SU
md 65+12+SU
MD SD+12+SD
md 193+12+SD

```

```
MD FR+12+OVERSTRIKE
MD FN+12+FOOTNOTE
;Hebrew 12p
md 6+12H+NM
md 22+12H+UL
md 134+12H+NM
md 150+12H+UL
;md 70+12H+SUH
;md 198+12H+sdh
;
;11 cpi «LD-»for exporting Hebrew files in Latin transLITERATION«LD-»
PT=11
MD NM+11
md 1+11
MD UL+11+UL
md 17+11+UL
MD BO+11+BO
md 119+11+BO
MD BU+11+UL+BO
md 115+11+UL+BO
;MD RV+itl-11
;md 49+itl-11
;MD BR+itl-11+BO
;md 177+itl-11+BO
MD SU+11+SU
md 65+11+SU
MD SD+11+SD
md 193+11+SD
MD FR+11+OVERSTRIKE
MD FN+11+FOOTNOTE
;Hebrew 11p
;md 6+11H+NM
;md 22+11H+UL
;md 134+11H+NM
;md 150+11H+UL
;md 70+11H+SUH
;md 198+11H+sdh
;
;13 = for printing programs «LD-»
PT=13
MD NM+13
md 1+13
MD UL+13+UL
md 17+13+UL
MD BO+13+BO
md 139+13+BO
MD BU+13+UL+BO
md 135+13+UL+BO
;MD RV+itl-13
;md 49+itl-13
;MD BR+itl-13+BO
;md 177+itl-13+BO
MD SU+13+SU
md 65+13+SU
MD SD+13+SD
md 193+13+SD
MD FR+13+OVERSTRIKE
MD FN+13+FOOTNOTE
;Hebrew 13Hp
;md 6+13H+NM
```

;md 22+13H+UL
;md 134+13H+NM
;md 130+13H+UL
;;md 70+13H+SUH
;md 198+13H+sdh
;«MDBO»Attributes«MDRV»«MDNM»«LD-»
;Normal«LD-»
AT:NM
AT<
EF
;Underline«LD-»
AT:UL
AT<*
AT>*
EF
;Bold (Emphasized)«LD-»
AT:BO
AT<
AT>
EF
;Bold Underlined«LD-»
;Reverse/Italics«LD-»
AT:Italics
AT<
AT>
EF
;Bold Reverse«LD-»
AT:Bold·Reverse/Forms
AT<
AT>
EF
;Superscript«LD-»
AT:SU
AT<
AT>
EF
;Subscript«LD-»
AT:SD
AT<
AT>
EF
;Flashing Reverse/Overstrike«LD-»
AT:Overstrike
AT<
AT>
EF
;Footnote Mode«LD-»
AT:Footnote
AT<
AT>
EF
;Micro Mode«LD-»
;AT:MICRO
;AT<
;AT>
;EF
;«MDBO»Font Tables«MDNM»«LD-»
;10cpi«LD-»
FO:10
FO<

```
US:LOWASCII
EF
;11cpi«LD-»
FO:11
FO<
US:HEB-LAT
EF
;12cpi«LD-»
FO:12
FO<
US:ASCII
EF
;font for printing programs «LD-»
FO:13
FO<
US:PROGRAM
;(this is a special substitution table for Nota Bene programs.)
EF
;10cpiHebrew«LD-»
FO:10H
FO<
AT=32
US:ASCII
ET
;12cpiHebrew «LD-»
FO:12H
FO<
FO>
AT=32
US:ASCII
ET
;«MDBO»Substitution Tables«MDNM»«MDRV»«MDNM»«LD-»
SU:LOWASCII
Ç=C
ü=u
é=e
â=a
ä=a
à=a
å=a
ç=c
ê=e
ë=e
è=e
ï=i
î=i
ì=i
Ë=A
Ā=A
É=E
æ=a
Æ=A
ô=o
ö=o
ò=o
û=u
ù=u
ÿ=y
Ö=O
Û=U
```

ç=c

£=

¥=Y

℞=R

f=f

á=a

í=i

ó=o

ú=u

ñ=n

Ñ=N

ª=a

º=o

¿=?

⌈=

⌋=

½=

¼=

¡=!

AE= `

AF= '

⋮=

⏏=

⏎=

⏪=

⏩=

⏴=

⏵=

⏶=

⏷=

⏸=

⏹=

⏺=

⏻=

⏼=

⏽=

⏾=

⏿=

⏰=

⏱=

⏲=

⏳=

⏴=

⏵=

⏶=

⏷=

⏸=

⏹=

⏺=

⏻=

⏼=

⏽=

⏾=

⏿=

⏰=

⏱=

⏲=

⏳=

⏴=

⏵=

⏶=

⏷=

⏸=

≡
≡
≡

≡
≡
≡

≡

α=

β=

Γ=

Π=

Σ=

σ=

μ=

τ=

Φ=

Θ=0

=

δ=

∞=

φ=0

ε=

∩=

≡=

±=

≥=

≤=

∫=

∫=

∴=

≈=

°=

•=

•=

√=

n=

FD=

■=

ES

SU:ASCII

•=

=

ES

SU:PROGRAM

•=

=

AE=⌈

AF=⌋

—=—

⊙={1}

⊙={2}

♥={3}

♦={4}

♣={5}

♠={6}

=={7}

08={8}

09={9}

$$0A = \{10\}$$

$$= \{11\}$$

={12}
OD={13}
={14}
={15}
▶={16}
◀={17}
↑={18}
!!={19}
¶={20}
▲={30}
▼={31}

ES
SU:HEB-LAT

·=
=

Ç=@
ü=b
é=g
â=d
ä=h
à=v
å=z
ç=x
ê=T
ë=y
ï=k
è=K
î=l
Ë=m
ì=M
É=n
Å=N
æ=s
Æ=#
ö=p
ô=f
û=c
ò=C
ù=q
ÿ=r
Ö=S
Ü=t
)=(
]= [
}= {
(=)
[=]
{=}

ES
;«MDBO»«MDBO»Horizontal Spacing Table«MDNM»«LD→»

MU=1
DU=1
MS=1
CP:1

;Tab Setting
DF TB=0

;«MDBO»Vertical Spacing Table«MDNM»«LD→»
LE< OD
PE< OD

VU=1,1,100

VS:1

0A

;«MDBO»End of Printer Table«MDNM»«LD-»

→