

	A	B	C
1	IBM OS/2 LAN Server	V3.0 -- Configuration Worksheet	
2	Questions to Answer:	Response	
3	Tom Gordy -- TOMGORDY @ AUSVM1 (BCJS75A on PRODIGY)		
4	1. Server Name	SERVER01	(Machine Name)
5	2. Domain Name	DOMAIN01	
6	3. Advanced or Entry Server	A	(A/E)
7	3a) Any FAT drives Shared?	N	(Y/N)
8	3b) DC or Add'l Srvr?	DC	AS/DC (DC=Dom Cntrl)
9	4. Total No. of DLR Reqs	0	(0 if none)
10	5. DLR Reqs. with Windows	0	(# out of total DLR)
11	6. OS/2 Requesters	0	(0 if none)
12	7. No. of Additional. Servers	0	(0 if none)
13	8. No. of Apps Shared	0	(3 Shares/App)
14	9. Memory in Server	12	(MB, eg, 12 or 14)
15	10. DLRINST used at SRV	N	(Y/N)
16	11a) No. of DOS RPL Req	0	(# out of total DLR)
17	11b) No. of OS/2 RPL Req	0	(# out of total OS/2 req)
18	12. No. of Home Directories	0	(# if assigned)
19	13. SRV used as Requester	N	(Y/N)
20	14. No. of File/Printer Aliases	0	(1 Share/Alias)
21	15. Application code on SRV	Y	(Y/N)
22	16. Appl I/O Seqtl or Random	S	(S/R)
23	PAGE DOWN FOR NETWORK ADAPTER OPTIONS		
24			
25	No. of LAN adapters used		(0--4)
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45	PAGE DOWN FOR COMMUNICATIONS OPTIONS		
46			
47	IBM OS/2 Communications Options		
48	Questions to Answer:	Response:	
49			

	A	B	C
50	Other NETBIOS applications	N	(Y/N)
51			
52			
53			
54			
55	LAN Netwk Manager on SRV?	N	(Y/N)
56			
57	SNA Gateway Support	N	(Y/N)
58			
59	APPC used on Server?	N	(Y/N)
60			
61	Server also RDS	N	(Y/N)
62			
63			
64	Other IEEE 802.2 API Appls.	0	0 if none, 1 for Em Wks
65			
66			
67	PAGE DOWN FOR ERROR MESSAGES		
68			
69			
70			
71			
72			
73	Adapter Number Check	#VALUE!	
74	NETBIOS Sessions	#VALUE!	
75	NETBIOS Commands	#VALUE!	
76	NETBIOS Names	#VALUE!	
77	Server RAM	OK	
78	NETBIOS Work Areas (386)	#VALUE!	
79	Adapter 1 (802.2 RAM)	OK	
80	Adapter 2 (802.2 RAM)	OK	
81	Adapter 3 (802.2 RAM)	OK	
82	Adapter 4 (802.2 RAM)	OK	
83	TL 802.2 RAM utilization(386)	OK	
84	802.2 Stations Required	#VALUE!	
85	802.2 Users Required	OK	
86	Potential Problems/Warnings	#VALUE!	
87			
88	IF NO SIGNIFICANT ERRORS ARE DISPLAYED ABOVE (IN BLUE),		
89	PAGE DOWN FOR GENERATED IBMLAN.INI FILE AND CM CONFIG PA		
90			
91			
92			
93	; OS/2 LAN Server initialization file		
94			
95	[networks]		
96			
97			LANDD_NIF
98	#VALUE!		#VALUE!

	A	B	C
99	#VALUE!		#VALUE!
100	#VALUE!		#VALUE!
101			
102	; This information is read by the redirector at device initialization		
103			
104	[requester]		
105			
106	COMPUTERNAME = SERVER01		
107	DOMAIN = DOMAIN01		
108	; The following parameters generally do not need to be		
109	; changed by the user.		
110	charcount = 16		
111	chartime = 250		
112	charwait = 3600		
113	keepcon=600		
114	keepsearch=600		
115	maxcmds = 16		
116	maxerrorlog = 100		
117	maxthreads = 10		
118	maxwrkcache = 64		
119	numalerts = 12		
120	numcharbut = 10		
121	numservices = 18		
122	numworkbut = 15		
123	numdgrambut = 14		
124	othdomains =		
125	printbuttime = 90		
126	sesstimeout = 45		
127	sizcharbut = 512		
128	sizerror = 1024		
129	sizworkbut = 4096		
130	; The next lines help you to locate bits in the wrkheuristics entry		
131	;	1	2
132	; 01234567890123456789012345678901234567890123		
133	wrkheuristics = 1111111121311111110001011120111221		
134	WRKSERVICES = LSCLIENT		
135	TOO MANY ADAPTERS SPECIFIED!!!		
136			
137	[messenger]		
138			
139	logfile = messages.log		
140	sizmessbut = 4096		
141			
142	[lsclient]		
143			
144	multilogon = no		
145	timesync = yes		
146	logonverification = domain		
147	logonwarningmsgs = all		

	A	B	C
148			
149	[netlogon]		
150			
151	SCRIPTS = D:\IBMLAN\REPL\IMPORT\SCRIPTS		
152	pulse = 60		
153	update = yes		
154			
155	[replicator]		
156			
157	replicate = IMPORT		
158	IMPORTPATH = D:\IBMLAN\REPL\IMPORT		
159	tryuser = yes		
160	password =		
161	interval = 5		
162	guardtime = 2		
163	pulse = 3		
164	random = 60		
165			
166	[dcdbrepl]		
167			
168	tryuser = yes		
169	password =		
170	interval = 5		
171	guardtime = 2		
172	pulse = 3		
173	random = 60		
174			
175	[server]		
176			
177	alertnames =		
178	auditing = no		
179	autodisconnect = 120		
180	maxusers = 32		
181	; The following parameters generally do not need to be		
182	; changed by the user. NOTE: srvnets= is represented in		
183	; the server info struct as a 16-bit lan mask. Srvnet names		
184	; are converted to indexes within [networks] for the named nets		
185	guestacct = guest		
186	accessalert = 5		
187	alertsched = 5		
188	diskalert = 5000		
189	erroralert = 5		
190	logonalert = 5		
191	maxauditlog = 100		
192	maxchdevjob = 6		
193	maxchdevq = 2		
194	maxchdevs = 2		
195	maxconnections = 128		
196	maxlocks = 64		

	A	B	C
197	maxopens = 250		
198	maxsearches = 50		
199	maxsessopens = 80		
200	maxsessreqs = 50		
201	maxsessvcs = 1		
202	maxshares = 32		
203	netioalert = 5		
204	numbigbuf = 12		
205	numfiletasks = 1		
206	numreqbuf = 64		
207	sizreqbuf = 4096		
208	srvanndelta = 3000		
209	srvannounce = 60		
210	; The next lines help you to locate bits in the srvheuristics entry		
211	;	1	
212	;	01234567890123456789	
213	srvheuristics = 111101411112313101331		
214	SRVSERVICES = NETLOGON,LSERVER		
215	TOO MANY ADAPTERS SPECIFIED!!!		
216			
217	[alerter]		
218			
219	sizalertbuf = 3072		
220			
221	[netrun]		
222			
223	maxruns = 3		
224	runpath = C:\		
225			
226	[lserver]		
227			
228	cleanup = yes		
229	srvpipes = 3		
230			
231	[services]		
232			
233	; Correlates name of service to pathname of service program.		
234	; The pathname must be either		
235	; 1) an absolute path (including the drive specification)		
236	; OR		
237	; 2) a path relative to the BMLAN root		
238	alerter = services\alerter.exe		
239	dcdbrepl = services\dcdbrepl.exe		
240	dlrinst = services\dlrinst.exe		
241	genalert = services\genalert.exe		
242	lsclient = services\lsclient.exe		
243	lserver = services\lserver.exe		
244	messenger = services\msrvinit.exe		
245	netlogon = services\netlogon.exe		

	A	B	C
246	netpopup = services\netpopup.exe		
247	netrun = services\runservr.exe		
248	remoteboot = services\rplservr.exe		
249	replicator = services\replicat.exe		
250	requester = services\wksta.exe		
251	server = services\netsvini.exe		
252	timesource = services\timesrc.exe		
253	ups = services\ups.exe		
254			
255	PAGE DOWN FOR GENERATED COMM MGR CONFIG PARAMETERS		
256			
257			
258			
259			
260			
261			
262			
263			
264			
265			
266			
267			
268	; IEEE 802.2 (if installed) - NOT REQUIRED BY SERVER		
269			
270			
271			
272			
273			
274			
275			
276	;NetBIOS		
277			
278	Adapter 1.		
279	GDI Selectors ->	50	
280	Maximum Sessions ->	#VALUE!	
281	Maximum Commands ->	#VALUE!	
282	Maximum Names ->	15	
283	Remote Names(namecache) -	#VALUE!	
284	NETBIOS Retries ->	3	
285	I-Frame Descriptors(packets)	#VALUE!	
286	UI-Frame Descriptors ->	2	
287	looppackets=	1	
288			
289	Adapter 2.		
290	GDI Selectors ->	50	
291	Maximum Sessions ->	#VALUE!	
292	Maximum Commands ->	#VALUE!	
293	Maximum Names ->	15	
294	Remote Names(namecache) -	#VALUE!	

	A	B	C
295	NETBIOS Retries ->	3	
296	I-Frame Descriptors(packets)	#VALUE!	
297	UI-Frame Descriptors ->	2	
298	looppackets=	1	
299			
300	Adapter 3.		
301	GDT Selectors ->	50	
302	Maximum Sessions ->	#VALUE!	
303	Maximum Commands ->	#VALUE!	
304	Maximum Names ->	15	
305	Remote Names (namecache)-	#VALUE!	
306	NETBIOS Retries ->	3	
307	I-Frame Descriptors(packets)	#VALUE!	
308	UI-Frame Descriptors ->	2	
309	looppackets=	1	
310			
311			
312			
313			
314			
315			
316			
317			
318	I-Frame Descriptors(packets)	#VALUE!	
319	UI-Frame Descriptors ->	2	
320	looppackets=	1	
321			
322	CONFIG.SYS -- NOTE: Statements below must		
323	be modified by the user. Drive letters shown as		
324	x: and/or d: must be updated!		
325			
326	IFS=x:\IBM386FS\HPFS386.IFS	x:\IBM386FS\HPFS200.386	/I:d:\
327			
328			
329			
330			
331		END OF	
332		DATA	
333			
334			
335			
336			
337			
338			
339			
340			
341			
342			
343			

	A	B	C
883			
884			
885			
886			
887			
888			
889			
890			
891			
892			
893			
894			
895			
896			
897			
898			
899			
900			
901			
902			
903			
904			
905			
906			
907			
908			
909			
910			
911			
912			
913			
914			
915			
916			
917			
918			
919			
920			
921			
922			
923			
924			
925			
926			
927			
928			
929			
930			

	D	E	F
1	Set 1.05		
2	Errors:		
3)		
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24	PROTOCOL.INI entries		
25	<<- Please Enter a Valid Number		
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48	Potential Errors:		
49			

	D	E	F
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
68			
69			
70			
71			
72			
73			
74			
75			
76			
77			
78		#VALUE!	
79		6040	
80		6040	
81		6040	
82		6040	
83		44870	
84			
85			
86			
87			
88			
89	PARAMETERS		
90			
91			
92			
93			
94			
95			
96			
97			
98			

	D	E	F
99			
100			
101			
102	n time.		
103			
104			
105			
106			
107			
108			
109			
110			
111			
112			
113			
114			
115			
116			
117			
118			
119			
120			
121			
122			
123			
124			
125			
126			
127			
128			
129			
130	7.		
131	3		
132			
133			
134			
135			
136			
137			
138			
139			
140			
141			
142			
143			
144			
145			
146			
147			

	D	E	F
148			
149			
150			
151			
152			
153			
154			
155			
156			
157			
158			
159			
160			
161			
162			
163			
164			
165			
166			
167			
168			
169			
170			
171			
172			
173			
174			
175			
176			
177			
178			
179			
180			
181			
182			
183			
184			
185			
186			
187			
188			
189			
190			
191			
192			
193			
194			
195			
196			

	D	E	F
197			
198			
199			
200			
201			
202			
203			
204			
205			
206			
207			
208			
209			
210			
211			
212			
213			
214			
215			
216			
217			
218			
219			
220			
221			
222			
223			
224			
225			
226			
227			
228			
229			
230			
231			
232			
233			
234			
235			
236			
237			
238			
239			
240			
241			
242			
243			
244			
245			

	D	E	F
246			
247			
248			
249			
250			
251			
252			
253			
254			
255			
256			
257			
258			
259			
260			
261			
262			
263			
264			
265			
266			
267			
268			
269			
270			
271			
272			
273			
274			
275			
276			
277			
278			
279			
280			
281			
282			
283			
284			
285			
286			
287			
288			
289			
290			
291			
292			
293			
294			

	D	E	F
295			
296			
297			
298			
299			
300			
301			
302			
303			
304			
305			
306			
307			
308			
309			
310			
311			
312			
313			
314			
315			
316			
317			
318			
319			
320			
321			
322			
323			
324			
325			
326	BMLAN /C:2238 /USEALLMEM		
327			
328			
329			
330			
331			
332			
333			
334			
335			
336			
337			
338			
339			
340			
341			
342			
343			

	G	H	I	J
1				
2	PROTOCOL.INI			
3	IEEE 802.2 Results			
4	Maximum SAPS->	3		12288
5	Maximum Link Stations->	0		8704
6	802.2 Users ->	3		3584
7	# Q Elements ->	800		322
8	Glbl Desc Tbl Selectrs->	30		3262
9				2238
10	NETBIOS Results			0
11	TOTAL RQMNTS			1024
12				
13	Maximum Sessions ->	32		
14	Maximum Commands ->	51		
15	Maximum Names ->	15		
16				
17				
18	[netbeui_nif]			
19		1		
20	Adapter 1.			
21	GDT Selectors ->	50		
22	Maximum Sessions ->	###		
23	Maximum Commands	###		
24	Maximum Names ->	15		
25	Remote Names(name	###		
26	NETBIOS Retries ->	3		
27	I-Frame Descriptors(pa	###		
28	UI-Frame Descriptors	2		
29	looppackets=	1		
30				
31	Adapter 2.			
32	GDT Selectors ->	50		
33	Maximum Sessions ->	###		
34	Maximum Commands	###		
35	Maximum Names ->	15		
36	Remote Names(name	###		
37	NETBIOS Retries ->	3		
38	I-Frame Descriptors(pa	###		
39	UI-Frame Descriptors	2		
40	looppackets=	1		
41				
42	Adapter 3.			
43	GDT Selectors ->	50		
44	Maximum Sessions ->	###		
45	Maximum Commands	###		
46	Maximum Names ->	15		
47	Remote Names (name	###		
48	NETBIOS Retries ->	3		
49	I-Frame Descriptors(pa	###		

	G	H	I	J
50	UI-Frame Descriptors	2		
51	looppackets=	1		
52				
53				
54				
55				
56				
57				
58				
59				
60	I-Frame Descriptors(p	###		
61	UI-Frame Descriptors	2		
62	looppackets=	1		
63				
64	CONFIG.SYS -- NOTE: Statements below must			
65	be modified by the user. Drive letters shown as			
66	x: and/or d: must be updated!			
67				
68	IFS=x:\IBM386FS\HPFS386.IFS x:\IBM386FS\HPFS200.			
69				
70				
71				
72				
73				
74				
75				
76				
77				
78				
79				
80				
81				
82				
83				
84				
85				
86				
87				
88				
89				
90				
91				
92				
93				
94				
95				
96				
97				
98				

	G	H	I	J
99				
100				
101				
102				
103				
104				
105				
106				
107				
108				
109				
110				
111				
112				
113				
114				
115				
116				
117				
118				
119				
120				
121				
122				
123				
124				
125				
126				
127				
128				
129				
130				
131				
132				
133				
134				
135				
136				
137				
138				
139				
140				
141				
142				
143				
144				
145				
146				
147				

	K	L	M
1			
2			
3	Memory Calculations		Result
4	<- Server RAM		32
5	<- Base Used		51
6	<- Available		14
7	<- Memory used by INI options		32
8	<- Balance After INI options		32
9	<- Calculated HPFS Cache		64
10	<- Calculated DISKCACHE		250
11	<- NET RUN, AT, print reserve		128
12			64
13			12
14			50
15			11110141111231310133
16			3
17			18
18			#VALUE!
19			1214
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

	K	L	M
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
68	386 /l:d:\IBMLAN /C:2238 /USEALLMEM		
69			
70			
71			
72			
73			
74			
75			
76			
77			
78			
79			
80			
81			
82			
83			
84			
85			
86			
87			
88			
89			
90			
91			
92			
93			
94			
95			
96			
97			
98			

	N	O	P
1			
2			
3	IBMLAN.INI Paramters	Potential Errors	
4	<- NET1, X1 operands total	OK	
5	<- NET1, X2 operands total	OK	
6	<- NET1, X3 operands	OK	
7	<- MAXUSERS	OK	
8	<- MAXSHARES	OK	
9	<- MAXLOCKS	OK	
10	<- MAXOPENS	OK	
11	<- MAXCONNECTIONS	OK	
12	<- NUMREQBUF	OK	
13	<- NUMBIGBUF	OK	
14	<- MAXSEARCHES	OK	
15	<- SRVHEURISTICS		
16	<- SRVPIPES	OK	
17	<- NUMSERVICES	OK	
18			#VALUE!
19	<- Server RAM Check	OK	
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

	N	O	P
197			
198			
199			
200			
201			
202			
203			
204			
205			
206			
207			
208			
209			
210			
211			
212			
213			
214			
215			
216			
217			
218			
219			
220			
221			
222			
223			
224			
225			
226			
227			
228			
229			
230			
231			
232			
233			
234			
235			
236			
237			
238			
239			
240			
241			
242			
243			
244			
245			

	Q	R	S	T	U
1					
2					
3	Memory Required			Assumptions:	
4					
5	OS/2 2.0	2.75		If Busmaster - 32 bit Adapter is used	
6	NTS/2	0.4		Messenger Service on SRV=	1
7	Adv Srvr	5.4		numfiletasks=	1
8				NetBIOS names to requester	3
9				NetBIOS names to server	4
10				Default net1,X3 param	14
11				# of Group SAPs	0
12				LazyWrite Enabled	Yes
13					
14	Total	8.55			
15	INI+Cache	3.5			
16	MemUsed	12.05			
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48					
49					

	V	W	X	Y	Z
1					
2					
3		Work Area			
4			0	<- Total Requesters on Server	
5			0	<- Additional Servers	
6			0	<- User Logged onto Server (2=Yes, 0=	
7			0	<- Addit. Connections to servers if SRV	
8			0	<- DLRINST used (1=Y, 0=N)	
9			0	<- Remote IPL used (2=Y,0=N)	
10			1	<- X1 Intermediate Result	
11			0	<- Additional NETBIOS Stations Require	
12			0	<- Additional NETBIOS Commands Req	
13			0	<- Additional NETBIOS Sessions Require	
14			0	<- Additional NETBIOS Names Required	
15			0	<- SNA SAP req'd (1=Y, 0=N)	
16			0	<- Constant, '0'	
17			0	<- SQLLOO SAP req'd (1=Y, 0=N)	
18			0	<- IBM LAN Manager SAP Req'd (1=Y,0	
19			0	<- Other 802.2 Applications Requireme	
20			2	<- Total 802.2 SAPs req'd	
21			2	<- Number of 802.2 Transmit Buffers	
22			0	<- IBM LAN Manager Stations Required	
23			0	<- SNA Gateway Stations Required	
24			0	<- APPC Stations Required	
25			0	<- RDS OS/2 Stations Required	
26			0	<- RDS DOS Stations Required	
27			0	<- IEEE 802.2 Applications Stations Rec	
28			0	<- Total Additional Stations Required	
29			1	<- Total 802.2 Users Required (5 Max a	
30			1	<- Sequential (1), or Random operation	
31			3	<- Programs Loaded from Server (3=Y,	
32			32	<- NETBIOS Sessions (Intermediate res	
33			0	<- Potential error check (part 1 of 3) 0=	
34			#VALUE!	<- Potential error check (part 2 of 3) 0=	
35		N		<- DISKCACHE Required	
36		Y		<- HPFS cache Required	
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48					
49					

	V	W	X	Y	Z
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					
61					
62					
63					
64					
65					
66					
67					
68					MASTER IBM
69					
70					; OS/2 LAN S
71					
72					[networks]
73					
74					netlb = LO
75					; This inform
76					
77					[requester]
78					
79					COMPUTER
80					DOMAIN =
81					; The followi
82					; changed by
83					charcount =
84					chartime =
85					charwait =
86					keepcon=6
87					keepsearch
88					maxcmds =
89					maxerrorlo
90					maxthread
91					maxwrkca
92					numalerts =
93					numcharbu
94					numservice
95					numworkbu
96					numdgram
97					othdomains
98					printbuftim

	V	W	X	Y	Z
99					sesstimeou
100					sizcharbuf
101					sizerror =]
102					sizworkbuf
103					; The next lin
104					;
105					;
106					wrkheuristi
107					WRKSERVIC
108					wrknets =
109					
110					[messenger]
111					
112					logfile = m
113					sizmessbuf
114					
115					[lsclient]
116					
117					multilogon
118					timesync =
119					logonverific
120					logonwarni
121					
122					[netlogon]
123					
124					SCRIPTS =
125					pulse = 60
126					update = y
127					
128					[replicator]
129					
130					replicate =
131					IMPORTPAT
132					tryuser = y
133					password =
134					interval = 5
135					guardtime
136					pulse = 3
137					random = 0
138					
139					[dcdbrepl]
140					
141					tryuser = y
142					password =
143					interval = 5
144					guardtime
145					pulse = 3
146					random = 0
147					

	V	W	X	Y	Z
148					[server]
149					
150					alertnames
151					auditing =
152					autodiscon
153					maxusers =
154					; The followi
155					; changed by
156					; the server
157					; are conver
158					guestacct =
159					accessalert
160					alertsched
161					diskalert =
162					erroralert =
163					logonalert =
164					maxauditlo
165					maxchdevj
166					maxchdevc
167					maxchdevs
168					maxconnec
169					maxlocks =
170					maxopens
171					maxsearch
172					maxsessop
173					maxsessre
174					maxsessvc
175					maxshares
176					netioalert =
177					numbigbuf
178					numfiletask
179					numreqbuf
180					sizreqbuf =
181					srvanndelta
182					srvannounc
183					; The next lin
184					;
185					;
186					srvheuristi
187					SRVSERVIC
188					srvnets = N
189					
190					[alerter]
191					
192					sizalertbuf
193					
194					[netrun]
195					
196					maxruns =

	V	W	X	Y	Z
197					runpath =
198					
199					[lsserver]
200					
201					cleanup =
202					srvipipes =
203					
204					[services]
205					
206					; Correlates
207					; The pathna
208					; 1) an a
209					;
210					; 2) a pa
211					alerter = se
212					dcdbrepl =
213					dlrinst = se
214					genalert =
215					lsclient = s
216					lsserver =
217					messenger
218					netlogon =
219					netpopup =
220					netrun = se
221					remoteboo
222					replicator =
223					requester =
224					server = se
225					timesource
226					ups = servi
227					
228					
229					
230					
231					IFS=x:\IBM
232					IFS=x:\OS
233					
234					
235					
236					
237					
238					
239					
240					
241					
242					
243					
244					
245					

	AA	AB	AC	AD	AE	AF
1					Messages Values:	
2					<<- Exceeded or Equal to Max Valu	
3					<<- Please Specify a Positive #	
4					<<- Too Many Specified	
5					<<- Not enough RAM to Start	
6	=No)				<<- Too Many RIPLs Specified	
7	used as Req				<<- Insufficient RAM for Configurati	
8					<<- Too Many NETBIOS Resources S	
9					<<- Adapter RAM Exceeded	
10					<<- Too Many DLR Requesters	
11	d				<<- Too Many OS/2 Requesters	
12	quired				<<- Too Many Requesters on Server	
13	ed				<<- Please Enter Y or N	
14					<<- See Column O for More Informat	
15					<<- Too Many Windows Reqs.	
16					<<- Please Enter S or R	
17					<<- Please Enter a Valid Number	
18	=N)				<<- Enter a Minimum of One	
19	nts.				<<- Invlid Entry/Combination	
20					<<- 255 or More Stations Required p	
21					<<- 255 or More Sessions Required	
22					<<- Too Many Cmds Required for ad	
23					<<- Too Many Stations Required for	
24					<<- 1016 or More Names Required!!	
25					<<- Too Many, 12 Max	
26					<<- 16/4 or Busmaster Recommend	
27	quired				<< - 16/4 or Busmaster REQUIRED	
28					<< - Additional Server RAM Recomm	
29	llowed)				<< - Please Enter A or E	
30	s (0), mainly				<< - Up to 4 adapters max.	
31	1=N)				<< - Please enter a positive number	
32	ult)				<< - Please Enter T or E	
33	=none, 1=problem				<< - Please Enter 4, 16 or B	
34	=none, 1=problem				<< - Busmaster Adapter Recommen	
35					EarlyRelease=yes XmitBufs=2	
36					EarlyRelease=yes Adapter=alternat	
37					<< - Busmaster Adapter REQUIRED	
38					<< - Invalid Entry - Must be B	
39					AdapBuffSize=2048 SizWorkBuf=224	
40					MaxTransmits=49 MinRcvBufs=100	
41					ReceiveChains=24 MaxTransmits=2	
42					DriverName=ubnei\$ MaxTransmits=	
43					DriverName=elnkii\$ MaxTransmits=	
44					DriverName=elnkmc\$ MaxTransmits	
45					<<- Invalid Response	
46					More Adapters REQUIRED!!!	
47					MaxTransmits=49	
48					<<- Invalid Entry (B27)	
49					DriverName=Maceth\$ MaxRequests	

	AA	AB	AC	AD	AE	AF
50					DriverName=Macwd\$ MaxRequests=	
51					<<- Invalid Entry (B32)	
52					<<- Invalid Entry (B37)	
53					<<- Invalid Entry (B42)	
54					RecieveBuffers=24	
55					MaxRequests=10	
56					DriverName=ibmtrdb\$	
57					DriverName=ibmtok\$ MaxTransmits	
58					MaxTransmits=50 XmitBufs=1	
59					<<- Invalid Entry	
60					<<- Invalid Entry (B43)	
61					<<- Invalid Entry (B44)	
62					<<- Invalid Entry (B38)	
63					<<- Invalid Entry (B39)	
64					<<- Invalid Entry (B33)	
65					<<- Invalid Entry (B34)	
66					<<- Invalid Entry (B28)	
67					<<- Invalid Entry (B29)	
68	LAN.INI FILE (HANDS OFF!!)				<<- Invalid Entry (B36)	
69					<<- Invalid Entry (B41)	
70	erver initialization file				<<- Invalid Entry (B31)	
71						
72						
73						
74	OPDRV\$,0					
75	ation is read by the redirector at device initialization time.					
76						
77						
78						
79	NAME = SERVER01					
80	DOMAIN01					
81	ng parameters generally do not need to be					
82	y the user.					
83	= 16					
84	250					
85	3600					
86	00					
87	=600					
88	= 16					
89	g = 100					
90	s = 10					
91	he = 64					
92	= 12					
93	f = 10					
94	es = 16					
95	uf = 15					
96	buf = 14					
97	s =					
98	e = 90					

	AA	AB	AC	AD	AE	AF
99	t = 45					
100	= 512					
101	1024					
102	= 4096					
103	nes help you to locate bits in the wrkheuristics entry.					
104		1	2	3		
105	0123456789012345678901234567890123					
106	cs = 1111111121311111110001011120111221					
107	CES = LSCLIENT					
108	NETLB					
109						
110						
111						
112	essages.log					
113	= 4096					
114						
115						
116						
117	= no					
118	yes					
119	ication = domain					
120	ngmsgs = all					
121						
122						
123						
124	D:\IBMLAN\REPL\IMPORT\SCRIPTS					
125						
126	es					
127						
128						
129						
130	IMPORT					
131	H = D:\IBMLAN\REPL\IMPORT					
132	es					
133	=					
134	5					
135	= 2					
136						
137	50					
138						
139						
140						
141	es					
142	=					
143	5					
144	= 2					
145						
146	50					
147						

	AA	AB	AC	AD	AE	AF
148						
149						
150	=					
151	no					
152	nect = 120					
153	= 32					
154	ng parameters generally do not need to be					
155	y the user. NOTE: srvnets= is represented in					
156	info struct as a 16-bit lan mask. Srvnet names					
157	ced to indexes within [networks] for the named nets.					
158	= guest					
159	: = 5					
160	= 5					
161	5000					
162	= 5					
163	= 5					
164	g = 100					
165	ob = 6					
166	l = 2					
167	: = 2					
168	ctions = 128					
169	= 64					
170	= 250					
171	es = 50					
172	ens = 80					
173	qs = 50					
174	s = 1					
175	= 16					
176	= 5					
177	= 12					
178	ks = 1					
179	= 36					
180	: 4096					
181	a = 3000					
182	ce = 60					
183	hes help you to locate bits in the srvheuristics entry.					
184		1				
185		01234567890123456789				
186	cs = 111101411111311001331					
187	ES = NETLOGON,LSSERVER					
188	NETLB					
189						
190						
191						
192	= 3072					
193						
194						
195						
196	3					

	AA	AB	AC	AD	AE	AF
197	C:\					
198						
199						
200						
201	yes					
202	3					
203						
204						
205						
206	name of service to pathname of service program.					
207	name must be either					
208	absolute path (including the drive specification)					
209	OR					
210	path relative to the IBMLAN root					
211	services\alerter.exe					
212	services\dcdbrepl.exe					
213	services\dlrinst.exe					
214	services\genalert.exe					
215	services\lsclient.exe					
216	services\lsserver.exe					
217	= services\msrvinit.exe					
218	services\netlogon.exe					
219	= services\netpopup.exe					
220	services\runservr.exe					
221	= services\rplservr.exe					
222	= services\replicat.exe					
223	= services\wksta.exe					
224	services\netsvini.exe					
225	= services\timesrc.exe					
226	services\ups.exe					
227						
228						
229						
230						
231	\\1386FS\HPFS386.IFS x:\IBM386FS\HPFS200.386 /l:d:\IBMLAN /C:2238 /U					
232	2\HPFS.IFS /CACHE:2238 /CRECL:128					
233						
234						
235						
236						
237						
238						
239						
240						
241						
242						
243						
244						
245						

	AG	AH	AI	AJ	AK	AL	AM
1							
2	e						
3							
4							
5							
6							
7	on						
8	pecified						
9							
10							
11							
12							
13							
14	tion						
15							
16							
17							
18							
19							
20	per adapter!!!						
21	per adapter!!!						
22	apter(s) to support (See H14)						
23	adapter(s) to support						
24	!						
25							
26	ed						
27							
28	ended						
29							
30							
31	.						
32							
33							
34	ded						
35							
36	e XmitBufs=2						
37							
38							
39	40						
40							
41	4						
42	50						
43	40						
44	=40						
45							
46							
47							
48							
49	=16						

	AG	AH	AI	AJ	AK	AL	AM
50	=16						
51							
52							
53							
54							
55							
56							
57	=50						
58							
59							
60							
61							
62							
63							
64							
65							
66							
67							
68							
69							
70							
71							
72							
73							
74							
75							
76							
77							
78							
79							
80							
81							
82							
83							
84							
85							
86							
87							
88							
89							
90							
91							
92							
93							
94							
95							
96							
97							
98							

	AG	AH	AI	AJ	AK	AL	AM
197							
198							
199							
200							
201							
202							
203							
204							
205							
206							
207							
208							
209							
210							
211							
212							
213							
214							
215							
216							
217							
218							
219							
220							
221							
222							
223							
224							
225							
226							
227							
228							
229							
230							
231	SEALLMEM						
232							
233							
234							
235							
236							
237							
238							
239							
240							
241							
242							
243							
244							
245							

	AN	AO	AP	AQ	AR	AS	AT
1							
2							
3							
4							
5							
6				FAR			
7				ENOUGH!			
8				No More Out There.			
9				'====>>			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	FC	FD	FE	FF	FG	FH	FI
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	FJ	FK	FL	FM	FN	FO	FP
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	FQ	FR	FS	FT	FU	FV	FW
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	FX	FY	FZ	GA	GB	GC	GD
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	GE	GF	GG	GH	GI	GJ	GK
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	GL	GM	GN	GO	GP	GQ	GR
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							

	GS	GT	GU
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			

	GS	GT	GU
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
68			
69			
70			
71			
72			
73			
74			
75			
76			
77			
78			
79			
80			
81			
82			
83			
84			
85			
86			
87			
88			
89			
90			
91			
92			
93			
94			
95			
96			
97			
98			