

Sheet1

*---A macro to copy any 3-D or 2-D range and keep ABSOLUTE references even though the range includes relative references/addresses.

*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)

*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3.1/3.1+/123W

!

\Z

ABS-COPY

!

!

!

!

!

!

!

label401

cont401

!

!

!

!

counter1401

counter1a401

labels1401

!

here1401

!

labels1a401

!

!

number401

cont1401

!

!

!

!

counter2401

counter3401

numbers3401

!

here2401

!

numbers1401

!

!

numbena401

cont1a401
!
!
!
counter3a401
counter2a401
!
numbers3a401
!
here3401
!
numbers1a401
!
!
counterb401
hereabs401
!
rel401

```
{BREAKON}
{WINDOWSOFF}{PANELOFF}/RNCWHICH RANGE ?~/RNDWHICH RANGE ?~/RNC{PANELON}Which range ?~{WINDOWSOFF}{PANELOFF}/RNCWHERE TO ?~/RNDWHERE TO ?~/RNC{PANELON}Where to ?~{bs}{bs}{WINDOWSOFF}/cwhich range ?~Where to ?~
{goto}where to ?~/RNCwhere to ?~{bs}{bs}
.{DOWN @ROWS(Which range ?)-1}
.{right @COLS(Which range ?)-1}~
{numbera401}{number401}
```

```
{GOTO}Which range ?~{LET COUNTERB401,0}~
{LET counter1401,0}{LET HEREABS401,@CELLPOINTER("ADDRESS")}~
{FOR counter1401,0,@COLS(Which range ?)-1,1,labels1401}~
{let rel401,@INFO("RELEASE")}~{IF @LEFT(REL401,1)<>"@"}{goto}{hereabs401}~{let counterb401,counterb401+1}~{if counterb401>=9}{return}
```

```
{RIGHT}{LET here1401,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR counter1a401,0,@ROWS(WHICH RANGE ?)-1,1,labels1401}
```

\$C\$1

```
{if @cellpointer("type")<>"b"}{EDIT}{HOME}{DOWN}{return}
{down}
```

```
{GOTO}Which range ?~{LET COUNTERB401,0}~
{LET counter2401,0}{LET HEREABS401,@CELLPOINTER("ADDRESS")}~
{FOR counter2401,0,@COLS(WHICH RANGE ?)-1,1,numbers3401}~
{let rel401,@INFO("RELEASE")}~{IF @LEFT(REL401,1)<>"@"}{goto}{hereabs401}~{let counterb401,counterb401+1}~{if counterb401>=9}{return}
{goto}which range ?~/rndWhich range ?~/rndwhere to ?~
```

```
{RIGHT}{LET here2401,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR counter3401,0,@ROWS(WHICH RANGE ?)-1,1,numbers3401}
```

\$C\$1

```
{if @cellpointer("type")<>"b"}{EDIT}{HOME}{DEL}{DOWN}{return}
{down}
```

```
{GOTO}Where to ?~{LET COUNTERB401,0}~
```

Sheet1

```
{LET counter2a401,0}{LET HEREABS401,@CELLPOINTER("ADDRESS")}~  
{FOR counter2a401,0,@COLS(Where to ?)-1,1,numbers3a401}~  
{let rel401,@INFO("RELEASE")}~{IF @LEFT(REL401,1)<>"@"}{goto}{hereabs401}~{let counterb401,counterb401+1}~{if cou
```

```
{RIGHT}{LET here3401,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR counter3401,0,@ROWS(Where TO ?)-1,1,numbers1
```

\$F\$1

```
{if @cellpointer("type")<>"b"}{EDIT}{HOME}{DEL}{DOWN}{return}  
{down}
```

\$A\$1

