

Sheet1

\*---A macro to turn all labels in a 3-D or 2-D range to UPPERCASE form  
\*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the  
range names in this column (starts with the \Z macro name)  
\*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3.1/3.1+/123W

!

!

\Z

UPPERCASE

cont048

!

!

!

!

counter048

countera048

labels048

!

here048

!

labelsa048

!

!

PROP048

!

counterb048

hereabs048

!

rel048

```
{BREAKON}  
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{window  
{let hereabs048,@cellpointer("address")}~{LET counter048,0}  
{FOR counter048,0,@cols(Which range ?)-1,1,labels048}  
{let rel048,@INFO("RELEASE")}~{IF @LEFT(REL048,1)<>"@"}{goto}{hereabs048}~{let counterb048,counterb048+1}~{if cou  
{goto}which range ?~/rndWhich range ?~
```

```
{RIGHT}{LET here048,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR countera048,0,@ROWS(WHICH RANGE ?)-1,1,labels048}
```

\$D\$1

```
{panelon}{recalc prop048}{if @cellpointer("type")<>"b"#and#@cellpointer("type")<>"v"#and#@cellpointer("prefix")<>"\ "#and#  
{down}
```

\$A\$1

