

Sheet1

\*---A macro to DELETE a LISTED GROUP of range names, the macro checks the validity of the range names too

\*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)

\*---Hold the <ALT> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3.1/3.1+/123W

!

\Z

RANGDELG

cont153

!

!

!

!

counter1153

counter1a153

labels1153

!

here153

!

labels1a153

!

ret153

!

cancel1153

!

!

!

ret1153

!

!

!

nam153

!

counterb153

!

hereabs153

!

rel153

```
{BREAKON}  
{WINDOWSOFF}{PANELOFF}/RNCNames range ?~/rndNames range ?~/RNC{windowson}{panelon}Names range ?~{bs}{b  
{LET HEREABS153,@CELLPOINTER("address")}~{LET counter1153,0}  
{FOR counter1153,0,@cols(Names range ?)-1,1,labels1153}  
{let rel153,@INFO("RELEASE")}~{IF @LEFT(REL153,1)<>"@"}{goto}{hereabs153}~{let counterb153,counterb153+1}~{if cou  
{goto}Names range ?~/rndNames range ?~
```

```
{RIGHT}{LET here153,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR counter1a153,0,@ROWS(Names RANGE ?)-1,1,labels
```

\$F\$1

```
{cancel1153}  
{DOWN}
```

```
{if @CELLPOINTER("TYPE")="b"#OR#@CELLPOINTER("TYPE")="v"#OR#@LENGTH(@CELLPOINTER("CONTENTS"))>1  
/RNL~{if @CELLPOINTER("TYPE")="b"#OR#@CELLPOINTER("TYPE")="v"}{BRANCH ret1153}  
{let nam153,@cellpointer("contents")}~  
/RND{nam153}~{ESC 6}  
{RETURN}
```

UUUU

\$A\$1

