

Sheet1

- *---A macro to DELETE rows containing 0 or empty cell in a range
- *---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
- *---Hold the <ALT> key and press <Z> to activate the macro
- *---In release 3 make sure that the GROUP option is DISABLED
- *---In release 2/2.01/2.2 the macro must be located ABOVE the range

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3.1/3.1+/123W

\Z

ROWDELET

!

!

cont156

!

!

!

!

counter1156

counter1a156

labels1156

!

labels1a156

!

!

!

rowsa156

rowsaa156

SHEETS156

COLSS156

!

counterb156

hereabs156

!

rel156

!

hereiam156

```
{BREAKON}
{let rel156,@INFO("release")}~
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{GOTO}
{if @LEFT(REL156,1)<>"@"}{LET SHEETS156,@SHEETS(WHICH RANGE ?)}~
{let hereabs156,@cellpointer("address")}~{LET counter1156,0}{let rowsa156,rowsaa156}~
{FOR counter1156,0,colsS156-1,1,labels1156}
{let rel156,@INFO("RELEASE")}~{IF @LEFT(REL156,1)<>"@"}{goto}{hereabs156}~{let counterb156,counterb156+1}~{if cou
/RNCWhich range ?~/rndWhich range ?~{windowson}
```

```
{RIGHT}{LET hereiam156,@CELLPOINTER("address")}~{LEFT}{FOR counter1a156,0,rowsa156-1,1,labels1a156}~{GOTO}{
```

```
{IF (@CELLPOINTER("contents")=0#AND#@CELLPOINTER("type")="v")#OR#@CELLPOINTER("type")="b")/WDR~{LET ro
{DOWN}
```

\$C\$50

1.10.00

\$G\$50

