

Sheet1

List of all files working with the MACRO LIBRARY MANAGERS
MACROMGR.WK1, SMALLMGR.WK1, MACROMG3.WK3 and SMALLMG3.WK3
Macros for Release 3 & up are marked with the number (3)
Macros for Lotus 2.2 & up are marked with the number (2.2)

NAME

ABS-COPY
ADDDATA
ADDINATH
ADDINDTH
ADDLEFT
ADDLEFT3
ALIGNPG
ANNOTATE
ASCIICOD
ASCIIFIL
AUTO-NO
AUTO-YES
BEEP-NO
BEEP-YES
CENTER
CENTER2
CHECKAMT
CLOCKSET
COLDELET
COLINSFT
COLINSRT
COLSDISP
COLSELIM
COLSHIDE
COLTOROW
COLWIDTH
COMBINE
COORDEDT
COPYALT
COPYALT3
COPYFMT3
COPYFRMT
COPYMLT3
COPYMULT
COPYSPCL
CORNERS
CROSMULT
CTRTITLE
DATELABL
DATELIST

DATEMAC
DATEPAST
DATESTMP
DATEVAL
DAYSDIFF
DEFLTDRV
DELLABEL
DELNUMBR
DELZEROS
DOCSHEET
DO_LABEL
DUPENTRY
EDITFORM
EDITFORM
ERASENDS
ERRPROOF
EXTRACT
EXTRACT2
EXTRACT3
FANCYBOR
FANCYBR3
FILEDEL
FILEDIR
FILELIST
FILEMNGR
FILETABL
FILEXIST
FILFMGR3
FOOTER
FORMLETR
FRAMERNG
GOTOENDS
GOTORANG
GRADES
GRAPHDEL
GRAPHMAK
GRAPHRST
GRAPHTB3
GRAPHTBL
GRAPHUSE
GROUPGRA
GROUPLBL
GROUPLGD
GRPHDLBL
GRPHGRUP
GRPHLGND
HEADER
HIGHLIGHT
IMPORT

INDENT
INVRTCL3
INVRTCOL
INVRTRNG
JMPSHET3
JUMPCOL
JUMPENDS
LABLMCRO
LEARN22
LEFTALIN
LIBEDIT
LIBLOAD
LIBMAKE
LIBMAKE2
LIBRMOVE
LINEADV
LINKRANG
LINKRNG3
LOAD_MLB
LOWRCASE
MACROHLP
MAILLABL
MARGINON
MARGNONE
MESSAGE
MESSAGE2
MODIFRNG
MOVESPCL
NAMEDOWN
NAMELEFT
NAMESDEL
NAMESPLT
NAME_UP
NAMRIGHT
NEGATIVE
NOTEPAD
NUMLOCK3
NUMLOCKD
NUMLOCKR
PADDING
PAGEADV
PARSE
PARSING
PHRASE
PRINTALT
PRINTWKS
PRNTHHEAD
PRODUCT3
PROPER

PRTDISPL
PRTFORMU
PRTRANGE
PRTRANGS
QUERY
RANGCOMB
RANGDELG
RANGECRT
RANGDEL
RANGDEL
RANGEINS
RANGETBL
RANGKEEP
RANGSPRT
RANGUNDL
RANGWIDE
RELCRNG
RECORDER
REMOVMLB
RESTORE
RETRIEV2
RETRIEVE
RIGHTALN
ROUNDVAL
ROWDELET
ROWDELPR
ROWINSFT
ROWINSRT
ROWPUSH
ROWSDLET
ROWSELIM
RULER
RUNKEY2
SAMEDAY
SAVEFIL2
SAVEFILE
SAVE_A
SAVE_A22
SAVE_B
SAVE_B22
SCRHREPL
SETIME22
SETTIME
SETTIME3
SETUPSTR
SHEETS3
SHETDEL3
SIGNCHNG
SLIDESH0

SORT1ASC
SORT1DES
SORT2ASC
SORT2DES
SORTKEYS
SQZCOLMN
SQZROW
STRIPSPC
SUBTOTAL
SUBTOTL3
SUMUNDRA
SUMUNDRS
SWITCH
TIMESTAMP
TITLECLR
TITLESET
TOPSCREEN
TRANSP02
TRANSP03
TRANSP0S
UNDERLIN
UNDERLN2
UNDO-DIS
UNDO-ENB
UNINDENT
UNNAME
UN_LABEL
UPERCASE
VALUEWKS
VALUFORM
VERIFY
VIEW@AVG
VIEW@CNT
VIEW@MAX
VIEW@MIN
VIEW@STD
VIEW@SUM
VIEW@VAR
WIDMATCH
WIDTHRST
WIDTHRTS
WIDTHSET
WORDPROC
ZEROBLNK
ZEROERR
ZEROLEAD
@ABSCCELL
@ABSRANG
@ACOSCEL

@ACOSRNG
@ASINCEL
@ASINRNG
@ATANCEL
@ATANRNG
@COSCELL
@COSRANG
@EXPCELL
@EXPRANG
@INTCELL
@INTRANG
@LNCELL
@LNRANGE
@LOGCELL
@LOGRANG
@ROUNDCL
@ROUNDRG
@SINCELL
@SINRANG
@SQRTCEL
@SQRTRNG
@SUMCELS
@SUMRNGS
@TANCELL
@TANRANG

DESCRIPTION

Copy any range and keep absolute references
Add data to a database
Set or cancel automatic attaching and invoking add-ins (2.2)
Detach add-ins (2.2)
Add the current column's values to the left column's values
Add the current column's values to the left column's values (3)
Align the paper before printing
ANNOTATE cells containing formulas
Display the ASCII code for a given character
Save a range as unformatted ASCII file
Disable the AUTOEXEC \0 macros
Enable the AUTOEXEC \0 macros
Disable the BEEP bell in case of error
Enable the BEEP bell in case of error
Center all labels in a range
CENTER a column of titles in middle of screen
Write check's amount in words up to \$99,999,999.99
Set the date/time/file indicator in the lower left corner (2.2)
Delete a specified number of columns
Insert a column with the column's to the left format
Insert a specified number of columns
View and/or unhide all hidden columns
ELIMINATE completely empty columns in a range
Continuously hide columns
Transpose a columnwise range to rowwise range or vice versa
Change multiple column width
Combine a file from the default directory
Show cell coordinates/address instead of range names
Copy a cell every other specified rows or columns
Copy a cell every other specified rows, columns or sheets (3)
Copy the adjacent cell's format in 3-D spreadsheet (3)
Copy the adjacent cell's format
Create multiple copies of a range including 3-D (3)
Create multiple copies of a range
Standard and extra special copy options
Move the cell pointer around the worksheet corners
Cross multiply two columns
Center a title across the row
Turn a range of date labels into date values
Enter a series of dates

Sheet1

Insert a date function (see the MACROHLP.WK1 macro too)
Insert dates for the future or the past
Write the current time and/or date in the cell
Turn a range of date values into date labels
Calculate the number of days between two dates
Change and update the default drive\directory
Erase all labels in a range
Erase all numbers in a range
Erase all zeros in a range
Document the worksheet
Turn a range of formulas and/or numbers into labels
Find duplicate entries in a column
EDIT a formula using the range names instead of addresses
Edit a formula with range names
ERASE from the cell next to the pointer to ends of spreadsheet
Make a formula ERROR PROOF
Extract a file to A:, B:, C: and D: to Reduce it's size
EXTRACT a file to A:, B:, C: and D: to REDUCE it's size (2.2)
Extract a file to A:, B:, C: and D: to REDUCE it's size (3)
Create horizontal and vertical fancy borders
Create horizontal and vertical fancy borders (3)
Delete files from the default directory
Change the DEFAULT FILE/DIRECTORY
List files and view size, creation date and time
file manager that allows activating executable files
Create file names table (2.2)
Check for file existance and size
Macro to handle active files operations (3)
Prompt the user for a print footer
Print form letters from an address list.
Print any range including the column and row headings
Jump with the cellpointer to ends of rows, columns, sheets
Jump to any range in the worksheet
Grade students scores
Delete named graphs
Create a named graph
Delete (Reset) all named graph
Create graph names table (3)
Create graph names table (2.2)
Make a named graph the current graph
Assign all graph data ranges (X and A-F) at one step (2.2)
Assign all graph data labels (for A-F) at one step (2.2)
Assign all graph legends (A-F) at one step (2.2)
Assign all graph data labels (A-F) at one step
Assign all graph data ranges (X and A-F) at one step
Assign all graph legends (A-F) at one step
Prompt the user for a print header
Highlight and un-highlight a range
Import a file from the default directory

Sheet1

Indent all labels in a range a specified No. of spaces
Invert a column of numbers or text (3)
Invert a column of numbers or text
Invert a range of numbers or text
Jump to other SHEET and stay at the same screen position (3)
Jump to other column and stay at the same position on screen
JUMP to the ends of row, columns, sheets
Enter all data as labels (labels and numbers or combination)
Start LEARN mode and range (2.2)
Left align all labels in a range
Edit and save a library macro (*.MLB) (2.2)
Load a library macro (*.MLB) from the disk (2.2)
Create library macros (*.MLB) from the (*.WK1) macros (2.2)
Create library macros (*.MLB) from a (*.WK1) macro/file (2.2)
Remove library macros (*.MLB) from the memory (2.2)
Advance the printer paper one line
Create a range of cell linking formulas (2.2)
Create a range of cell linking formulas (3)
Load an MLB macros
Turn a range of labels into LOWERCASE form
Continuously write keywords and formulas picked from display
Print mailing labels from an address database
Clear and reset print margin (2.2)
Set the margins to NONE
Present a flashing message in the panel area
Present a flashing message in the panel area (2.2) (3)
Modify all values in a range (Example *5, /7 etc.)
Standard and extra SPECIAL MOVE options
Name the cells down to the current cells
Name the cells left to the current cells
Delete range names
Extract and split a full name to: First, M.I. and Last name
Name the cells up to the current cells
Name the cells right to the current cells
Control the negative values display (2.2)
A NOTEPAD macro which updated itself at end of work
Use the numeric key pad to enter data across sheets (3)
Use the numeric keys pad (NUMLOCK ON) for column entry
Use the numeric keys pad (NUMLOCK ON) for row entry
PAD a cell content with trailing periods [.]
Advance the printer paper one page
PARSE a range of long labels
Automatically PARSE inconsistant text
Enter a phrase to multiple cells
Print only every other specified number of columns in a range
Print the worksheet
Print the worksheet including columns and rows headings
@SUMPRODUCT two 3-D ranges (3)
Turn all labels in a range to Proper form

Sheet1

Print cells as displayed
Print cell formulas
Print selected ranges
Print specified number of ranges in order or all named ranges
A query macro with extract
COMBINE two ranges inside the worksheet
Delete a list of range names, with macro name validity check
Create range names
DELETE a range, partial column/row delete
Delete range names one by one
INSERT a range, partial column/row insert
Create and print a table of all range names
ERASE all the worksheet EXCEPT a specified range
Create and print a list of ranges picked from screen display
Underline a range, usually is used for underlining rows
Measure range width before printing
Recalc a range to reduce recalculation time
Record and execute keystrokes as they are typed
Remove MLB macros from memory
RESTORE all range names after issuing /RNR accidentally
Retrieve a file from the A:, B:, C: and D: drives
Retrieve a file from the default directory
Right align all labels in a range
Round all values in a range
Delete rows in a range containing 0 or empty cells
Delete rows even if the worksheet is protected
Insert a row with the row's above format
Insert a specified number of rows
Insert a duplicate of the row above
Delete a specified number of rows
Eliminate completely empty rows in a range
Insert a ruler for printing measurement
RUN KEY like the one in symphony or 123 version 2.2
Insert the same day for list of months (column or row)
SAVE A FILE with the current name or a new name (2.2)
Save a file with the current name or a new name
Save file with a new name to the A: drive
Save file with a new name to the A: drive (2.2)
Save file with a new name to the B: drive
Save file with a new name to the B: drive (2.2)
A full featured Search & Replace macro
Set the system time and date from within LOTUS 1-2-3 (2.2)
Set the system time and date from within LOTUS 1-2-3
Set the system time and date (3)
Create a new global printing setup string
Macro to handle sheet operations (3)
Continuously delete sheets in a 3-D worksheet (3)
Change the sign of all numbers in a range
Create graphics slide show

Sheet1

Sort ascending by primary-key only
Sort descending by primary-key only
Sort descending by primary-key and secondary key
Sort descending by primary-key and secondary key
Sort by multiple keys
Squeeze a list of column entries (take out blank cells)
Squeeze a list of row entries (take out blank cells)
STRIP leading and trailing spaces from all strings
Subtotal and grand total macro for a database item
Subtotal and grand total macro for a database item
An automatic macro to sum and underline a column of numbers
Semi-automatic macro to sum and underline a column of numbers
Switch range places
Write the current time in the cell
Clear titles
Set titles ON
Move the current cell to the top of the screen
Transpose a range and keep formulas references correctly
Transpose a range and keep formulas references correctly (3)
Absolute transpose of a range that contains formula/numbers
Underline the current column to one character narrower
UNDERLINE the current label
Disable the UNDO feature (2.2)
Enable the UNDO feature (2.2)
Un-indent all labels in a range a specified number of spaces
Delete all range names in a specified range
Turn a range of labels back to formulas and/or numbers
Turn a range of labels to UPPERCASE form
Change all formulas in worksheet into values
Turn a range of formulas to values
Verify range names existence
View the range to be @AVGed, the range is highlighted
View the range to be @COUNTed, the range is highlighted
View the range to be @MAXed, the range is highlighted
View the range to be @MINed, the range is highlighted
View the range to be @STDrd, the range is highlighted
View the range to be @SUMmed, the range is highlighted
View the range to be @VARianced, the range is highlighted
Adjust the column width to the length of the label in cell
Reset current column width to one more than entry width
Reset the width of group of adjacent columns (2.2)
Change the width of group of adjacent columns (2.2)
A WORD PROCESSOR macro with a full featured SEARCH & REPLACE
Replace all blanks in a range with zeros
Replace all ERR or NA in a range with zeros
Add zero leads to all numbers in the range
Calculate the @ABS of a value in a cell
Calculate the @ABS of all values in a range
Calculate the @ACOS of a value in a cell

Sheet1

Calculate the @ACOS of all values in a range
Calculate the @ASIN of a value in a cell
Calculate the @ASIN of all values in a range
Calculate the @ATAN of a value in a cell
Calculate the @ATAN of all values in a range
Calculate the @COS of a value in a cell
Calculate the @COS of all values in a range
Calculate the @EXP of a value in a cell
Calculate the @EXP of all values in a range
Calculate the @INT of a value in a cell
Calculate the @INT of all values in a range
Calculate the @LN of a value in a cell
Calculate the @LN of all values in a range
Calculate the @LOG of a value in a cell
Calculate the @LOG of all values in a range
@ROUND a value in a cell
@ROUND all values in a range
Calculate the @SIN of a value in a cell
Calculate the @SIN of all values in a range
Calculate the @SQRT of a value in a cell
Calculate the @SQRT of all values in a range
Sum multiple cells and stay where the formula is
Sum MULTIPLE ranges
Calculate the @TAN of a value in a cell
Calculate the @TAN of all values in a range