

Sheet1

- \*---A macro to EDIT a formula using the range names instead of addresses when the addresses has names but are not shown in the formula
  - \*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Z macro name)
  - \*---Place the cell pointer on the formula to be edited
  - \*---When you get the formula as literal, edit it and press <RETURN>
  - \*---Hold the <ALT> key and press <Z> to activate the macro
- THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
IT WILL WORK IN RELEASE 2/2.01/2.2 AND 3

```
\Z
EDITFORM
!
!
!
!
rel521
!
EDITFRM3521
!
!
!
!
counter521
!
absabs521
!
FORMULA521
!
change521
```

```
{BREAKON}  
{LET REL521,@INFO("release")}~{if @LEFT(REL521,1)<>"@"}{BRANCH editfrm3521}  
{windowsoff}{paneloff}/rncHERE521~/rndHERE521~/rncHERE521~~  
{contents here521,here521,240,117}{let here521,@trim(here521)}~{windowson}{panelon}{edit}{home}{del}{end}{?}-  
/RNDHERE521~
```

3.10.00

```
{PANELOFF}{WINDOWSOFF}{RECALC FORMULA521}
```

#NAME?

```
{let FORMULA521,@trim(FORMULA521)}  
{change521}{down}{up}{change521}{PANELON}{WINDOWSON}{?}~
```

9

```
{right}{abs}{abs}
```

+A34+B34

```
/wgdobnq(edit){home}{for counter521,1,@LENGTH(FORMULA521),1,absabs521}
```

