

Sheet1

- funcc Calc_func
Calculate mathematical functions [ESC] - Previous menu
{ESC 5}{err1}{menucall funcalc}
{menubbranch funcc}
- funcalc 1_Func
calculate a one variable function (on output) [ESC] - Previous menu
{ESC 5}{ERR1}{goto}func2~{let dummy4,0}~{menucall func}
{menubbranch funcalc}{goto}iu1~
- edit1 1_Func
Edit or add a one variable function [ESC] - Previous menu
{ESC 5}{windowsoff}{ERR1}{goto}func2~{let dummy4,0}~{windowson}{menucall edit2}
{menubbranch edit1}
- func3 Down
Move one cell down [ESC] - Previous menu
{down}
{menubbranch func3}
- func4 Down
Move one cell down [ESC] - Previous menu
{down}
{menubbranch func4}

func5	Down Move one cell down {down} {menubbranch func5}	[ESC] - Previous menu
-------	---	-----------------------

func6	Down Move one cell down {down} {menubbranch func6}	[ESC] - Previous menu
-------	---	-----------------------

func7	Down Move one cell down {down} {menubbranch func7}	[ESC] - Previous menu
-------	---	-----------------------

func8	Down Move one cell down {down} {menubbranch func8}	[ESC] - Previous menu
-------	---	-----------------------

Sheet1

Edit_insert_func

Insert a new function [ESC] - Previous menu
{let flag11,0}~{ESC 5}{err1}{indicate INS}{menucall edit1}
{INDICATE}{menubbranch func}

2_Func

Calculate a two variables function [ESC] - Previous menu
{ESC 5}{ERR1}{goto}func-2~{LET DUMMY4,0}~{menucall func3}
{menubbranch funcalc}{goto}iu1~

2_Func

Edit or add a two variables function [ESC] - Previous menu
{ESC 5}{windowsoff}{ERR1}{goto}func-2~{let dummy4,0}~{windowson}{menucall edit2}
{menubbranch edit1}

Up

Move one cell up [ESC] - Previous menu
{up}
{menubbranch func3}

Up

Move one cell up [ESC] - Previous menu
{up}
{menubbranch func4}

Sheet1

Up
Move one cell up
{up}
{menubrand func5}

[ESC] - Previous menu

Up
Move one cell up
{up}
{menubrand func6}

[ESC] - Previous menu

Up
Move one cell up
{up}
{menubrand func7}

[ESC] - Previous menu

Up
Move one cell up
{up}
{menubrand func8}

[ESC] - Previous menu

Sheet1

Override_edit_func

Override an existing functions [ESC] - Previous menu

```
{let flag11,1}~{ESC 5}{err1}{INDICATE OVER}{menucall edit1}  
{INDICATE}{menubbranch func}
```

3_Func

Calculate a three variables function [ESC] - Previous menu

```
{ESC 5}{ERR1}{goto}func-3~{LET DUMMY4,0}~{menucall func4}  
{menubbranch funcalc}{goto}iu1~
```

3_Func

Edit or add a three variables function [ESC] - Previous menu

```
{ESC 5}{windowsoff}{ERR1}{goto}func-3~{let dummy4,0}~{windowson}{menucall edit2}  
{menubbranch edit1}
```

Right

Move one cell to the right [ESC] - Previous menu

```
{right1}  
{menubbranch func3}
```

Right

Move one cell to the right [ESC] - Previous menu

```
{right1}  
{menubbranch func4}
```

Sheet1

Right
Move one cell to the right
{right1}
{menubranh func5} [ESC] - Previous menu

Right
Move one cell to the right
{right1}
{menubranh func6} [ESC] - Previous menu

Right
Move one cell to the right
{right1}
{menubranh func7} [ESC] - Previous menu

Right
Move one cell to the right
{right1}
{menubranh func8} [ESC] - Previous menu

Sheet1

Delete_edit_func

Delete an existing function [ESC] - Previous menu
{let flag11,2}~{ESC 5}{err1}{INDICATE DEL}{menucall edit1}
{INDICATE}{menubbranch func}

4_Func

Calculate a four variables function [ESC] - Previous menu
{ESC 5}{ERR1}{goto}func-4~{LET DUMMY4,0}~{menucall func5}
{menubbranch funcalc}{goto}iu1~

4_Func

Edit or add a four variables function [ESC] - Previous menu
{ESC 5}{windowsoff}{ERR1}{goto}func-4~{let dummy4,0}~{windowson}{menucall edit2}
{menubbranch edit1}

Left

Move one cell to the left [ESC] - Previous menu
{left1}
{menubbranch func3}

Left

Move one cell to the left [ESC] - Previous menu
{left1}
{menubbranch func4}

Sheet1

Left
Move one cell to the left
{left1}
{menubranh func5} [ESC] - Previous menu

Left
Move one cell to the left
{left1}
{menubranh func6} [ESC] - Previous menu

Left
Move one cell to the left
{left1}
{menubranh func7} [ESC] - Previous menu

Left
Move one cell to the left
{left1}
{menubranh func8} [ESC] - Previous menu

Sheet1

Help

On line help

{ESC 5}{err1}{MARK}{WINDOWSOFF}{GOTO}HEP2~/REIV1..IV3000~/FIT{ESC 2}HELP2~{GOTO}HEP2B~{WINDOWSON}
{GOBACK}{WINDOWSON}{menubbranch func}

5_Func

Calculate a five variables function [ESC] - Previous menu

{ESC 5}{ERR1}{goto}func-5~{LET DUMMY4,0}~{menucall func6}

{menubbranch funcalc}{goto}iu1~

5_Func

Edit or add a five variables function [ESC] - Previous menu

{ESC 5}{windowsoff}{ERR1}{goto}func-5~{let dummy4,0}~{windowson}{menucall edit2}

{menubbranch edit1}

Next

Next page

[ESC] - Previous menu

{pgdn}~

{menubbranch func3}

Next

Next page

[ESC] - Previous menu

{pgdn}~

{menubbranch func4}

Next
Next page
{pgdn}~
{menubbranch func5}

[ESC] - Previous menu

Next
Next page
{pgdn}~
{menubbranch func6}

[ESC] - Previous menu

Next
Next page
{pgdn}~
{menubbranch func7}

[ESC] - Previous menu

Next
Next page
{pgdn}~
{menubbranch func8}

[ESC] - Previous menu

Sheet1

6_Func

Calculate a six variables function [ESC] - Previous menu
{ESC 5}{ERR1}{goto}func-6~{LET DUMMY4,0}~{menucall func7}
{menubbranch funcalc}{goto}iu1~

6_Func

Edit or add a six variables function [ESC] - Previous menu
{ESC 5}{windowsoff}{ERR1}{goto}func-6~{let dummy4,0}~{windowson}{menucall edit2}
{menubbranch edit1}

Previous

Previous page [ESC] - Previous menu
{pgup}~
{menubbranch func3}

Previous

Previous page [ESC] - Previous menu
{pgup}~
{menubbranch func4}

Sheet1

Previous
Previous page
{pgup}~
{menubrand func5}

[ESC] - Previous menu

Previous
Previous page
{pgup}~
{menubrand func6}

[ESC] - Previous menu

Previous
Previous page
{pgup}~
{menubrand func7}

[ESC] - Previous menu

Previous
Previous page
{pgup}~
{menubrand func8}

[ESC] - Previous menu

7_Func

Calculate a seven variables function [ESC] - Previous menu

```
{ESC 5}{ERR1}{goto}func-7~{LET DUMMY4,0}~{menucall func8}  
{menubbranch funcalc}{goto}iu1~
```

7_Func

Edit or add a seven variables function [ESC] - Previous menu

```
{ESC 5}{windowsoff}{ERR1}{goto}func-7~{let dummy4,0}~{windowson}{menucall edit2}  
{menubbranch edit1}
```

Calculate

Execute the function on the output value [ESC] - Previous menu

```
{ESC 5}{ERR1}{WINDOWSOFF}{right 5}{if @upper(@left(@cellpointer("contents"),2))="FN"}{let dummy,@cellpointer("content  
{err1}{WINDOWSOFF}{left 5}{GETNUMBER "Input 1st value (RG1) - ",RG1}~  
{WINDOWSOFF}{GETNUMBER "Input 2nd value (RG2) - ",RG2}~  
{WINDOWSOFF}{RIGHT 5}{edit}{home}{del}~/cg1~g4~  
{let out,$G$4}~/re$g$4..$g$4~  
{edit}{home}'~{LEFT 5}{WINDOWSON}  
{menubbranch func3}
```

Calculate

Execute the function on the output value [ESC] - Previous menu

```
{ESC 5}{ERR1}{WINDOWSOFF}{right 5}{if @upper(@left(@cellpointer("contents"),2))="FN"}{let dummy,@cellpointer("content  
{err1}{left 5}{WINDOWSOFF}{GETNUMBER "Input 1st value (RG1) - ",RG1}~  
{WINDOWSOFF}{GETNUMBER "Input 2nd value (RG2) - ",RG2}~  
{WINDOWSOFF}{GETNUMBER "Input 3rd value (RG3) - ",RG3}~
```

Sheet1

```
{WINDOWSOFF}{RIGHT 5}{edit}{home}{del}~/cg1~g4~  
{let out,$G$4}~/re$g$4..$g$4~  
{edit}{home}'~{LEFT 5}{WINDOWSON}  
{menubrand func4}
```

Calculate

```
Execute the function on the output value [ESC] - Previous menu  
{ESC 5}{ERR1}{WINDOWSOFF}{right 5}{if @upper(@left(@cellpointer("contents"),2))="FN"}{let dummy,@cellpointer("content  
{err1}{WINDOWSOFF}{left 5}{GETNUMBER "Input 1st value (RG1) - ",RG1}~  
{WINDOWSOFF}{GETNUMBER "Input 2nd value (RG2) - ",RG2}~  
{WINDOWSOFF}{GETNUMBER "Input 3rd value (RG3) - ",RG3}~  
{WINDOWSOFF}{GETNUMBER "Input 4th value (RG4) - ",RG4}~  
{WINDOWSOFF}{RIGHT 5}{edit}{home}{del}~/cg1~g4~  
{let out,$G$4}~/re$g$4..$g$4~  
{edit}{home}'~{LEFT 5}{WINDOWSON}  
{menubrand func5}
```

Calculate

```
Execute the function on the output value [ESC] - Previous menu  
{ESC 5}{ERR1}{WINDOWSOFF}{right 5}{if @upper(@left(@cellpointer("contents"),2))="FN"}{let dummy,@cellpointer("content  
{err1}{WINDOWSOFF}{left 5}{GETNUMBER "Input 1st value (RG1) - ",RG1}~  
{WINDOWSOFF}{GETNUMBER "Input 2nd value (RG2) - ",RG2}~  
{WINDOWSOFF}{GETNUMBER "Input 3rd value (RG3) - ",RG3}~  
{WINDOWSOFF}{GETNUMBER "Input 4th value (RG4) - ",RG4}~  
{WINDOWSOFF}{GETNUMBER "Input 5th value (RG5) - ",RG5}~  
{WINDOWSOFF}{RIGHT 5}{edit}{home}{del}~/cg1~g4~  
{let out,$G$4}~/re$g$4..$g$4~  
{edit}{home}'~{LEFT 5}{WINDOWSON}  
{menubrand func6}
```

Calculate

```
Execute the function on the output value [ESC] - Previous menu  
{ESC 5}{ERR1}{WINDOWSOFF}{right 5}{if @upper(@left(@cellpointer("contents"),2))="FN"}{let dummy,@cellpointer("content  
{err1}{WINDOWSOFF}{left 5}{GETNUMBER "Input 1st value (RG1) - ",RG1}~  
{WINDOWSOFF}{GETNUMBER "Input 2nd value (RG2) - ",RG2}~  
{WINDOWSOFF}{GETNUMBER "Input 3rd value (RG3) - ",RG3}~  
{WINDOWSOFF}{GETNUMBER "Input 4th value (RG4) - ",RG4}~  
{WINDOWSOFF}{GETNUMBER "Input 5th value (RG5) - ",RG5}~  
{WINDOWSOFF}{GETNUMBER "Input 6th value (RG6) - ",RG6}~  
{WINDOWSOFF}{RIGHT 5}{edit}{home}{del}~/cg1~g4~  
{let out,$G$4}~/re$g$4..$g$4~  
{edit}{home}'~{LEFT 5}{WINDOWSON}  
{menubrand func7}
```

Calculate

```
Execute the function on the output value [ESC] - Previous menu  
{ESC 5}{ERR1}{WINDOWSOFF}{right 5}{if @upper(@left(@cellpointer("contents"),2))="FN"}{let dummy,@cellpointer("content  
{err1}{WINDOWSOFF}{left 5}{GETlabel "Input 1st value (RG1) - ",RG1}~{if rg1=""}{branch pont1}
```

Sheet1

```
{let rg1,@value(rg1)}~  
{WINDOWSOFF}{GETlabel "Input 2nd value (RG2) - ",RG2}~{if rg2=""}{branch pont1}  
{let rg2,@value(rg2)}~  
{WINDOWSOFF}{GETlabel "Input 3rd value (RG3) - ",RG3}~{if rg3=""}{branch pont1}  
{let rg3,@value(rg3)}~  
{WINDOWSOFF}{GETlabel "Input 4th value (RG4) - ",RG4}~{if rg4=""}{branch pont1}  
{let rg4,@value(rg4)}~  
{WINDOWSOFF}{GETlabel "Input 5th value (RG5) - ",RG5}~{if rg5=""}{branch pont1}  
{let rg5,@value(rg5)}~  
{WINDOWSOFF}{GETlabel "Input 6th value (RG6) - ",RG6}~{if rg6=""}{branch pont1}  
{let rg6,@value(rg6)}~  
{WINDOWSOFF}{GETlabel "Input 7th value (RG7) - ",RG7}~{if rg7=""}{branch pont1}  
{let rg7,@value(rg7)}~  
{WINDOWSOFF}{RIGHT 5}{edit}{home}{del}~/cg1~g4~  
{let out,$G$4}~/re$g$4..$g$4~  
{edit}{home}'~{LEFT 5}{WINDOWSON}  
{menubranh func8}
```

Help

On line help

```
{ESC 5}{err1}{MARK}{windowsoff}{GOTO}HEP2~/REIV1..IV3000~/FIT{ESC 2}HELP2~{GOTO}HEP2E~{WINDOWSON}{menuback}{GOBACK}{WINDOWSON}{menubrand funcalc}
```

Help

On line help

```
{ESC 5}{err1}{MARK}{windowsoff}{GOTO}HEP2~/REIV1..IV3000~/FIT{ESC 2}HELP2~{goto}hep2f~{WINDOWSON}{menuca}{goback}{WINDOWSON}{menubrand edit1}
```

View_description

View the description without editing [ESC] - Previous menu

```
{ESC 5}{ERR1}{windowsoff}{err1}{right 10}{windowson}{windowsoff}{getlabel "Press ENTER to continue ... ",dummy}  
{if @upper(@left(@cellpointer("contents"),2))="FN"}{let point1r,@cellpointer("address")}{LET DUMMY,@CELLPOINTER("CO  
{windowsoff}{LEFT 10+dummy4}{right dummy4}{windowson}{menubrand func3}
```

View_description

View the description without editing [ESC] - Previous menu

```
{ESC 5}{ERR1}{windowsoff}{err1}{right 10}{windowson}{windowsoff}{getlabel "Press ENTER to continue ... ",dummy}  
{if @upper(@left(@cellpointer("contents"),2))="FN"}{let point1r,@cellpointer("address")}{LET DUMMY,@CELLPOINTER("CO  
{windowsoff}{LEFT 10+dummy4}{right dummy4}{windowson}{menubrand func4}
```


View_description

View the description without editing [ESC] - Previous menu

```
{ESC 5}{ERR1}{windowsoff}{err1}{right 10}{windowson}{windowsoff}{getlabel "Press ENTER to continue ... ",dummy}
{if @upper(@left(@cellpointer("contents"),2))="FN"}{let point1r,@cellpointer("address")}{LET DUMMY,@CELLPOINTER("CO
{windowsoff}{LEFT 10+dummy4}{right dummy4}{windowson}{menubbranch func5}
```

View_description

View the description without editing [ESC] - Previous menu

```
{ESC 5}{ERR1}{windowsoff}{err1}{right 10}{windowson}{windowsoff}{getlabel "Press ENTER to continue ... ",dummy}
{if @upper(@left(@cellpointer("contents"),2))="FN"}{let point1r,@cellpointer("address")}{LET DUMMY,@CELLPOINTER("CO
{windowsoff}{LEFT 10+dummy4}{right dummy4}{windowson}{menubbranch func6}
```

View_description

View the description without editing [ESC] - Previous menu

```
{ESC 5}{ERR1}{windowsoff}{err1}{right 10}{windowson}{windowsoff}{getlabel "Press ENTER to continue ... ",dummy}
{if @upper(@left(@cellpointer("contents"),2))="FN"}{let point1r,@cellpointer("address")}{LET DUMMY,@CELLPOINTER("CO
{windowsoff}{LEFT 10+dummy4}{right dummy4}{windowson}{menubbranch func7}
```

View_description

View the description without editing [ESC] - Previous menu

```
{ESC 5}{ERR1}{windowsoff}{err1}{right 10}{windowson}{windowsoff}{getlabel "Press ENTER to continue ... ",dummy}
{if @upper(@left(@cellpointer("contents"),2))="FN"}{let point1r,@cellpointer("address")}{LET DUMMY,@CELLPOINTER("CO
```

{windowsoff}{LEFT 10+dummy4}{right dummy4}{windowson}{menubranh func8}

