SAFETY DATA SHEET

PAGE: 1 of 4

PRINT DATE: 16/12/1997

REF: LRM200DB

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE **COMPANY/UNDERTAKING**

LABEL REMOVER **Product name:**

Product code: LRM200DB

Supplier: **ELECTROLUBE**

H.K. Wentworth Ltd..

Wentworth House, Blakes Road,

Wargrave, Berkshire, RG10 8AW, United Kingdom.

0118 9404031 Fax No: 0118 9403084 **Emergency telephone number:**

2. COMPOSITION/INFORMATION ON INGREDIENTS

Identification of the preparation CAS-No EC-No Class **Chemical Name** Weight % 3-BUTOXYPROPAN-2-OL 5131-66-8 225-878-4 Xi; R36/38 >10 Lemon perfume 8028-48-6 232-433-8 F; R10, 22, 25 36/38

F+; R12 **BUTANE** 106-97-8 203-448-7 20 NON HAZARDOUS CONSTITUENTS >40

3. HAZARDS IDENTIFICATION

Most important hazards: Extremely flammable.

Specific hazards High concentration of vapours may cause irritation to eyes and

respiratory system and produce narcotic effects. Prolonged skin contact may defat the skin and produce dermatitis. High concentration of vapours may induce unconsciousness / asphyxia. Rapid evaporation of the liquid may cause frostbite.

4. FIRST AID MEASURES

General advice: Remove from exposure, lie down. Do not give adrenaline or similar drugs.

Inhalation: Move to fresh air. Keep patient warm. Apply artificial respiration only if patient is

not breathing. Consult a physician after significant exposure.

Skin contact: In case of contact with liquid, thaw frosted parts with water, then remove clothing

carefully. Treat frostbitten areas as needed.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 Eye contact:

minutes. Consult a physician.

Ingestion: Not applicable - gaseous material.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: small amounts Extinguish preferably with dry chemical.

Extinguishing media which must

Do not use water jet. not be used for safety reasons:

Specific hazards: Do not extinguish a leaking gas flame unless absolutely necessary.

> Consult an expert. Fire or intense heat may cause violent rupture of packages. Water mist may be used to cool closed containers.

Special protective equipment

for firefighters:

In the event of fire, wear self-contained breathing apparatus.

Specific methods: Consult an expert

PAGE: 2 of 4

Product name: LABEL REMOVER PRINT DATE: 16/12/1997

REF: LRM200DB

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Evacuate personnel to safe areas. Remove all sources of

ignition. Vapours are heavier than air and may spread along

floors. Ensure adequate ventilation.

Environmental precautions: No special environmental precautions required.

Methods for cleaning up: Ensure adequate ventilation.

7. HANDLING AND STORAGE

Handling: Use only in well-ventilated areas. Do not breath vapours or spray mist. When using, do

not eat, drink or smoke. Avoid contact with skin and eyes.

Storage: Store in a cool and shaded area. Ensure adequate ventilation. Keep away from heat and

sources of ignition.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name: National occupational exposure limits:

3-BUTOXYPROPAN-2-OL

Lemon perfume

BUTANE Long term (8 hrs) = 400ppm / 750mgm⁻³

Short term (15 min) = 500ppm / 600mgm⁻³

NON HAZARDOUS CONSTITUENTS

Engineering measures: Ensure adequate ventilation, especially in confined areas.

Personal protection equipment:

Respiratory protection: not required under normal use.
 Hand protection: not required under normal use

- Eye protection: safety glasses

- Skin and body protection: not required under normal use

Hygiene measures: When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: liquid
Colour: colourless
Odour: Lemon

Boiling point/range:173-193°CMelting point/range:< -50</th>°CFlash point:52°CAutoignition temperature:>200°C

Explosion limits: - lower 0.6 vol. %

- upper 7.0 vol. % (38 °C) 5 hPa

Vapour pressure: (38 °C) 5 Relative density: (20 °C) >= 0.79

Solubility:

Water solubility insoluble (g/l)

10. STABILITY AND REACTIVITY

Stability: Stable.

Conditions to avoid: Keep away from open flames / hot surfaces.

Materials to avoid: oxidizing agents

Hazardous decomposition products: No decomposition if stored and applied as directed.

PAGE: 3 of 4

Product name: LABEL REMOVER PRINT DATE: 16/12/1997

REF: LRM200DB

11. TOXICOLOGICAL INFORMATION

Acute toxicity: LD50/oral/rat = >3000mg/kg

Local effects: May cause eye or skin irritation with susceptible persons

Sensitization: May cause sensitization of susceptible persons by skin contact

Long term toxicity: No data is available on the product itself

Chronic toxicity: No data is available on the product itself

12. ECOLOGICAL INFORMATION

Mobility:No data is available on the product itself

Persistence and degradability: Evaporates. No hazards deemed to be of major importance.

Bioaccumulation: Not applicable

Ecotoxicity effects: No data is available on the product itself

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: Empty remaining contents. In accordance with local and

national regulations.

Contaminated packaging: Do not pierce or burn even when empty

14. TRANSPORT INFORMATION

UN-No: 1950

ADR/RID

Class: 2 **Item:** 5° F

HI/UN No: 1950

Proper shipping name: Aerosol dispensers

IMO

 Class:
 2
 IMDG Page:
 2102

 EmS:
 2-13
 MFAG:
 310

Proper shipping name: Aerosol dispensers

ICAO

Class: 2.1 **UN/ID No:** 1950

Proper shipping name Aerosols, flammable, n.o.s

15. REGULATORY INFORMATION

Classification according to European directive on classification of hazardous preparations 90/492/EEC

- Contains:
- Symbol(s):



F+ -Extremely flammable

R-phrase(s): R12 - Extremely flammable.

S-phrase(s): S3 - Keep in a cool place.. S9 - Keep container in a well-ventilated place.. S16 -

Keep away from sources of ignition - No smoking. S33 - Take precautionary

measures against static discharges..

16. OTHER INFORMATION

Recommended use:

PAGE: 4 of 4

PRINT DATE: 16/12/1997

REF: LRM200DB

Recommended restrictions:

Product name:

Revision number:

Further information: CN no. 38140090

Contact Name: Carolyn Booth

Department: Technical

LABEL REMOVER

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text