

# Tera Term Pro version 2.2 Help Index

Jul 2, 1997

T. Teranishi

Copyright (C) 1994-1997 T. Teranishi  
All Rights Reserved.



Tera Term (Pro) , ĺftfŠ [f]ftfgfEjFfA, ĺf^ [f~fif<fGf~f...fĈ [f^ [ ('Ê Mfvf [fOf  
%ofĈ), Ā A^ Ê%o, ĺ "Á'¥, đŽ, Ā, Ā, ĸ, Ū, · B

[E]fVfŠfAf<f [f]g [Ū]±  
[E]TCPIP (telnet) [Ū]±  
[E]VT100 '[-- , ĺfGf~f...fĈ [fVf#f" (, , æ, Ń [AVT200, 300 , ĺ^ê•")  
[E]TEK4010 '[-- , ĺfGf~f...fĈ [fVf#f"  
[E]ftf@fCf<" ]'—fvf [fgfRf< (Kermit, XMODEM, ZMODEM, B-PLUS, Quick-  
VAN)  
[E] f}fNf [Ĉ¾Ĉê, É, æ, éŽ © "®%o^"]  
[E] "ú- {Ĉê/%opĈê/f [fVfAĈêf, [fh

## Tera Term , É, Ā, ĸ, Ā

'~ [Ĉ] [A]Žg—p [đĈ]  
"® [Ĉ]ŠĀ<<  
fGf~f...fĈ [fVf#f"  
—đŽj  
Q & A  
—pĈê [W]

## Žg, ĸ, ©, ½

f [f] { [f]h  
f}fEfX  
fqf"fg

## fRf}f"fh

[File] f [f]fj... [  
[Edit] f [f]fj... [  
[Setup] f [f]fj... [  
[Control] f [f]fj... [

[Window] f[]fj...[]  
[Help] f[]fj...[]

**TEK window ,l}Rf}f“fh**

**fRf}f“fhf%ofCf“**

**[]Ý'èftf@fCf<**

Tera Term []Ý'èftf@fCf<

fL[]f{[]fh[]Ý'èftf@fCf<

**fAf“fCf“fXfg[]f<**

# '~□ìĀ Āžg—p□đĀ□

f\ftfgfEjFfA: Tera Term Pro version 2.2 (Jul 2, 1997)  
□ìŽŎ: T. Teranishi (Ž>□¼ □,)

Copyright (C) 1994-1997 T. Teranishi All Rights Reserved.

,±,ìfvf□fOf%of€,íftfŠ□[f\ftfgfEjFfA,Ā,·□B  
'~□ìĀ ,í□A□ìŽŎ,ā•ÚŽ□,μ,Ŭ,·□B  
,±,ìfvf□fOf%of€,Īžg—p,É,æ,é□A,¢,©,È,é‘ŠQ,É‘Î,μ,Ā,à□A□ìŽŎ,í□Ó“C,đ•%□,¢  
,Ŭ,<sup>1</sup>,ñ□B

## Žg—p□đĀ□

□ìŽŎ,É-<sup>3</sup>f,Ā^È%□,İž-,đ,μ,È,¢,Ā,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢□B□ìŽŎ,É~A—□,μ,Ā,¢,<sup>1</sup>/<sub>2</sub>,<sup>3</sup>/<sub>4</sub>,-,é,Ī-  
%□Ā,·,é,±,Æ,à, ,è,Ŭ,·□B,»„é^ĒŠŎ,í,Č,Ì,æ,α,Ēžg—p,μ,Ā,à□,¢,Ŭ,<sup>1</sup>,ñ□B

- 1) f\šfwfjĵ^ĒŠŎ,ìĀ` ,Ā‘<sup>1</sup>/<sub>4</sub>,ì□,É”z•z,·,é□B
- 2) ”z•z,·,é,±,Æ,É,æ,Ā,Ā,ˆ<à,đ“<sup>3</sup>/<sub>4</sub>,é□B  
(ŽGŽ□™,ì•t~^,âftfŠ□[f\ftfg□W“™,ì□»•i,ÉŽŭ~^,μ,<sup>1</sup>/<sub>2</sub>,¢□é□†,íĀä^è•ñ,đ)
- 3) ,»„ì<sup>1</sup>/<sub>4</sub>□A~□ìĀ -@,É,Ó,è,é□s^×□B

□ìŽŎ,Ö—v-]□AŽž-â□AfofŎ,ì•ñ□□,đ,·,é’O,É□A,±,ìfwf<fv(“Ā,É□uQ & A□v,Æ  
□ufqf“fg□v,ì•”•ā),â•t‘®•¶□‘,đ,æ,“Č,ñ,Ā,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢□B□ìŽŎ,Ö,ì~A—□,í□A

teranishi@rikaxp.riken.go.jp

^¶,Éf□□[f<,đ,μ,Ā,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢□B,Ŭ,<sup>1</sup>/<sub>2</sub>□Atera Term Šj” ,É‘Î,·,éft□[fU□[,İŠF,<sup>3</sup>,ñ,©,ç,İžx  
%□†,í,Č,Ì,æ,α,ÉĀ` ,Ā, ,è□ìŽŎ,í,»„é,đ‘ă•Ī, ,è,<sup>3</sup>/<sub>4</sub>,ŽŎ,ˆŽæ,ç,<sup>1</sup>,Ā,¢  
,<sup>1</sup>/<sub>2</sub>,<sup>3</sup>/<sub>4</sub>,«„Ŭ,·(,»„è,â□ìŽŎ,É%□<sup>1</sup>/<sub>2</sub>,ç,©,ì<`-±,đ•%□,í,<sup>1</sup>,é,à,ì,Ā,Ē,ˆ,è,Ī)□B

## □ìŽŎ,©,ç,İŽŎŽ«

fŎfŎ•ñ□□□A—v-],đ‘—,Ā,Ā,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,Ā,<sup>1</sup>/<sub>2</sub>,·,x,Ā,ì•ŭ□A, ,è,<sup>3</sup>/<sub>4</sub>,Æ,α,<sup>2</sup>,´,¢,Ŭ,·□B“Ā,É□AŠj”-  
,ì□%□Šú,©,ç□•Ā<sup>3</sup>/<sub>4</sub>□AfefXfg□A,»„μ,Ā□é“` ,đ,μ,Ā,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,Ā,<sup>1</sup>/<sub>2</sub>□□X,ÉŠ  
‘ŽŎ,μ,Ŭ,·□B,Ŭ,<sup>1</sup>/<sub>2</sub>□A^È%□,ì•ŭ□X,ì,<sup>2</sup>□e□Ø,ÉŠ’ŽŎ,μ,Ŭ,·□B

Tera Term Šj” ,Ö,İžx%□†,â<sup>1</sup>/<sub>2</sub>,,ìfRf□f“fg,đ,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,Ā,<sup>1</sup>/<sub>2</sub>—□  
%□»ŠwĀĀx†□Š,Æ“Ā‘ă,»„è,<sup>1</sup>/<sub>4</sub>,è,ìĀ’ŽqŠj•”—□ŽÀĀ±fOf<□[fv,İŠF,<sup>3</sup>,ñ  
Tera Term ,ì”z•z,ˆ,æ,Ŋ Tera Term f□□[fŠf“fOfŠfXfg,ì%□^%□c,É<|—Í,μ,Ā,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,Ā,<sup>1</sup>/<sub>2</sub>”<’-<sup>3</sup>/<sub>4</sub>□OŽ□  
f^□[f~fif<fGf~f...fĀ□[fvf†f“ ,â^Ē□Mfvf□fOf%of~f“fŎ“™ ,É,Ā,¢,Ā□Ŭ,μ,<<sup>3</sup>,ì,Ā,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,Ā,<sup>1</sup>/<sub>2</sub>” ;^äĀ[•¶Ž□  
”z•zfpfbfP□[fW,ÉŠŬ,Ŭ,è,Ā,¢,é%□pĀĒ•¶□‘,ì□ì□-,đŽè□•,ˆ,μ,Ā,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,Ā,<sup>1</sup>/<sub>2</sub> Luigi

M Bianchi Ž

PC98 —pfL[f{[fhY'ètf@fCf<,ìiñ,“,æ,ÑfefXfg,É<|—Í,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,Á,<sup>1</sup>/<sub>2</sub>ĀŽR[K'jŽ,Æ'ã~a—ÇLŽ

Tera Special ftfHf“fg,ìC<sup>3</sup>,É<|—Í,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,Á,<sup>1</sup>/<sub>2</sub> Ralf Schares Ž

fVfACEê•ŦŽšfR[fhfZfbfg,É,Â,ç,Ä<<sup>3</sup>,|,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,Á,<sup>1</sup>/<sub>2</sub> Juri Tsibrovski Ž,Æ  
Serguei Lukyanov Ž

“® ŠÂ<<

Tera Term Pro ,Í^È%º,ì OS ,Å“®ì,μ,Ü,·B

MS-Windows 95

MS-Windows NT 3.51, 4.0

'□: Windows 3.1 —p,É,Í□A Tera Term ver. 1.X ,đŽg—p,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢□B

## fgf~f...fCE [fvf#f“

□EDEC VT100 ,Æ VT200/300 ,ì^ê•”

VT100 ,Å,í'í%ž,μ,Ä,ç,È,ç ANSI fGfXfP□[fvfV□[fPf“fX(fJf%o□[Žw'è“™),É,à'í  
%ž,μ,Ä,ç,Ü,·□B

Bold (<'²)'®□«,ì•¶Žš,É'í,μ,Ä□Abold fXf^fCf<,ìftfHf“fg,ìŽg—p/•sŽg—  
p,ª'í'đ,Å,«□A,Ü,½□F,đ•t, ,Ä•\Ž|,·,é,±,Æ,ª,Å,«,Ü,·□B

Blink (“\_—Å)'®□«,ì•¶Žš,íŽÀ□Û,É,í“\_—Å,<sup>1</sup>, ,□A□F•t,«•¶Žš,Å•\Ž|,<sup>3</sup>,ê,Ü,·□B

”{Šp•¶Žš□AVT52 f,□[fh,É,í'í%ž,μ,Ä,ç,Ü,<sup>1</sup>,ñ□B

□ETektronix TEK4010 ,Æ□ã^Ê<@Ží,ì^ê•”

## —öžj

Tera Term ,íÅ□%□A“ú- {Æê'[-fGf~f...fÆ□[f^□[,Æ,μ,ÄŠ]-  
,³,ê,Ü,μ,½□B,» ,ìÆã□A%□pÆê,Æf□fVfAÆêf,□[fh,ª%□Á,í,è□ACE»□Ý,Å,í“ú-  
{,¾, ,Å,È,□çŠE't,ÅŽg,í,ê,é,æ,α,É,È,è,Ü,μ,½□B

**Tera Term Pro ver. 2.2 Jul 2, 1997**

föfO□C□³

**Tera Term Pro ver. 2.1 Jun 30, 1997**

fCf“fXfg□[f%□[/fAf“fCf“fXfg□[f%□[  
32-bit”Å TTPMACRO.EXE ,Æ KEYCODE.EXE

f□fVfAÆêf,□[fh

[Edit] Copy table, [Setup] Load key map, [Window] f□fjf...□[

VT '[-, ,fXfe□[f^fXf%□fCf“

fGfXfP□[fVfV□[fPf“fX,É,æ,é^óü

ANSI ftf<fjf%□[

fRf}f“fhf%□fCf“fifvfVf#f““Ç%□Á (/l, /L=<log file>, /LA=<language>,  
/M=<macro file>, /N)

fRf}f“fhf%□fCf“,ÅfzfXfg-¼,ì, , ®Æã,ìf|□[fg”Ô□+(—á: "myhost.mydomain  
23")

Tera Term □Ý'èftf@fCf<,ì“Ç,Ý□ž,Ý□ê—pfifvfVf#f““Ç%□Á

fL□[f{□[fh□Ý'èftf@fCf<,ì□€-Ú'Ç%□Á

ft□[fU□[ 'è<`fL□[,É,æ,éf}fNf□ŽÅ□s

TTPMACRO fRf}f“fhf%□fCf“fifvfVf#f““Ç%□Á (/l, /N)

f}fNf□fRf}f“fh'½□““Ç%□Á

**Tera Term Pro ver. 2.0 Jun 7, 1996**

32-bit”Å, Telnet ,Å,ì break □M□t, fL□[f{□[fh□Ý'èftf@fCf<,ì□V□€-

Ú(SendBreak=), f|□[fg”Ô□+t,«fzfXfg-¼(—á: "myhost.mydomain:23"),

fRf}f“fhf%□fCf“(fzfXfgfŠfXfg)'t,ìfRf□f“fg, [Setup] Serial port

f\_fCfAf□Of{fbfNfX•ï□X, Alt+f}fEfX%□Ef{f^f“□B

**Tera Term ver. 1.3 Jun 7, 1996**

Telnet ,Å,ì break □M□t, fL□[f{□[fh□Ý'èftf@fCf<,ì□V□€-Ú(SendBreak=), f|

□[fg”Ô□+t,«fzfXfg-¼(—á: "myhost.mydomain:23"), fRf}f“fhf

%□fCf“(fzfXfgfŠfXfg)'t,ìfRf□f“fg, [Setup] Serial port

f\_fCfAf□Of{fbfNfX•ï□X, Alt+f}fEfX%□Ef{f^f“□B

**Ver. 1.2 Dec 18, 1995**

Quick-VAN, f}fNf□fRf}f“fh'½□““Ç%□Á (□\$Æä□\`ç, subroutine, include file),

“ú- {Æê/□%□pÆêf,□[fh, f}fEfX'€□ì-@•ï□X□A scroll buffer on/off,

fL□[f{□[fh□Ý'èftf@fCf<,É [Shortcut keys] fZfNfVf#f““Ç%□Á□A ftf@fCf<“]’—

fffBfCfNfgfŠ•Ú'¶%□Á“\,É,È,é□AfRf}f“fhf%□fCf“fifvfVf#f““Ç%□Á (/FD=,

/H)□A read-only options 'Ç%□Á (QVLog=, QVWinSize=, ZmodemAuto,

BPAuto, VTFontSpace=, HideTitle=)B

**Ver. 1.1 Jul 22, 1995**

f}fNfRf}f"fh'½"Ç%Á(ftf@fCf<^—A•Źš—ñ^—), f^fL[,  
Y'èftf@fCf<, ìread-only option (ConfirmDisconnect=), log ,Æ file  
sendAlog ,ÆfvfVfRf<"']'—, ì"ŽžŽÀs, ã%Á"\, É, È, éB

**Ver. 1.0 Jul 3, 1995**

ZMODEM, B-Plus, DEC "ÁžêftfHf"fg, bold font Žg—p/•sŽg—p, telnet  
U'±'†, ÉI—1, ., é, Æ, «, ìŠm" F, Telnet AYT, bold/blink '®«, ì•ŹšF Y'è%ü  
—Ç, "Terminal size = window size" flfvfVf#f", fRf}f"fhf%ofCf"flfvfVf#f"Ç  
%Á (/W=, /X=, /Y=, /KR=, /KT=), Y'èftf@fCf<, ìread-only options  
(XmodemLog=, BPLog=, ZmodemLog=, ZmodemEscCtl=,  
ZmodemDataLen=, ZmodemWinSize=), f}fNfV<@"\  
(pause/start/endf{f^f", fvfXfef€•ï"Ç%Á, fRf}f"fh'½"Ç%Á, •Źš—  
ñ'è", ìASCII fR[fh, É, æ, é•\Æ»)B

**Ver. 0.9 Apr 25, 1995**

XMODEM, 3D dialog box (CTL3D.DLL'î%ž), XTERM sequence (title, ì•ïX),  
ftf@fCf<f}f[fWff, ©, ç drag&drop , Åtext file send, Popup menu,  
bold/blink , ìff%[ Y'è (bold font"pŽ~), ANSI escape sequence (fjf  
%[Žw'è, fj[f<•U'Ź/•œ<A), log&file send%ü—Ç (binary, append,  
pause/start), log fileÄŹ<@"\  
f}fNfRf}f"fh'Ç%Á, fvfŠf" f^ftfHf"fgŽw'è (read-only option),  
C1ŹÆä•Źš-³Ž<, ., é, μ, È, ç (read only option), telnet binary option (read-  
only option)B

**Ver. 0.8 Feb 17, 1995**

f}fNf (Tera Term Language)B

**Ver. 0.7 Jan 27, 1995**

Local echo, VT<->TEK auto change enable/disable, TCP port# Y'è,  
telnet enable/disable, TEK ,Æftf@fCf<"']'—<@"\  
đ DLL %», TEK color  
emulation, TEK line style, F10 key, fRf}f"fhf%ofCf"•ïX)B

**Ver. 0.6 Oct 31, 1994**

VT200 , ìescape sequence, É, æ, é key Y'è, User fL[ 'è<` , 'Help' button on  
dialog box, read-only optionsB

**Ver. 0.5 Oct 3, 1994**

JISŠžš, ftf@fCf<"']'—<@"\  
(protocol , È, μ text, Kermit), window  
size, Æterminal size , đÆ—š%», IME ŹŹä, Y'è€-Ú, ìÇ%Á, dynamic  
link libraries, XWINDOW •— copy&paste, transmit delay (serial port),



answerback, host list, ".tt" file "pŽ~, fRf}f"fhf%ofCf" •İX□B

**Ver. 0.4 May 16, 1994**

TEK ,ìcopy/paste, ^óü<@"\ (VT, TEK), •\Ž!□F□Ý'è (VT, TEK), VT ,ì%œ-  
ÊfTfCfY□Ý'è, telnet NAW option, VT200/300 <@"\,ì^ê•", keyboard □Ý'è,  
Clear page, Reset terminal, Send break, Reset port□B

**Ver. 0.3 Mar 29, 1994**

Telnet option negotiation, TEK GIN, window caption □Ý'è, Font □Ý'è, code  
•İŠ·□Ý'è, BS key •İŠ·□Ý'è, File Open/Save ,New session, Clear buffer (VT),  
Clear screen (TEK), ".tt" file□B

**Ver. 0.2 X X, 1994**

Port □Ý'è dialog□BHelp ,ìĀ'Ā`□B

**Ver. 0.1 X X, 1994**

TCP port (Windows Sockets) 'î%ž□BMDI Žd—I,â,β,é□B%œÂ"\  
,ÊfZfbfVf#f"□", í□Aserial port ,Í4,Â,TCP ,Íf□f,fŠ,Æ Windows Sockets  
,ìĀŠE,Ü,Å□B

**Ver. 0.0 Feb 24, 1994**

MDI Žd—I□BSerial port ,ì,Ý□Å'â4fZfbfVf#f"□BVT100, TEK4010 ,ì emulation  
,ìĀ'Ā`□Bcopy&paste <@"\,'.ini'file□B

## Q & A

**Q** ŽÒ,Ö,ì—v-]AŽ-âAfofo,ì•ñ,É,Â,ç,Ä

ŽÒ,Ö,ì~A—,í **teranishi@rikexp.riken.go.jp**, Ö,Ç,α,¼BŽ-  
â“™,đ,·,é‘O,ÉA,Â,«,é,¾,·,±,ìfwf<fv,â•t®•¶‘,É“š,ì,ª,È,ç,©,Ç,α,©,¾,ª,μ,Ä,Ý,Ä,-  
,¾,¾,çBfìfbfgf[]fN,âfzfXfg,ìŠÂ<«,ÉŠÖ~A,·,éŽ-â,íA,“<β,,ìÚ,μ,ç•û,É•,ç  
,Ä,Ý,Ä,,¾,¾,çB

fOfo,ì•ñ,đ,·,éÛ,íAtera Term Pro  
,ìfo[]fWf#f“,ÆAŠÖEW,·,é,Æ,“,à,í,ê,é↑•ñ(<@ŽíAfC[]fT[]fìfbfgf{[]fhATCP/IP  
fìftfg[]AWindows,ìŽí—P,È,Ç),đ•t,~%oÁ,ì,Ä,,¾,¾,çB

**Q & A** W —v-]AŽ-âAfofo,ì•ñ,đ,·,é‘O,É,“Ç,Ý,,¾,¾,çB

**[Tera Term ,É,Â,ç,Ä]**

**Q.** Windows 3.1 —p,ì Tera Term,ìE»ó,í?

**A.** Windows 3.1 —p,É,íAtera Term ver. 1.X,đŽg—p,μ,Ä,,¾,¾,çB,μ,ì,ç,-  
,ìŠÖ,í Tera Term ver. 1.X,ìŠj”,đE p±,·,é—\è,Ä,·B

**Q.** Tera Term,ìA[V”Á,í,Ç,±,Á“üŽè%oÁ”\,©?

**A.** ^È%o,ì anonymous ftp fTfCfg,ìfffBfÇfNfgfŠ,©,ç“üŽè,Á,«,Ü,·B

ftp://riksun.riken.go.jp/pub/pc/misc/terminal/teraterm/  
ftp://ftp.s.u-tokyo.ac.jp/PC/terminal/teraterm/

([]ã<L,ìfTfCfg[]AfffBfÇfNfgfŠ,í[]«—^•ìX,¾,é,é%oÁ”\[]«,ª,è,Ü,·B)  
,Ü,½[]ANIFTY-Serve,ì FINETS,Á,à“üŽè%oÁ”\,Ä,·B

**[Šì-{“ì,ÈŽg,ç•û]**

**Q,** NIFTY-Serve,â PC-VAN,È,Ç,ì BBS,ÉŠÖ,·,éŽ-âB

**A.** NIFTY-Serve,ìfqf“fg

PC-VAN,ìfqf“fg

,đ“Ç,ñ,Ä,,¾,¾,çB

**Q.** fzfXfg,ÉÚ±,Á,«,È,çB

**A.** ^È%o,ì,±,Æ,đŠm”F,μ,Ä,Ý,Ä,,¾,¾,çB

fRf“fgf[]f<fpfì<,ìfbfgf[]fN,ìÝ”èB

‘¾,ì TCP/IP fAfvfŠfP[]fVf#f“,ìŽg,ì,Ü,·,©? (telnet, FTP, WWW fuf%ofEfU,È,Ç)

fzfXfg-¾,Ü,½,ì IP fAfhfÇfX,ì,Á,Ä,Ü,·,©?

‘¾,ìf}fVf“,Á,»,ìfzfXfg,ÉÚ±,Á,«,Ü,·,ª?

**Q.** f\_jCfAf<fAfbfv TCP/IP (PPP) Ú±,ÁAtera Term,đŽg,α,É,í,Ç,α,μ,½,ç,æ,ç

, ©?

**A.** Tera Term ,đ<N“® , , , é’O,É□APPP □Ú’±,đŠm—š, , 3, 1, Ä, , 3/4, 3, ç□BWindows 95 , ì□ê□#, í□A□uf\_fCfAf<fAfbfv flfbfgf□□[fN□v, đŽg—p, μ, Ü, ·□BPPP □Ú’±, ÉŠÖ, , , é□Ý’è- @, É, Ä, ç, Ä, í□AWin 95 , ìfwf<fv, đCE© , , é, ©□AfCf“f^□[flfbfgŠÖCEW, ì“ü- å□’, âŽGŽ□, đ“Ç, P, ©□Afvf□fofCf\_□[, É••, ç, Ä, , 3/4, 3, ç□B

PPP □Ú’±, đŠm—š, μ, 1/2, ç Tera Term ,đ<N“® , μ□A[File] New connection f\_fCfAf□fof{fbfNfX, Å□AfzfXfg-1/4, Ü, 1/2, ìfzfXfg, ì IP fAfhfCEfX, đ“ü—í, μ, ÄfzfXfg, É telnet □Ú’±, đ, μ, Ü, ·□BfzfXfg-1/4, Ü, 1/2, í IP fAfhfCEfX, , , í, ©, ç, É, ç□ê□#, í□AfzfXfg, ìŠÇ —□ŽÒ, É••, ç, Ä, , 3/4, 3, ç□B

PPP □Ú’±, ì□ê□#□AfVfŠfAf<f□[fg, í Tera Term , Ä, í, È, PPP □Ú’±f\ ftfg, É, æ, Ä, Ä□šCEä, , 3, è, Ü, ·□B Tera Term , ìfVfŠfAf<f□[fg□Ú’±<@“\, í□A□]—^, ìfpf\ fRf““É□M““í□Ú’±, ì, 1/2, ß, ì, à, ì, Å□APPP □Ú’±, Æ, ìŠÖCEW, , è, Ü, 1, ñ□B

**Q.** Telnet , ÄfzfXfg, É□Ú’±, μ□A, » , ìCEäff□fofAfEfg, μ, 1/2, Æ, « , É Tera Term , , , ä□ÿŽè, É□I—1, μ, Ä, μ, Ü, ç□ç, é□B

**A.** [Setup] TCP/IP , ì **Auto window close** , đ off , É, μ, Ä, , 3/4, 3, ç□B

**Q.** Telnet □Ú’±, đ, μ, 1/2, ç, ì, É□A<N“® , , , é, Æ□ÿŽè, ÉfVfŠfAf<f□[fg, , , ä□š, ©, è, Ä, μ, Ü, x□B

**A.** [Setup] General , Å **Default port** , đ "TCP/IP" , É, μ, Ä, , 3/4, 3, ç□B

### [“ú-{CEê]

**Q.** “ú-{CEê, , , ä“ü—í/•\Žì, Å, « , È, ç□B

**A.** , Ü, , , í [Setup] General , Å **Language** , , , ä "Japanese" , É, È, Ä, Ä, ç, é, ± , Æ, đŠm“F, μ, Ä, , 3/4, 3, ç□BŽŸ, É [Setup] Terminal , Å **Kanji (teceive)** , Æ **Kanji (transmit)** , đ "SJIS", "EUC", "JIS" , ì†, ©, ç, P, Ä’I, Ñ—1/4•û, Æ, à“~ , ¶, à, ì, É, μ, Ä, , 3/4, 3, ç□B, R, Ä, Æ, à, 1/2, ß, μ, Ä, x, Ü, , ç, , , à, ì, đ’T, μ, Ä, , 3/4, 3, ç□B

**Q.** Š;Žšf, □[fh, đ **JIS** , à **EUC** , É, μ, 1/2, Æ, « Shift-JIS , ìŠ;Žš, đŽó□M, , , é, Æ Tera Term , , , fnf“fofAfbfv, , , é□B

**A.** □uC1 □šCEä•¶Žš, đŽg—p, μ, È, ç□v, đ“Ç, ñ, Å, , 3/4, 3, ç

**Q.** [Setup] Terminal , Å **Kanji-Out** , Å ^[(H , đ□Ý’è, Å, « , é, æ, x, É, μ, Ä, Ü, μ, ç□B

**A.** □u□<sup>3</sup>, μ, , È, ç "Kanji-Out" , đŽg—p%oÄ“\, É, , , é□B□v, đ“Ç, ñ, Å, , 3/4, 3, ç□B

### [fL□[f{□[fh]

**Q.** Backspace , Ü, 1/2, í Delete (DEL) fL□[, đ%oÿ, μ, Ä, àf□[f\ f<, ì^ê, Ä□¶, ì•¶Žš, , , ä□Ä, 1, È, ç□B

**A.** Backspace fL□[, É, Ä, ç, Ä, í [Setup] Keyboard , ì **Backspace key** , đ on , Ü, 1/2, í off , É•í, ì, Ä, Ý, Ä, , 3/4, 3, ç□BDelete fL□[, É, Ä, ç, Ä, í□A[Setup] Keyboard , ì **Delete key** , đ on , É, μ, Ä, , 3/4, 3, ç□B, 1/2, 3/4, μfzfXfg, É, æ, Ä, Ä, í Delete

fL[] ,<sup>a</sup>Žg,!,È,ç[]ê[]±,<sup>a</sup>, ,è,Ü,·[]B

**Q.** fef“fL[] ,lfL[] ,ð%öÿ,·,ÆfL[] ,É[]‘,ç,Ä, ,é•¶Žš,Æ^á,κ•¶Žš,<sup>a</sup>—  
[]o,<sup>3</sup>,ê,Ä,μ,Ü,κ[]B

**A.** []ufef“fL[] ,É,Ä,ç,Ä[]v,ð“Ç,ñ,Å,,<sup>3/4,3</sup>,ç[]B

**Q.** F1-F4 fL[] ,<sup>a</sup>Žg,!,È,ç[]B

**Q.** %o½[]XfL[] ,<sup>a</sup>Žg,!,È,ç[]B

**A.** ,±,ìŽí,ìŽ; -â,ð,,<sup>3/4,3</sup>,é[]ê[]±,í[]A,»,lfL[] ,<sup>a</sup>,Ç,ì,æ,κ,ÉŽg,!,È,ç  
,ì,©(,»,lfL[] ,ÉŠ,,è“- ,Ä,ç,ê,é,×,««@“\,í%o½,©),ð[]Ú,μ,[]à-<sup>3/4</sup>,μ,Ä,,<sup>3/4,3</sup>,ç[]B

**A.** []uF1-F4 fL[] []v,ð%öÿ,·,±,Æ,É,æ,Ä,Ä VT100 ,ì PF1-PF4 fL[] ,ì<@“\  
,ðŽÀ€»,<sup>3,1</sup>,½,ç,ì,È,ç,í[]A[]uVT100 ,ì PF1-PF4 fL[] []v,ð“Ç,ñ,Å,,<sup>3/4,3</sup>,ç[]B

**A.** ,à,μ,»,lfL[] ,ð%öÿ,μ,½Žž,É’—[]o,<sup>3</sup>,ê,é,×,«•¶Žš—  
ñ,<sup>a</sup>,í,©,é,ì,È,ç[]Aft[]fU[]fL[] [‘è` ,ð,·,é,±,Æ,É,æ,è,»,lfL[] ,<sup>a</sup>Žg,!,é,æ,κ  
,É,È,è,Ü,·[]B[]Ú,μ,,í •t’@•¶[]‘,ì **KEYCODEJ.TXT** ,ð“Ç,ñ,Å,,<sup>3/4,3</sup>,ç[]B

**Q.** - ^ŽĐ,ì unix ,É[]Ú’±,μ[]ADEL fL[] ,ð%öÿ,μ,ÄŽÀ[]s’t,lfvf[]fOf%of€  
,ð’t’f,μ,æ,κ,Æ,μ,½,<sup>a</sup>,Å,«,È,ç[]B

**A.** [Setup] Keyboard ,ì **Delete key** ,ð on ,É,μ,Ä,,<sup>3/4,3</sup>,ç[]B

**Q.** [Edit] Paste (Copy) ,ì fVf[]f[]fgfjfbfgfL[] ,í Alt+V (Alt+C) ,É,È,Á,Ä,ç  
,é,<sup>a</sup>[]A<sup>1/4</sup>,lfAfvfŠfP[]fVf[]f“ ,Æ“` ,¶ Ctrl+V (Ctrl+C) ,É,μ,½,ç[]B

**A.** Ctrl+V ,í[]AfzfXfg,É ^V •¶Žš,ð’—[]o,·,é,½,β,ÉŽg,κ,±,Æ,<sup>a</sup>, ,é,ì,Å[]A[]  
%Šú[]Ý’è,Å,í[]AfVf[]f[]fgfjfbfgfL[] ,É,È,Á,Ä,ç,Ü,<sup>1</sup>,ñ[]B Ctrl+V ,ð **[Edit] Paste**  
,lfVf[]f[]fgfjfbfgfL[] ,É,·,é•û-@,í[]A[]uft[]fU[] [E]fVf[]f[]fgfjfbfg[]Efl[] []v,ð“Ç,ñ,Å,-  
,<sup>3/4,3</sup>,ç[]B

**[ftf@fCf<“]’—]**

**Q.** XMODEM/ZMODEM/B-Plus/Quick-VAN ,É,æ,éftf@fCf<“]’—,<sup>a</sup>,κ,Ü,,ç  
,©,È,ç[]B

**Q.** f[]fj...[] ,ì **XMODEM/ZMODEM/B-Plus/Quick-VAN** ,<sup>a</sup>ŠD[]F,É,È,Á,Ä,ç  
,ÄŽg,!,È,ç[]B

**A.** []uXMODEM ,lfqf“fg[]v  
[]uZMODEM ,lfqf“fg[]v  
[]uB-Plus ,lfqf“fg[]v  
[]uQuick-VAN ,lfqf“fg[]v  
,ð“Ç,ñ,Å,,<sup>3/4,3</sup>,ç[]B

**Q.** , ,ézfzXfg,Öf[]fOfCf“ ,μ[]A,»,±  
,©,ç<sup>1/4</sup>,lfzfXfg,Öf[]fOfCf“ ,μ,½[]ê[]±[]A[] [‘zfzXfg,Æ Tera Term ,ìŠÔ,Å,lfyf@fCf<“]’—  
,<sup>a</sup>,κ,Ü,,ç,©,È,ç[]B

**A.** ^È%o<sup>o</sup>,ðŽQ[]l,É,μ,Ä,,<sup>3/4,3</sup>,ç[]B  
’tŠÔfzfXfg,ð€o—R,μ,ÄzfzXfg,É[]Ú’±,μ,½[]ê[]±,lfyf@fCf<“]’—

[,»,]¼]

Q. fCf"fxfg[f%o[ ,ª Tera Term fvf[fOf %of€fOf<[fv,ÆfVf# [fgf]fbfgfAfCfRf" ,ðì[-,µ,Ü,¹,ñB

A. fVfXfef€,ðÄ<N"® ,µ,Ä Tera Term ,ðÄfCf"fxfg[f<,·,é,©A,²Ž©•ª,Ä,»,ê,ç,ðì[-,µ,Ä,,¾,³,çB

Q. f\_fuf<fNfŠfbfN,Ä'PCEê,ð'í'ð,·,é,Æ,«,ì'PCEê,ìæ[]Ø,è•û,ð^È'O,ìfo[]fWf#f" ,ì Tera Term ,Æ" ,¶,É,µ,Ä,Ü,µ,çB

A. []uf\_fuf<fNfŠfbfN,É,æ,é'PCEê'í'ð,ìæ[]Ø,è•¶Žš[]v,ð"Ç,ñ,Ä,,¾,³,çB

Q. CErü (DEC "ÁŽêftfHf"fg) ,ð•\

Ž,³,¹,é,ÆA[]ü,ÉCE,,ŠÔ,ª,Ä,«,½,èA•Ó,ÆŠp,ª,È,ß,ç,©,É,Ä,È,ª,ç,È,©,Ä,½,è,·,é[] B

A. Tera Term ,Ä,í DEC "ÁŽêftfHf"fg,ð•\Ž,³,¹,é,½,ßA"ÆŽ©,ì True Type ftfHf"fg "Tera Special" (TSPECIAL.TTF) ,ð—p,ç,Ü,·B%œ-É,É•\ Ž,³,¹,é,Æ,«,íA•[]É,ì•¶Žš,ìftfHf"fg,Æ" ,¶,â,«,³,ÉfXfP[]f<,µ,Ü,·,ªA,»,ì" {— |,É,æ,Ä,Ä,íA[]CErü,ÉCE,,ŠÔ,ª,Ä,«,é,È,Ç,ì-â'è,ª"¶,µ,Ü,·B,³,Ü,´,Ü,È'â,«,³A[]c%o ;"ä,ìftfHf"fg,É "Tera Special" ,ðŠ®'S,É"K[]#,³,¹,é,ì,í•s%oÄ" \ ,È,ì,ÄA•[]É,ì•¶Žš,ìftfHf"fg,ìŽí—p,â'â,«,³,ð,ç,è,ç,è•í,ì,ÄA-â'è,ª<N,«,È,ç ,à,ì,ðŽg—p,µ,Ä,,¾,³,çB

Q. "Tera Special" ftfHf"fg,ª³[]í,É•\Ž,³,é,È,çB

A. fRf"fgf[]f<fpf[]f<,ìuftfHf"fg[]v,ÄA"Tera Special" ftfHf"fg,ðì[]œ,µA[]Ä<N"® ,µA[]Tera Term ,ðÄfCf"fxfg[f<,µ,Ä,,¾,³,çB

Q. %o½,©,ì"[]Žq,É TEK window ,ª[]ŽŽè,ÉŠj,ç,Ä,µ,Ü,Ä,Ä[]ç,éB

A. [Setup] Terminal ,Ä Auto change (VT<->TEK) ,Æ,ç,µ[]€-Ú,ð off ,É,µ,Ä,,¾,³,çB On ,É,È,Ä,Ä,ç,é,ÆA[]TEK4010 ,Æ,ç,µ[]Of%oftfBfbfN'[- -- ,ìfRf"fgf[]f<fv[]fP#f"X,ðŽ[]M,µ,½,Æ,« TEK window ,ªŽ©"®"í,ÉŠj,«,Ü,·B

Q. f}fNf[],ð,Ä,©,Ä,Ä[]Af,fff€,É[]Ý'èfRf}f"fh (AT...),ð•i[]"[]s'—,è,µ

,Æ,µ,½,ªA'—,é,ì,ª'—,·,¬,Äf,fff€,ªfRf}f"fh,ð³[]í,É,µ,¬,Ä,¬,È,çB  
A. f,fff€,É,æ,Ä,Ä,íA, ,éfRf}f"fh[]s,ð^—[]µ,Ä,éŠÔ,ÉAŽŸ,ìfRf}f"fh,ª'— ,ç,è,Ä,,é,ÆA[]A^—[]'t,ìfRf}f"fh,ðfLfff"fZf<,·,éA,Æ,ç,µ,æ,µ,È,à,ì,ª, ,è,Ü,·Bf,fff€, ,©,ç[]uOK[]v,ª—^,½,ì,ðŠm" F,µ,½CEã,ÉŽŸ,ìfRf}f"fh,ð'—,é,æ,µ ,É,·,é,©A[Setup]Serial port ,Ä Transmit delay ,ì msec/line ,ì'l,ð'[],â,µ,Ä,Ý,Ä,,¾,³,çB(—á,ì 200 msec/line ,É,·,é)

Q. MS Net meeting ,ðfCf"fxfg[f<,µ,½,Æ,±,è[]AfL[]f{[]f[]fh[]Ý'èftf@fCf< (\*.CNF) ,ìfAfCfRf" ,ª Net meeting ,ì,à,ì,É•í,í,Ä,Ä,µ,Ü,Ä,½,ªA-â'è,ì,È,ç,©?

A. fAfCfRf" ,ª•í,í,Ä,½,¾,¬,Ä"à—e.í•í%o»,µ,Ü,¹,ñ,µA[]Tera Term ,ìfL[]f{[]f[]fh[]Ý'èftf@fCf<,ð"Ç,p,±,Æ,ª,Ä,«,é,ì,Ä-â'è, ,è,Ü,¹,ñB,½,¾,µfAfCfRf" ,ðf

uf<fNfŠfbfN,·,é,Æ Net meeting ,ä<N“® ,μ,Ä,μ,Ü,ç,Ü,·,ì,Å□A,μ,È,ç,Å,,¾,³,ç□B

**Q.** Windows NT ,ì at fRf}f“fh(fXfP□[fWf...f<<@”\),Å Tera Term ,ð<N“® ,·,é,± ,Æ,ª,Å,«,È,ç□B

**A.** /interactive flfvfVf‡f“ ,ðŽw’è,·,ê,î<N“® ,·,é,±,Æ,ª,Å,«,Ü,·□B

## —pCEêW

### B-Plus

fAf[]šfj,ì BBS[]ACompuServe ,ì,½,ß,ÉŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]B“ú-  
{,Å,í NIFTY-Serve ,ÅŽg—p,³,ê,Ä,ç,Ü,·[]B

### Kermit

fAf[]šfj,ìfRf[]f“frfA‘âŠw,ÅŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]BKermit  
fvf[]fgfRf<,É‘í%ž,μ,½f\ftfg,ª[]A‘½,,ì PC, OS —p,ÉŠJ” ,³,ê,Ä,ç,Ü,·[]BTera Term ,ì  
Kermit ,í[]i,ì,Æ,±,ëŠî-{}“l<@”\,μ,©Ž[]Á,Ä,ç,È,ç,ì,Å[]A-{}%øÆ,ì Kermit  
,É”ä,x,é,Æ“]’—‘¬“x,ª, ,Ü,è¬,, ,è,Ü,¹,ñ[]B

### Quick-VAN

“ú-{} ,ì BBS[]APC-VAN ,ì,½,ß,ÉŠJ” ,³,ê,½ftf@fCf<“]’—fvf[]fgfRf<[]BXMDEM  
fvf[]fgfRf<,ðfx[]fX,É,μ,Ä,é,æ,x,Å,·,ª[]A“]’—‘¬“x,ð, ,°,é,½,ß,ì[]H·v“™ ,ª,È,³,ê,Ä,  
ç,Ü,·[]B

### TCP/IP

fCf“f^[]f[]fbfg,ÅŽg—p,³,ê,Ä,ç,éff[]f^“]’—,ð[]\$CEä,·,é,½,ß,ìfvf[]fgfRf<[]B

### TEK4010

Tektronix ŽĐ,ì’[-- ,ì-¼‘O,Å,·[]B[]},âfOf%øfv,È,Ç,ð·\Žì,·,é,±,Æ,ª,Å,«[]A,©,Ä,Ä,í  
%øÈŠw<Z[]pCEn,ì•ª-ì,Å[]L,—p,ç,ç,ê,Ä,ç,½,æ,x,Å,·[]BCE»[]Ý,í[]AX Window  
ŠÂ««,È,Ç,ÉŽæ,Ä,Ä‘Ö,í,ç,ê,Ä,Ä, ,è,Ü,·,ª[]ATEK fGf~f...fCE[]f^[][,ðŽg—p,μ,Ä,ç  
,é[]l,í,Ü,¾,Ü,¾,ç,Ü,·([]žÒ,àŠÜ,ß,Ä)[]B‘â•“•ª,ìft[]fU[][,í Tera Term ,ì TEK  
fGf~f...fCE[]fVf#f“<@”\,ðŽg,x,±,Æ,í,È,ç,Å,μ,â,x[]B

### TEK window

TEK ‘[-- ,ìfGf~f...fCE[]fVf#f“ ,ð,·,éEfBf“fhfE,Å[]Af^fCfgf<•¶Žš—ñ,ì^ê”Ô  
%øE,É[]uTEK[]v,Æ·\Žì,³,ê,Ä,ç,Ü,·[]BTera Term ,ð<N“® ,μ,½,Æ,«,í\  
Žì,³,ê,Ü,¹,ñ[]B[Control] Open TEK fRf}f“fh,Å[]ATEK window ,ðŠJ,,±  
,Æ,ª,Å,«,Ü,·[]B

### Telnet

TCP/IP ,ðŽg—p,μ[]AfzfXfgfRf“fsf...[]f^[][,Æ’[-- ,ð[]Ú‘±  
,·,é,½,ß,ìfvf[]fgfRf<[]B[]Å<ß,í[]ANifty-Serve ,È,Ç,ì BBS ,É[]Ú‘±,·,é,½,ß,É,àŽg—  
p,³,ê,Ä,ç,Ü,·[]B

### VT100

DEC ŽĐ,ì’[-- ,ì-¼‘O,Å,·[]B,©,Ä,Ä[]AUnix ,â VAX/VMS “™ ,ìfRf“fsf...[]f^[][,ì’[--  
,Æ,μ,Ä[]L,—p,ç,ç,ê,Ä,ç,Ü,μ,½[]BCE»[]Ý,í[]A VT100 ,» ,ì,à,ì,í,Ü,Æ,ñ,ÇŽg—  
p,³,ê,Ä,ç,Ü,¹,ñ,ª[]A,» ,ìžd—l,ªŽ—ŽÀ[]ã,ì·W[]€ ,Æ,È,Ä,Ä,ç,é,½,ß[]APC ,â  
f[][]fNfxfe[]fVf#f“ ,Å“® , VT100 fGf~f...fCE[]f^[][,ª½,[]ç,ê,Ä,ç,Ü,·[]BVT220

,â VT382 ,È,Ç,Í□AVT100,ì□ã^ÊÆÝŠ·'[-,ì-¼'O,Å,·□B

### VT window

Tera Term ,ìf□fCf“fEfBf“fhfE,ì,±  
,Æ,Å,·□B<N“® ,μ,½,Æ,« ,ÉÆ» ,ê,éfEfBf“fhfE,Å□Af^fCfGf<•¶Žš—ñ,ì^ê”Ô  
%oE,É□uVT□v,Æ•\Ž!,³,ê,Ä,ç,Û,·□BVT '[-,ìfGf~f...fCE□[fVf#f“ ,ð,μ,Û,·□B

### Winsock

Windows Sockets ,ì—<sup>a</sup>□BMS-Windows ,Å TCP/IP ŠÅ<« ,ðŽÀÆ» ,· ,é,½,β,ìf\  
ftfgfEfGfA,ì<KŠi□BWINSOCK.DLL ,Æ,ç,xfjf@fCf<,ðŠÛ,pf\ftfg,ð Windows  
,ÉfCf“fXfG□[f<,· ,é,Æ□Atelnet, WWW, ftp ,È,Ç,ì TCP/IP ,ðŽg—  
p,· ,éfAfvfŠfP□[fVf#f“ ,<sup>a</sup>Žg—p%oÅ“\,É,È,è,Û,·□BWindows 95 ,Æ Windows NT  
,É,Í Winsock 'Í%ožf\ftfg,<sup>a</sup>•W□€“Y•t,³,ê,Ä,ç,Û,·□B

### XMODEM

1977 "N,É Ward Christensen ,É,æ,Á,ÄŠJ” ,³,ê,½ftf@fCf<“]’—  
fvf□fgfRf<□B,» ,ìCEã XMODEM/CRC, XMODEM-1k ,È,Ç,ìŠg’f\fvf□fgfRf<,ðŠJ”-  
,³,ê,Û,μ,½□B“]’—’—“x,<sup>a</sup>x,ç□A8-bit fR□[fh,· ,x,Ä,ðÊ,·Ê□M%oň□ü,Å,È,¯ ,é,ìŽg—  
p,Å,« ,È,ç,È,Ç,ì□\$CEÀ,<sup>a</sup> ,è,Û,·□B

### YMODEM

XMODEM ,ðŠg’f,μ,½ftf@fCf<“]’—fvf□fgfRf<□B,È,<sup>o</sup>,© Tera Term ,Å,íí  
%ož,μ,Ä,ç,Û,<sup>1</sup>,ñ□B

### ZMODEM

XMODEM, YMODEM ,ð(,» ,ê,ç,ìCE’CE` ,ð,Æ,Ç,β,È,ç,Û,Ç,É)%oü—  
Ç,μ,½ftf@fCf<“]’—fvf□fgfRf<□BfGf%o□[’ù□³<@“\,<sup>a</sup><-  
%o» ,³,ê□A□\$CEä•¶Žš,ì^ê•” ,ðÊ,³,È,ç%oň□ü,É,à’í%ož,μ□A“]’—’—“x,ð, ,° ,é,½,β,ì  
□H•v,<sup>a</sup>,É,³,ê,Ä,ç,Û,·□B



## fAf“fCf“fXfg□lf<

Tera Term Pro ,đ□í□œ,·,é,É,Í□AfRf“fgf□□lf<fpflf<,ì□ufvf□fOf%of€,ì’Ç  
%oÁ,Æ□í□œ□v,đŽÀ□s,·,é,©□A Windows fffBfCEfNfgfŠ,É, ,é **TTUNINST.EXE**  
,đŽÀ□s,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

,à,μ,±,lfAf“fCf“fXfg□lf%o□l,<sup>a</sup>,©,È,ç□ê□‡,Í□AŽè“® ,Å,àfAf“fCf“fXfg□lf<,·,é,±  
,Æ,<sup>a</sup>,Å,«,Ü,·□BTera Term fffBfCEfNfgfŠ,É, ,é Tera Term  
ŠÖEW,lf tf@fCf<,đ,·,×,Ä□í□œ,μ□AfRf“fgf□□lf<fpflf<,ì□uftfHf“fg□v,©,ç "Tera  
Special" ftfHf“fg,đ□í□œ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

## fL[f{[fh

fL[f{[fh,ÉŠÖ,·,é,ç,,Â,©,ì,Ý'è,í [Setup] Keyboard ,Å,Å,«,Ü,·B

fL[f{[fhÝ'èftf@fCfç,ð,«,©,ì,é,±,Æ,ÅŽ©—R,ÉfL[Ý'è,ð,ïX,·,é,±,Æ,ª,Å,«,Ü,·B

fVf#f[fgf]fbfgEfl[

VT window

**fqf"fg:** fuf[fU[fEfvf#f[fgf]fbfgEfl[v

### Alt+B

fufE[fN[M±,ð'—o,μ,Ü,·B

### Alt+C ,Ü,½,í Ctrl+INS

f}fEfX,Å'I'ð,μ,½•¶Žš—ñ,ðfNfŠfbfvf{[fh,ÖfRfs[,μ,Ü,·B

### Alt+N

¶V,μ,çfzfXfg,Ü,½,ífvfŠfAf<f[fg,ÉÚ'±,μ,Ü,·B

### Alt+P

CE»Ý,ì%œ—Ê,Ü,½,í[Af}fEfX,Å'I'ð,³,ê,½•¶Žš,ð^óü,μ,Ü,·B

### Alt+Q ,Ü,½,í Alt+F4

Tera Term ,ðl—¹,μ,Ü,·B

### Alt+R

fNfŠfbfvf{[fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—o,μ[A'±,ç,Ä%ü[sfR[fh,à'—o,μ,Ü,·B

### Alt+T

Telnet ,ì AYT (Are You There) fRf}f"fh,ð'—o,μ,Ü,·B'Ê[ízfXfg,í,±,ê,ÉEÄ%ž,μ,Ä%½"™,©,ìf[fbfZ[fW,ð'—,è•Ö,μ,Å,«,Ü,·BTelnet Ú'±,ì,Æ,«,¾,žg—p,Å,«,Ü,·B

### Alt+V ,Ü,½,í Shift+INS

fNfŠfbfvf{[fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—o,μ,Ü,·B

### Ctrl+Esc

fAvfŠfP[fVf#f",ìØ,è'Ö,ì,ð,μ,Ü,·B

TEK window

### Alt+C ,Ü,½,í Ctrl+INS

f}fEfX,Å'I'ð,³,ê,½—ì^æ,ì%œ'œ,ðfNfŠfbfvf{[fh,ÖfRfs[,μ,Ü,·B

### Alt+O

VT window ,É^Ú"®,μ,Ü,·B

### Alt+P

%œ—Ê'S'ì,Ü,½,í[Af}fEfX,Å'I'ð,³,ê,½—ì^æ,ì%œ'œ,ð^óü,μ,Ü,·B

### Alt+Q ,Ü,½,í Alt+F4

TEK window ,đ•Â,¶,Û,·□B

**Alt+R**

VT window ,Æ“~,¶□B

**Alt+V** ,Û,½,Í **Shift+INS**

VT window ,Æ“~,¶□B

**Ctrl+Esc**

VT window ,Æ“~,¶□B

f□f^□E□f□L□□ (Meta key)

[Setup] Keyboard ,Å **Meta key** ,đ‘l’đ,·,é,Æ□AVTWindow ,Å Alt

f□L□□,đf□f^□E□f□L□□,Æ,μ,ÄŽg,α,±,Æ,ª,Å,«,Û,·□B—á,¡,Î Alt+A ,đ%oÿ,·,Æ□AESC

A ,đ’—□o,μ,Û,·□Bf□f^□E□f□L□□f,□□fh,Å,Í□AAlt

f□L□□,đŽg,αfVf#□□fgfjfbfg□E□f□L□□(Alt+C “™),ÍŽg—p,Å,«,È,,È,è,Û,·□B

## f}fEfX

VT window

**f}fEfX, Åfhf%fbfO**

• f}fEfX—ñ, ð' ð, µA, » , ê, ðfNfŠfbfvf{ [fh, ÉfRfs [ , · , é B

**f}fEfX, ðf\_fuf<fNfŠfbfN**

1Æê' ð, µA, » , ê, ðfNfŠfbfvf{ [fh, ÉfRfs [ , · , é B

**f}fEfX, ðfgfŠfbfvf<fNfŠfbfN**

1 s' ð, µA, » , ê, ðfNfŠfbfvf{ [fh, ÉfRfs [ , · , é B

**%E, Ü, ½, í' tf{f^f" , Åfhf%fbfO**

• f}fEfX—

ñ, ð' ð, µA, » , ê, ðfNfŠfbfvf{ [fh, ÉfRfs [ , µA, <sup>3</sup>, ç, É, » , ê, ðfzfXfg, Ö' —  
o, · , é B

**%E, Ü, ½, í' tf{f^f" , ðfNfŠfbfN**

fNfŠfbfvf{ [fh, ð' ð, ðfzfXfg, Ö' — o, · , é B

**f^fCf<fCf<fo [ , ð, Å f}fEfX, ðf\_fuf<fNfŠfbfN**

fEfCf" fhfEfTfCfY (fEfCf" fhfE, ðf^ [f~fif<fTfCfY (' [ --, ð' —  
[ " I, È %æ - È, ð' ð, » )  
, Æ ^ Ü, È, é, Æ, « AfEfBf" fhfEfTfCfY, ðf^ [f~fif<fTfCfY, Æ " , f, É, È, é, æ, x  
, É • ð X, µ, Ü, · B, » , ðf^ [f~fif<fTfCfY, Æ " , f, É, È, é, æ, x  
à, Æ, ðfEfCf" fhfEfTfCfY, É - ß, è, Ü, · B

**Ctrl fL [ , ð %Y, µ, È, a, ç f}fEfX, ðfNfŠfbfN**

f}fEfX... [fo [ , a, È, ð, ðf^ [f~fif<fTfCfY... [fo [ , ð  
%B, · , É, ðf^ [f~fif<fTfCfY, Æ " , f, É, È, é, æ, x

**Alt fL [ , ð %Y, µ, È, a, ç f}fEfX, ÅfEfBf" fhfE, ðfhf%fbfO**

f^fCf<fCf<fo [ , a, È, ç [f~fif<fTfCfY, Æ " , f, É, È, é, æ, x  
%B, · , É, ðf^ [f~fif<fTfCfY, Æ " , f, É, È, é, æ, x

**Alt fL [ , ð %Y, µ, È, a, ç %Ef{f^f" , ðfNfŠfbfN**

f^fCf<fCf<fo [ , a, È, ç [f~fif<fTfCfY, Æ " , f, É, È, é, æ, x

**ftf@fCf<, ðfhf%fbfO, µ AfEfBf" fhfE, Éfhf [fbfv**

ftf@fCf<, ð' — M, µ, Ü, · B Š ž š R [fh A %ü sfR [fh, í • š · , <sup>3</sup>, è, Ü, · B

TEK window

□¶f{f^f“ ,Åfhf%fbfO  
%æ'œ,đ'l'đ,μ,Û,·□B

%E,Û,½,í'tf{f^f“ ,đNfŠfbfN  
VT window ,Æ“~,¶□B

CtrlfL□[,đ%Ÿ,μ,È,ª,ç□¶f{f^f“ ,đ%Ÿ,·  
VT window ,Æ“~,¶□B

## faq“fg

Tera Term ,ìŸ'è-@

fŸO,ìŽæ,è•ûAŸO,ìÄŸ<@”\

fVf#Ÿ[fŸf]fbfŸEŸLŸ,ìŸ'è

fef“fLŸ[,É,Â,c,Ä

VT100 ,ì PF1-PF4 fLŸ[

NIFTY-Serve ,ìfaq“fg

PC-VAN ,ìfaq“fg

XMODEM ,ìfaq“fg

ZMODEM ,ìfaq“fg

B-Plus ,ìfaq“fg

Quick-VAN ,ìfaq“fg

'tŠÔfzXfg,đŸEo—R,μ,ÄfzXfg,ÉŸÚ'±,μ,½ŸêŸ±,ìftf@fCf<“]’—

TCP/IP ŸÚ'±,Å 23 ^ÈŠO,ì TCP port "ÔŸt,đŽg—p,.,éŸêŸ±,ìŸ^Ó

## Tera Term ,ìŸ'è-@

Tera Term ,ìŸ'è,í[A[Setup] fñfj...[L,ìfRf}}f“fh,Å,Ù,Æ,ñ,Ç,“,±,È,æ,±  
,Æ,ª,Å,«,Ü,·B,Ü,½A Tera Term Ÿ'èftf@fCf<,đ'¼Ú•ÒW,·,é,±  
,Æ,É,æ,Á,ÄA,æ,èx,©,çŸ'è,đs,±,Æ,ª,Å,«,Ü,·B

,Ü,½AfL[f{[fhŸ'èftf@fCf<,đ',«,©,!,é,±,Æ,ÅŽ©—R,ÉfL[Ÿ'è,đ•ïX,·,é,±  
,Æ,ª,Å,«,Ü,·B

# f[]fO, ižæ, è, ©, ½[]Af[]fO, i[]Ä[]¶[]<@”\

f[]fO (log) <@”\, ð, Â, ©, ¤, Æ[]AfzfXfg, ©, ç’—, ç, ê, Ä, «, ½•¶žš, ðftf@fCf<, É•Û’¶, ·, é, ±, Æ, ¢, Ä, «, Ü, ·[]B

## f[]fO, ižæ, è, ©, ½

^È%oo°, ižè[]¶, É, µ, ½, ¢, Ä, Ä, , ¾, ¾, ¶[]B

1. [File] Log fRf}f“fh, ðžÀ[]s, ·, é[]B

2. "Tera Term: Log" f\_fCfAf[]fOf{fbfNfX, ¢Æ» , é, é[]B  
•Û’¶, ·, éftf@fCf<, ðftf@fCf<-¼, ð **File Name:** , É“ü—í, ·, é[]B

**Binary** , ð’l’ð, ·, é, Æ[]AfzfXfg, ©, ç’—  
, ç, ê, ½•¶žš, í, ·, x, Äftf@fCf<, É[]’, «[]ž, Ü, ê, é[]B

**Binary** , ð’l’ð, µ, È, ¶, Æ[]AŠžžš[]A  
%oü[]sfR[]fh, í•İŠ, , ¾, ê, Ä[]’, «[]ž, Ü, ê, é[]BfGfXfP[]fVfV[]fPf“fX, í[]’, «[]ž, Ü, ê, È,  
¶[]B

**Append** , ð’l’ð, ·, é, Æ[]Aftf@fCf<, ¢, ·, Ä, É’¶[]Ý, ·, é[]è[]¶[]A’Ç

%oÁ, µ, Ä[]’, «[]ž, Ü, ê, é[]B

**Append** , ð’l’ð, µ, È, ¶, Æ[]Aftf@fCf<, ¢, ·, Ä, É’¶[]Ý, ·, é[]è[]¶[]A[]ä[]’, «, ¾, ê, é[]B

3. OKf{f^f“ , ð%oÿ, ·, Æ[]A"Tera Term: Log" , Æ, ¶  
, ¤fAfCfRf“ , ¢Æ» , é[]Af[]fO, ¢Šžžn, ¾, ê, é[]Bf[]fO, ðžæ, Ä, Ä, ¶, éšÔ, à[]A^ê•” , i[]<@”\ , ð[]œ, ¶, Ä, ·[]É, É Tera Term , ðžg—p, ·, é, ±, Æ, ¢, Ä, «, é[]B

4. f[]fO, ð[]|—

¹, µ, ½, è[]A’t’f, µ, ½, ¶[]è[]¶, í[]AfAfCfRf“ , ð(f\_fuf<)fNfšfbfN, µ, Ä\_fCfAf[]fOf{fbfN  
fX, ð•žž, ¾, ¾[]A**Close** , Ü, ½, í **Pause** f{f^f“ , ð%oÿ, ·[]B**Pause** f{f^f“ , ð  
%oÿ, ·, Æ**Start** f{f^f“ , É•İ, í, é, Ì, Ä[]A, » , é, ð%oÿ, ·, Æf[]fO, ¢[]ÄŠ, ¾, ê, é[]B

•Û’¶, µ, ½ftf@fCf<, í[]A[]uf[]f, ‘ []v“™ , ðGfffBf^, ÄÆ© , é, ±  
, Æ, ¢, Ä, «, Ü, ·, ¢[]AfGfXfP[]fVfV[]fPf“fX“™ , ðšÜ, ñ, ¾ftf@fCf<, í[]Af[]fO, i[]Ä[]¶[]<@”\ , ðžg, Ä, ÄÆ© , é, Æ•Ö—~ , Ä, ·[]B

## f[]fO, i[]Ä[]¶[]¶, i, µ, ©, ½

fRf}f“fhf%ofCf“ , ð[]A

**TERATERM /R=<f[]fOf[]f@fCf<-¼>**

, Ì, æ, ¤, Éžw’è, µ, Ä Tera Term

, ðžÀ[]s, µ, Ü, ·[]B, ·, é, Æ[]A, , ½, ©, àfzfXfg, ©, ç•¶žš, ¢—, ç, ê, Ä, «, ½, ©, Ì, æ, ¤



,É□Af□fOftf@fCf<,đ□Ä□¶,·,é,±,Æ,ª,Å,«,Ü,·□B

,Ü,½,Í□A[File] New connection ,Å **Host:** ,ì□Š,É

**/R=<f□fOftf@fCf<-¼>**

,Æ“ü—í,μ,Ä,à□Af□fOftf@fCf<,ª□Ä□¶,Å,«,Ü,·□B

## ft [fU [ [EfVf# [fgfjfbfg [EfL [

fL [f{ [fh [Y' èftf@fCf<, [Shortcut keys] ,Æ [VT function keys]

fZfNfVf#f", ì [€-Ú, ð [', «Š·, !, é, Æ [A^È

%oº, ìfVf# [fgfjfbfg [EfL [ [ , ðŽ © •ª, ì [D, «, ÈfL [ [ , ÉŠ,, , è"- , Ä, é, ±, Æ, ª, Å, «, Ü, · [B

[Shortcut keys] fZfNfVf#f", ì [€-Ú	<@"\	[%Šú [Y'è
<b>EditCopy</b>	[Edit] Copy fRf}f"fh *1)	, È, µ
<b>EditPaste</b>	[Edit] Paste fRf}f"fh *1)	, È, µ
<b>EditPasteCR</b>	[Edit] Paste<CR> fRf}f"fh *1)	, È, µ
<b>LineUp</b>	^ê [sfXfNf [ [f<fA fbfv	Ctrl+ [ª
<b>LineDown</b>	^ê [sfXfNf [ [f<f_ fEf"	Ctrl+ [«
<b>PageUp</b>	^êfy [ [fWfXfNf [ [ [f<fAfbfv	Ctrl+PageUp
<b>PageDown</b>	^êfy [ [fWfXfNf [ [ [f<f_fEf"	Ctrl+PageDown
<b>BuffTop</b>	fobftf@, ì [æ"ª, ÖfXfNf [ [f<	Ctrl+Home
<b>BuffBottom</b>	fobftf@, ì [ÅÆã, ÖfXfNf [ [f<	Ctrl+End
<b>NextWin</b>	ŽŸ, ì Tera Term fEfBf"fhfE, Ö^Ú" ®	Ctrl+Tab
<b>PrevWin</b>	'O, ì Tera Term fEfBf"fhfE, Ö^Ú" ®	Ctrl+Shift+Tab
<b>LocalEcho</b>	f [ [fj f<fGfR [ [ , ð on/off , É, ·, é [B	, È, µ
[VT function keys] fZfNfVf#f", ì [€-Ú	<@"\	[%Šú [Y'è
<b>Hold</b>	Žó [Mf  [fg, ðf [fbfN/	, È, µ

<b>Print</b>	f[]fbfN%ođ[]œ [File] Print	,È,μ
<b>Break</b>	fRf}f“fh *1) fufCE[]fN[]M[]+’ —[]o *1)	,È,μ

\*1) ,±,ê,ç,ì<@”\,É,ÍfVfXfef€[]EfVf#[]f[]fg[]fbfg[]EfL[]L,ªŠ,,,è“-,Ä,ç,ê,Ä,ç,Ü,·[]B

—á,|,Î[]ACtrl+V ,đ [Edit] Paste ,ÉŠ,,,è“-,Ä,½,ç[]ê[]#,Í[]A  
fL[]f{[]f[]h[]Ý’èftj@fCf<,ì [Shortcut keys] fZfNfVf#f” ,Å[]A

**EditPaste=1071**

,Æ,μ,Ä,,¾,³,ç (IBM-PC/AT fL[]f{[]f[]h,ì[]ê[]#)[]B

## fef“fL□[,É,Â,ç,Ä

fL□[f{□[fh,ì□%ŠúŸ'è,í VT100 ,ìfL□[f{□[fh,đfGf~f...fĚ□[fg,·,é,æ,α,É,È,Á,Ä,ç  
,Ü,·□B,±,ì,½,βfef“fL□[,ìfL□[,đ□%Ÿ,μ,½,Æ,«fL□[,É□',ç,Ä, ,é•Ÿš,Æ^á,α•Ÿš,â'—  
□o,<sup>3</sup>,ê,é,±,Æ,<sup>a</sup>, ,è,Ü,·□BVT100 fL□[f{□[fh,ìfef“fL□[,ì<@”\,đŽg—p,·,é•K—v,<sup>a</sup>,È,-  
□Afef“fL□[,đ•□'É,ÉŽg,ç,½,ç□ê□‡,í□AfL□[f{□[fh□Ÿ'èftf@fCf< **KEYBOARD.CNF** ,ì  
**[VT numeric keypad]** ,ì'S□€-Ú,đ^È%°ò,ì,æ,α,É OFF ,É,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

### [VT numeric keypad]

**Num0=off**

**Num1=off**

**Num2=off**

**Num3=off**

**Num4=off**

**Num5=off**

**Num6=off**

**Num7=off**

**Num8=off**

**Num9=off**

**NumMinus=off**

**NumComma=off**

**NumPeriod=off**

**NumEnter=off**

**PF1=off**

**PF2=off**

**PF3=off**

**PF4=off**

## VT100 , à PF1-PF4 fL[]

fL[]f{[]fh, à %ŠúÝ'è, Å, Í VT100 , à PF1-PF4 fL[], à @ "\, í ef " fL[], à ê " Ô ä, à ñ, à S, Å, í fL[] (IBM/PC , à ê ð "Num Lock", "/", "\*", "-" ; PC98 , à ê ð "HOME CLR", "HELP" "-", "/"), É Š,, è "-, Ä, ç, ê, Ä, ç, Ü, · B, ±, ê, ð F1-F4 fL[], É Š,, è "-, Ä, é, æ, x , É · ì X, ·, é, É, Í ^ È % °, à, æ, x, É fL[]f{[]fh[]Ý'èftf@fCf< **KEYBOARD.CNF** , ð ' , « Š ·, à, Ä,, ¾, ¾, ç B

^ È % °, Í IBM-PC fL[]f{[]fh, à ê ð (PC98 , à ê ð, Í KEYCODE.EXE , ð Ž g— p, µ, Ä fL[]fR[]fh, ð '², x, Ä,, ¾, ¾, ç) B

### [Numeric keypad]

**PF1=59**

**PF2=60**

**PF3=61**

**PF4=62**

; 59-62 , à F1-F4 key , à fL[]fR[]fh

### [X function keys]

**XF1=off**

**XF2=off**

**XF3=off**

**XF4=off**

; fL[]fR[]fh 59-62 , ð "ñ d Ž g— p, µ, È, ç, æ, x, É, ·, é, ½, ß XF1-XF4 , ð "off" , É, ·, é B

## NIFTY-Serve ,lfqf“fg

NIFTY-Serve ,Ö, ì telnet □Ú' ±-@,ª, í, ©, ç, È, ç □ê □±, í □A □]— ^, ì • û-@ (, ç, í, ä, é f p f \ f R f “ “ Ê □ M), Å NIFTY-Serve ,Ö □Ú' ±, µ □A "GO TELNET" f R f } f “ f h, Å TELNET f □ f j f ... □ [, Ö □ s, « □ A telnet □Ú' ±, ì ^ Ä “ à (telnet to NIFTY Serve) ,ð “ Ç, ñ, Å, , ¾, ¾, ç □ B

Š ž Š f, □ [f h, ì □ Y ' è

[Setup] Terminal , Å Š ž Š f, □ [f h, ì □ Y ' è, ð, µ, Ä, , ¾, ¾, ç □ B ' Ê □ í, í □ A Ž ó □ M □ A ' — □ M, Æ, à **SJIS** (Shift-JIS) , É, µ, Ü, · □ B

f □ f O f C f “ Ž ž, ì f v f □ f “ f v f g "Enter Connection-ID --->" , Å "SVC" , Æ “ ü — í, ·, é, Æ, «, É ^ È % ° °, ì, æ, x, É f l f v f V f f “ , ð • t, ~ % ° ° Á, ì, é, ±, Æ, É, æ, è Š ž Š f R □ [f h, ì Ž í — p, º Ž w ' è, Å, «, Ü, · □ B Tera Term ' x, ì Š ž Š f R □ [f h, ì □ Y ' è, à, » , è, É, í, ¹, Ä % ° °, ¾, ç □ B

Connection-ID            Tera Term , ì Š ž Š f, □ [f h

-----  
**SVC** , Ü, ½, í **SVC/SJISSJIS**

**SVC/EUC**                    **EUC**

**SVC/NJS1**                    **JIS**, Kanji-In: **ESC\$B**, Kanji-Out: **ESC(J**

**SVC/OJS1**                    **JIS**, Kanji-In: **ESC\$@**, Kanji-Out: **ESC(J**

ftf@fCf<, ì f A f b f v f □ □ [f h □ A f \_ f E f “ f □ □ [f h, ·, é □ ê □ ± □ A

B-Plus ,lfqf“fg

XMODEM ,lfqf“fg

,ð “ Ç, ñ, Å, , ¾, ¾, ç □ B

Ž Q □ I: ' + Š Ô f z f X f g, ð Ç E o — R, µ, Ä f z f X f g, É □ Ú ' ±, µ, ½ □ ê □ ±, ì f t f @ f C f < “ ] ' —

## PC-VAN ,lfqf“fg

Š;Žšf,[]fh,ì[]Ý’è

[Setup] Terminal ,ÅŠ;Žšf,[]fh,ì[]Ý’è,đ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B’Êí,í[]AŽó[]M[]A’—[]M,Æ,à  
**SJIS** (Shift-JIS) ,É,μ,Ü,·[]B

Telnet ,Å PC-VAN ,É[]Ú’±

,μ[]Aftf@fCf<,lfAfbfvf[]fh[]Af\_fEf“f[]fh,đ,·,é[]ê[]±,í[]A•K, ,fofCfifŠflfvfVf#f“ ,Å[]Ú’  
±,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç(1996“N6CEŽCE>[]Ý)[]B[]Ú,μ,,í[]A[]uQuick-VAN ,lfqf“fg[]v,đ“Ç,ň,Å,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

ŽQ[]l: ‘tŠÔfzfXfg,đCEo—R,μ,ÄfzfXfg,É[]Ú’±,μ,<sup>1</sup>/<sub>2</sub>[]ê[]±,iftf@fCf<“l’—

## XMODEM ,lfqf“fg

XMODEM ,í□A8 bit fR□[fh (\$00-\$FF ,ì•ŕŽš,·,×,Ä),đŠ®‘S,É’É,·%ñ□ü,đ—p,č,È,č ,ÆŽg—p,Å,«,Ü,<sup>1</sup>,ñ□B

fVfŠfAf<f|□[fg,ì□ê□‡

Data,<sup>a</sup> 7 bit ,<sup>3/4</sup>,Á,<sup>1/2</sup>,è□Aftf□□[□\$CEä,<sup>a</sup> Xon/Xoff ,<sup>3/4</sup>,Á,<sup>1/2</sup>,è,·,é,Æ□AXMODEM ,<sup>a</sup>Žg,ì,Ü,<sup>1</sup>,ñ□B[Setup] Serial port ,Å **Data** ,đ **8** bit ,É,μ□A**Flow control** ,đ **hard** (CTS/RTS) ,© **none** ,É,μ,Ä,<sup>3/4</sup>,<sup>3</sup>,č□Bf,ff€(fzfXfg)’æ,ì□Ý’è,à“<sup>-</sup>,ŕ,É,μ,Ä,-<sup>3/4</sup>,<sup>3</sup>,č□B

Telnet ,ì□ê□‡

,à,μ<sup>3</sup>,μ,“]’—,Å,«,È,č□ê□‡,ífofCfifŠfifvfVf‡f“ ,Å telnet □Ú’±,μ,Ä,Ý,Ä,-<sup>3/4</sup>,<sup>3</sup>,č□BfofCfifŠfifvfVf‡f“ ,Å□Ú’±,·,é,É,í□A

fRf}f“fhf%ofCf“,É /**B** f|fvfVf‡f“ ,đ,Â,<sup>-</sup>,é,©□A

Tera Term □Ý’èftf@fCf<,đ□’,«Š·,ì,Ä,<sup>3/4</sup>,<sup>3</sup>,č□B  
□” Telnet ,ìfofCfifŠfifvfVf‡f“

,Ç,æ,μ,Ä,à□<sup>3</sup>□í,É“]’—,Å,«,È,č□ê□‡,í□AfzfXfg’æ,ì XMODEM fRf}f“fh,đ□<sup>3</sup>,μ,-  
□Ý’è,“,æ,ÑŽg—p,μ,Ä,č,é,±,Æ,đŠm”F,μ,<sup>1/2</sup>□ã,Å□AXMODEM  
,ìf□fQ,đŽæ,è□A□ìŽÒ,É’—,Á,Ä,<sup>3/4</sup>,<sup>3</sup>,č□B

ŽQ□l: ‘†ŠÔfzfXfg,đCEo—R,μ,ÄzfXfg,É□Ú’±,μ,<sup>1/2</sup>□ê□‡,ìftf@fCf<“]’—



## ZMODEM ,lfqf“fg

ZMODEM ,íA7 bit %ñü,Á,íŽg—p,Á,«,Ü,<sup>1</sup>,ñB

fVfŠfAf<f[fq,ìê±

Data ,<sup>a</sup> 7 bit,<sup>3/4</sup>,ÆAZMODEM ,<sup>a</sup>Žg,ì,Ü,<sup>1</sup>,ñB[Setup] Serial port ,Á **Data** ,<sup>đ</sup>  
**8** bit ,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,çBf,ff€(fzfXfg)‘α,ìÝ’è,à“~,¶,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB

Telnet ,ìê±

,à,μ<sup>3</sup>,μ,“]’—,Á,«,È,çê±,í\$CEä•¶Žš,đ,·, x,ÄfGfXfP[fv,μ,Ä,Ý,Ä,-  
,<sup>3/4</sup>,<sup>3</sup>,çB,»è,Á,à,<sup>3/4</sup>,ß,Èê±,ífofCfifŠfifvfVf#f“ ,Á telnet □Ú’±,μ,Ä,Ý,Ä,-  
,<sup>3/4</sup>,<sup>3</sup>,çBfofCfifŠfifvfVf#f“ ,Á□Ú’±,·,é,É,íA

fRf}f“fhf%ofCf“,É /B fifvfVf#f“ ,đ,Â,~,é,©A

Tera Term Ý’èftf@fCf<,đ□’,«Š·,ì,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB  
□“ Telnet ,ífofCfifŠfifvfVf#f“

,Ç,α,μ,Ä,à<sup>3</sup>í,É“]’—,Á,«,È,çê±,íAfzfXfg’α,ì ZMODEM fRf}f“fh,đ<sup>3</sup>,μ,-  
Ý’è,“æ,ŇŽg—p,μ,Ä,ç,é,±,Æ,đŠm”F,μ,<sup>1/2</sup>ã,ÁAZMODEM  
,ífO,đŽæ,èAìŽÒ,É’—,Á,Ä,,<sup>3/4</sup>,<sup>3</sup>,çB

,Ü,<sup>1/2</sup>A^È%<sup>o</sup>,ìÝ’è,à%Á“\,Á,·B

□“ ZMODEM ŽóM,ìŽ©“®<N“®

□“ ZMODEM ‘—M,ìÝ’è

ŽQI: ‘tŠÔfzfXfg,đCEo—R,μ,ÄzfXfg,É□Ú’±,μ,<sup>1/2</sup>ê±,íftf@fCf<“]’—

## B-Plus ,lfqf“fg

B-Plus ,í□A7 bit %ñ□ü,Á,íŽg—p,Á,«,Ü,<sup>1</sup>,ñ□B,Ü,<sup>1</sup>/<sub>2</sub>□AB-Plus ,í CompuServe ,â NIFTY-Serve “™ ,ì BBS ,©,ç,lf\_fEf“f□□[fh/,Ö,lfAfbfvf□□[fh,ì,<sup>1</sup>/<sub>2</sub>,ß,<sup>3</sup>/<sub>4</sub>, ,ÉŽg—p,μ,Ä,-<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B Tera Term ,ì B-Plus ,í PC (‘É□Mf\ftfg)ŠÔ,ìftf@fCf<“]’—,É‘í%ñž,μ,Ä,ç ,Ü,<sup>1</sup>,ñ□B

fVfŠfAf<f□□[fg,ì□ê□#□AData ,<sup>a</sup> 7 bit ,<sup>3</sup>/<sub>4</sub>,Æ□AB-Plus ,<sup>a</sup>Žg,!,Ü,<sup>1</sup>,ñ□B[Setup] Serial port ,Á **Data** ,đ 8 bit ,É,μ,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□Bf,fff€(fzfXfg)‘x,ì□Y’è,à“ ,¶,É,μ,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

“]’—,<sup>a</sup>,x,Ü,,ç,©,É,ç□ê□#□A□šCEä•¶Žš,đ,.,x,ÄfGfXfP□[fv,μ,Ä,Ý,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

,Ü,<sup>1</sup>/<sub>2</sub>□AŽY,ì□Y’è,đ,.,é,Æ•Ö—~ ,Á,·□B  
□“ B-Plus f\_fEf“f□□[fh,ìŽ©“®<N“®

□<sup>3</sup>,μ,“]’—,Á,«,È,ç□ê□# ,í□AB-Plus ,lf□fO,đŽæ,Á,Ä□iŽÒ,É’—,Á,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

ŽQ□l: ‘†ŠÔfzfXfg,đCEo—R,μ,ÄfzfXfg,É□Ú’±,μ,<sup>1</sup>/<sub>2</sub>□ê□# ,ìftf@fCf<“]’—

## Quick-VAN ,lfqf“fg

Quick-VAN ,í□APC-VAN ,Æ,ç,æ BBS ,Å—p,ç,ç,ê,Ä,ç,éftf@fCf<“]’—  
fvf□fgfRf<,Å,·□BQuick-VAN ,í□A7 bit %oñ□ü,Å,ÍŽg—p,Å,«,Ü,<sup>1</sup>,ñ□B

fVfŠfAf<f|□[fg,ì□ê□‡

Data ,<sup>a</sup> 7 bit ,<sup>3/4</sup>,Æ□A Quick-VAN ,<sup>a</sup>Žg,ì,Ü,<sup>1</sup>,ñ□B[Setup] Serial port ,Å **Data**  
,<sup>đ</sup> 8 bit ,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç□Bf,fff€(fzfXfg)’æ,ì□Ý’è,à“<sup>˘</sup>,¶,É,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç□B

Telnet ,ì□ê□‡

PC-VAN ,É□Ú’±,·,é□ê□‡,í□A•K, ,fofCfifŠfifvfVf‡f“ ,<sup>đ</sup>Žw’è,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç  
(1995”N12ÆŽÆ»□Ý)□BfofCfifŠfifvfVf‡f“ ,Å□Ú’±,·,é,É,í□A

fRf}f“fhf%ofCf“,É /B fifvfVf‡f“ ,<sup>đ</sup>,Å,<sup>˘</sup>,é,©□A

Tera Term □Ý’èftf@fCf<,<sup>đ</sup>□’,«Š,ì,Ä,,<sup>3/4</sup>,<sup>3</sup>,ç□B  
□” Telnet ,lfofCfifŠfifvfVf‡f“

,Ü,<sup>1/2</sup>□AŽŸ,ì□Ý’è,<sup>đ</sup>,·,é,Æ“]’—‘—“x,<sup>a</sup>%oü’P,·,é□ê□‡,<sup>a</sup>, ,è,Ü,·□B  
□” Quick-VAN ,ì window size

,Ç,æ,μ,Ä,à□<sup>3</sup>□í,É“]’—,Å,«,È,ç□ê□‡,í□AfzfXfg’æ,ì Quick-VAN fRf}f“fh,<sup>đ</sup>□<sup>3</sup>,μ,-  
Žw’è,μ,Ä,ç,é,±,Æ,<sup>đ</sup>Šm”F,μ,<sup>1/2</sup>□ã,Å□AQuick-VAN ,lf□fO,<sup>đ</sup>Žæ,è□A□ìŽO,É’—,Á,Ä,-  
,<sup>3/4</sup>,<sup>3</sup>,ç□B

ŽQ□l: ‘tŠÔfzfXfg,<sup>đ</sup>Æo—R,μ,ÄzfXfg,É□Ú’±,μ,<sup>1/2</sup>□ê□‡,ìftf@fCf<“]’—

# 'tŠÔfzfXfg,ðŒo—R,μ,ÄfzfXfg,ÉÚ±,μ,½ê±,ìftf@fCf<"']—

, ,éfzfXfg,ÉfOfCf",μ,ÄA,»,±  
,©,ç,³,ç,É¼,ìfzfXfg,ÖfOfCf",μ,½ê±A'ìfzfXfg,Æ Tera Term  
,ìŠÔ,ìftf@fCf<"']— (Kermit, XMODEM, ZMODEM, B-PLUS, Quick-VAN) ,ª,œ,Ü,,ç  
,©,È,ç,±,Æ,ª, ,è,Ü,·B

Tera Term ìŽÒ,í,±,ì,æ,œ,Èó<μ,Ä,ìftf@fCf<"']—,ð'z'è,μ,Ä,Ü,¹,ñ,ì,ÄA¼,ì"]—  
@('¼Ú'ìfzfXfg,ÉÚ±,·,éAê'U'tŠÔfzfXfg,ìffBfXfN,ÖfAfbfvf[fh/  
f\_fEf"f[fh,·,éAftp ,ðŽg—p,·,é"™),ðŽæ,é,±,Æ,ð, "Š©,ß,μ,Ü,·B

,±,ì-â'è,í'È%º,ì,æ,œ,ÈŒ'ö,ªì,ì,ç,êAê±,É,æ,Á,Ä,í%ðŒ^,Ä,«,é,±,Æ,ª, ,è,Ü  
,·B

1) Tera Term <-> 'tŠÔfzfXfg ,Ü,½,í 'tŠÔfzfXfg <->  
ì'ìfzfXfg,ìftf[fŒä,ª³,μ,·s,í,ê,Ä,ç,È,çB

Ú±,ª TCP/IP (f\_fCfAf<fAfbfv PPP ,àŠÜ,þ),È,ç,ìftf[fŒä,í³,μ,·s,í,ê,Ä,ç  
,é,í,,Ä,·BfvfŠfAf<f[f(f,fff€+"d~b%ñü,ì"ñ PPP(fpfvRf""ÊM)  
,àŠÜ,þ)Ú±,ìê±,íAftf[fŒä,ð³,μ,Ý'è,μ,Ä,,¾,¾,çB

2) Tera Term <-> 'tŠÔfzfXfg ,Ü,½,í 'tŠÔfzfXfg <->  
ì'ìfzfXfg,ÄŒä•ŒŽš,ìê•",ªŽ, ,í,ê,éB

Telnet Ú±,ìê±AfOfCfifŠf, [fh,ÄÚ±,·,é•K—v,ª, ,éê±,ª, ,è,Ü,·B

Kermit ,Ä,í,±,ì,±,Æ,íÊí-â'è,É,È,è,Ü,¹,ñBB-Plus ,Æ ZMODEM  
,Ä,íA,·,x,Ä,ìŒä•ŒŽš,ðGfXfP[fv,·,é,±,Æ,É,æ,è³,μ,ftf@fCf<"']—  
,ª,Ä,«,é,æ,œ,É,È,é%Ä"\«,ª, ,è,Ü,·BXMDEM ,Æ Quick-VAN ,Ä,íA,·,x,Ä,ì  
8-bit •ŒŽš,ð'È,·%ñü,ðŽg—p,μ,È,ç,Æ³,μ,ftf@fCf<"']—,ª,Ä,«,Ü,¹,ñB

'tŠÔfzfXfg,©,ç telnet fRf}f"f'h,Äì'ìfzfXfg,ÉÚ±,μ,½ê±ATera Term  
,ª'—o,μ,½Œä•ŒŽš,ìê•",í'tŠÔfzfXfg,ì telnet  
fRf}f"f'h,É,æ,è<zŽû,³,ê,Ä,μ,Ü,çAì'ìfzfXfg,É" ,í,ç,È,ç,±,Æ,ª, ,è,Ü,·B,±  
,é,ç,ìŒä•ŒŽš,íÊí telnet ,ì "echo", "escape", "erase", "flushoutput",  
"interrupt", "kill", "quit", "areyouthere" "™,ì<@"\,ÉŠ,,è"- ,Ä,ç,ê,Ä,ç  
,Ü,·BfzfXfg,©,çftf@fCf<,ìf\_fEf"f[fh,í,Ä,«,é,ªAfzfXfg,Ö,ìfAfbfvf[fh,í,Ä,  
,«,È,ç,Æ,ç,œ,œ,Èê±A,±,ì,æ,œ,Èó<μ,ªŒ'ö,É,È,Á,Ä,ç,é%Ä"\«,ª,ç,  
,Ä,·B,±,ì-â'è,ð%ðŒ^,·,é,É,í telnet fRf}f"f'h,ìSe<@"\,É'í,μ,ÄŠ,,è"-  
,Ä,ç,ê,½Œä•ŒŽš,ð%ðœ,·,é,©A, ,é,ç,íãq,ì,æ,œ,É ZMODEM ,Æ B-  
Plus ,ìê±,í,·,x,Ä,ìŒä•ŒŽš,ðGfXfP[fv,·,é,æ,œ,É,μ,Ä,,¾,¾,çB,½,¾,μ  
telnet fRf}f"f'h,É,æ,Á,Ä,íAŠe<@"\,ÉŠ,,è"- ,Ä,ç,ê,½Œä•ŒŽš,ð,œ,Ü,  
%ðœ,Ä,«,É,çê±,ª, ,è,Ü,·B

,ç, ,ê,ìêê,à'tšôfzfXfg <-> []'[]fzfXfgšô,ì'ê[]M,ì[]Ý'è,í Tera Term  
,©,ç'¼[]Ú,·,é,±,Æ,ª,Å,«,Ü,<sup>1</sup>,ñ[]B,±,ì-â'è,í,ç,,Â,©,ì[]É'^ö,ª[]d,È,Á,Ä,"«,Ä,ç  
,é[]ê[],à, ,è[]ATera Term []žò,É%øð[]^@,ðž;-â,<sup>3</sup>,ê,Ä,à,"š,|,Å,«,È,ç[]ê[],<sup>ª</sup>½,ç  
,Å,·[]B[]ã<L,ìf[]f"fg,ðžQ[]I,É,μ,Ä,à%øð[]^,Å,«,È,ç([]ã<L,ì"à-e,<sup>ª</sup>-[]  
%øð,Å,«,È,ç)[]ê[],í[]Ažc"O,Å,·,ª, ,«,ç,ß,Ä,,<sup>¾</sup>,<sup>¾</sup>,ç[]B

## [File] f[]fj...[]

### New connection...

□V,μ,ϕfzfXfg,Ü,½,ÍVfŠfAf·f|[]fg,É□Ú'±,μ,Ü,·□B

### Log...

Žó□M,<sup>3</sup>,ê,é•¶Žš,ðftf@fCf<,É□',«□ž,Ý,Ü,·□B

### Send file...

ftf@fCf<,ð'—□M,μ,Ü,·□B

### Transfer

Kermit/XMODEM/ZMODEM/B-Plus/Quick-VAN  
fvf[]fgfRf<,Åftf@fCf<,ð"']'—,μ,Ü,·□B

### Change directory...

ftf@fCf<"']'—,ì,½,ß,ìffBfÆfNfgfŠ,ð•ï□X,μ,Ü,·□B

### Print...

Æ»□Ý,ì%œ-Ê,Ü,½,Í□Af}fEfX,Å'I'ð,<sup>3</sup>,ê,½•¶Žš,ð^ó□ü,μ,Ü,·□B

### Disconnect

□Ú'±,ð□Ø,è,Ü,·□BTCP/IP □Ú'±Žž,Å Auto window close  
f|fvfVf†f",<sup>3</sup>'I'ð,<sup>3</sup>,ê,Ä,ϕ,é□ê□#□ATera Term ,ð□I—<sup>1</sup>,μ,Ü,·□B

### Exit

Tera Term ,ð□I—<sup>1</sup>,μ,Ü,·□BfzfXfg,Ü,½,ÍVfŠfAf·f|[]fg,É□Ú'±,<sup>3</sup>,ê,Ä,ϕ,  
é□ê□#,Í□A□Ú'±,ð□Ø,è,Ü,·□B

## New connection ([File] f...)

V,μ,cfzfXfg,Ü,½,ÍfVfŠfAf<f[[fg,ÉÚ'±,μ,Ü,·B,·,Á,ÉÚ'±,³,é,Ä,ç,é,Æ,«,ÍA•Ê,Ì Tera Term fZfbfVf†f“,đ<N“® ,μ,Ü,·B

## "New connection" f\_fCfAf\_fOf{fbfNfX

### TCP/IP

#### Host

Ú'±,·,ézfXfg-¼,Ü,½,Í IP address ,đfL[[f{[[fh,Åü—  
Í,μ,ÄŽw'è,·,é,©AfŠfXfg,ì't,©,ç'l'đ,μ,Ä,,¾,¾,çBfŠfXfg,đ•ÒW,·,é,É,Í  
[Setup] TCP/IP ,đŽg,Á,Ä,,¾,¾,çB,Ü,½AfzfXfg-¼,¾,¾,·,Á,È,^È%º,ì,æ,α  
,ÉAfRf}f“fhf%ofCf“•¶Žš—ñ,đŽw'è,·,é,±,Æ,à,Á,«,Ü,·B

**myhost.mydomain** 'Éí,ÍzfXfg-¼,Ü,½,Í IP address,¾,·  
**myhost.mydomain:23** fzfXfg-¼,Æf[[fg"Ôt  
**foohost.foodomain /F=FOOHOST.INI** fzfXfg-¼+Y'èftf@fCf<-  
¼,đŽw'è  
**/C=1** fVfŠfAf<f[[fg,đŽw'è,·,é,±,Æ,à%ºÅ"  
**/R=LOG.DAT** fzfXfg,âf[[fg,ÉÚ'±,¹,·,ÉAfOftf@fCf<,ì"à—e,đÄ¶¶

#### Telnet

Telnet fvf[[fgfRf<,đŽg—p,μ,Ü,·B'Éí,Í'l'đ,μ,Ä,,¾,¾,çB

#### TCP port#

Telnet ,đŽg—p,·,éê[[A'Éí,Í23,É,μ,Ä,,¾,¾,çB

'[

**Telnet** ,ª'l'đ,³,é,ÄA,©,Å **TCP port#** ,ª 23 ,ì,Æ,«,¾,¾,·A Tera Term  
,©,çŽ©""l,É telnet ,ì option negotiation  
,đŠŽn,μ,Ü,·B,»,é^ÈŠO,ìê[[,Á,à Tera Term ,ÍzfXfg,©,ç'—,ç,é,Ä,«,½  
telnet fRf}f“fh,É%ž“š,·,é,±,Æ,ª,Á,«,Ü,·B

ŽQÆ:

Telnet —pf[[fg"Ôt / "ñ telnet Ú'±—p,ì'[--Y'è

### Serial

#### Port

Ú'±,·,éVfŠfAf<f[[fg,đ **COM1, COM2, COM3, COM4** ,ì't,©,ç'l'đ,μ,Ä,-  
,¾,¾,çB

## Log ([File] f fff... [I])

fzfXfg, ©, çŽóM, μ, ½ • ¶Žš, ðftf@fCf<, É' , «ž, Ý, Ü, ·B  
□" f fO, ðŽæ, è • û Af fO, ðÄ ¶<@"

"Log" f\_fCfAf fOf {fbfNfX(ftf@fCf<-¼Žw'è)

### File Name

□' , «ž, pftf@fCf<, ðftf@fCf<-¼, ð"ü—í, Ü, ½, í'í'ð, μ, Ä, , ¾, ¾, çB

### Binary

fzfXfg, ©, çŽóM, μ, ½ • ¶Žš, ð, » , ð, Ü, Üftf@fCf<, É' , «ž, Ý, ½, ç ê ¶, í'í'ð, μ, Ä, , ¾, ¾, çB'í'ð, μ, È, ç ê ¶, íAŠžšfR[fhA  
%ü s • ¶Žš, í • íŠ, , ¾, ê AfGfXfP[fvfV[fPf" fX, ðŽæ, è œ, ©, è, Ä, ©, ç' , «ž, Ü, è, Ü, ·B

### Append

, , Ä, É' ¶Y, , éftf@fCf<, É' Ç%Á, μ, Ä' , «ž, Ý, ½, ç ê ¶, í'í'ð, μ, Ä, - ¾, ¾, çB'í'ð, μ, È, ç ê ¶, íã' , «, ¾, è, Ü, ·B

"Log" f\_fCfAf fOf {fbfNfX(ftf@fCf<, Ö' , «ž, Ý't)

### Close

Close f{f^f" , ð%Ÿ, , Æftf@fCf<, Ö, ð' , «ž, Ý, ð|—¹, μ, Ü, ·B

### Pause/Start

Pause f{f^f" , ð%Ÿ, , Æftf@fCf<, Ö, ð' , «ž, Ý, ð^êŽž't'f, μ, Ü, ·B, ±, ð, Æ, «  
Pause f{f^f" , í Start f{f^f" , É • í%» , μ, Ü, ·B, » , ð Æã Start f{f^f" , ð  
%Ÿ, , Æ' , «ž, Ý, ð ÄŠ, μ, Ü, ·B



## Send file ([File] f [jfj...])

ftf@fCf<,đ'—□M,μ,Ü,·□B

"Send file" f\_fCfAf□fOf{fbfNfX('—□M'O,ìftf@fCf<-¼Žw'è)

### File Name

'—□M,·,éftf@fCf<,ìftf@fCf<-¼,đ"ü—í,Ü,½,í'l'đ,μ,Ä,-  
,¾,¾,ç□B,·,Å,É'¶□Y,·,éftf@fCf<,Å,È,·,ê,Î,È,è,Ü,¹,ñ□B

### Binary

ftf@fCf<,l"à—e,đ,»ì,Ü,Ü'—□M,μ,½,ç□ê□±,í'l'đ,μ,Ä,-  
,¾,¾,ç□B'l'đ,μ,È,ç□ê□±,í□AŠ;ŽšfR□[fh□A%ü□s•¶Žš,ª•İŠ,¾,ê,Ä'—  
□M,¾,ê□ATAB (\$09), LF (\$0A), CR (\$0D)^ÈŠO,ì□\$Æä•¶Žš,í'—  
□M,¾,ê,Ü,¹,ñ□B

"Send file" f\_fCfAf□fOf{fbfNfX('—□M't)

### Close

Close f{f^f",đ%Ÿ,·,Æftf@fCf<,l'—□M,đ'tŽ~,μ,Ü,·□B

### Pause/Start

Pause f{f^f",đ%Ÿ,·,Æftf@fCf<,l'—□M,đ^êŽž't'f,μ,Ü,·□B,±,ì,Æ,«  
Pause f{f^f",í Start f{f^f",É•İ%»μ,Ü,·□B,»ìÆä Start f{f^f",đ  
%Ÿ,·,Æ'—□M,đ□ÄŠJ,μ,Ü,·□B

## **Transfer ([File] f[]ffj...[])**

### **Kermit**

Kermit fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

### **XMODEM**

XMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

### **ZMODEM**

ZMODEM fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

### **B-Plus**

B-Plus fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

### **Quick-VAN**

Quick-VAN fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Û,·[]B

## Kermit ([File] Transfer f[ff]f...[l])

Kermit fvf[fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[B

### Receive

ftf@fCf<,đŽó[M,μ,Ü,·[B,»,)’O,ÉfzfXfg’x,ì Kermit ,ì Send  
fRf}}f“fh,đŽÀ[s,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[B

### Get...

fzfXfg’x,ì Kermit ,<sup>a</sup> server ,ì[ó’Ô,ìŽž,É[Atera Term ,©,çzfXfg’x  
,ìftf@fCf<—<sup>1</sup>/<sub>4</sub>,đŽw’è,μ,Äftf@fCf<,đŽó[M,μ,Ü,·[B

### Send...

ftf@fCf<,đ’—[M,μ,Ü,·[B,»,)’O,ÉfzfXfg’x,ì Kermit ,ì Receive  
fRf}}f“fh,Ü,<sup>1</sup>/<sub>2</sub>,ÍServer fRf}}f“fh,đŽÀ[s,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[B

### Finish

fzfXfg’x,<sup>a</sup> server ,ì[ó’Ô,ì,Æ,«[A,»),ê,đ%ođ[œ,μ,Ü,·[B

## Kermit Get ([File] Transfer f fjf... [l])

Kermit fvf ffgfRf<, Åftf@fCf<, đŽóM, μ, Ü, ·BfzfXfg'α, ì Kermit ,<sup>a</sup> server  
, ìó'Ô, ìŽž, É, ±, ìfRf}f"fh, đŽg—p, μ, Ä, ,<sup>3/4</sup>,<sup>3</sup>, çB

### "Kermit Get" f fCfAf fOf {fbfNfX

ŽóM, μ, <sup>1/2</sup>, çfzfXfg'α, ìftf@fCf<, ìftf@fCf<—<sup>1/4</sup>, đ"ü—Í, μ, Ä, -  
,<sup>3/4</sup>,<sup>3</sup>, çB ŽóM, μ, <sup>1/2</sup>ftf@fCf<, íACE»Y, ìffBfCefNfgfŠ, ì't, ÉAfzfXfg'α  
, Æ"˘, ìftf@fCf<—<sup>1/4</sup>, Å•Û'¶,<sup>3</sup>, ê, Ü, ·B

## Kermit Send ([File] Transfer f fjf... [l])

Kermit fvf ffgfRf<, Åftf@fCf<, ð'—M, µ, Ü, ·B, » ,ì'O, ÉzfXfg'α, ì Kermit , ì Receive  
fRf}f"fh, Ü, ½, Í Server fRf}f"fh, ðŽÀ s, µ, Ä, , ¾, ³, çB

### "Kermit Send" f\_fCfAf\_fOf{fbfNfX

'—M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'í'ð, µ, Ä, -  
, ¾, ³, çB, ·, Ä, É'¶Ý, ·, éftf@fCf<, Ä, È, ¯, ê, î, È, è, Ü, ¹, ñB"~Žž, É•i", ìftf@fCf<, ð'í'ð, ·, é,  
±, Æ, à, Ä, «, Ü, ·B

## XMODEM ([File] Transfer f[ff]...[l])

XMODEM fvf[fgfRf<,Åftf@fCf<,ð“]’—,μ,Ü,·□B

### Receive...

ftf@fCf<,ðŽó□M,μ,Ü,·□B,»,’O,ÉfzfXfg‘α,ì XMODEM ,ì—  
□MfRf}f“fh,ðŽÀ□s,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

### Send...

ftf@fCf<,ð’—□M,μ,Ü,·□B,»,’O,ÉfzfXfg‘α,ì XMODEM  
,ìŽó□MfRf}f“fh,ðŽÀ□s,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

XMODEM,lfqf“fg



## XMODEM Send ([File] Transfer f[]ff...[])

XMODEM fvf[]fgfRf<,Åftf@fCf<,ð'—[]M,μ,Ü,·[]B,»,'ì'O,ÉfzfXfg'α,ì XMODEM ,ìŽó[]MfRf}f'fh,ð<N" ®,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

### File Name

'—[]M,·,éftf@fCf<,ìftf@fCf<-<sup>1</sup>/<sub>4</sub>,ð"ü—í,Ü,½,í'l'ð,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B,·,Ä,É'¶[]Ý,·,éftf@fCf<,Ä,È,¯,ê,î,È,è,Ü,<sup>1</sup>,ñ[]B

### Option

#### Checksum/CRC/1K

XMODEM fvf[]fgfRf<,ìf[]vfVf[]f" (**Checksum/CRC/1K**) ,ð'l'ð,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]BfzfXfg'α,ìf[]vfVf[]f" ,Æ"¯,¶,É,·,é,©[]A,æ,,í,©,ç,È,ç[]ê[]¶,í  
**Checksum** ,ð'l'ð,μ,Ä,Ý,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

XMODEM ,ìf[]f[]fg



## ZMODEM ([File] Transfer f[ffj]f...[l])

ZMODEM fvf[fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[B

### Receive

ftf@fCf<,đŽó[M,μ,Ü,·[B,»,’O,ÉfzfXfg‘α,ì ZMODEM ,ì—  
[MfRf}f“fh,đ<N“® ,μ,Ä,,¾,¾,ç[B

### Send...

ftf@fCf<,đ’—[M,μ,Ü,·[B,»,’O,ÉfzfXfg‘α,ì ZMODEM  
,ìŽó[MfRf}f“fh,đ<N“® ,μ,Ä,,¾,¾,ç[B

ZMODEM ,lfq“fg

## ZMODEM Send ([File] Transfer f...)

ZMODEM fvf ffgRf<,Åftf@fCf<,đ'—M,μ,Ü,·B,»,'O,ÉzfXfg'α,ì ZMODEM ,ì'—  
MfRf}f"fh,đ<N" ®,μ,Ä,,¾,¾,çB

### "ZMODEM Send" f\_fCfAf\_fOf{fbfNfX

'—M,·,éftf@fCf<,ìftf@fCf<-¼,đ"ü—Í,Ü,½,Í'Í'đ,μ,Ä,-  
,¾,¾,çB,·,Å,É'¶Y,·,éftf@fCf<,Å,È,¯,ê,Î,È,è,Ü,¹,ñB"~Žž,É•j",ìftf@fCf<,đ'Í'đ,·,é,  
±,Æ,à,Å,«,Ü,·B

### Binary

fofCfifŠftf@fCf<,đ'—M,·,é,Æ,«,Í'Í'đ,μ,Ä,-  
,¾,¾,çB<t,ÉfefLfXfgftf@fCf<,đ'—M,·,éê±,Í'Í'đ,μ,È,ç,Å,,¾,¾,çB

ZMODEM ,lfq"fg

## B-Plus ([File] Transfer f[]ff...[])

B-Plus fvf[]fgfRf<,Åftf@fCf<,ð“]’—,μ,Ü,·[]B

### Receive

ftf@fCf<,ðŽó[]M,μ,Ü,·[]B,»,’O,É BBS ,ìf\_fEf“f[][]fhfRf}f“fh,ð<N“® ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

### Send...

ftf@fCf<,ð’—[]M,μ,Ü,·[]B,»,’O,É BBS  
,ìfAfbfvf[][]fhfRf}f“fh,ð<N“® ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

B-Plus ,ìfqf“fg

## B-Plus Send ([File] Transfer f...)

B-Plus fvf ffgfRf<,Åftf@fCf<,ð'—M,μ,Ü,·B,»,ì'O,É BBS  
,lfAfbfvf[fhfRf}f"fh,ð<N" ©,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

### "B-Plus Send" f\_fCfAf\_fOf{fbfNfX

'—M,·,éftf@fCf<,iftf@fCf<-<sup>1</sup>/<sub>4</sub>,ð"ü—Í,Ü,<sup>1</sup>/<sub>2</sub>,í'l'ð,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB,·,Å,É'¶Y,·,éftf@fCf<,Å,È,¯,ê,î,È,è,Ü,<sup>1</sup>,ñB

B-Plus ,lfqf"fg

## Quick-VAN ([File] Transfer f[]fj...[])

Quick-VAN fvf[]fgfRf<,Åftf@fCf<,đ“]’—,μ,Ü,·[]B

### Receive

ftf@fCf<,đŽó[]M,μ,Ü,·[]B,»,’O,É BBS ,ìf\_fEf“f[][]fhfRf}f“fh,đ<N“® ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

### Send...

ftf@fCf<,đ’—[]M,μ,Ü,·[]B,»,’O,É BBS  
,ìfAfbfvf[][]fhfRf}f“fh,đ<N“® ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

Quick-VAN ,ìfqf“fg

## Quick-VAN Send ([File] Transfer f fjf... [I])

Quick-VAN fvf ffgfRf<, Åftf@fCf<, ð'—M, µ, Ü, ·B, » ,ì'O, É BBS  
, ìfAfbfvf [fhfRf} f"fh, ð<N" ©, µ, Ä,, ¾, ¾, çB

### "Quick-VAN Send" f\_fCfAf\_fOf{fbfNfX

'—M, ·, éftf@fCf<, ìftf@fCf<-¼, ð"ü—Í, Ü, ½, Í'í'ð, µ, Ä, -  
, ¾, ¾, çB, ·, Å, É'¶Ý, ·, éftf@fCf<, Å, È, ¯, ê, î, È, è, Ü, ¹, ñB" -Žž, É•i", ìftf@fCf<, ð'í'ð, ·, é,  
±, Æ, à, Å, «, Ü, ·B

Quick-VAN ,ìfqf"fg

## Change directory ([File] f\ffj...)

ftf@fCf<" ]'—, ì, ½, ß, ìfffBfĈEfNfgfŠ, ð•ï X, μ, Ü, · B

## "Change directory" f\_fCfAf fOf{fbfNfX

V, μ, çfffBfĈEfNfgfŠ, ð"ü— í, μ, Ä,, ¾, ³, ç B

**Print ([File] f fjf... [I])**

"^óü"f\_fCfAf\_fOf{fbfNfX

^óü"íí,ì'ð

"Sfy[fW",ð'í'ð,·,é,ÆACE>Ý,ì%æ-Ê,ð^óü,μ,Û,·B

"'ð,μ,½·"•"ð'í'ð,·,é,ÆAf}fEfX,Å'ð,μ,½·Žš,ð^óü,μ,Û,·B



## [Edit] f[]fj...[]

### Copy

f}fEfX,Å'í'ð,μ,½•¶Žš—ñ,ð[]AfNfŠfbfvf{[]fh,ÖfRfs[][,μ,Ü,·[]B  
'[]^Ó: 'Ê[]í,í[]A,±,ìfRf}f"fh,ðŽg,α•K—  
v,í, ,è,Ü,<sup>1</sup>,ñ[]Bf}fEfX,Å•¶Žš,ð'í'ð,·,é,Æ[]AŽ©“®“í,ÉfNfŠfbfvf{[]fh,ÖfRf  
s[][,<sup>3</sup>,é,Ü,·[]B'í'ð,<sup>3</sup>,é,Ä,ç,é•¶Žš—ñ,ð[]ÄfRfs[][,·,é[]ê[]‡,É,±,ìfRf}f"fh,ðŽg  
—p,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç[]B

### Copy table

f}fEfX,Å'í'ð,μ,½•¶Žš—  
ñ,ðfNfŠfbfvf{[]fh,ÖfRfs[][,μ,Ü,·[]BfRfs[][,<sup>3</sup>,é,½•¶Žš—  
ñ,<sup>a</sup>•;[]" ,ì'PÆê,Å[]\[]—,<sup>3</sup>,é,Ä,ç,é[]ê[]‡[]A'PÆêŠÖ,ìŠe<ó"'•¶Žš—  
ñ,í,»,é,¼,ê^ê,Â,ì Tab •¶Žš,É•İŠ·,<sup>3</sup>,é,Ü,·[]B,±,ìfRf}f"fh,É,æ,è%œ-  
Ê[]ã,ì\,ðfRfs[][,μ,Ä[]A,»,é,ð Excel ,É,Ç,ì\ÆvŽŽf\ftfg,É"\,è•t,¯,é,±  
,Æ,<sup>a</sup>,Ä,«,Ü,·[]B

### Paste

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—[]o,μ,Ü,·[]B

### Paste<CR>

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðfzfXfg,Ö'—[]o,μ[]A'±,ç,Ä%œü[]sfR[]fh,à'—  
[]o,μ,Ü,·[]B

### Clear screen

%œ-Ê,ð[]Á<Ž,μ,Ü,·[]B

### Clear buffer

fXfNf[][]f<fofbftf@[][,ì"à—e,Æ%œ-Ê,ð[]Á<Ž,μ,Ü,·[]B

## [Setup] f[]fj...[]

### Terminal...

'[--fGf~f...f[]fVf#f" ,i[]Y'è,ð,μ,Û,·[]B

### Window...

%ooæ-Ê•\Ž|,i[]Y'è,ð,μ,Û,·[]B

### Font...

ftfHf"f[]g,ð•i[]X,μ,Û,·[]B

### Keyboard...

fL[]f{[]f[]h,i[]Y'è,ð,μ,Û,·[]B

### Serial port...

fVfŠfAf<f[]f[]g,i[]Y'è,ð,μ,Û,·[]B

### TCP/IP...

TCP/IP ,i[]Y'è,ð,μ,Û,·[]B

### General...

,» ,i'¼,i[]Y'è,ð,μ,Û,·[]B

### Save setup...

CE»[]Y'è,ð Tera Term []Y'èftf@fCf<,É•Û'¶,μ,Û,·[]B

### Restore setup...

[]Y'èftf@fCf<,i"à—e,É,μ,½,ª,Á,Ä Tera Term ,ð[]Y'è,μ,È," ,μ,Û,·[]B

### Load key map...

fL[]f{[]f[]h[]Y'èftf@fCf<,i"à—  
e,É,μ,½,ª,Á,ÄfL[]f{[]f[]h,ð[]Y'è,μ,È," ,μ,Û,·[]B

## Terminal ([Setup] f f f f... [I])

"Terminal setup" f f C f A f f f O f { f b f N f X

### Terminal size

f ^ [ f ~ f i f < f T f C f Y ( ' [ -- % o æ - Ê , ì ~ \_ [ f T f C f Y ) [ B % o i X [ c  
, ì • ¶ Ž š [ " , Å Ž w ' è , μ , Ü , [ B f E f C f " f h f E f T f C f Y ( Ž Å [ Ü , ì % o æ - Ê , ì ' å , « , <sup>3</sup> )  
, Æ • K , , μ , à " ~ , ¶ , Å , Í , , è , Ü , <sup>1</sup> , ñ [ B

### Term size = win size

, ±  
, ì f i f v f V f f " , ð ' l ' ð , μ , 1/2 [ ê [ # [ A f ^ [ f ~ f i f < f T f C f Y , Æ f E f B f " f h f E f T f C f Y , ð [ í , É "  
™ , μ , , μ , Ü , [ B

### Auto window resize

, ±  
, ì f i f v f V f f " , ð ' l ' ð , μ , 1/2 [ ê [ # [ A f ^ [ f ~ f i f < f T f C f Y , <sup>a</sup> • ï [ X , <sup>3</sup> , è , 1/2 , Æ , « , É [ A f E f C f "  
f h f E f T f C f Y , à " ~ , ¶ ' å , « , <sup>3</sup> , É Ž © " ® " l , É • ï [ X , <sup>3</sup> , è , Ü , [ B

### New-line (receive)

**CR+LF** , ð ' l ' ð , μ , 1/2 [ ê [ # [ A Ž ó [ M , <sup>3</sup> , è , 1/2 % o ü [ s • ¶ Ž š CR (\$0D) , ð CR+LF  
(\$0D \$0A) , É • Ĩ Š , μ , Ü , [ B

### New-line (transmit)

**CR+LF** , ð ' l ' ð , μ , 1/2 [ ê [ # [ A ' \_ [ M Ž ž , É % o ü [ s • ¶ Ž š CR (\$0D) , ð CR+LF  
(\$0D \$0A) , É • Ĩ Š , μ , Ü , [ B

### Terminal ID

f z f X f g , É • ñ [ [ , , é Terminal ID [ B Terminal ID , Í telnet , ì terminal type  
, Æ , Í ^ á , ç , Ü , [ B Telnet , ì terminal type , ð • ï [ X , , é , É , Í **[Setup] TCP/IP**  
f R f } f " f h , ð Ž g \_ p , μ , Ä , , <sup>3</sup>/<sub>4</sub> , <sup>3</sup> , ç [ B

### Local echo

f L [ " ü \_ l " ™ , É , æ , è ' \_ [ o , , é • ¶ Ž š , ð , » , ì , Ü , Ü % o æ - Ê , É • Ž [ , μ , Ü , [ B

### Answerback

f z f X f g , © , ç ENQ (\$05) • ¶ Ž š , <sup>a</sup> \_ , ç , è , Ä , « , 1/2 Ž ž , É [ A ' \_ , è • Ô , • ¶ Ž š \_  
ñ [ B • ¶ Ž š \_ ñ ' t , É Š Ü , Ü , è , é • Ž [ • s % o Ä " \ , È • ¶ Ž š ( [ \$ Ç ä • ¶ Ž š ) , Í [ A " \$ " , Æ  
, » , è , É , Ä , Ä , ASCII f R [ [ f h ( 2 Ç e . . . , ì 16 [ i [ " ) , Å • \ Ç » , μ , Ä , , <sup>3</sup>/<sub>4</sub> , <sup>3</sup> , ç [ B \_  
á , , Í [ A • ¶ Ž š \_ ñ " ABC < CR > < LF > "  
, ð f A f " f T [ [ f o f b f N , , é [ ê [ # [ A Ž Ÿ , ì , æ , x , É " ü \_ l , μ , Ä , , <sup>3</sup>/<sub>4</sub> , <sup>3</sup> , ç [ B

**ABC\$0D\$0A**

### Auto switch (VT<->TEK)

fGfXfP[fvfV[fPf“fX,đ»•É,μ,ÄAŽ©“®“I,É VT window ,©,ç TEK window ,Ö\$CEä,đ^Ú,μ,Ü,·(t,à“—l)B

### Kanji (receive)

fzfXfg,©,ç’—,ç,ê,Ä,,éŠžŽšfR[fh (SJIS, EUC, JIS ,ì3Ží—p)B

### 7bit katakana (receive)

fzfXfg,©,ç’—,ç,ê,Ä,,é””¼Šp”•Đ%¼¼¼fR[fh,ª 7 bit ,Å\CE»,ª,ê,Ä,ç,é (SO/SI ,đ—p,ç,½Vftfg\$CEä,đ—p,ç,Ä,ç,é)ê±,É’I’đ,μ,Ä,-,¾,¾,çB**Kanji (receive)** ,ª JIS ,ìê±,ì,Ý—LCEø,Å,·B

### Kanji (transmit)

’—o,·,éŠžŽšfR[fh (SJIS, EUC, JIS ,ì3Ží—p)B

### 7bit katakana (transmit)

’—o,·,é””¼Šp”•Đ%¼¼¼fR[fh,đ7bit,Å\CE»,·,é (SO/SI ,đ—p,ç,½Vftfg\$CEä,đ—p,ç,é)ê±,É’I’đ,μ,Ä,,¾,¾,çB**Kanji (transmit)** ,ª JIS ,ìê±,ì,Ý—LCEø,Å,·B

### Kanji-in (transmit)

**Kanji (transmit)** ,ª JIS ,ì,Æ,«,ÉŽg—p,·,éfGfXfP[fvfV[fPf“fX(ŠžŽšfR[fh,đ GO ,ÉŽwŽ!,·,éfV[fPf“fXB ^[\$@ ,Ü,½,Í ^[\$B )BfzfXfg,©,ç’—,ç,ê,Ä,-,éfGfXfP[fvfV[fPf“fX,Í,Ç,ž,ç,Å,à\,ç,Ü,¹,ňB

### Kanji-out (transmit)

**Kanji (transmit)** ,ª JIS ,ì,Æ,«,ÉŽg—p,·,éfGfXfP[fvfV[fPf“fX (ASCII ,Ü,½,Í JIS f[f}ŽšfR[fh,đ GO ,ÉŽwŽ!,·,éfV[fPf“fXB ^[(B ,Ü,½,Í ^[(J )BfzfXfg,©,ç’—,ç,ê,Ä,,éfGfXfP[fvfV[fPf“fX,Í,Ç,ž,ç,Å,à\,ç,Ü,¹,ňB

’^Ó: ^[(H ,Í%ŠúÝ’è,Å,Í’I’đ,Å,«,Ü,¹,ňB  
” ^[(H ,đ’I’đ%Å”\,É,·,éB

## Window ([Setup] f f f f... [I])

"Window setup" f f C f A f f f O f { f b f N f X

### Title

f E f C f " f h f E, l, l f ^ f C f g f < B

### Cursor shape

f l [ f f <, i C E ` B **Block, Vertical line, Horizontal line**  
, i 3, A, C, c ' l, x, U, . B

### Hide title bar

f ^ f C f g f < f o [ , A e f f f f . . [ f o [ [ , d o A, m, U, . B f E f B f " f h f E, d ^ U " @, ^, e, E, i Alt  
f l [ [ , d o Y, m, E, a, c % o E f } f E f X f { f ^ f " , A f E f B f " f h f E, d f h f % o f b f O, m, A, -  
, ^, ^, c B f E f C f " f h f E, d o A - % o » , ^, e, E, i Alt f l [ [ , d  
% o Y, m, E, a, c [ f f } f E f X f { f ^ f " , d o Y, m, A, , ^, ^, c B C t r l f l [ [ , d  
% o Y, m, E, a, c [ f f } f E f X f { f ^ f " , d o Y, . , A e f f b f v f A f b f v f f f f . . [ [ , a C E » , e, U, . B

### Hide menu bar

f f f f . . [ f o [ [ , d o A, m, U, . B C t r l f l [ [ , d o Y, m, E, a, c [ f f } f E f X f { f ^ f " , d  
% o Y, . , A e f f b f v f A f b f v f f f f . . [ [ , a C E » , e, U, . B

### Full color

f t f < f f f % o [ [ f G f ~ f . . f C E [ [ f V f f " , d o s, f, U, . B, ±, l f, [ [ f h, A, i A B o l d ( < ^ 2 ) /  
B l i n k ( " \_ - A ) ' @ [ [ , a • q Ž š / " w C i [ F, i ' @ [ [ , i ^ e • " , A E, m, A Ž g —  
p, ^, e A f G f X f P [ [ f v f V [ [ f P f " f X, E, æ, e Ž w ' e % o A \\  
, E • q Ž š / " w C i [ F, a 8 [ F, C, c 1 6 [ F, E ' [ , i, U, . B

### Scroll buffer

f X f N f [ [ [ f < f o f b f t f @ [ [ , d Ž g — p % o A \\  
, E, m, U, . B, U, 1/2 [ A f X f N f [ [ [ f < f o f b f t f @, i [ s [ " , a Y ' e, A, «, U, . B [ s [ " , i  
10000 ^ E [ a, E, i Y ' e, A, «, U, ^, n B f [ f, f Š, a «, e, E, f [ e [ f, i " K " —  
, E C, , c, ^, e, U, . B

### Color

#### Text

• q Ž š, i [ F

#### Background

" w C i, i [ F

#### Attribute

[ F, d Y ' e, m, 1/2, f • q Ž š, i ' @ [ [ « (Normal, Bold, Blink)

## Reverse

- řžš, ìf, æ" wœi, ìf, őœđš, μ, ů, ·B

## Font ([Setup] f f j f ... [L])

ftfHf“fg,đ•ïX,μ,Ü,·B

### "Font setup" f f C f A f f O f { f b f N f X

#### Font

•ïX,μ,½,çftfHf“fg,đŠfXfg,ì't,©,ç'l'đ,μ,Ä,,¾,¾,çB“ú- {CEê,đ•\ Ž|,·,é,½,ß,É,Í“ú- {CEêftfHf“fg,đ'l'đ,·,é•K—v,<sup>a</sup>, ,è,Ü,·B

#### Size

ftfHf“fg,ìfTfCfY,đf|fCf“fg” ,ÅŽw'è,μ,Ä,,¾,¾,çB

#### Enable bold style

Bold (<'²)'®«,ì•¶Žš,đ bold fXf^fCf<,ìftfHf“fg,Å•\Ž|,·,é,æ,κ  
,É,μ,Ü,·B,±,ìê#A%œ-  
Ê,ÉfSf~,<sup>a</sup>Žc,Á,½,èA×,©,ç•¶Žš,<sup>a</sup>Ä,Ô,è,Ä“Ç,Ý,É,,È,Á,½,è,·,é,±,Æ,<sup>a</sup>,  
,è,Ü,·B

'□: Tera Term •t'®,ìftfHf“fg Tera Special ,Í,±  
,ìf f C f A f f O f { f b f N f X,Å,Í'l'đ,Ä,«,Ü,<sup>1</sup>,ñB Tera Term ,É,æ,Á,ÄŽ©“®“l,ÉŽg—  
p,<sup>3</sup>,è,Ü,·B

## Keyboard ([Setup] f f j f ...)

### "Keyboard setup" f f C f A f f O f { f b f N f X

#### Transmit DEL by:

##### Backspace Key

, ±, ì | f v f V f f f " , ð ' ð , ð , é , é , Æ backspace f L [ , ð % ö Ÿ , μ , ½ Ž ž , É DEL • ¶ Ž š (ASCII \$7F) , ð ' — □ o , ð , é , Ü , · □ B ' ð , ð , é , È , ç , Æ BS • ¶ Ž š (ASCII \$08) , ð ' — □ o , ð , é , Ü , · □ B , Ü , ½ □ A , ± , ì | f v f V f f f " , ð ' ð , ð , é , ½ ( ' ð , ð , é , È , ç ) Ž ž , Å , à Ctrl + Backspace , Å BS (DEL) • ¶ Ž š , ð ' — □ o , Å , « , Ü , · □ B

##### Delete key

, ±, ì | f v f V f f f " , ð ' ð , ð , é , é , Æ Delete (Del) f L [ , ð % ö Ÿ , μ , ½ Ž ž , É DEL • ¶ Ž š , ð ' — □ o , ð , é , Ü , · □ B , ± , ì | f v f V f f f " , ð ' ð , ð , é , È , ç □ é □ # □ A Delete f L [ , ì < @ " \ , ì f L [ { □ [ f h □ Ý ' è f t f @ f C f < , É , æ , è Ç ^ ' è , ð , é , Ü , · □ B

#### Meta key

Alt f L [ , ð f □ f ^ □ E f L [ (meta key) , Æ , μ , Ä Ž g , ç , Ü , · □ B — á , ¡ , Í □ A Alt + A , ð % ö Ÿ , · , Æ □ A ESC A , ð ' — □ o , μ , Ü , · □ B f □ f ^ □ E f L [ f , □ [ f h , Å , Í □ A f v f f # □ [ f g f ] f b f g □ E f L [ , í ^ è • " , ð □ œ , ç , Ä Ž g — p , Å , « , È , , È , è , Ü , · □ B

f L [ { □ [ f h □ Ý ' è f t f @ f C f < , ð ' , « , © , ¡ , é , ± , Æ , Å Ž © — R , É f L [ □ Ý ' è , ð • Ĩ □ X , · , é , ± , Æ , ð , Å , « , Ü , · □ B



## Serial port ([Setup] f f f f... [I])

"Serial port setup" f f C f A f f f O f { f b f N f X

### Port

Žg—p,·,é f | [ f g [ B

### Data, Stop, Baud rate, Flow control, Parity

f V f Š f A f < f | [ f g , l f p f % o f [ f ^ [ , Å , · B [ Ú ' ± , · , é f , f f f € "™ , ì [ Ý ' è , É , , í , 1 , Ä , - , 3/4 , 3 , ç [ B

' [ :        **Data** , ð 7 , É , · , é , Æ [ A X M O D E M , Z M O D E M , B - P L U S , Q u i c k - V A N , É , æ , é f t f @ f C f < " ] ' — , í , Å , « , Ü , 1 , ñ [ B , Ü , 1/2 **Flow control** , ð **Xon/Xoff** , É , · , é , Æ [ A X M O D E M , Q u i c k - V A N , É , æ , é f t f @ f C f < " ] ' — , í , Å , « , Ü , 1 , ñ [ B

### Transmit delay

Tera Term , <sup>a</sup> · ¶ Ž š ( [ s ) , ð ' — [ o , µ , 1/2 , , Æ Ž Ÿ , ì · ¶ Ž š ( [ s ) , ð ' — [ o , · , é , Ü , Å , ì ' Ò , ; Ž ž Š Ô [ B ' P ^ Ê , í f ~ f Š · b , Å , · [ B 1 · ¶ Ž š ( [ s ) , <sup>2</sup> , Æ , ì ' Ò , ; Ž ž Š Ô , ð [ Ý ' è , Å , « , Ü , · [ B Tera Term , © , ç ' å — Ê , ì · ¶ Ž š , ð ' — [ o , µ , 1/2 , Æ , « , É f , f f f € , â f z f X f g , <sup>a</sup> · ¶ Ž š , ð Ž æ , è , ± , Ú , · [ ê [ † , É , í " K " - , È ' Ò , ; Ž ž Š Ô , ð [ Ý ' è , µ , Ä , Ý , Ä , , 3/4 , 3 , ç [ B

## TCP/IP ([Setup] f fjf... [I])

"TCP/IP setup" f fCfAf fOf {fbfNfX

### Host list

[File] New connection

, dŽÄ s, μ, ½ ŽŽ, ÉŒ» , ê, é f fCfAf fOf {fbfNfX, lfzfXfgfŠfXfg, a • Ò W, Å, «, Ü, · Bfz  
fXfg-¼, Ü, ½, Í IP address , đfŠfXfg, É%oÁ, !, é, ±, Æ, a, Å, «, Ü, · B, æ, Ü' ±  
, ·, ézfXfg, đ, ±, lfŠfXfg, É"o~^, μ, Ä, ", , Æ • Ö— ~, Å, · B  
, Ü, ½ AfzfXfg-¼, ¾, -, Å, È, ^ È%oo, ì, æ, x, ÈfRf}f"fhf%ofCf" • ¶ Žš—  
ñ, đfŠfXfg, É"o~^, ·, é, ±, Æ, à, Å, «, Ü, · B

**myhost.mydomain** 'É í, lfzfXfg-¼, Ü, ½, Í IP address , ¾, -

**myhost.mydomain:23** fzfXfg-¼, Æf| [fg" Ô +

**foohost.foodomain /F=FOOHOST.INI** fzfXfg-¼ + ¶ Ý' èftf@fCf<-

¼, đŽw'è

**/C=1** fvfŠfAf<f| [fg, đŽw'è, ·, é, ±, Æ, à%oÁ" \

**/R=LOG.DAT** fzfXfg, âf| [fg, É Ü' ±, ¹, , É Af fOf tf@fCf<, ì" à—e, đ Ä ¶ ¶

### Auto window close

, ±, lf|fvfVf#f" , đ' l' đ, ·, é, Æ AfzfXfg, Æ, ì Ü' ±, a Ø, è, ½, Æ, « Ž © " ® " l, É Tera  
Term , đ | —¹, μ, Ü, · B

### TCP port#

f| [fg" Ô + B Telnet , đ Žg—p, ·, é, Æ, «, Í A' È í 23, É, μ, Ü, · B

### Telnet

Telnet fvf [fgfRf<, đ Žg—p, μ, Ü, · B' È í, Í' l' đ, μ, Ä, , ¾, ¾, ç B

### Terminal type

Telnet fvf [fgfRf<, Å Ü' ±, μ, ½, Æ, « fzfXfg, É • ñ B, ·, é terminal type B

## General ([Setup] f fjf... [I])

"General setup" f\_fCfAf\_fOf{fbfNfX

### Default port

Tera Term , ðfRf}f“fhf%ofCf“fpf%of [f^ [ , È, μ, Å<N“ ® , μ, 1/2, Æ, «, É □ Ú' ±  
, , éf [ [fg, ÌŽí—P (TCP/IP , Ü, 1/2, Í **Serial**) □B

### Language

f^ [ [f~fif<fGf~f...f [ [fVf†f“ , Ì ¾ È êf, [ [fh(%op È ê/“ú- { È ê/  
f [ [fVfA È ê) □B“ú- { È ê, ð • \Ž! , , , é, 1/2, ß, É, Í **Japanese** , ð ' ð, μ, Ä, , ¾, ¾, ç □B

## Save setup ([Setup] f fjf... [I])

CE»Ÿ, ìŸ'è, ð Tera Term Ÿ'èftf@fCf<, É•Ů'Ÿ, μ, Ü, ·B

## "Save setup" f\_fCfAf\_fOf{fbfNfX

Tera Term Ÿ'èftf@fCf<, ìftf@fCf<-<sup>1/4</sup>, ðŽw'è, μ, Ä, -  
, <sup>3/4</sup>, <sup>3</sup>, çBŽw'è, μ, <sup>1/2</sup>ftf@fCf<, <sup>a</sup>, ·, Å, É'ŸŸ, ·, éêê‡, íăŸ', «, <sup>3</sup>, ê, Ü, ·Bftf@fCf<-  
<sup>1/4</sup>, ÌŠg'£Žq, ðÈ—<sup>a</sup>, μ, <sup>1/2</sup>ê‡A".INI" ,<sup>a</sup>Šg'£Žq, Æ, È, è, Ü, ·B

## Restore setup ([Setup] f fjf... [I])

Tera Term □Ý'èftf@fCf<,l"à—e,É,μ,½,ª,Á,Ä Tera Term ,ð□Ý'è,μ,È,¨,μ,Ü,·□B

### "Restore setup" f\_fCfAf□fOf{fbfNfX

,·,Å,É'¶□Ý,·,é Tera Term □Ý'èftf@fCf<,lftf@fCf<-¼,ðŽw'è,μ,Ä,,¾,³,¢□Bftf@fCf<-¼,lšg'£Žq,ð□È—ª,μ,½□ê□#□A".INI" ,ªšg'£Žq,Æ,È,è,Ü,·□B

## Load key map ([Setup] f f f f... [I])

fL[f{[fhY'èftf@fCf<,l"à—e,É,μ,½,ª,Á,ÄfL[f{[fh,ðY'è,μ,È,"μ,Ü,·B

### "Load key map" f\_fCfAf\_fOf{fbfNfX

,·,Å,É'¶Y',·,éjL[f{[fhY'èftf@fCf<,lftf@fCf<-¼,ðŽw'è,μ,Ä,,¾,³,†Bftf@fCf<-¼,ìŠg'£Žq,ðÈ—ª,μ,½ê#A".CNF" ,ªŠg'£Žq,Æ,È,è,Ü,·B

## [Control] f~fj...~

### Reset terminal

^~fj<,išeŽif,~fh,đšfZfbfg,μ,Ü,·~B

### Are you there

Telnet ,ì AYT (Are You There) fRf}f“fh,đ’—~o,μ,Ü,·~B’Ê~ifzfXfg,í,±,ê,ÉCEÄ%ž,μ,Ä%½“™,©,ìf~fbfZ~fW,đ’—,è•Ô,μ,Ä,«,Ü,·~BTelnet  
~Ú’±,ì,Æ,«,¾,~Žg—p,Â,«,Ü,·~B

### Send break

fufCE~fN~M~t,đ’—~o,μ,Ü,·~B

### Reset port

fVfšfAf<f|~f~g,đšfZfbfg,μ,Ü,·~BfVfšfAf<f|~f~g~Ú’±,ì,Æ,«,¾,~Žg—p,Â,«,Ü,·~B

### Open TEK

TEK window ,đšJ,«,Ü,·~B

### Close TEK

TEK window ,đ•Â,¶,Ü,·~B

### Macro

f}fNf~,đžÀ~s,μ,Ü,·~B

## [Window] f fjf... [

ŽÀ s't, ì Tera Term fEfCf"fhfE, ð, ±, ìf fjf... [ , ìfŠfXfg, ©, ç' l, Ñ A%æ-  
Ê, î^ê"Ô'O, É•\Ž, <sup>3</sup>, <sup>1</sup>, Ü, · B Å'â, Å9ĈĈ, ìfEfBf"fhfE, ðfŠfXfg, É•\  
Ž, <sup>3</sup>, ê, Ü, · BŽÀ s't, ìfEfBf"fhfE, ð9ĈĈ, æ, è' <sup>1</sup>/<sub>2</sub>, -  
A fŠfXfg, É, È, çfEfBf"fhfE, ð' l' ð, µ, <sup>1</sup>/<sub>2</sub>, ç ê ð †, Í A, ±, ìf fjf... [ , î^ê"Ô%º, É, , é  
Window fRf}f"fh, ðŽg—p, µ, Ä, , <sup>3</sup>/<sub>4</sub>, <sup>3</sup>, ç B

## Window...

ŽÀ s't, ì Tera Term fEfCf"fhfE, ð%æ-Ê, î^ê"Ô'O, É•\  
Ž, <sup>3</sup>, <sup>1</sup>, <sup>1</sup>/<sub>2</sub>, è•Ĉ, ¶, <sup>1</sup>/<sub>2</sub>, è, µ, Ü, · B



## Window [Window] f fjf... [

ŽÀ s't, ì Tera Term fEfCf“fhfE, ð%œ-Ê, ì^ê”Ô'O, É•\Ž|, <sup>3</sup>, <sup>1</sup>, ½, è•Â, ¶, ½, è, µ, Ü, ·B

## "Window list" f\_fCfAf fOf{fbfNfX

### Window

ŽÀ s't, ì Tera Term fEfCf“fhfE, ìfŠfXfg B^ê, Â'I'ð, µ, Ä, <sup>3</sup>/<sub>4</sub>, <sup>3</sup>, çB

### Open

'I'ð, <sup>3</sup>, ê, ½fEfCf“fhfE, ð%œ-Ê, ì^ê”Ô'O, É•\Ž|, <sup>3</sup>, <sup>1</sup> A, »µ, Ä, ±  
, ìf\_fCfAf fOf{fbfNfX, ð•Â, ¶, Ü, ·B

### Close window

'I'ð, <sup>3</sup>, ê, ½fEfCf“fhfE, ð•Â, ¶, Ü, ·B



## TEK window ,lfRf}f“fh

[File] f[]fjf...[]

[Edit] f[]fjf...[]

[Setup] f[]fjf...[]

**[VT-window] f[]fjf...[]**  
VT window ,Ö^Ú“® ,μ,Ü,·[]B

[Window] f[]fjf...[]

[Help] f[]fjf...[]

## [File] f\ffj... (TEK window)

### Print...

%oæ-Ê'S'ì,Ü,½,í[Af}fEfX,Å'I'ð,³,ê,½—ì^æ,ì%oæ'œ,ð^óü,μ,Ü,·B

### **Exit**

TEK window,ð•Â,¶,Ü,·B

## Print (TEK window [File] f fjf... [I])

"^óü" f\_fCfAf\_fOf{fbfNfX

^óü"íí,ìí'ð

"Sfy[fW" ,ð'í'ð,·,é,ÆACE»Ý,ì%æ-Ê,ð^óü,μ,Û,·B  
"í'ð,μ,½•"•a",ð'í'ð,·,é,ÆAf}fEfX,Å'í'ð,μ,½-ì^æ,ì  
%æ'æ,ð^óü,μ,Û,·B

## [Edit] f[]ffj...[] (TEK window)

### Copy

f}fEfX,Å'ì'ð,<sup>3</sup>,ê,<sup>1/2</sup>—ì^æ,ì%œ'œ,ðfNfŠfbfvf{[]fh,ÖfRfs[],μ,Û,·[]B

### Copy screen

%œ-Ê'S'ì,ì%œ'œ,ðfNfŠfbfvf{[]fh,ÖfRfs[],μ,Û,·[]B

### Paste

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðzfXfg,Ö'—[]o,μ,Û,·[]B

### Paste<CR>

fNfŠfbfvf{[]fh,ì't,ì•¶Žš—ñ,ðzfXfg,Ö'—[]o,μ[]A'±,¢,Ä%ö[]sfR[]fh,à'—  
[]o,μ,Û,·[]B

### Clear screen

%œ-Ê,ð[]Á<Ž,μ,Û,·[]B

## [Setup] f[]ffj...[] (TEK window)

### Window...

%oæ-Ê•\Ž!,ì[]Ý'è,đ,μ,Û,·[]B

### Font...

ftfHf“fg,đ•ï[]X,μ,Û,·[]B

## Window (TEK window [Setup] f fjf... [I])

"Window setup" f fCfAf fOf{fbfNfX

### Title

fEfBf"fhfE,lf^fCfgef<B

### Cursor shape

f [f]f<, ìĀ` BBlock, Vertical line, Horizontal line  
, ì3, Â, ©, ç' l, x, Ü, · B

### Hide title bar

f^fCfgef<fo [ , Æf fjf... [fo [ , ð Á, µ, Ü, · BfEfBf"fhfE, ð^Ú" ®, ³, ¹, é, É, Í Alt  
fL [ , ð%oÿ, µ, È, ª, ç%oEf}fEfXf{f^f" , ÅfEfBf"fhfE, ðfhf%ofbfO, µ, Ä, -  
, ¾, ¾, ç BfEfCf"fhfE, ð Å ¬%o» , ³, ¹, é, É, Í Alt fL [ , ð  
%oÿ, µ, È, ª, ç [f]f}fEfXf{f^f" , ð%oÿ, µ, Ä, , ¾, ¾, ç BCtrl fL [ , ð  
%oÿ, µ, È, ª, ç [f]f}fEfXf{f^f" , ð%oÿ, · , Æf|fbfvfAfbfvf fjf... [ , ðĀ» , ê, Ü, · B

### Hide menu bar

f fjf... [fo [ , ð Á, µ, Ü, · BCtrl fL [ , ð%oÿ, µ, È, ª, ç [f]f}fEfXf{f^f" , ð  
%oÿ, · , Æf|fbfvfAfbfvf fjf... [ , ðĀ» , ê, Ü, · B

### Color emulation

• ¶ Žš, âfOf%oftfBfbfN, ì F, ð Žw'è, · , éfGfXfP [fvfV [fPf" fX, ð—  
LĀø, É, µ, Ü, · B, ±  
, ìf|fvfVf#f" , ð' l' ð, · , é, Æ A' l' ð, µ, È, ç ê [f] , É" ä, x f [f, fŠ A' i—Ê, ª [f]  
%oÁ, µ, Ü, · B • K—v, ì, È, ç ê [f] , í' l' ð, µ, È, ç, Å, , ¾, ¾, ç B

### Color

#### Text

• ¶ Žš, ì F

#### Background

"wĀi, ì F

#### Reverse

• ¶ Žš, ì F, Æ" wĀi, ì F, ðĀðŠ, µ, Ü, · B



## Font (TEK window [Setup] f...fj...)

ftfHf“fg,đ•ïX,μ,Ü,·B

### "Font setup" f\_fCfAf\_fOf{fbfNfX

#### Font

•ïX,μ,½,çftfHf“fg,đfŠfXfg,ì't,©,ç'l'đ,μ,Ä,,¾,³,çB

#### Size

ftfHf“fg,ìfTfCfY,đf|fCf“fg”,ÅŽw'è,μ,Ä,,¾,³,çB



## Tera Term [Y'eftf@fCf<

<N"®Žž,Ü,½,í[A[Setup] Restore setup ,đŽÀ[s,μ,½,Æ,«[A[Y'eftf@fCf<,ì"à—  
 e,É,μ,½,ª,¢ Tera Term ,ª%Šú%»»,³,ê,Ü,·[BfRf}f"fhf%ofCf",Á[Y'eftf@fCf<-  
 ¼,đŽw'è,·,é,±,Æ,ª,Á,«,Ü,·[BfRf}f"fhf%ofCf",Áftf@fCf<-  
 ¼,đŽw'è,μ,È,¢[ê[†[A[Y'eftf@fCf< **TERATERM.INI** ,ª"Ç,Ý[ž,Ü,ê,Ü,·[Bftf@fCf<-  
 ¼,Ìšg'£Žq,đ[È—ª,μ,½[ê[†,í[A".INI",Á, ,é,Æ,Ý,È,³,ê,Ü,·[B

CE»[Y,ì[Y'è,đ[Y'eftf@fCf<,É·Ù'¶,·,é,É,í[A[Setup] Save setup ,đŽÀ[s,μ,Ä,-  
 ,¾,¾,¢[B

## Tera Term [Y'eftf@fCf<,ì"Ç,Ý[ž,Ý[ê—pfjfvfVf#f"

^È%º,ì[Y'è,đ,·,é,É,í[Af+[fU[í Tera Term  
 [Y'eftf@fCf<,đ'¼[Ú·Ò[W,μ,È,·,ê,Î,È,è,Ü,¹,ñ[B

### f^[f~fif<fGf~f...fCE[fVf#f"

C1 [§CEä·¶Žš(\$80-\$9F),đŽg—p,μ,È,¢  
lIS Š;Žš'—[o,Ìžž[A³,μ,,È,¢ "kanji-out" fV[fPf"fX ^[(H ,đŽg—p%Å)\  
,É,·,é  
2fofCfg·¶Žš(Š;Žš),l1fofCfg-Ú,Æ2fofCfg-  
Ú,ÌŠÔ,É[§CEä·¶Žš™,ª"ü,Á,½[ê[†[A1fofCfg-Ú,đ-³CEø,É,·,é  
Žó[M,μ,½·¶Žš,đ,·,x,Ä·\Ž!,·,é,æ,α,É,·,é  
TEK GIN report ,lf}fEfXfR[fh,ì'l,đ[Y'è,·,é

### fEfBf"fhfE

Ž©"®"l,È·¶Žš—ñfRfs[[,đ,μ,È,¢ new  
f\_fuf<fNfŠfbfN,É,æ,é'PCEê'l'đ,ì<æ[Ø,è·¶Žš new  
f|fbfvfAfbfvf[fjf...[[,đŽg—p·s%Å,É,·,é new  
"Show menu bar" fRf}f"fh,đ%B,· new  
CE¾CEêf,[[fh,ì'l'đ,đ·s%Å,É,·,é new  
fXfNf[[[f<fofbftf@[l,ì[Á'ã[s]" new  
" -Á,μ,È,¢f[[f< new  
^ê"x,ÉfXfNf[[[f<,·,é[Á'ã,ì[s]" ,đ[Y'è,·,é  
f}fEfX,ÁfEfBf"fhfE,đ'l'đ,μ,½,Æ,«,ì·¶Žš,ì'l'đ,đ·ÖŽ~,·,é new  
""[F,·,æ,Ñ[·[F'®[«,ì·¶Žš,ìŽÁ[Ú,ì[F new  
·¶Žš([s)ŠÔ,É,·,«,Ü,đ,·,é  
[Window] f[fjf...[[,đ%B,· new

### 'Ê[M

TCP/IP %ñ[ü[Ø'f,Ìšm"É,đ,μ,È,¢  
Telnet ,lfofCfifŠflfvfVf#f"  
Telnet ,lfGfR[[flfvfVf#f" new

Telnet ,lf[]fO

Telnet —pf[]fg”Ô[]t / ”ñ telnet []Ú’±—p’[—[]Ý’è new

**ftf@fcf<“]’—**

B-Plus Žó[]M,ìŽ©“®<N“®

B-Plus ,Å,.,x,Ä,ì[]\$€ä•¶Žš,ðfGfXfP[]fv,.,é new

B-Plus ,lf[]fO

Kermit ,lf[]fO

Quick-VAN ,lf[]fO

Quick-VAN ,lfEfBf“fhfEftfcfY

XMODEM ,lf[]fO

ZMODEM Žó[]M,ìŽ©“®<N“®

ZMODEM ‘—[]M,ì[]Ý’è

ZMODEM ,Å,.,x,Ä,ì[]\$€ä•¶Žš,ðfGfXfP[]fv,.,é

ZMODEM ,lf[]fO

**^ó[]ü**

fvšf“f^ftfHf“fg,ìŽw’è

fy[]fw—]””,ìŽw’è new

^ó[]ü,ì”{—!  new

**,» ,ì¼**

[]Ú’±Žž,ìfr[]fv%oo<sup>1</sup> new

IME (“ú-{€è“ü—ífVfXfef€),ÉŠÖ,.,é[]Ý’è

<N“®Žž,Éf}fNf[],ðŽÀ[]s new

## C1 [§]€ä•[Žš (\$80-\$9F) ,đŽg—p,μ,È,ç

Tera Term ,ìŠžŽšf, [fh(ŽóM), đ **EUC** , © **JIS** ,É,μ,Ä [A Teraminal ID ,đ VT2XX  
,Ü,½, [A VT3XX ,É,μ,Ä, ç, éê [A Shift-JIS  
,ìŠžŽš,đŽóM, ,é,Æ [Afnf“fOfAfbfv, ,é,±,Æ,ª, ,è,Ü, [B

,±,ê, [A Shift-JIS fR [fh, ì†,É C1 [§]€ä•[Žš (\$80-9F) ,ªŠÜ,Ü,ê,Ä,ç  
,é,½,ß,É [A, » ,é,ç, đ [§]€ä•[Žš,Æ,μ,Ä%đŽß,μ,Ä,μ,Ü,ç [A' [---, ìó'Ô,ª, ", ©, μ, -  
,È,é, ©, ç, Å, [B

—á,ì, [A fzfXfg,É,æ,Á,Ä, [f [fOfCf“Žž,È,Ç,É **SJIS** (Shift-JIS), **EUC**, **JIS** ,È,Ç,ì [Ží—  
p,ìŠžŽšfR [fh, đ' [---,É'—, è [A, Ç, [fR [fh,ª [³, μ, •\Ž',ª,ê,Ä,é, ©ft [fU [ [É“ü—  
í,ª,¹,é [A,Æ, ç,ª,±,Æ,ª, ,è [A, ±, ì,æ,ª,Éê [A,É-â'è,ª [ [μ,Ü, [B

,à,μ [A, ±, ì,æ,ª,É [ó'Ô,É,È,Á,½ [ê [A [Control] Reset terminal ,Á' [---  
,ì [ó'Ô, đfŠfZfbfg,μ,Ä,ª,³, ç [B

,±,ì,æ,ª,È-â'è,đ,ª, -,é,É, [A3,Â,ì•û-@,ª, ,è,Ü, [B

1) ŠžŽšf, [fh(ŽóM), đ **SJIS** ,É [Y'è, ,é [B

2) [Setup] Terminal ,Á Terminal ID ,đ VT1XX (—á,ì, [ VT100) ,É, ,é [B

3) [Y'èftf [fCf<,ì [Tera Term] fZfNfVf†f“ ,É

### Accept8BitCtrl=off

,Æ, ç,ª [s, đ'Ç%Á,μ [A C1 [§]€ä•[Žš,Æ,μ,Ä'—, ç,ê,Ä,ª,½•[Žš,đ-³Ž<, ,é,æ,ª  
,É [Y'è, ,é [B

[È—ªŽž:

### Accept8bitCtrl=on

## ☐³,μ,,È,ç "kanji-out" ,đŽg—p%oÂ"\,É,·,é

^ê•",)fVfXfef€,\p,ç,ç,ê,Ä,ç,é "kanji-out" fV☐[fPf"fX ^[(H ,í☐AJIS/ISO ,)KŠi,É☐],Á,Ä,ç,Ü,<sup>1</sup>,ñ☐B-{“-É•K—v,ì, ,é☐é☐#^ÈŠO,ÍŽg—p,μ,È,ç,Á,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç☐B☐ %oŠú☐Ý'è,Á,ÍŠÔ^á,ç,đ-h,®,<sup>1</sup>/<sub>2</sub>,ß **[Setup] terminal** f\_fCfAf☐fOf{fbfNfX,Á ^[(H ,<sup>a</sup>'l'đ,Á,«,É,ç,æ,π,É,È,Á,Ä,ç,Ü,·☐B

^[(H ,đ'l'đ,Á,«,é,æ,π,É,·,é,É,Í☐A☐Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f",É☐A

### **AllowWrongSequence=on**

,Æ,ç,π☐s,đ'Ç%oÁ,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç☐Bf\_fCfAf☐fOf{fbfNfX,Á'l'đ,Á,«,é,æ,π,É,È,è,Ü,·☐B

☐È—<sup>a</sup>Žž:

### **AllowWrongSequence=off**

**Ž © “ ® “ I, È • ¶ Ž š — ñ f R f s [ , ð , μ , È , ç**

f}fEfX,Å•¶Žš—ñ,ð'ı'ð,·,é,Æ□A“~Žž,É,»e,afNfŠfbvf{□[fh,ÉfRfs□[,³,ê,Ü,·□B,±  
,İŽ © “ ® “ I, È • ¶ Ž š — ñ f R f s [ , ð , μ , È , ç , æ , x , É , · , é , É , Í □ A □ Ý ' è f t f @ f C f < , İ **[Tera Term]**  
fZfNfVf†f“ ,É^È%°°,İ□s,ð'Ç%°°Á,μ,Ä,,¾,³,ç□B

**AutoTextCopy=off**

□È—ªŽž:

**AutoTextCopy=on**

□Ú'±Žž,ìfr□[fv%oo<sup>1</sup>

TCP/IP □Ú'±,Šm—š,μ,½Žž,Æ,»,ì□Ú'±,Ø,ê,½Žž,Éfr□[fv%oo<sup>1</sup>,đ-  
Â,ç,·,É,í□A□Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf†f'' ,É^È%oo<sup>o</sup>,ì□s,đ'Ç%ooÁ,μ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

**BeepOnConnect=on**

□È—Šž:

**BeepOnConnect=off**



## B-Plus ŽóM,ìŽ©“®<N“®

Ý’èftf@fCf<,ì [Tera Term] fZfNfVf+f“,ÉA

**BPAuto=on**

,Æ,ç,æs,đ’Ç%oÁ,·,é,ÆANifty-Serve “™,ì BBS ,ÅAB-Plus  
,ìf\_fEf“f[fhfRf}f“fh,đŽÀs,μ,½,Æ,«,ÉAŽ©“®“I,É Tera Term ,ì B-Plus  
ŽóM,ªŠJŽn,<sup>3</sup>,ê,é,æ,æ,É,È,è,Û,·B

È—ªŽž:

**BPAuto=off**

## B-Plus ,Å,·,×,Ä,ì§CEä•¶Žš,ðfGfXfP[]fv,·,é

B-Plus ,Å,íA'ÊM%ñü,^ê•",ì§CEä•¶Žš,ð'Ê,<sup>3</sup>È,ç,±  
,Æ,ð'z'è,μ,ÄA,»,ê,ç,ðfGfXfP[]fv,·,é(¼,ì•¶Žš,ì'g,Ý¶,í,<sup>1</sup>É'u,«Š·,!,é),æ,×  
,É,È,Á,Ä,ç,Ü,·B,μ,©,μA'z'èŠO,ì§CEä•¶Žš,à'Ê,<sup>3</sup>È,ç%ñü,ìê¶,Í"']—,<sup>a</sup>,×,Ü,,ç  
,«,Ü,<sup>1</sup>,ñB,»,ì,æ,×,Èê¶,íA'Ý'èftf@fCf<,ì [Tera Term] fZfNfVf¶f",ÉA

### **BPESCtl=on**

,Æ,ç,×s,ð'Ç%Á,μ,Ä,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB,±,ê,Å,·,×,Ä,ì§CEä•¶Žš,ðfGfXfP[]fv,·,é,æ,×  
,É,È,è,Ü,·B

È—<sup>a</sup>Žž:

### **BPESCtl=off**

## B-Plus ,lfO

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,ÉA

**BPLog=on**

,Æ,ç,æ[s,ð'Ç%oÁ,·,é,Æ[AfzfXfg,Æ Tera Term ,ìŠÔ,Å B-Plus ,ð—p,ç  
,½ftf@fCf<"]—,ð,·,é,Æ,«,É[ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **BPLUS.LOG**  
,É<L~^,μ,Ü,·B

È—aŽž:

**BPLog=off**

## TCP/IP %oňüØ'f,ìŠm" F,đ,μ,È,ç

Unix "™,lfzfXfg,É telnet ,ÁfOfCf" ,μ,Ä,ç,éó'Ô,ÅA%oňü,đ<-  
\$"l,ÉØ'f,·,é,ÆAfvfZfX,žc,Á,½,Û,Û,É,É,é,±,Æ,a, ,è,Û,·B,â,p,đ"¾,È,çê†,  
đœ,«A³,μ,ç•û-@,ÁfOfAfEfg,·,é,æ,κ,É,μ,Ä,,¾,³,çB

Tera Term ,ì%ŠúÝ'è,Å,í TCP/IP Ú'±Žž,É fVfXfef€fjfj...  
[,ìu•Ä,¶,évfRf}f"fh,Û,½,í **[File]** fjfj...[,ì **Exit** fRf}f"fh,Å%oňü,đ<-  
\$"l,ÉØ'f,·,é,Æ,«,ÉA"Disconnect ?" ,Æ,ç,κfbfZ[fW,đ•\  
Ž!,μ,Äft[fU[,ÉŠm" F,đ,μ,Û,·B

Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf†" ,ÉA

### ConfirmDisconnect=off

,Æ,ç,κs,đ'Ç%oÁ,·,é,ÆA%oňü,đ<\$Ø'f,·,é,Æ,«,Éft[fU[,ÉŠm" F,đ,μ,Û,¹,ňB

È—žž:

### ConfirmDisconnect=on

## 2fofCfg•¶Žš(Š;Žš),ì1fofCfg-Ú,Æ2fofCfg-Ú,ÌSÔ,É¶\$Æä•¶Žš“™,ª“ü,Á,½¶ê¶#¶A1fofCfg-Ú,ð-³Æø,É,·,é

fzfXfg, ©, ç' —, ç, ê, Ä,, é2fofCfg•¶Žš(Š;Žš“™),ì1fofCfg-Ú,Æ2fofCfg-Ú,ÌSÔ,É¶\$Æä•¶Žš(—á,!,í%ü¶s•¶Žš)“™,ª“ü,Á,Ä,à¶Atera Term ,ì%Šú¶Y'è,Å,Í2fofCfg•¶Žš,à¶\$Æä•¶Žš,à¶³,µ,Žæ,è^µ,í,ê,Ü,·¶B

¶Y'èftj@fCf<,ì [Tera Term] fzfNfvf¶f“,É¶A

### CtrlInKanji=off

,Æ,ç,¶s,ð'Ç%Á,·,é,Æ¶A2fofCfg•¶Žš,ì1fofCfg-Ú,ìÆä,É¶\$Æä•¶Žš“™,ª—^,½¶ê¶#¶A1fofCfg-Ú,ð-³Æø,É,µ,Ü,·¶B,±,ìÆä,É2fofCfg-Ú,ª—^,Ä,à¶Afsf~ ,Æ,µ,Ä•\Ž!,³,ê,Ü,·¶B2fofCfg•¶Žš,ð¶³,µ,-^µ,í,È,çfAfvfŠfP¶[fvf¶f“,Å,í¶A,±,ì,æ,¶,É,µ,½,Ü,¶,ª¶A%æ-Ê,ì•¶Žš%»»,¯,ª¶,È,-,È,é%Ä“\¶«ª,è,Ü,·¶B—á,!,î¶AŠ;Žš,ì1fofCfg-Ú,ìÆä,É%ü¶s•¶Žš,ð¶o,µ,Ä¶A,» ,ìÆä,É2fofCfg-Ú,í¶o,³,È,ç¶A,Æ,ç,¶fAfvfŠfP¶[fvf¶f“,ª, ,Á,½,Æ,·,é,Æ¶A,» ,ìŠ;Žš,íŽì,Ä,ç,ê,Ü,·,ª¶A%ü¶s•¶Žš^È¶~ ,É—^ ,é•¶Žš,ª%»»,¯,ª,É¶İ,Ý,Ü,·¶B

¶È—ªŽž:

### CtrlInKanji=on

## ŽóM,μ,½•¶Žš,đ,·,×,Ä•\Ž!

ŽóM,μ,½•¶Žš,đ,·,×,Ä•\Ž!,·,é,æ,κ,É,·,é,É,ÍAÝ'èftf@fCf<,ì [Tera Term]  
fZfNfVf¶f",ÉA

### Debug=on

,Æ,ç,κs,đ'Ç%Á,μ,Ä,,¾,¾,çBShift+Esc ,đ  
%Ÿ,·,ÆffofbfOf,¶[fh,É,È,è,Ü,·BfffofbfOf,¶[fh,đ%đœ,·,é,É,Í,à,κ^ê"x  
Shift+Esc ,đ%Ÿ,μ,Ä,,¾,¾,çB

fffofbfOf,¶[fh,Á,ÍAZóM,μ,½ff¶f^,đ^È%º,ì<K'¥,Á•¶Žš,É•İŠ,μ,Ä•\Ž!,μ,Ü,·B

\$00-\$1F: ^@ - ^\_,đ•\Ž!  
\$20-\$7E: ,»,ì,Ü,Ü•¶Žš,Æ,μ,Ä•\Ž!  
\$7F: <DEL>,đ•\Ž!  
\$80-\$FF: ¶Åã^Ê bit ,đ0,É,μ,ÄA\$00-\$7F,Æ"~,¶<K'¥  
,Á•¶Žš,É•İŠ,μA"½"]•¶Žš,Æ,μ,Ä•\Ž!B

È—ăžž:

### Debug=off

## f\_fuf<fNfŠfbfN,É,æ,é'PCEê'I'ð,ì<æ∅,è•ŕŽš

ŕŕf}fEfXf{f^f",Á'PCEê,ðf\_fuf<fNfŠfbfN,·,é,Æ∅A,»,ì'PCEê,ð'I'ð,·,é,±,Æ,ª,Á,«,Ü,·∅BŕÝ'èftf@fCf<,ì [Tera Term] fZfNfVfŕf",É^É%∅,ì∅s,ð'Ç%∅Á,·,é,±,Æ,É,æ,Á,Ä'PCEê,ì<æ∅,è•ŕŽš,ðŽw'è,·,é,±,Æ,ª,Á,«,Ü,·∅B

**DelimList=<<æ∅,è•ŕŽš,ìfŠfXfg>**

—á,ì,î∅A

**DelimList=<>()[]**

,í6,Á,ì<æ∅,è•ŕŽš "<", ">", "(", ")", "[", "]" ,ðŽw'è,µ,Ü,·∅B,½,¾,µ∅AfXfy∅[fX•ŕŽš,Æ "\$" ,í,»,é,¼,ê∅A"\$20", "\$24" ,Æ,ç,æ,æ`Ž® ,ÁŽw'è,µ,È,¯,é,î,È,è,Ü,¹,ň∅B

**DelimList=\$20 ; fXfy∅[fX•ŕŽš**

∅È—ªŽž:

**DelimList=\$20!"#\$24%&'()\*+,-./:;<=>?@[\\]^`{|}~**

,±,ì "DelimList" ∅s,É,í∅A1fofCfgr∅[fh•ŕŽš(,ç,í,ä,é"¼Šp•ŕŽš),µ,© Žw'è,Á,«,Ü,¹,ň∅B2fofCfgr∅[fh•ŕŽš(,ç,í,ä,é'SŠp•ŕŽš),ì<æ∅,è•ŕŽš,Æ,µ,ÄŽæ,è^µ,í,ê,Ü,·∅B2fofCfgr∅[fh•ŕŽš,ð<æ∅,è•ŕŽš,Æ,µ,È,ç,æ,æ,É,·,é,É,í∅A^É%∅,ì∅s,ð'Ç%∅Á,µ,Ä,,¾,³,ç∅B

**DelimDBCS=off**

∅È—ªŽž:

**DelimDBCS=on**

^È'O,ìfo∅[fWfŕf",ì Tera Term ,Æ'PCEê'I'ð,ìŽd•û,ð"¯,ŕ,É,·,é,É,í∅A

**DelimList=\$20**

**DelimDBCS=off**

,Æ,µ,Ä,,¾,³,ç∅B

## f|fbfvfAfbfvf[]fjf...[][,đŽg—p•s%oÂ,É,·,é

f[]fjf...[][fo[][,ª•\Ž!,³,ê,Ä,ç,È,ç,Æ,«[]ACtrl fL[][,đ%oŸ,µ,È,ª,çf}fEfX[]¶f{f^f“ ,đ  
%oŸ,·,Æ[]Af|fbfvfAfbfvf[]fjf...[][,ª«» ,ê,Û,·[]Bf|fbfvfAfbfvf[]fjf...[][,ª«» ,ê,È,ç,æ,κ  
,É,·,é,É,í[]A[]Ý'èftf@fCf<,ì [Tera Term] fZfNfVf#f“ ,É^È%oº,ì[]s,đ'Ç%oÁ,µ,Ä,-  
,¾,¾,ç[]B

**EnablePopupMenu=off**

[]È—ªŽž:

**EnablePopupMenu=on**



## "Show menu bar" fRf}f“fh,đ%oB,·

f[]jf...[]fo[][,ª•\Ž!,³,ê,Ä,ç,È,ç,Æ,«[]AfVfXfef€f[]jf...[][,É "Show menu bar"  
fRf}f“fh,ªCE»,ê,Û,·[]B,±,ì "Show menu bar" fRf}f“fh,ªCE»,ê,È,ç,æ,ª  
,É,·,é,É,í[]A[]Ý`èftf@fCf<,ì **[Tera Term]** fZfNfVf#f“ ,É^È%oº,ì[]s,đ'Ç%oÁ,µ,Ä,-  
,¾,³,ç[]B

**EnableShowMenu=off**

□È—ªŽž:

**EnableShowMenu=on**

## IME (“ú- {Œê“ü—íVfXfef€),ÉŠÖ,·,éŸ’è

IME ,ìfCf“f%ofCf““ü—í,đ,μ,È,ϕ,æ,⊗,É,·,é,É,íA^È%o°,ìs,đŸ’èftf@fCf<,ì **[Tera Term]** fZfNfVf†f“,É^È%o°,ìs,đ’Ç%o°Á,μ,Ä,,¾,¾,ϕB

**IMEInline=off**

È—Žž:

**IMEInline=on**

IME ,ÉŠÖ,·,é%½,ç,©,ì•s<i†,ì,½,β Tera Term ,<sup>a</sup> IME ,đŸŒä,μ,È,ϕ,æ,⊗,É,·,é,É,íA^È%o°,ìs,đŸ’èftf@fCf<,ì **[Tera Term]** fZfNfVf†f“,É^È%o°,ìs,đ’Ç%o°Á,μ,Ä,,¾,¾,ϕB

**IME=off**

È—Žž:

**IME=on**

## Kermit ,lf fO

□Ý'èftf@fCf<,ì [Tera Term] fZfNfVf#f“ ,É□A

**KmtLog=on**

,Æ,ç,⌘□s,ð'Ç%oÁ,·,é,Æ□AfzfXfg,Æ Tera Term ,ìŠÔ,Å Kermit ,ð—p,ç  
,½ftf@fCf<“]—,ð,·,é,Æ,«,É□ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf< **KERMIT.LOG**  
,É<L~^,μ,Ü,·□B

□È—ažž:

**KmtLog=off**

## ☞¾☞êf,☐[fh,ì'í'ð,ð•s%oÁ,É,·,é

[Setup] General f\_fCfAf☐fOf{fbfNfX,Á☞¾☞êf,☐[fh (**Language**) ,ì'í'ð,ª,Á,«,È,☐,æ,κ,É,·,é,É,í☐A☐Ý'èftf@fCf<,ì [**Tera Term**] fZfNfVf#f“,É☐A

**LanguageSelection=off**

,Æ,☐,κ☐s,ð'Ç%oÁ,μ,Ä,,¾,³,☐☐B

☐È—ªŽž:

**LanguageSelection=on**

## fXfNf[f<fofbftf@[,ìÅ'å[s"

[Setup] Window f\_fCfAf\_fOf{fbfNfX,ÅŽw'è%oÅ"\  
,ÈfXfNf[f<fofbftf@[,ìÅ'å[s",ð•ìX,·,é,É,íAÝ'èftf@fCf<,ì [Tera Term]  
fZfNfVf†f",ÉA

**MaxBuffSize=<Å'å[s"> (100000 ^È%ooº)**

,Æ,ç,¸s,ð'Ç%oÅ,μ,Ä,,¾,³,çB

' : Tera Term ,í <Å'å[s"> \* <terminal width> \* 2  
fofCf•ª,ìf,fš,ðfXfNf[f<fofbftf@[,ì,½,ß,ÉŽg—p,μ,Û,·B

È—ªŽž:

**MaxBuffSize=10000**

“\_ - Å, μ, È, ç f j [ f f <

f j [ f f < , ð “ \_ - Å, ³, ¹, È, ç, æ, ʌ, É, ·, é, É, í [ A [ Ý ‘ è f t f @ f C f < , ì [ Tera Term ] f Z f N f V f f # f “ , É [ A

**NonblinkingCursor=on**

, Æ, ç, ʌ [ s, ð ‘ Ç % o o Á, μ, Ä, , ¾, ³, ç [ B

[ È — à Ž ž :

**NonblinkingCursor=off**

## fvfŠf“f^ftfHf“fg,ìŽw’è

VT window ,ì%œ-Ê,đ^óü,·,é,Æ,«,ÉŽg—p,·,éftfHf“fg(fvfŠf“f^ftfHf“fg)  
,đŽw’è,·,é,±,Æ,ª,Â,«,Ü,·B□%ŠúY’è,íA%œ-Ê•Ž!—p,ìftfHf“fg([**Setup**]  
**Font** ,ÂŽw’è,ª,ê,éftfHf“fg),ª^óü—p,É,àŽg,í,ê,é,æ,α,É,È,Á,Ä,ç  
,Ü,·BfvfŠf“f^ftfHf“fg,đŽw’è,·,é,É,íAŽY,ìŽè□‡,É,μ,½,ª,Á,Ä,¾,ª,ç□B

1) [**Setup**] **Font** ,Â%œ-Ê•Ž!—p,ìftfHf“fg,đ,ç,ë,ç,ë•ì,í,ÄA^óü,μ,Ä,Ý,é□B

2) □D,Ý,ì^óü—pftfHf“fg,ªCE©,Â,©,Á,½,ç [**Setup**] **Save setup**  
,ÂY’èftf@fCf<,ÉCE»□Y,ìY’è,đ•Ú’□B

3) [**Tera Term**] fZfNfvf#f“ ,É **PrnFont=** ,ÂŽn,Ü,é□s,đ’Ç%Á,·,é□**BVTFont=**  
,É’±,·□Žš—ñ(—á,í,î“•W□€-¾’©,0,-19,128”),đ **PrnFont=** ,ìCEã,ÉfRfs□[,·,é□B

4) %œ-Ê—p,ìftfHf“fg,đ,à,Æ,ìY’è,É,à,Ç,·□B

—á:

**PrnFont= •W□€-¾’©,0,-19,128**

□È—ªŽž:

**PrnFont=**

## fy [fW—]''' ,ižw'è

Ý'èftf@fCf<,ì [Tera Term] fZfNfvf#f'' ,É^È%º,ìs,đ'Ç  
%ºÁ, ,é,ÆA^óü,ì,½,β,ìfy [fW—]''' (¶A%ºE AãA%ºº),đŽw'è, ,é,±  
,Æ,ª,Å,«,Ü,·B

**PrnMargin=<¶>,<%ºE>,<ã>,<%ºº>** (1/100 fCf''f`'P^Ê)

È—ªŽž:

**PrnMargin=50,50,50,50**



## Quick-VAN ,lf fO

Y'èftf@fCf<,i [Tera Term] fZfNfVf+f“ ,ÉA

**QVLog=on**

,Æ,ç,æ s,đ'Ç%oÁ,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å Quick-VAN ,đ—p,ç  
,½ftf@fCf<“]—,đ,·,é,Æ,« ,É ACEđŠ·,³,ê,éfpfPfbfg“à—e,đftf@fCf<

**QUICKVAN.LOG** ,É<L~^,μ,Ü,·B

È—ažž:

**QVLog=off**

## Quick-VAN ,lfEfBf“fhfEfTfCfY

Ÿ'èftf@fCf<,ì [Tera Term] fzfnfvf#f“ ,ÉA

**QVWinSize=<window size (10i“(³))>**

,Æ,ç,æ[s,ð'Ç%Á,·,é,ÆAQuick-VAN fvf[]fgfRf<,Å—p,ç  
,ç,è,éfEfCf“fhfEfTfCfY,Æ,ç,æfpf%of[]f^[][,ðŸ'è,·,é,±,Æ,ª,Å,«,Ü,·B

Ÿ'è%Á“\,ÈfEfCf“fhfEfTfCfY,ì'l,íA1`99,Å,·B^è”Ê,ÉA%ñü,ª\•ª,É,‘¬,ÅGf  
%[][,ª,È,çê[]#AfEfCf“fhfEfTfCfY,ð'å,«, -  
,·,ê,î,·,é,Ü,ÇA“]’—’¬“x,ªEü[]ã,µ,Ü,·B,½,¾,µA'á'¬,È%ñü,âfGf%[][,ì'½,ç  
%ñü,ðŽg—p,µ,½,è[]AfzfXfg,â PC ,ªff[]f^,ðŽæ,è,±  
,Ú,µ,½,è,·,éê[]#,É,íAfEfCf“fhfEfTfCfY,ª'å,«,·,¬,é,Æ<t,É“]’—’¬“x,ª'á  
%º,µ,Ü,·B

,Ü,½AZÀ[]Û,É—p,ç,ç,è,éfEfCf“fhfEfTfCfY,ì'l,íA Tera Term 'æ,ìŸ'è'l,ÆAfzfXfg  
(PC-VAN) 'æ,ìŸ'è'l,ì[]¬,³,ç•û,É,È,è,Ü,·B,µ,½,ª,Á,ÄA Tera Term  
,ìŸ'è'l,ð, ,é'l,æ,è'å,«,·,·,é,ÆA,»,è^È[]ã“]’—’¬“x,í•ï%»µ,È,,È,è,Ü,·B

È—ªŽž:

**QVWinSize=8**

^ê"x,ÉfXfNf□□[f<,·,é□Å'å,ì□s□",ð□Ý'è,·,é

VT window ,Å,í%œ-Ê,ìfXfNf□□[f<,ð'¬,,·,é,½,ß,É□A^ê"x,É•i□"□sfXfNf□□[f<,·,é,±  
,Æ,ª, ,è,Ü,·□B

^ê"x,ÉfXfNf□□[f<,·,é□Å'å,ì□s□",ð□Ý'è,·,é,É,í□A□Ý'èftf@fCf<,ì **[Tera Term]**  
fZfNfVf†f",É□A

**ScrollThreshold=<□s□"(10□i□@□)">**

,Æ,ç,¤□s,ð'Ç%œÁ,μ,Ä,,¾,³,ç□B

□È—ªŽž:

**ScrollThreshold=12**

f}fEfX,ÅfEfBf“fhfE,đ‘l‘đ,μ,½Žž,ì•ŋŽš,ì‘l‘đ,đ<ÖŽ~,·,é

”ň‘l‘đó‘Ô,lfEfBf“fhfE,ì•ŋŽš—ì^æ,đf}fEfX,ÅfNfŠfbfN,·,é,±  
,Æ,É,æ,Á,ÅfEfBf“fhfE‘l‘đ,·,é,±,Æ,ª,Å,«,Û,·B□%ŠúY‘è,Å,íA,±  
,lf}fEfXfNfŠfbfN,É,æ,Á,Ä“Žž,É•ŋŽš,ì‘l‘đ,àŠjŽn,<sup>3</sup>,ê,Û,·Bf}fEfX,ÅfEfBf“fhfE,đ‘l‘đ  
,μ,½Žž,ì•ŋŽš,ì‘l‘đ,đ<ÖŽ~,·,é,É,íA□Y‘èftf@fCf<,ì **[Tera Term]** fZfNfVf†f“,É□A

**SelectOnActivate=off**

,Æ,ç,¤□s,đ‘Ç%Á,μ,Ä,,¾,<sup>3</sup>,ç□B

□È—ªŽž:

**SelectOnActivate=on**

## <N“ ® Žž,Éf}fNf□,ðŽÀ□s

Tera Term <N“ ® Žž,Éf}fNf□,ðŽ© “ ® “l,ÉŽÀ□s,·,é,±,Æ,ª,Å,«,Ü,·□Bf}fNf□ftf@fCf<-  
¼,ÍRf}f“fhf%ofCf“flfvfVf†f“ “/M=<macro file>” ,ðŽg,α,©□A^É  
%oº,l□s,ð□Ý'èftf@fCf<,l [Tera Term] fZfNfVf†f“ ,É'Ç%oÁ,·,é,±  
,Æ,É,æ,Á,ÄŽw'è,Å,«,Ü,·□B

**StartupMacro=<macro file>**

□È—ªŽž:

**StartupMacro=**

## TEK GIN report ,lf}fEfXfR[]fh

fzfXfg'x,lfAvfšfP[]fVf#f",É,æ,Á,Ä[]ATEK window ,@ GIN f,[]fh(fNf[]fXfwfA[]fj[]f\ f<,@CE»,é[]A[]Á•W"ü—í,ª%oÁ"\,È[]ó'Ô),É,È,Á,½,Æ,«[]A, ,éfL[][,ð%oÿ,·,Æ TEK window ,ÍfNf[]fXfwfA[]fj[]f\ f<,ì[]À•W,ÆfL[][,ì ASCII fR[]fh,ðfzfXfg,Ö•ñ[][],µ,Ü,·[]B

GIN f,[]fh,Åf}fEfX,ì[]f{f^f",ð%oÿ,µ,½,Æ,«,É[]À•W,Æ,Æ,à,É'—[]o,·,é fL[]fR[]fh ,ð[]Ý'è,·,é,É,í[]A[]Ý'èftf@fCf<,ì **[Tera Term]** fZfNfVf#f",É[]A

**TEKGINMouseCode=<key code(10[]i[]@[])">**

,Æ,ç,¸[]s,ð'ç%oÁ,µ,Ä,,¾,³,ç[]B

[]È—ªžž:

**TEKGINMouseCode=32**

(32,ÍSpace ,ìASCII fR[]fh)

## Telnet „lf of Cfif Šf lfvf Vf f“

fzfXfg,É telnet □Ú'±,μ□Aftf@fCf<“]’— (XMODEM “™),Å CR •¶Žš,đ’—  
□o,·,é□é□#□ATera Term ,ì□%Šú□Ý’è,Å,Í CR+NUL (\$0D \$00) ,É•İŠ·,μ,Ä,©,ç’—  
□o,μ,Ü,·□BfofCfifŠf lfvf Vf f“ ,Å telnet □Ú'±,·,é,Æ□A,±,ì,æ,α,È•İŠ·,Í,“,±,È,ç  
,Ü,<sup>1</sup>,ñ□B

□Ý’èftf@fCf<,ì **[Tera Term]** fZfNfVf f“ ,É□A

### TelBin=on

,Æ,ç,α□s,đ’Ç%Á,·,é,Æ□ATelnet □Ú'±,·,é,Æ,«fofCfifŠf lfvf Vf f“ ,đ—p,ç  
,Ü,·(fzfXfg,<sup>a</sup>Í%ž,μ,Ä,ç,ê,ì)□B

,Ü,<sup>1</sup>/<sub>2</sub>□A□Ý’èftf@fCf<,í□’,«Š·,|,·,É□Afrf}f“fhf%ofCf“,É /B  
flfvfVf f“ ,đ,Ä,¯,Ä,à□AfofCfifŠf lfvf Vf f“ ,đŽw’è,Å,«,Ü,·□B

□È—<sup>a</sup>žž:

**TelBin=off**

## Telnet „lfGfR[fifvfVf#f“

Ÿ'èftf@fCf<,ì [Tera Term] fZfNfVf#f“ ,É

### TelEcho=on

,Æ,ç,æ□s,ð'Ç%oÁ,·,é,Æ□ATera Term ,ÍzfXfg,lfGfR□[(fŠf,□[fgfGfR□]),ì□ó'Ô,ð  
[Setup] Terminal f\_fCfAf□fOf{fbfNfX,ÅŸ'è,<sup>3</sup>,è,é "Local echo" ,ì□ó'Ô,É  
%ož,¶,Ä•ï□X,·,é,±,Æ,ðŽŽ,Ý,Û,·□B,à,μ□A "Local echo" ,<sup>a</sup> on (off) ,È,ç,Î□ATera  
Term ,ÍfŠf,□[fgfGfR□],ð off (on) ,É,·,é,±,Æ,ðŽŽ,Ý□AfzfXfg,Æ Tera Term  
,Å“ñ□dfGfR□[μ,½,è□AfGfR□[ð,Û,Á,½,,μ,È,ç□ó'Ô,É,È,é,±,Æ,ð-h,<sup>2</sup>,æ  
,Æ,μ,Û,·□B,±,ì<@“\,ÍzfXfg,<sup>a</sup> telnet „lfGfR[fifvfVf#f“ ,É'í%ož,μ,Ä,ç,È,ç,Æ“-  
,«,Û,<sup>1</sup>,ñ□B

È—<sup>a</sup>Žž:

**TelEcho=off**



## Telnet ,lfO

Y'èftf@fCf<, [Tera Term] fZfNfVf#“ ,ÉA

**TelLog=on**

,Æ,ç,æ[s,ð'Ç%oÁ,·,é,ÆAfzfXfg,Æ Tera Term ,ìŠÔ,ì telnet ,ì option negotiation  
,ì“à—e,ðftf@fCf< **TELNET.LOG** ,É<L~^,μ,Û,·B

È—ăŽž:

**TelLog=off**

## Telnet —pf|[]fg”Ô[]t

fRf}f“fhf%ofCf“[]A,Ü,½,í [File] New connection f\_fCfAf[]fOf{fbfNfX,Å,í[]ATCP/IP  
[]Ú’±,ÉŽg—p,³,ê,é TCP f|[]fg”Ô[]t (<TCP port#>),Æ telnet ftf%ofO (<telnet  
flag>),đŽw’è,·,é,±,Æ,ª,Å,«,Ü,·[]BfRf}f“fhf%ofCf“,Å,±,ê,ç,lfpf%of[]f^[][,ª[]È—  
ª,³,ê,½[]ê[]#,í[]ATera Term []Ý’èftf@fCf<,É[]’,©,ê,Ä,ç,é[]Ý’è’l,ªŽg—p,³,ê,Ü,·[]B

<telnet flag>,ª 1 (on),Å[]A,©,Â <TCP port#>,ª 23,ì[]ê[]#,¾,~[]ATera Term  
,lfzfXfg,É[]Ú’±,µ,½’¼[]Ěã,É[]AŽ©”“l,É telnet fRf}f“fh,đzfXfg,É’—[]M,µ option  
negotiation,đŠJŽn,µ,Ü,·[]B

,±,ì telnet,ì,½,β,ì“Á·Ê,Èf|[]fg”Ô[]t 23,í[]A^È%º,ì[]s,đ[]Ý’èftf@fCf<,ì [Tera  
Term] fZfNfVf#f“,É’Ç%ºÁ,·,é,±,Æ,É,æ,è·[]X,·,é,±,Æ,ª,Å,«,Ü,·[]B

### TelPort=<telnet port#>

[]È—ªŽž:

**TelPort=23**

<telnet flag>,Æ <TCP port #>,ª%º½,Å,ê Tera Term,lfzfXfg,©,ç’—  
,ç,ê,Ä,«,½ telnet fRf}f“fh,É%ºŽ”š,·,é,±,Æ,ª,Å,«,Ü,·[]B

## ”ñ telnet TCP/IP []Ú’±—p,ì’[--[]Ý’è

Telnet fvf[]fgfRf<,É’î%ºž,µ,Ä,ç,È,çzfXfg(’Êí 23 ^ÈŠO,lf|[]fg”Ô[]t,đŽg—p),É  
TCP/IP []Ú’±,·,é[]ê[]#[]Af[][]fjff<fGfR[][,đ on,É[]A’—[]M,·,é%ºü[]sfR[]f[]h,đ CR+LF  
,É,·,é·K—v,ª,é[]ê[]#,ª,è,Ü,·[]B[]Ý’èftf@fCf<,ì [Tera Term] fZfNfVf#f“,É[]A

**TCPLocalEcho=on**

**TCPCRSend=CRLF** (CR,àŽw’è%ºÁ”\)

,đ’Ç%ºÁ,·,é,Æ[]A<telnet flag>,ª 0 (off),ì[]ê[]#[]A,Ü,½,í <TCP port#>,ª  
<telnet port#>,Å,È,ç[]ê[]#,É[]A[]Ú’±’¼[]Ěã,É[]Af[][]fjff<fGfR[][,đ on,É[]A’—[]M  
%ºü[]sfR[]f[]h,đ CR+LF,ÉŽ©”“l,É·[]X,µ,Ü,·[]B,»,ê^ÈŠO,ì[]ê[]#,í [Setup]  
Terminal,Å,ì[]Ý’è’l,ªŽg—p,³,ê,Ü,·[]B,±  
,ê,ç,lf|fvfVf#f“,É,æ,Á,Ä[]A^è,Ä,ì[]Ý’èftf@fCf<,Å telnet []Ú’±,Æ”ñ telnet []Ú’±,ì—  
¼·ù,É’î%ºž,·,é,±,Æ,ª%ºÁ”\,Æ,È,è,Ü,·[]B

[]È—ªŽž:

**TCPLocalEcho=off** (,±,lf|fvfVf#f“,íŽg,í,[]A[]í,É [Setup] Terminal

,ì[]Ý’è’l,ªŽg—p,³,ê,é)

**TCPCRSend=** (,±,lf|fvfVf#f“,íŽg,í,[]A[]í,É [Setup] Terminal,ì[]Ý’è’l,ªŽg—  
p,³,ê,é)



""F,"æ,Ñ□□F'®□«,ì•¶Žš,ìŽÀ□Û,ì□F

fGfXfP□[fvfV□[fPf"fX "<ESC>[37m" ,Æ"<ESC>[30m"  
,ì•¶Žš□F,đ,»è,¼,ê"" ,Æ□•,É,μ,Û,·□B"~—l,ÉfGfXfP□[fvfV□[fPf"fX "<ESC>[47m"  
,Æ"<ESC>[40m" ,ì"wCEi□F,đ,»è,¼,ê"" ,Æ□•,É,μ,Û,·□B

,ç,,Â,©,ìfAfvfšfP□[fvf¶f" ,Å,ì"wCEi□F,ª(-{•"} ,ì VT100 '[-- ,ì,æ,ª,É)□•,Å, ,é,Æ  
%¼'è,μ,Ä□A"□F,ì•¶Žš,ªCE©,ì,é,à,ì,Æš'Ù'Ò,μ,Ä,ç,é,±,Æ,ª, ,è,Û,·□B,μ,©,μ□ATer  
a Term ,ì"wCEi□F,ì□%š'Ù'l,ì"" ,Å, ,é,½,ß""□F,ì•¶Žš,ìCE©,ì,Û,¹,ñ□B

**UseTextColor=on**

,Æ,ç,ª□s,đ□Ý'èftf@fCf<,ì [Tera Term] fZfNfVf¶f" ,É'Ç  
%Á,·,é,Æ□A""□F",ì•¶Žš("wCEi),ìŽÀ□Û,ì□F,đ [Setup] Window  
f\_fCfAf□fOf{fbfNfX,ÅŽw'è,³,ê,é "Text" ("Background") ,ì□F,É,μ,Û,·□B"~—  
l,É□A"□□F",ì•¶Žš("wCEi),ìŽÀ□Û,ì□F,đ "Background" ("Text") ,ì□F,É,μ,Û,·□B

□È—ªŽž:

**UseTextColor=off**

• Šš(š)ŠÔ,É,·,«,Û,đ, , , ,éB

• Šš(š)ŠÔ,É,·,«,Û,đ, , , ,é,É,íAÝ'èftf@fCf<,ì [Tera Term] fzfnfvf+f“ ,ÉA^È  
%º,ìs,đ'Ç%A,μ,Á,,¾,¾,çB

**VTFontSpace=<dx1>,<dx2>,<dy1>,<dy2>**

,½,¾,μA

<dx1> ,íŠe•Šš,ìŠš'š,É, , , ,é,·,«,ÛB

<dx2> ,íŠe•Šš,ì%ºE'š,É, , , ,é,·,«,ÛB

<dy1> ,íŠeš,ìšš'š,É, , , ,é,·,«,ÛB

<dy2> ,íŠeš,ì%ºº'š,É, , , ,é,·,«,ÛB

'P^Ê,í,ç, , ,ê,àA%ºæ'fB

—á:

**VTFontSpace=0,1,0,0** Še•Šš,ì%ºE'š,É1%ºæ'f•ª,ì,·,«,Û,đ, , , ,éB

**VTFontSpace=0,0,1,0** Šeš,ìšš'š,É1%ºæ'f•ª,ì,·,«,Û,đ, , , ,éB

È—ªŽž:

**VTFontSpace=0,0,0,0**

## ^óü,ì” {—|

^óü,<sup>3</sup>,ê,½•¶Žš,â

%œ’œ,<sup>3</sup>,: ,½,è’â,«,: ,½,è,: ,éê#A’Éí,ÍRf“fgf[f<fpf]f<,ì“fvfŠf“f^”,Å  
Šg’â/k#” {—|,đ•Ī,|,é,±,Æ,É,æ,è•¶Žš,â%œ’œ,đŠg’â/k# ,,: ,é,±  
,Æ,<sup>3</sup>,Å,«,Ü,·B,à,µfvfŠf“f^fhf%ofCfo[,<sup>3</sup>Šg’â/k# ,É’í%ž,µ,Ä,ç,È,çê#A” {—  
|,đ Tera Term Ÿ’èftf@fCf<,ÉŽw’è,: ,é,±,Æ,<sup>3</sup>,Å,«,Ü,·B” {—|,đŽw’è,: ,é,É,Í^È  
%œ,ìs,đŸ’èftf@fCf<,ì **[Tera Term]** fzfnfvf#f“ ,É’Ç%Á,µ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

**VTPPI**=<pixel per inch> ; VT fEfBf“fhfE—p

**TEKPPI**=<pixel per inch> ; TEK fEfCf“fhfE—p

” {—|,ì’P^É,Í fsfNfZf</fCf“f` ,Å,È, ,è,Í,È,è,Ü,<sup>1</sup>,ñB,à,µ•¶Žš,â

%œ’œ,<sup>3</sup>,: ,é(’â,«,: ,é)ê# ,Í” {—|,đ’â,µ,Ä(Ç ,ç,µ,Ä),,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

È—<sup>3</sup>žž:

**VTPPI**=

**TEKPPI**=

**[Window] f f f f ... [ , ð % o B , ·**

[Window] f f f f ... [ , ð % o B , · , É , Í A ^ È % o o , ì s , ð Ý ' è f t f @ f C f < , ì **[Tera Term]**  
f Z f N f V f † f “ , É ' Ç % o A , µ , Ä , , ¾ , ¾ , ç B

**WindowMenu=off**

È — a ž ž :

**WindowMenu=on**

## XMODEM ,lf fo

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,É A

**XmodemLog=on**

,Æ,ç,æ s,ð'Ç%oÁ,·,é,Æ AfzfXfg,Æ Tera Term ,ìŠÔ,Å XMODEM ,ð—p,ç  
,½ftf@fCf<“]—,ð,·,é,Æ,« ,É ACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<  
**XMODEM.LOG** ,É<L~^,μ,Û,·B

È—ažž:

**XmodemLog=off**



## ZMODEM ŽÓM,ÌŽ © “® <N”®

Ý'èftf@fCf<,ì [Tera Term] fZfNfVf+f“,ÉA

**ZmodemAuto=on**

,Æ,ç,æ□s,ð'Ç%oÁ,·,é,Æ□AfzfXfg'æ,ì ZMODEM '—  
□M(f\_fEf“f□□[fh)fRf}f“fh,ðŽÀ□s,μ,½,Æ,«,É□AŽ©“®“I,É Tera Term ,ì ZMODEM  
ŽóM,ªŠJŽn,<sup>3</sup>,ê,é,æ,æ,É,È,è,Ü,·□B

È—ªŽž:

**ZmodemAuto=off**

## ZMODEM '—□M,ì□Ý'è

^È%º,ì2,Â□s(1,Â,<sup>3</sup>/<sub>4</sub>, -, Â, à%ºÂ), ð□Ý'èftf@fCf<, ì [Tera Term] fZfNfVf#f", É'Ç  
%ºÁ, ·, é, Æ□AZMODEM '—□M, ÉŠŌ, ·, é□Ý'è, ð, ·, é, ±, Æ, <sup>a</sup>, Â, «, Ü, ·□B, ±, ê, ç, ì□Ý'è, Ì  
ZMODEM Žó□M, É, Ì%ºe<¿, ð— ^, Ì, Ü, <sup>1</sup>, ñ□B

**ZmodemDataLen=<ff□[f^fTfufpfPfbfg, ì□Á'â'·(fofCfG□")>**

**ZmodemWinSize=<'—□M, ÌfEfBf"fhfEfTfCfY(fofCfG□")>**

□È—<sup>a</sup>Žž:

**ZmodemDataLen=1024**

**ZmodemWinSize=32767**

□Ý'è%ºÁ"\, È<ff□[f^fTfufpfPfbfg, ì□Á'â'·>, Ì'Ì, Ì0□` 1024, Â, ·□B'á'—, È%ºñ□ü, âfGf  
%º□[, Ì'½, ç%ºñ□ü, ðŽg—p, µ, ½, è□AfzfXfg, Ìff□[f^□—□"\—Í, <sup>a</sup>'á, ff□[f^, ðŽæ, è, ±  
, Ú, ·□ê□‡, Ì□A□—, <sup>3</sup>, È'Ì, ð□Ý'è, ·, é, Æ□AfGf  
%º□["™, Ì□áŠQ, É'Ì, µ, Ä□A, æ, è^À'è, Èftf@fCf<'—□M, ð□s, ±  
, Æ, <sup>a</sup>, Â, «, Ü, ·□BfVfŠfAf<f|□[fgŽg—  
pŽž, Âf{□[fC□[fg, <sup>a</sup>'á, ç□ê□‡, Ì□A□Ý'è'Ì, æ, è, à□—, <sup>3</sup>, ç'Ì, <sup>a</sup>Žg—p, <sup>3</sup>, ê, é, ±, Æ, <sup>a</sup>, ·, è, Ü, ·□B

□Ý'è%ºÁ"\, È<'—□M, ÌfEfBf"fhfEfTfCfY>, Ì'Ì, Ì-32768□` 32767, Â, ·□B—  
á, Ì, Ì□A'Ì, ð30000, É, ·, é, Æ□A-ñ30000fofCfG, É^è%ºñ□Aff□[f^fpfPfbfg, Ì'—  
□M, ð<x, Ý□AfzfXfg, ©, çŠm" F, ðŽæ, è, Ü, ·□B'Ì, ð•%º(fEfBf"fhfEfTfCfY-<sup>3</sup>CEÀ'â, É'Ì%ºž)  
, É, ·, é, Æ□AfzfXfg, ©, çfGf%º□[, Ì•ñ□□, <sup>a</sup>, È, ç, ©, —, è□A^è  
%ºñ, à<x, Ü, ·, Éff□[f^fpfPfbfg, ð'—□M, µ, Â, Ä, —□A□Á'âCEÀ, Ì'—  
□M'—"x, <sup>a</sup>"<sup>3</sup>/<sub>4</sub>, ç, ê, Ü, ·□BfzfXfg, â%ºñ□ü, Ì"\—Í, É, æ, Á, Ä, Ì□AfEfBf"fhfEfTfCfY, ð, ·, é'Ì, æ  
, è'â, «, ·, é, Æ□A□<sup>3</sup>Í, Èftf@fCf<'—□M, <sup>a</sup>, Â, «, È, -  
, È, Á, ½, è□A"ñ□Í, ÉŽžŠŌ, <sup>a</sup>, ©, ©, Á, ½, è, ·, é, ±, Æ, <sup>a</sup>, ·, è, Ü, ·□B

## ZMODEM ,Å,·,×,Ä,ì§Œä•¶Žš,ðfGfXfP[fv,·,é

ZMODEM ,Å,íA'ÊM%ñü,â^ê•",ì§Œä•¶Žš,ð'Ê,<sup>3</sup>È,ç,±  
,Æ,ð'z'è,μ,ÄA,»,ê,ç,ðfGfXfP[fv,·,é('¼,ì•¶Žš,ì'g,Ý¶,í,<sup>1</sup>É'u,«Š·,!,é),æ,×  
,É,È,Á,Ä,ç,Û,·B,μ,©,μA'z'èŠO,ì§Œä•¶Žš,à'Ê,<sup>3</sup>È,ç%ñü,ìê¶,Í'—,â,×,Û,,ç  
,«,Û,<sup>1</sup>,ñB,»,ì,æ,×,Èê¶,íAÝ'èftf@fCf<,ì [Tera Term] fZfNfVf¶f“,ÉA

### ZmodemEscCtl=on

,Æ,ç,×s,ð'Ç%Á,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB,±,ê,Å,·,×,Ä,ì§Œä•¶Žš,ðfGfXfP[fv,·,é,æ,×  
,É,È,è,Û,·B

È—âŽž:

### ZmodemEscCtl=off

## ZMODEM ,lf fo

Y'èftf@fCf<,i [Tera Term] fZfNfVf#f“ ,ÉA

**ZmodemLog=on**

,Æ,ç,æ[s,ð'Ç%oÁ,·,é,Æ[AfzfXfg,Æ Tera Term ,ìŠÔ,Å ZMODEM ,ð—p,ç  
,½ftf@fCf<“]—,ð,·,é,Æ,«,ÉACEðŠ·,³,ê,éfpfPfbfg“à—e,ðftf@fCf<  
**ZMODEM.LOG** ,É<L~^,μ,Û,·B

È—ažž:

**ZmodemLog=off**

## fRf}f“fhf%ofCf“

Tera Term Pro ,đ<N“® , ,é,Æ,« ,lfRf}f“fhf%ofCf“ (fVf‡[fgj]fbfg ,lfŠf“fN[æ] ,)È`Ž®

**TTERMPRO** [**<host>** [**[:]<TCP port#>**]]

**[/B]** **[/C=<serial port#>]**

**[/F=<setup file>]** **[/FD=<file transfer directory>]**

**[/H]** **[/I]** **[/K=<keyboard setup file>]**

**[/KR=<kanji code (receive)>]** **[/KT=<kanji code (transmit)>]**

**[/L=<log file>]** **[/LA=<language>]** **[/M=<macro file>]**

**[/P=<TCP port#>]** **[/R=<replay file>]** **[/T=<telnet flag>]**

**[/V]** **[/W="<window title>"]**

**[/X=<window pos (x)>]** **[/Y=<window pos (y)>]**

**[/;<comment>]**

,±,±,Å:

**<host>** fzfXfg-¼,Ü,½,Í IP fAfhfÆfX

**<host>:<TCP port#>** TCP f|[fg"Ô[†,Â,« <host>  
<host> ,Æ <TCP port#> ,İŠÔ,É":",a'u,©,ê,é[B

**<host> <TCP port#>** TCP f|[fg"Ô[†,Â,« <host> **new**  
<host> ,Æ <TCP port#> ,İŠÔ,É1CEÂ^È[ă,ì<ó""•¶Žš,a'u,©,ê,é[B  
<host> ,ì,.,®Æă,É,,é[Žš,Í TCP f|[fg"Ô[†,Æ,Ý,È,³,ê,é[B

**/B** Telnet fofCfifŠf|fvfVf‡f“

**/C=<serial port#>** fVfŠfAf<f|[fg

**/C=1** COM1

**/C=2** COM2

**/C=3** COM3

**/C=4** COM4

**/F=<setup file>** [Y'èftf@fCf<

**/F=TERATERM.INI** ([É—ªŽž)

**/FD=<file transfer directory>** ftf@fCf<"']'—pffBfÆfNfgfŠ

**/H** f^fCfgf<fo|[,đ%oB,·

**/I** <N“®Žž,ÉfAfCfRf“[ó'Ô,É,·,é **new**

**/K=<keyboard setup file>**

```

/K=KEYBOARD.CNF (Ě—žž)

/KR=<kanji code (receive)> ŠžšR[fh (ŽóM)
/KR=SJIS
/KR=EUC
/KR=JIS

/KT=<kanji code (transmit)> ŠžšR[fh ('—M)
/KT=SJIS
/KT=EUC
/KT=JIS

/L=<log file> <N"®žž,Éf]fO,ššJžn new

/LA=<language> Ć¾Ćêf,[fh new
/LA=E %opĆê
/LA=J "ú-{Ćê
/LA=R f]VfĆê

/M=<macro file> <N"®žž,Éf}fNf],šžÀ]s new

/P=<TCP port#> TCP f][fg"Ô]†

/R=<replay file> ftf@fCf<,ššÄ]¶

/T=<telnet flag>
/T=1 Telnet fvf]fgfRf<,šžg—p
/T=0 Telnet fvf]fgfRf<,š•sžg—p

/V fEfBf"fhfE,ĎĆ©,],È,č]ó'Ô,Ā<N"® new

/W="<window title>" fEfBf"fhfE,ì^fCf]g<

/X=<window position (x)> fEfBf"fhfE,ì^Ê'u(]...•½)

/Y=<window position (y)> fEfBf"fhfE,ì^Ê'u(],¼)

;<comment> fRf]"fg]BfRf}f"fhf%ofCf",]ĀĆã,É'u,•K—v,ª, ,é]B

```

—á:

```

TTERMPRO
TTERMPRO myhost.mydomain
TTERMPRO myhost.mydomain:23

```

**TTERMPRO myhost.mydomain 23**  
**TTERMPRO 111.111.11.11**  
**TTERMPRO myhost.mydomain /T=0 /P=7**  
**TTERMPRO /C=1**  
**TTERMPRO /F=TELNET.INI**  
**TTERMPRO foohost.foodomain /F=FOOHOST.INI**  
**TTERMPRO /C=2 /F=MYSETUP.INI**  
**TTERMPRO /K=MYKEY.CNF /W="My host"**  
**TTERMPRO /R=README.TXT ; replay a file**  
**TTERMPRO myhost /B /X=100 /Y=50**

□È—ªžž,ìl

^È%oo°,ì□È—ªžž,ìl,í Tera Term □Ý'èftf@fCf<,É•Û'¶,³,ê,Ä,ç,Û,·□B

**<TCP port#>**  
**/B**  
**<serial port#>**  
**<file transfer directory>**  
**/H**  
**<kanji code (receive)>**  
**<kanji code (transmit)>**  
**<language>**  
**<macro file>**  
**<telnet flag>**  
**<window title>**  
**<window pos (x)>**  
**<window pos (y)>**

'□:

<telnet flag> ,ª 1 ,Å□A,©,Â <TCP port#> ,ª 23 ,ì,Æ,«,¾,~□ATera Term  
 ,©,çŽ©""l,É telnet ,ì option negotiation  
 ,đŠŽn,μ,Û,·□B,» ,ê^ÈŠO,ì□ê□†,Å,à Tera Term ,ízfXfg,©,ç'—,ç,ê,Ä,«,½  
 telnet fRf}f"fh,É%ož"š,·,é,±,Æ,ª,Å,«,Û,·□B

ŽQ□Æ:

Telnet —pf□□[fg"Ô□† / "ñ telnet □Ú'±—p,ì'[--□Ý'è

## fL[f{[fhY'èftf@fCf<

fL[f{[fhY'èftf@fCf<,íAFL[f{[fh,ìŠefL[,Æ,»,è,ÉŠ,,è, ,Ä,é,ç,è,é<@"(VT '[-- ,ì<@"Aft[fU[ 'è<` •¶Žš—ñ,ì'—oA Tera Term fRf}f"fh,ìŽÀ[sAf}fNf,ìŽÀ[s), ð'è<` ,μ,Ü,·B

Tera Term fCf"fxfg[f<Žž,ìfL[[]Y'è,ìŠefL[,ì<@" \,ª VT '[-- ,É,Å,«,é,¾, ¯ <ß, - ,È,é,æ,κ,É,³,è,Ä,ç,Ü,·BfL[f{[fhY'èftf@fCf<,ð•ÒW,·,é,±,Æ,É,æ,Á,ÄAŽ©— R,ÉfL[[]Y'è,ð•ìX,·,é,±,Æ,ª,Å,«,Ü,·Bftf@fCf<Æ`Ž®,É,Ä,ç ,Ä,íA"z•zftf@fCf<,ÉŠÜ,Ü,è,Ä,ç,é **KEYCODEJ.TXT** ,ð"Ç,ñ,Å,,¾,³,çB

fRf}f"fhf%ofCf",Á Tera Term ,ª"Ç,Yž,pfL[f{[fhY'èftf@fCf<,ì- ¼'O,ðŽw'è,·,é,±,Æ,ª,Å,«,Ü,·Bftf@fCf<-¼,ìŠg'£Žq,ðÉ— ª,μ,½ê±,íA".CNF",Á ,é,Æ,Y,È,³,è,Ü,·Bftf@fCf<- ¼,ðŽw'è,μ,È,çê±Aftf@fCf< **KEYBOARD.CNF** ,ª"Ç,Yž,Ü,è,Ü,·B

"z•zfpbfP[fW,É,í^È%º,ìfL[f{[fhY'èftf@fCf<,ªŠÜ,Ü,è,Ä,ç,Ü,·B

- IBMKEYB.CNF** IBM-PC/AT (,ç,í,ä,é DOS/V f}fVf") 101 (106) fL[f{[fh— pY'èftf@fCf<,ì—á (Windows 95/NT —p)
- PC98KEYB.CNF** NEC PC 98 fL[f{[fh— pY'èftf@fCf<,ì—á (Windows 95 —p)
- NT98KEYB.CNF** NEC PC 98 fL[f{[fh — pY'èftf@fCf<,ì—á (Windows NT —p)
- KEYBOARD.CNF** •W€fL[f{[fhY' èftf@fCf<Bã<L 3 ,Á,ì,κ ,ç,Ç,è,©,ðfRfs[,μ ,½,à,ì

fCf"fxfg[f%o[ ,í **IBMKEYB.CNF**, **PC98KEYB.CNF**, **NT98KEYB.CNF** ,ì,κ ,ç"KØ,È,à,ì,ðfRfs[,μ,Ä **KEYBOARD.CNF** ftf@fCf<,ðì—,μ,Ü,·B,Ç,è,ªfRfs[,³,è,é,©,íAfcf"fxfg[f<'t,Éft[fU[,ªŽw'è,μ, ½fL[f{[fh,ìŽí—



p,É,æ,èĈ^è,<sup>3</sup>,ê,Û,·B,à,μfCf“fXfg□[f<Žž,ÉfL□[f{□[fhŽw'è,đŠÔ^á,Á,½□ê□‡,Í□AŽ  
©•<sup>a</sup>,Å“K□Ø,Èftf@fCf<,đfRfs□[μ,Ä **KEYBOARD.CNF** ,đ□ì□¬,μ'<sup>1</sup>/<sub>4</sub>,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,φ□B

