

for qt (C) Copyright 1992 Microsoft Corporation. All rights reserved.

xl40601

Auto_open	Menu	Comn	Macro	Name	Command	k	Status	Bar	Help	Topics	initialize()
#NAME?	F&orm...		DB.FORM		Find, chang				excelhlp.hlp!	1760	Err:504
#NAME?	&Find		DB.FIND		Select first				excelhlp.hlp!	1761	#NAME?
#NAME?	&Extract...		DB.EXTRACT?		Copy match				excelhlp.hlp!	1762	Err:504
IF(ISERROR	&Delete		DB.DELETE?		Delete matc				excelhlp.hlp!	1763	Err:504
#NAME?	Set Data&b		DB.SET.DATABASE?		Define Inter				excelhlp.hlp!	1764	#NAME?
IF(NOT(ISE	Paste F&iel		DB.PASTE.FIELDNAMES?		Paste field				excelhlp.hlp!	1765	#NAME?
#NAME?	SQL &Query		DB.SQL.QUERY?		Execute SQL				excelhlp.hlp!	1766	#NAME?
-											
	Acti&vate M		DB.ACTIVATE		Switch to M				excelhlp.hlp!	1767	domenus()
Auto_close()											#NAME? **turn off e
#NAME?											#VALUE! **put error
#NAME?	setdbdlg		& setdbdlg2								#NAME?
#NAME?	item	x	y		width	height	text		init/result		#NAME?
#NAME?	excelhlp.hlp!				356	178			3		#NAME?
#VALUE!	5	8		8			Set Database				#NAME?
#NAME?	111								2		#NAME?
	12	10		27			Current &Selection				#NAME?
DB.SET.DAT	12	10		45			&External Database...				#NAME?
#NAME?	1	275		7	72		OK				#NAME?
#NAME?	2	275		34	72		Cancel				sendselect()
#NAME?	3	110		150	90		&Change...				#NAME?
#NAME?	3	225		150	90		&Add...				#NAME?
#NAME?	5	44		68			Source:				#NAME?
#NAME?	5	44		85			File(s):			0	#NAME?
#NAME?	5	110		68			SQL				#NAME?
#NAME?	5	110		85			60 pubs.dbo.authors				#NAME?
#NAME?											#NAME? **change hc
	0 setextdlg		& chngextdlg & addextdlg								#NAME? **added del
#NAME?	item	x	y		width	height	text		init/result		#NAME?
IF(ISERROR	excelhlp.hlp!				474	185			9	0	#NAME?
Err:522	5	10		7			Set External Database				#NAME?
#NAME?	1	380		10	85		OK				#NAME?
#NAME?	2	380		35	85		Cancel				#NAME?
#NAME?	303	380		155	85		&Options...				#NAME?
#NAME?	5	34		57			&Source: dBASEFile				#NAME?
#NAME?	121	108		57	160		sources		2		#NAME?
	5	189		85			Database is:				#NAME? **added a s
DB.SET.DAT	5	14		31			Table &name:				#NAME?
#NAME?	6	108		29	160		authors				#NAME?
#NAME?	5	14		85			&Tables:				#NAME?
#NAME?	16	14		105	160	82	tables		1		#NAME?
#NAME?	5	190		105			&UserID:				#NAME?
#NAME?	115	190		127	160	57	users		1		#NAME?
#NAME?	5	287		85	119	13	pubs.dbo				#NAME?
#NAME?	103	275		57	85		Sou&rces...				#NAME?
#NAME?											#NAME?

#NAME?	item	x	y	width	height	text	init/result	#NAME?
#NAME?	excelhlp.hl	75	40	500	130			#NAME?
#NAME?		5	8	8		Paste Fieldnames		#NAME?
#NAME?		3	380	9	115	&Paste		#NAME?
Err:522		2	380	35	115	Close		#NAME?
#NAME?		3	380	65	115	Paste &All		#NAME?
#NAME?		103	380	105		&Order Fields>>		0
#NAME?		5	8	26		&Fields:		0
#NAME?		15	8	42	357	84 fields items		#NAME?
#NAME?		101	380	145	115	A&dd		#NAME?
#NAME?		103	380	175	115	&Remove		Err:522
#NAME?		103	380	205	115	&Clear All		#NAME? **don't qual
#NAME?		5	8	131		&Selected Fields:		Err:522 **put check
#NAME?		15	8	146	357	101 pstfields	#N/A	#NAME?
#NAME?								0
#NAME?	chngscrdlg							
#NAME?	item	x	y	width	height	text	init/result	#NAME?
#NAME?	excelhlp.hl		145	17	274	220	8	#NAME?
#NAME?		103	183	40	81	21 &Logon...		#NAME?
#NAME?		103	184	143	81	21 L&ogoff		1
		5	4	5		Source Connections		1
chngextdb		5	8	26		&Available Sources:		#NAME?
#NAME?		15	8	40	160	78 logons	1	#NAME?
Err:504		5	8	128		C&urrent Connections:		#NAME?
#NAME?		15	8	144	160	70 logoffs	1	#NAME?
#NAME?		4	182	9	81	21 &Close		#NAME?
#NAME?								#NAME?
Err:504	pstextractdlg							#NAME?
#NAME?	item	x	y	width	height	text	init/result	#NAME?
#NAME?	excelhlp.hl		131	99	370	96	3	#NAME?
#NAME?		5	16	9		23 Records Received		#NAME?
Err:504		14	15	37	216	44 Paste Options		#NAME?
#NAME?		11					2	#NAME?
		1	12	30	58	80	17 &Linked	#NAME?
#NAME?		12	119	58	96	17 &Unlinked		#NAME?
#NAME?		1	259	8	96	&Paste		#NAME?
		2	260	66	94	Cancel		#NAME?
#NAME?		3	260	37	95	&Save As...		#NAME?
#NAME?								#NAME?
#NAME?	saveasdlg							#NAME?
#VALUE!	item	x	y	width	height	text	init/result	#NAME?
#NAME?	excelhlp.hlp!1762				358	174	1	#NAME?
#NAME?		5	11	8		&Save Query File As:		#NAME?
#NAME?		6	10	26	160		*.dll	#NAME?
#NAME?		5	11	65		&Files:		#NAME?
#NAME?		18	11	80	160	84		0
#NAME?		5	184	85		&Directories:		#NAME?
#NAME?		19	184	103	160	66		#NAME?
#NAME?		5	184	63	160	12 Text		#NAME?

#NAME?	1	274	10	72	OK	#NAME?		
#NAME?	2	274	37	72	Cancel	#NAME?		
#VALUE!						#NAME?		
#NAME?						#NAME?		
#NAME?						#NAME?		
#NAME?	dbase_optn	text_optndlg				#NAME?		
#NAME?	item	x	y	width	height	text	init/result	#NAME? **use canor
#NAME?	excelhlp.hlp!1764				320	228		#NAME?
#NAME?	111	21	95	277	56	File Format	1	#NAME?
Err:504	12	31	112			&Character Delimited Val		#NAME?
#NAME?	12	31	129			&Fixed Length Values	1	#NAME?
#NAME?	1	212	10	88		OK		#NAME?
#NAME?	2	213	40	88		Cancel		#NAME?
Err:504	5	22	10			Open Options		#NAME?
#NAME?	113	23	202			&Use Q+E D€	0	#NAME?
#NAME?	11	23	30	166	56	File Characte	1	#NAME?
#NAME?	12	31	46			AN&SI		#NAME? **need to c
#NAME?	12	31	64			&IBM PC		#NAME?
#NAME?	13	23	182			First Line Co	0	#NAME?
#NAME?	5	23	163	155		Character &Delimiter:		#NAME?
#NAME?	6	180	160	56			0	#NAME?
9								#NAME?
#NAME?	opendlg							#NAME?
#NAME?	item	x	y	width	height	text	init/result	#NAME?
1	excelhlp.hlp!1766				358	174		2
#NAME?	5	11	8			Open &Query File:		#NAME?
#NAME?	6	10	26	160			*.dll	#NAME?
#NAME?	5	11	65			&Files:		#NAME? **use %, no
#VALUE!	18	11	80	160	84			#NAME?
#VALUE!	5	184	85			&Directories:		#VALUE!
#VALUE!	19	184	103	160	66			#NAME?
#NAME?	5	184	63	160	12	Text		#NAME?
#NAME?	1	274	10	72		OK		#NAME?
#NAME?	2	274	37	72		Cancel		0
#NAME?								#NAME?
1	uniquedlg							0
#NAME?	item	x	y	width	height	text	init/result	#NAME?
#NAME?	excelhlp.hlp!1762				320	66		4
#NAME?	1	230	9	72		OK		#NAME?
#NAME?	2	230	35	72		Cancel		#NAME?
0	5	16	13			Extract		#NAME?
#NAME?	13	17	32			&Unique Recd	0	0
#NAME?								#NAME?
#NAME?								#NAME?
#NAME?	excelhlp.hlp!1761				360	92		
#NAME?	17	21	14				2	dopasterecords()
#NAME?	5	90	13	255	47	<i>This command is not avai</i>		#NAME?
#NAME?	1	133	62	86		OK		#NAME?
#NAME?								#NAME?
#NAME?	excelhlp.hlp!1760				360	92		#NAME?

#NAME?	17	21	14		2	#NAME?
#NAME?	5	90	13	255	47	This command is not avai
#NAME?	1	133	62	86	OK	#NAME?
#NAME?						#NAME?
#NAME?	addfield()		DB.SQL.QUERY?()/SQL.	db_ref		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	Err:504		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		#NAME?			#VALUE!
#VALUE!	#NAME?		#NAME?	disp_alert()		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	Err:522		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		Err:522			#NAME?
#NAME?	#NAME?		#NAME?	set_user()		#NAME?
			#NAME?	#NAME?		0
deleteitem()	DB.FORM()		#NAME?	Err:504		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		Err:522	#NAME?		#NAME?
#NAME?	DB.FIND()		#NAME?	#NAME?		#NAME?
	#NAME?		#NAME?	#NAME?		
DB.LOGON?()	#NAME?		#NAME?			dosaveas()
#NAME?	#NAME?		#NAME?	cmd_setup()		#NAME?
0	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
103			#NAME?	#NAME?		#NAME?
103	DB.EXTRACT()/EXTRACT.E		#NAME?	#NAME?		#NAME?
Err:504	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
Err:504	#NAME?		#NAME?	#NAME?		#NAME?
0	#NAME?		#NAME?			get_flds()
#NAME?	#NAME?		#NAME?	std_saveas()		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
	#NAME?		#NAME?	#VALUE!		#NAME?
DB.LOGON()	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#N/A		#NAME?	#VALUE!		Err:522
#NAME?	#N/A		#NAME?	#NAME?		Err:522
0	#N/A		#NAME?	#NAME?		#NAME?
0	IF(ISERROR(M**don't care		#NAME?	#NAME?		#NAME?
0	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?
0	#NAME?		#NAME?	#NAME?		#NAME?
#NAME?	#VALUE!		#NAME?	#NAME?		#NAME?
#NAME?	#NAME?		#NAME?	#NAME?		#NAME?

#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
	#NAME?	#NAME?	sourcename	#NAME?
DB.LOGOFF()	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
0		#NAME?		#NAME?
0	DB.EXTRACT?()/EXTRACT.	#NAME?	findconnect	
#NAME?	#NAME?	#NAME?	#NAME?	sql_init() **return TRI
0	#NAME?	Err:522	#NAME?	#NAME?
0	#NAME?	#NAME?	#NAME?	#NAME?
Err:504	#NAME?	#NAME?	1	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	0	#NAME?	Err:504	#NAME?
	#NAME?	#NAME?	0	** look for "
optns/DB.OPTIONS?	#NAME?	#NAME?	2	sql_cat()
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	Err:504	#NAME?		0
#N/A	0	#NAME?	check_channel	#NAME?
#NAME?	IF(ISERROR(M**don't nee	#NAME?	#NAME? **channel t	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME? **start QT,	#NAME?
#NAME?	#NAME?	#NAME?	#NAME? **channel t	#NAME?
#NAME?	#NAME?	#NAME?	#VALUE!	#NAME? **fix to trur
#NAME?	#NAME?	#NAME?	#NAME?	2
#NAME?	#VALUE!	#NAME?		#NAME?
#NAME?	#NAME?		get_db	#NAME?
#NAME?	#NAME?	DB.SQL.QUERY()/SQL.Ql	Err:504	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	
#NAME?	#NAME?	#NAME?	#NAME?	sql_end()
#NAME?	#NAME?	#NAME?		#NAME?
#NAME?	#NAME?	#NAME?	get_stub_info	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	IF(sql_state=2,GOTO(I2:
#NAME?	#NAME?	#N/A	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	0	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?		match_db()
#NAME?	#NAME?	#NAME?	run_stub	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	DB.DELETE?()	#NAME?	#ADDIN?	Err:522
	#NAME?	#NAME?	#NAME?	Err:522
sql_options()	#NAME?	#NAME?	#NAME?	#NAME?

#NAME?	#NAME?	#N/A	1	
	#NAME?	#NAME?	#NAME?	table_criteria()
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	Err:522
#NAME?	#NAME?	#NAME?	#ADDIN?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	Err:522
#NAME?	#NAME?	#NAME?		1
#NAME?	#NAME?	#NAME?	cancel_macro	Err:522
#NAME?	#NAME?	#NAME?	#NAME?	Err:522
#NAME?	#NAME?	#NAME?	#NAME?	Err:522
#NAME?	#NAME?	#N/A	#NAME?	#NAME?
#NAME?	#NAME? **build dele	#NAME?		
#NAME?	#NAME?	#N/A	nametrunc	qualifier2table()
#NAME?	IF(NOT(D259) **old Q+E	#NAME?	#NAME?	#NAME?
#NAME?	EXECUTE(cha.**old Q+E	#NAME?	#NAME?	#NAME?
#NAME?	EXECUTE(cha.**old Q+E	#NAME?	#NAME?	#NAME?
#NAME?	EXECUTE(cha.**old Q+E way		#NAME?	#NAME?
#VALUE!	EXECUTE(cha.**old Q+E	DB.ACTIVAT**changed t	#NAME?	0
#NAME?	IF(ISERROR(D.**old Q+E	#NAME?	#NAME?	#NAME?
	#NAME?	#NAME?	#NAME?	
DB.PASTE.FIELDNAMES(	#NAME?	0		month_mmm()
#NAME?		#NAME?	db.options.text()	#NAME?
#NAME?	sndsql	#NAME?	#NAME?	#NAME?
#NAME?	0	#NAME?	#NAME?	
#NAME?	#NAME?		#NAME?	Procedure to get record:
Err:504	#NAME?	DB.GET.DATABASE()	#NAME?	Inputs:
#NAME?	#NAME?	#NAME?	#NAME? wz:this func	num_row - Number o
#NAME?	#NAME?	#NAME?	#NAME?	num_col - Number of
#NAME?	#NAME?	#NAME?	#NAME?	num_drow - Number
#NAME?	#VALUE!	Err:508	#NAME?	row_off - Row offset t
#NAME?	Err:522	#NAME?	#NAME?	col_off - Column offse
#NAME?	Err:522	#NAME?	#NAME?	Output:
	Err:522	#NAME?	#NAME?	num_row - Set to nur
DB.PASTE.FIELDNAMES?	Err:522	#NAME?	#NAME?	get_recs
#NAME?	#NAME?	#N/A		#NAME?
#NAME?	Err:522	#NAME?	db.options.dbase()	#NAME?
#NAME?	Err:522	#N/A	#NAME?	#NAME?
#NAME?	Err:522	#NAME?	#NAME?	0
#NAME?	Err:522	#N/A	#NAME? wz:this func	#NAME?
#NAME?	Err:522	#N/A	#NAME?	#NAME?
#NAME?	#NAME? ***do not c	#NAME?	#NAME?	#NAME?
#NAME?	Err:522	#N/A	#NAME?	#NAME?
#NAME?	Err:522	#NAME?	#NAME?	#NAME?
#NAME?	Err:522	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?			#NAME?
0	#NAME?	Gettblname	get_sources()	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?		#NAME?	Err:504	#NAME?
#NAME?	fullpath	1	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?

Err:522	#NAME?	#NAME?	1	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?
Err:522	#NAME?	1		#NAME?
#NAME?	#NAME?	#NAME?	get_tables()	#NAME?
#NAME?	#NAME?	#NAME?	#NAME? **make curi	#NAME?
#NAME?	#NAME?	#NAME?	Err:504	
#NAME?	#NAME?	#NAME?	#NAME?	get_users()
#NAME?	#NAME?	1	#NAME?	#NAME?
#NAME?	#NAME?	#NAME?	#NAME?	Err:504
Err:522		#NAME?	Err:504	#NAME?
#NAME?		#NAME?	#NAME?	#NAME?
#NAME?			#NAME?	#NAME?
0			1	Err:504
#VALUE!			#NAME?	#NAME?
#NAME?			#NAME?	#NAME?
#NAME?				1
#NAME?				#NAME?
#NAME?				#NAME?
#NAME?				get_logons()
#NAME?				#NAME?
#NAME?				Err:504
#VALUE!				#NAME?
#NAME?				#NAME?
#NAME?				1
#NAME?				#NAME?
#NAME?				#NAME? **add delet
#NAME?				**
#NAME?				get_logoffs( **don't try t
#NAME?				#NAME? **
#VALUE!				Err:504 **
#NAME?				#NAME?
#VALUE!				#NAME?
#NAME?				1
#NAME?				#NAME?
#VALUE!				#NAME?
#NAME?				sql_init_del()
#NAME?				#NAME?
#NAME?				#NAME?
#NAME?				#NAME?
#NAME?		Insert Before		#NAME?
#NAME?		1		
#NAME?		Set Criteria		get_tiertype()
#NAME?		Set Criteria		#NAME?
#NAME?		Set Criteria		#NAME?
#NAME?		Set Criteria		#NAME?
#NAME?		9		#NAME?
#NAME?		10		#NAME?

CUSTOM.REPEAT(REFTEXT(A336),RP.PSTFLDNMS,IF(COLUMNS(!paste\_fields)>50,"=DB.PASTE.FIELDNAMES?()","=DB.PASTE.F  
 #NAME?

Add-in Mgr Commands Q+E Integration Add-in

Bar Number	Menu Name	Menu Comma	Macro Name	Command k	Status Bar	Help Topics
1	Data	F&orm...	DB.FORM		Find, change	excelhlp.hlp!1760
1	Data	&Find	DB.FIND		Select first	excelhlp.hlp!1761
1	Data	&Extract...	DB.EXTRACT?		Copy matchir	excelhlp.hlp!1762
1	Data	&Delete	DB.DELETE?		Delete match	excelhlp.hlp!1763
1	Data	Set Data&bas	DB.SET.DATABASE?		Define Intern	excelhlp.hlp!1764
1	Data	Paste F&ielnd	DB.PASTE.FIELDNAMES?		Paste fieldn	excelhlp.hlp!1765
1	Data	SQL &Query...	DB.SQL.QUERY?		Execute SQL	excelhlp.hlp!1766
1	Data	-	-		-	-
1	Data	Acti&vate MS	DB.ACTIVATE		Switch to MS	excelhlp.hlp!1767

Delete commands

1	Data	Form...
1	Data	Find
1	Data	Extract...
1	Data	Delete
1	Data	Set Database



macroname	sql_stateme	sources:	Filename	Extension	tables:	users:	logons:	logoffs:	opendbs:
QE.XLA	select * fro	[no data source]			authors	dbo	sqlother		pubs.dbo.at
		SQL			discounts	zhouwei	Btrieve		
restorekey		Btrieve			publishers		Excel		
R		Excel			roysched		FoxPro		
{F5}		dBase4 Files			sales		Paradox		
sql:		Text			stores		dBase4 Files		
		dBase4			sysalternates		SQL		
		SQL			syscolumns		Text		
used_db_count:					syscomments		dBase4		
1					sysdepends				
					sysindexes				
num_col:					syskeys				
9					syslogs				
					sysobjects				
num_row:					sysprocedures				
23					sysprotects				
					syssegments				
num_drow:					systypes				
23					sysusers				
					titleauthor				
col_off:					titles				
1									
row_off:									
1									
curdb:									
pubs									
curuser:									
dbo									
curtable:									
authors									
dlg_cur_sour:									
SQL									
ext_db:									
SQL pubs.dbo.authors									
first_enter:									
0									
buf_len:									
25									

actFlag:

4

string:

SummaryText:

Replacement for Microsoft Excel 4.x Macro to Q+E.

Error message:

External database is not defined.

Extract range is not valid.

Criteria is not allowed on text or image fields:

Criteria values for binary fields must begin with 0x:

*Error connecting to MS Query.*

The current Excel selection is an object which is not valid for that operation.

Extract range is full.

SELECT statement is not valid.

DDE Error saving file.

Database is not defined.

Database is not valid.

DDE Error getting field definitions.

DDE Error when sending command.

Error in SQL Statement.

Not enough room to paste all the selected fields. Paste as many as possible?

*The command is not available for External Databases.*

*The command is not available for External Databases.*

*Unable to paste all records from MS Query. Make sure document is not protected.*

Fetch of sources list failed.

Can't paste to cells which are locked or part of an array.

Delete operation failed.

Fetch of users list failed.

Fetch of logons list failed.

Fetch of logoffs list failed.

Can't load dll function.

Can't Find File:

Data will permanently be deleted.

Can't Connect to File:

No data retrieved.

SQL statement is not valid or DDE error.

Invalid File for Current Source:

Not a valid source.

*MS Query could not be found. Make sure MS Query is installed in a directory included in your path.*

The current Excel selection cannot be set as a database. Please select a single data range and try again.

Invalid Source:

Can't paste over objects.

Invalid Field:

Text and Image datatypes may not be selected as Distinct:

The file exists. Do you want to replace it?

Invalid Filename:

Can't perform that operation on protected worksheets.

Fixed Length Value Files will be brought in as a single column.

Can't perform that operation while in Workgroup mode.

Must use tablename.FIELDNAME when connected to multiple database tables.

Error in Criteria.

Fields may not be blank or zero.

Unable to log on to source:

Q+E Add-in must be named

Invalid database for current user:

Insufficient disk space to extract records.

Can't perform that operation on a Workbook.

Messages:

Retrieving Fieldname Information

Performing Query

Translating Criteria & Extract Ranges

Records Received:

of

Fetching List of Tables.

Fetching List of Users.

*Activating MS Query*

Performing User Query

date/time format:

0000

t \*

Invalid Filenames

CON

LPT1

LPT2

LPT3

LPT4

COM1

COM2

COM3

COM4 Repeat Text

.. Error on Set Database

Cancel Set Database

Repeat Name & Repeat Set Database

RP.SETDB.E & Repeat Logon

RP.SETDB.C & Repeat Data Form

RP.SETDB Error on Data Form

RP.LOGON Cancel Data Form

RP.FORM & Repeat Data Find

RP.FORM.E Error on Data Find

RP.FORM.C Cancel Data Find

RP.FIND SQL Statement too complex to record

RP.FIND.ER Cancel Data Extract

RP.FIND.CA &Repeat Extract  
RP.SQL2CM Error on Data Extract  
RP.EXTRAC Cancel Paste Records  
RP.EXTRAC &Repeat SQL Query  
RP.EXTRAC Error on Data Delete  
RP.PSTREC. Cancel Data Delete  
RP.SQLQRY &Repeat Data Delete  
RP.DDELETI *Error Activating MS Query*  
RP.DDELETI *&Repeat Activate MS Query*  
RP.DDELET Cancel Paste Fieldnames  
RP.ACTQE.E &Repeat Paste Fieldnames  
RP.ACTQE Error on Paste Fieldnames  
RP.PSTFLD Cancel Operation  
RP.PSTFLDNMS  
RP.PSTFLDNM.ERR  
RP.OPER.CAN

UE as indicator

ELE" in 3rd position of "DELETE" or "SELECT"

ocate for Select or Delete

35))

s from Q+E:

if worksheet rows selected  
: worksheet columns selected  
of records in Q+E  
:o first record in worksheet  
at to first record

nber of records retrieved

*e initialization*

*o truncate "Q+E" stuff...*

FIELDNAMES("&SUBSTITUTE(GET.NAME(GET.DOCUMENT(76)&"!paste\_fields"),"=","")&"))



fields:	pstfields:	fields_define:					
au_id	au_id	pubs.dbo.authors		9		pubs.dbo.titleauthor	4
au_lname	au_lname	au_id	2	11 0	12 au_id	2	11
au_fname	au_fname	au_lname	2	40 0	12 title_id	2	6
phone	phone	au_fname	2	20 0	12 au_ord	5	3
address	address	phone	1	12 0	1 royaltyp	4	11
city	city	address	2	40 0	12		
state	state	city	2	20 0	12		
zip	zip	state	1	2 0	1		
contract	contract	zip	1	5	0	1	
		contract	5	1	0	65529	

	pubs.dbo.titles		10			#NAME?
0	12 title_id	2	6	0	12	#NAME?
0	12 title	2	80	0	12	#NAME?
0	65530 type	1	12	0	1	#NAME?
0	4 pub_id	1	4	0	1	#NAME?
	price	3	21	4	3	#NAME?
	advance	3	21	4	3	#NAME?
	royalty	4	11	0	4	#NAME?
	ytd_sales	4	11	0	4	#NAME?
	notes	2	200	0	12	#NAME?
	pubdate	8	23	0	11	#NAME?
						#NAME?
						#NAME?
						#NAME?
						#NAME?
						#NAME?
						#NAME?
						#NAME?
						#NAME?
						#NAME?
						#NAME?
						#NAME?
						#NAME?
						#NAME?
						#NAME?