

Click [Help Topics](#) for a list of topics.

## Setting up your Internet mail account

Use the following screens to set up an Internet mail account on your computer. You must have an existing e-mail account with an [Internet service provider](#) (ISP) first. The wizard asks you to provide the following information about your account. For more information, click an item below:

{button ,JI(` >proc4',`ICW\_MAIL\_NAME')} [Your name](#)

{button ,JI(` >proc4',`ICW\_MAIL\_ADDRESS')} [Your e-mail address](#)

{button ,JI(` >proc4',`ICW\_MAIL\_SERVER')} [Your incoming and outgoing e-mail server names](#)

{button ,JI(` >proc4',`ICW\_MAIL\_LOGON')} [Your e-mail logon information](#)

{button ,JI(` >proc4',`ICW\_MAIL\_ACCOUNT\_NAME')} [An account name](#)

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_OPTIONS;ICW\_SETUP\_MANUAL;ICW\_MAIL\_ACCOUNT;ICW\_MAIL\_ACCOUNT\_NAME;ICW\_MAIL\_NAME;ICW\_MAIL\_ADDRESS;ICW\_MAIL\_SERVER;ICW\_MAIL\_LOGON")} [Related Topics](#)

## Specifying an Internet mail account

An Internet mail account contains the settings your computer uses to send and receive your e-mail messages over the [Internet](#). The Internet Connection Wizard has detected an Internet mail account already on your computer. Use the Internet Mail Account screen to specify whether you want to create a new Internet mail account or use an existing one. Do one of the following:

- If you are creating a new Internet mail account or you aren't sure which account to use, click **Create a new Internet mail account**, and then click **Next**.
- If you already have an Internet mail account and want to use it or change its settings, click **Use an existing Internet mail account**, click the account name in the list, and then click **Next**.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_MAIL;ICW\_MAIL\_ACCOUNT\_NAME;ICW\_MAIL\_NAME;ICW\_MAIL\_ADDRESS;ICW\_MAIL\_SERVER;ICW\_MAIL\_LOGON")} [Related Topics](#)

### **Specifying a mail account to import**

The Internet Connection Wizard has detected that you have more than one account on the Internet mail program that you want to import. Use the Multiple Internet Mail Accounts screen to select one account to import from the list of accounts.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_MAIL;ICW\_MAIL\_ACCOUNT;ICW\_MAIL\_ACCOUNT\_NAME;ICW\_MAIL\_ADDRESS;ICW\_MAIL\_SERVER;ICW\_MAIL\_LOGON")}[Related Topics](#)

### Specifying your display name

Use the Your Name screen to provide the wizard with the name you want to use in the **From** box of e-mail messages you send to other people. Do the following:

- Type your display name. This name can be up to 255 characters in length and can contain spaces. You can type your full name, a nickname, an alias, or any other name you want.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_MAIL;ICW\_MAIL\_ACCOUNT;ICW\_MAIL\_ACCOUNT\_NAME;ICW\_M  
AIL\_ADDRESS;ICW\_MAIL\_SERVER;ICW\_MAIL\_LOGON")} [Related Topics](#)

### **Providing your e-mail address**

Use the Internet E-Mail Address screen to provide the wizard with the address other people will use to send e-mail messages to you. Do the following:

- Type your e-mail address. It could consist either of a member or user name you chose or a series of numbers or letters given to you by your Internet service provider (ISP). If you don't know your e-mail address, contact your ISP.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_MAIL;ICW\_MAIL\_ACCOUNT;ICW\_MAIL\_ACCOUNT\_NAME;ICW\_M  
AIL\_NAME;ICW\_MAIL\_SERVER;ICW\_MAIL\_LOGON")} [Related Topics](#)

### **Providing your e-mail server type and names**

Use the E-Mail Server Names screen to provide the wizard with information about the servers your Internet service provider (ISP) uses to process incoming and outgoing e-mail. Do the following:

- Select the type of incoming mail server your ISP uses, either POP3 or IMAP. The most common type is POP3. If you're not sure, contact your ISP.
- Type the incoming mail server address (either POP3 or IMAP).
- Type the outgoing mail server (SMTP) address. This address may be the same as your incoming mail server (POP3 or IMAP) address.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_MAIL;ICW\_MAIL\_ACCOUNT;ICW\_MAIL\_ACCOUNT\_NAME;ICW\_MAIL\_NAME;ICW\_MAIL\_ADDRESS;ICW\_MAIL\_LOGON")} [Related Topics](#)

### **Providing your e-mail account name and password**

Use the Internet Mail Logon screen to specify whether your Internet service provider (ISP) uses Secure Password Authentication (SPA). If it doesn't, you use this screen to provide the e-mail account name and password you use to log in to your ISP to send and receive e-mail. Your e-mail account name may also be referred to as User ID, Member ID, or User Name, and is usually the name used to start your account. Do one of the following:

- If your ISP does not use SPA, click **Log on using**, and then type your e-mail account name and password. Your e-mail account name may be the first part of your e-mail address. If you're not sure, contact your ISP.
- If your ISP uses SPA, click **Log on using Secure Password Authentication (SPA)**, and then click **Next**. You then provide your e-mail account name at the time you log on.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_MAIL;ICW\_MAIL\_ACCOUNT;ICW\_MAIL\_ACCOUNT\_NAME;ICW\_MAIL\_NAME;ICW\_MAIL\_ADDRESS;ICW\_MAIL\_SERVER") } [Related Topics](#)



### **Specifying a mail account name (friendly name)**

Your Internet mail account contains the settings used to send and receive your e-mail messages over the Internet. These settings are grouped together and stored on your computer. Use the Friendly Name screen to provide the wizard with a label to use for the Internet mail settings you are creating. Do the following:

- Type an Internet mail account name. This name can be up to 255 characters in length and can contain any characters except backslashes ( \ ). You can use the name of your Internet service provider or any other name you want. This name can be the same as or different from your dial-up connection name and Internet news name (if any).

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_MAIL;ICW\_MAIL\_ACCOUNT;ICW\_MAIL\_NAME;ICW\_MAIL\_ADDRESSES;ICW\_MAIL\_SERVER;ICW\_MAIL\_LOGON")} [Related Topics](#)

## Changing your Internet mail account settings

Use this screen to specify whether you want to change the settings for the Internet mail account you have selected. Do one of the following:

- If you want to change settings for the Internet mail account you selected, click **Yes**, and then click **Next**. You can change the following information:
  - The Internet mail account name
  - Your e-mail address and display name
  - Your incoming and outgoing e-mail server addresses
  - Your e-mail account logon information
- If you want to use the Internet mail account you selected without changing any of its settings, click **No**, and then click **Next**.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_MAIL;ICW\_MAIL\_ACCOUNT;ICW\_MAIL\_ACCOUNT\_NAME;ICW\_M  
AIL\_NAME;ICW\_MAIL\_ADDRESS;ICW\_MAIL\_SERVER;ICW\_MAIL\_LOGON")} [Related Topics](#)

## Setting up your Internet news account

To set up an Internet news account on your computer, you must have an existing news account with an [Internet service provider](#) (ISP). To configure Internet news, the wizard asks you to provide the following information about your account. For more information, click a button in the list below:

{button ,JI(` >proc4',`ICW\_NEWS\_NAME')} [Your display name](#)

{button ,JI(` >proc4',`ICW\_NEWS\_ADDRESS')} [Your e-mail address](#)

{button ,JI(` >proc4',`ICW\_NEWS\_SERVER')} [Your news server name](#)

{button ,JI(` >proc4',`ICW\_NEWS\_ACCOUNT\_NAME')} [A news account name \(friendly name\)](#)

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_OPTIONS;ICW\_SETUP\_MANUAL;ICW\_NEWS\_ACCOUNT;ICW\_NEWS\_ACCOUNT\_NAME;ICW\_NEWS\_NAME;ICW\_NEWS\_ADDRESS;ICW\_NEWS\_SERVER;ICW\_NEWS\_LOGON")}  
[Related Topics](#)

### Specifying an Internet news account

An Internet news account contains the settings your computer uses to read and post news articles by using the newsreader on your computer. The Internet Connection Wizard has detected an Internet news account already on your computer. Use the Internet News Account screen to specify whether you want to create a new Internet news account or use an existing one. You must do one of the following:

- If you are creating a new Internet news account or you aren't sure which account to use, click **Create a new Internet news account** option, and then click **Next**.
- If you already have an Internet news account and want to use it or change its settings, click **Use an existing Internet news account**, click the account name in the list, and then click **Next**.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_NEWS;ICW\_NEWS\_ACCOUNT\_NAME;ICW\_NEWS\_NAME;ICW\_NEWS\_ADDRESS;ICW\_NEWS\_SERVER")} [Related Topics](#)

### **Specifying an Internet news display name**

Use the Your Name screen to provide the wizard with the name you want to use in the **From** box of news articles you post to the Internet or e-mail messages you send to other people. Do the following:

- Type your display name. This name can be up to 255 characters in length and can contain spaces. You can type your full name, a nickname, an alias, or any other name you want.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_NEWS;ICW\_NEWS\_ACCOUNT;ICW\_NEWS\_ACCOUNT\_NAME;ICW\_NEWS\_ADDRESS;ICW\_NEWS\_SERVER")} [Related Topics](#)

### **Providing your Internet news e-mail address**

Use the Internet News E-Mail Address screen to provide the wizard with the e-mail address other people can use to send e-mail messages to you in response to articles you post to the Internet. This address has been assigned to you by your Internet service provider. Do the following:

- Type your e-mail address.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_NEWS;ICW\_NEWS\_ACCOUNT;ICW\_NEWS\_ACCOUNT\_NAME;ICW\_NEWS\_NAME;ICW\_NEWS\_SERVER")} [Related Topics](#)

### Providing your Internet news server information

Use the Internet News Server Name screen to provide the wizard with information about the server, called an NNTP server, your Internet service provider (ISP) uses to process news articles. Do the following:

- Type the name of the news (NNTP) server.
- If your ISP requires you to log on to your news server, select the check box, and then click **Next**. If not, make sure the check box is clear, and then click **Next**.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_NEWS;ICW\_NEWS\_ACCOUNT;ICW\_NEWS\_ACCOUNT\_NAME;ICW\_NEWS\_NAME;ICW\_NEWS\_ADDRESS;ICW\_NEWS\_LOGON")} [Related Topics](#)

### **Specifying an Internet news account name**

Your Internet news account contains the settings used to read and post Internet news articles. These settings are grouped together and stored on your computer. Use the Internet News Account Name screen to provide the wizard with a label to use for the Internet news settings you are creating. Do the following:

- Type an Internet news account name. This name can be up to 255 characters in length and can contain any characters except backslashes ( \ ). You can use the name of your Internet service provider or any other name you want. This name can be the same as or different from your dial-up connection name and Internet mail name (if any).

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_NEWS;ICW\_NEWS\_ACCOUNT;ICW\_NEWS\_NAME;ICW\_NEWS\_ADDRESS;ICW\_NEWS\_SERVER")} [Related Topics](#)



## Changing your Internet news account settings

Use this screen to specify whether you want to change the settings for the Internet news account you have selected. Do one of the following:

- If you want to change settings for the Internet news account you selected, click **Yes**, and then click **Next**. You can change the following information:
  - The Internet news account name
  - Your e-mail address and Internet news display name
  - Your news server name
  - Your news server logon information, if required
- If you want to use the Internet news account you selected without changing any of its settings, click **No**, and then click **Next**.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_NEWS;ICW\_NEWS\_ACCOUNT;ICW\_NEWS\_ACCOUNT\_NAME;ICW\_NEWS\_NAME;ICW\_NEWS\_ADDRESS;ICW\_NEWS\_SERVER;ICW\_NEWS\_LOGON")} [Related Topics](#)

## Setting up an Internet directory service

To set up an Internet directory service, your [Internet service provider](#) (ISP) must offer a directory service. To configure an Internet directory service, the wizard asks you to provide the following information. For more information, click a button in the list below:

{button ,JI(` >proc4',`ICW\_LDAP\_SERVER')} [Your Internet directory \(LDAP\) server name](#)

{button ,JI(` >proc4',`ICW\_LDAP\_LOGON')} [Your Internet directory server logon information, if required](#)

{button ,JI(` >proc4',`ICW\_LDAP\_RESOLVE')} [Whether you want to check e-mail addresses using this directory service](#)

{button ,JI(` >proc4',`ICW\_LDAP\_ACCOUNT\_NAME')} [A friendly name for this Internet directory service](#)

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_OPTIONS;ICW\_SETUP\_MANUAL;ICW\_LDAP\_ACCOUNT;ICW\_LDAP\_ACCOUNT\_NAME;ICW\_LDAP\_SERVER;ICW\_LDAP\_LOGON;ICW\_LDAP\_RESOLVE")} [Related Topics](#)

## Specifying an Internet directory service

Your Internet service provider uses an Internet directory server to provide you with information and e-mail addresses for your e-mail message recipients. The Internet Connection Wizard has detected an Internet directory server already set up on your computer. Use the Internet Directory Service screen to specify whether you want to set up a new Internet directory server or use an existing one. You must do one of the following:

- If you are setting up a new Internet directory server or you aren't sure which server to use, click the **Set up a new directory service** option, and then click **Next**.
- If you already have an Internet directory server and want to change its settings, **click Modify an existing directory service**, click the server name in the list, and then click **Next**.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_OPTIONS;ICW\_SETUP\_MANUAL;ICW\_SETUP\_LDAP;ICW\_LDAP\_ACCOUNT;ICW\_LDAP\_SERVER;ICW\_LDAP\_LOGON;ICW\_LDAP\_RESOLVE")} [Related Topics](#)

### Providing your Internet directory server information

Use the Internet Directory Server Name screen to provide the wizard with information about the server, called an LDAP server, your Internet service provider (ISP) uses to check the addresses of your e-mail recipients. Do the following:

- Type the name of the Internet directory service (LDAP) server.
- If your ISP requires you to log on to your LDAP server, select the check box, and then click **Next**. If not, make sure the check box is clear, and then click **Next**.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_OPTIONS;ICW\_SETUP\_MANUAL;ICW\_SETUP\_LDAP;ICW\_LDAP\_ACCOUNT;ICW\_LDAP\_ACCOUNT\_NAME;ICW\_LDAP\_LOGON;ICW\_LDAP\_RESOLVE")} [Related Topics](#)

### Providing your Internet directory service logon information

Use the Internet Directory Server Logon screen to specify whether your Internet service provider (ISP) uses Secure Password Authentication (SPA). If it doesn't, you use this screen to provide the LDAP account name (or LDAP User Name) and password you use to log on to your ISP to access the Internet directory server. Do one of the following:

- If your ISP does not use SPA, click **Log on using**, and then type your LDAP account name (or user name) and password. If you're not sure, contact your ISP.
- If your ISP uses SPA, click **Log on using Secure Password Authentication (SPA)**, and then click **Next**. You then provide your LDAP account name at the time you log on.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_OPTIONS;ICW\_SETUP\_MANUAL;ICW\_SETUP\_LDAP;ICW\_LDAP\_ACCOUNT;ICW\_LDAP\_ACCOUNT\_NAME;ICW\_LDAP\_SERVER;ICW\_LDAP\_RESOLVE")} [Related Topics](#)

### Checking e-mail addresses using your Internet directory service

Use the Check E-Mail Addresses screen to specify whether you want your e-mail or news program to check this Internet directory service for addresses and other information for all of your e-mail message recipients. You are not limited to using only one Internet directory service to check messages. You can change the properties for this Internet directory service later using your Internet news or Internet mail program.

- To check e-mail addresses using this Internet directory service, click **Yes**, and then click **Next**.
- To not check addresses using this Internet directory service, click **No**, and then click **Next**.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_OPTIONS;ICW\_SETUP\_MANUAL;ICW\_SETUP\_LDAP;ICW\_LDAP\_ACCOUNT;ICW\_LDAP\_ACCOUNT\_NAME;ICW\_LDAP\_SERVER;ICW\_LDAP\_LOGON")}[Related Topics](#)

### **Specifying an Internet directory service name**

Your Internet directory service settings are grouped together and stored on your computer under one name. Use the Friendly Name screen to provide the wizard with a label to use for the Internet directory service settings you are setting up. Do the following:

- Type an Internet directory service name. This name can be up to 255 characters in length and can contain any characters except backslashes ( \ ). You can use the name of your Internet directory server or any other name you want.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_OPTIONS;ICW\_SETUP\_MANUAL;ICW\_SETUP\_LDAP;ICW\_LDAP\_ACCOUNT;ICW\_LDAP\_SERVER;ICW\_LDAP\_LOGON;ICW\_LDAP\_RESOLVE")} [Related Topics](#)

## Changing your Internet directory service account settings

Use this screen to specify whether you want to change the settings for the Internet directory service account you have selected. Do one of the following:

- If you want to change settings for the Internet directory service account you selected, click **Yes**, and then click **Next**. You can change the following information:
  - The Internet directory service server
  - The directory service account name
  - Whether or not e-mail names are checked against this directory service
- If you want to use the Internet directory service account you selected without changing any of its settings, click **No**, and then click **Next**.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_OPTIONS;ICW\_SETUP\_MANUAL;ICW\_SETUP\_LDAP;ICW\_LDAP\_ACCOUNT;ICW\_LDAP\_SERVER;ICW\_LDAP\_LOGON;ICW\_LDAP\_RESOLVE")} [Related Topics](#)



### **Completing your configuration**

The Internet Connection Wizard has finished gathering information and is ready to complete the configuration you requested. To complete the configuration and close the wizard, click **Finish**.

If you want to create additional configurations, you can start the Internet Connection Wizard again by clicking the **Start** button, pointing to **Programs**, pointing to **Internet Explorer**, and then clicking **Connection Wizard**.

---

{button ,AL("ICW\_TRB;ICW\_OVERVIEW;ICW\_SETUP\_OPTIONS")} [Related Topics](#)

After you are connected to the Internet and have an Internet account, you might need special software to use the features available on the Internet. Examples of Internet software are:

- A browser for viewing the World Wide Web
- A newsreader for reading and posting news on newsgroups or bulletin boards
- Chat software for participating in online conversations
- An e-mail program for sending and receiving electronic mail

An Internet service provider (ISP) maintains a server that is directly connected to the Internet. To connect your computer to the Internet, you use a modem to dial into this server. In exchange for this service, a provider charges you for the time you spend using the Internet.

The Internet is a collection of computer networks that connects millions of computers around the world, including the one on your desktop. It is also a vast source of information that is constantly changing and expanding. Since its creation in the 1970s, it has grown exponentially and is now used by millions of people, from those in commercial and educational institutions to individual consumers.

Once you're connected to the Internet, you can access a wealth of information, including pages on the World Wide Web, newsgroups (BBS), news and weather information, software, and games.

## Setting up a new Internet connection

Choose this option to create a connection to the [Internet](#) using your phone line or your local area network (LAN). The information you need to provide to the wizard depends on which type of connection you are creating. Use the Set Up Your Internet Connection screen to specify the type of connection you want to create. For more information about a connection type, click it in the list below:

{button ,JI(` >proc4', `ICW\_SETUP\_PHONE')} **Connect using my phone line**

Click this option if you already have an account with an [Internet service provider](#) (ISP) and want to create a connection to that account using your modem and phone line.

{button ,JI(` >proc4', `ICW\_SETUP\_LAN')} **Connect using my local area network (LAN)**

Click this option if you want to connect to the Internet using a proxy server on your LAN or if your LAN is directly connected to the Internet.

{button ,JI(` >proc4', `ICW\_SETUP\_MANUAL')} **I will establish my Internet connection manually**

Click this option if you want to set up your Internet connection yourself.

---

{button ,AL("ICW\_SETUP\_PHONE;ICW\_SETUP\_LAN;ICW\_SETUP\_MAIL;ICW\_SETUP\_NEWS")} [Related Topics](#)

## Using your phone line to connect

You can set up your phone line and modem to connect to an [Internet service provider](#) (ISP) with which you already have an account. The wizard asks for the following information, which you must obtain from your provider before you can complete the wizard. For more information, click an item below:

{button ,JI(` >proc4',`ICW\_DIALUP\_CONNECTION')} [The dial-up connection you want to use](#)

{button ,JI(` >proc4',`ICW\_DIALUP\_NAME')} [A name for your dial-up connection](#)

{button ,JI(` >proc4',`ICW\_PHONE\_NUMBER')} [The phone number you dial to connect to the Internet](#)

{button ,JI(` >proc4',`ICW\_NAME\_PASSWORD')} [The user name, or account name, and password you use to log in to your ISP](#)

{button ,JI(` >proc4',`ICW\_ADVANCED')} [Advanced settings, if necessary](#)

Advanced settings include connection type, logon procedure, IP (Internet Protocol) address, DNS (Domain Name System) server address, and, for the Windows NT operating system, LCP extensions.

---

{button ,AL("ICW\_TRB;ICW\_SETUP\_MANUAL;ICW\_DIALUP\_CONNECTION;ICW\_DIALUP\_NAME;ICW\_PHONE\_NUMBER;ICW\_NAME\_PASSWORD;ICW\_DIALUP\_SETTINGS;ICW\_ADVANCED")} [Related Topics](#)

### **Using your local area network (LAN) to connect**

If your LAN is connected to the [Internet](#), you can create a connection to the Internet by using your network. The wizard asks if your LAN uses a proxy server to connect to the Internet. If you're not sure, contact your system administrator.

For more information, click [Related Topics](#), and then click "Specifying The Type Of Local Area Network (LAN) Connection."

---

{button ,AL("ICW\_TRB;ICW\_SETUP\_MANUAL;ICW\_USE\_PROXY;ICW\_PROXY\_SERVERS;ICW\_PROXY\_EXCEPTIONS")}  
[Related Topics](#)

## Specifying a dial-up connection

A dial-up connection contains the settings your computer uses to connect to the [Internet](#). The Internet Connection Wizard has detected that you already have a dial-up connection on your computer. Use the Dial-Up Connection screen to specify whether you want to create a new dial-up connection or use an existing one. Do one of the following:

- If you are creating a new connection to your [Internet service provider](#) (ISP) or you aren't sure which connection to use, click **Create a new dial-up connection**, and then click **Next**.
- If you already have a dial-up connection to your ISP and want to use it or change its settings, click the connection name in the list, and then click **Next**.

If you choose to create a new dial-up connection or change an existing one, you need to provide the wizard with the following information:

- The phone number you use to dial your ISP
- The user name and password you use to connect to your ISP
- Advanced settings, if required by your ISP

---

{button ,AL("ICW\_TRB;ICW\_SETUP\_PHONE;ICW\_DIALUP\_NAME;ICW\_PHONE\_NUMBER;ICW\_NAME\_PASSWORD;ICW\_DIALUP\_SETTINGS;ICW\_ADVANCED")} [Related Topics](#)



### **Naming a dial-up connection**

A dial-up connection contains the settings your computer uses to connect to the [Internet](#). Use the Dial-Up Connection Name screen to provide the wizard with a label to use for the dial-up connection settings you are creating. Do the following:

- Type a dial-up connection name. This name can be up to 255 characters in length and can contain blank spaces. You can use the name of your [Internet service provider](#) (ISP) or any other name you want.

---

{button ,AL("ICW\_TRB;ICW\_SETUP\_PHONE;ICW\_DIALUP\_CONNECTION;ICW\_PHONE\_NUMBER;ICW\_NAME\_PASSWORD;ICW\_DIALUP\_SETTINGS;ICW\_ADVANCED")} [Related Topics](#)

### **Specifying your phone number**

Use the Phone Number screen to provide the wizard with information on how you connect to your Internet service provider (ISP). Do the following:

- Type the area code and telephone number your computer uses to dial in to your ISP. If you're not sure what this number is, contact your ISP.
- Select the country you dial to connect to your ISP. The number in parentheses after the country name is the phone country code assigned to that country.

#### **Note**

- If the number you type is long distance, the long distance charges will appear on your telephone bill in addition to any charges made by your ISP.

---

{button ,AL("ICW\_TRB;ICW\_SETUP\_PHONE;ICW\_DIALUP\_CONNECTION;ICW\_DIALUP\_NAME;ICW\_NAME\_PASSWORD;ICW\_DIALUP\_SETTINGS;ICW\_ADVANCED")} Related Topics

### **Providing your name and password**

Use the User Name and Password screen to provide the wizard with information about your Internet account. Do the following:

- Type your user name. This is the name you use to connect to your Internet service provider (ISP). Your service may also refer to it as your Member ID, User ID, or Logon Name. If you're not sure what yours is, contact your ISP.
- Type your password. This is the password you use to log on to your ISP and is associated with your user name. When you type your password, it appears as a series of asterisks (\*).

---

{button ,AL("ICW\_TRB;ICW\_SETUP\_PHONE;ICW\_DIALUP\_CONNECTION;ICW\_DIALUP\_NAME;ICW\_PHONE\_NUMBER;ICW\_DIALUP\_SETTINGS;ICW\_ADVANCED")} [Related Topics](#)

### **Specifying the DNS (Domain Name System) server address**

Use the DNS Server Address screen to provide the wizard with information about your primary and backup DNS (Domain Name System) server address. Your Internet service provider (ISP) uses the DNS addresses to identify your computer on the Internet. Usually, your ISP assigns them to you when you log on. Do one of the following:

- If your ISP automatically assigns you DNS server addresses or if you're not sure, click **My Internet service provider automatically sets this when I sign in**.
- If your ISP does not automatically set your DNS server addresses, click **Always use the following**, and then type the address (for example, 255.255.255.255).

---

{button ,AL("ICW\_TRB;ICW\_SETUP\_PHONE;ICW\_ADVANCED;ICW\_CONNECTION\_TYPE;ICW\_LOGON\_PROCEDURE;ICW\_IP\_ADDRESS;ICW\_LCP\_EXTENSIONS")} Related Topics

### **Disabling LCP extensions (Windows NT operating system only)**

Use the LCP Extensions screen to specify whether your Internet service provider (ISP) requires you to disable LCP extensions for the PPP protocol. To disable LCP extensions, click **Yes**, and then click **Next**.

---

{button ,AL("ICW\_TRB;ICW\_SETUP\_PHONE;ICW\_ADVANCED;ICW\_CONNECTION\_TYPE;ICW\_LOGON\_PROCEDURE;ICW\_IP\_ADDRESS;ICW\_DNS\_ADDRESS")} [Related Topics](#)

## Changing advanced settings

Use the Advanced Settings screen to specify whether you want to change the settings below. Most [Internet service providers](#) (ISPs) use the default settings and you can click **No** to accept these settings. To change advanced settings, you need to provide the wizard with the following information. To find out more about a setting, click it in the list.

{button ,JI(`>proc4`,`ICW\_CONNECTION\_TYPE`)} [Connection type](#)

{button ,JI(`>proc4`,`ICW\_LCP\_EXTENSIONS`)} [LCP extensions \(Windows NT operating system only\)](#)

{button ,JI(`>proc4`,`ICW\_LOGON\_PROCEDURE`)} [Logon procedure](#)

{button ,JI(`>proc4`,`ICW\_IP\_ADDRESS`)} [IP address](#)

{button ,JI(`>proc4`,`ICW\_DNS\_ADDRESS`)} [DNS primary and alternate server addresses](#)

---

{button ,AL("ICW\_TRB;ICW\_SETUP\_PHONE;ICW\_DIALUP\_CONNECTION;ICW\_DIALUP\_NAME;ICW\_PHONE\_NUMBER;ICW\_NAME\_PASSWORD;ICW\_DIALUP\_SETTINGS;ICW\_CONNECTION\_TYPE;ICW\_LOGON\_PORCEDURE;ICW\_IP\_ADDRESS;ICW\_DNS\_ADDRESS;ICW\_LCP\_EXTENSIONS")} [Related Topics](#)

### Specifying the connection type

Use the Connection Type screen to specify the type of server connection you use to connect to your [Internet service provider](#) (ISP). The most common connection type is PPP (Point to Point Protocol). If you're not sure what connection type to use, contact your ISP. Click one of the following connection types:

- **PPP (Point to Point Protocol)**
- **SLIP (Serial Line Internet Protocol)**
- **C-SLIP (Compressed Serial Line Internet Protocol)** (Available on the Windows NT platform only)

---

{button ,AL("ICW\_TRB;ICW\_SETUP\_PHONE;ICW\_ADVANCED;ICW\_LOGON\_PROCEDURE;ICW\_IP\_ADDRESS;ICW\_DNS\_ADDRESS;ICW\_LCP\_EXTENSIONS")} [Related Topics](#)

### Specifying the logon procedure

Use the Logon Procedure screen to specify whether your Internet service provider (ISP) requires a logon script and, if so, whether you need to log on manually. If you're not sure whether you need to provide a logon script, contact your ISP. Click one of the following options:

- **I don't need to type anything when logging on.** Click this option if your ISP does not require you to provide a logon script.
- **I need to log on manually.** Click this option if your ISP requires you to run a logon script but you must run the script manually.
- **Use this logon script.** Click this option if your ISP requires you to run a logon script but does not require you to run the script manually. Then, type or select the path and file name for the logon script.

---

{button ,AL("ICW\_TRB;ICW\_SETUP\_PHONE;ICW\_ADVANCED;ICW\_CONNECTION\_TYPE;ICW\_IP\_ADDRESS;ICW\_DNS\_ADDRESS;ICW\_LCP\_EXTENSIONS")} [Related Topics](#)



### **Specifying the IP (Internet Protocol) address**

Use the IP Address screen to provide the wizard with information about your IP (Internet Protocol) address. Your Internet service provider (ISP) uses this address to identify your computer on the Internet. Usually, your ISP automatically assigns one to you when you log on. Do one of the following:

- If your ISP automatically assigns you an IP address or if you're not sure, click **My Internet service provider automatically assigns me one**.
- If your ISP does not automatically assign you an IP address or has provided you with an IP address to use, click **Always use the following**, and then type the address (for example, 138.57.7.27). This can be useful if you have more than one Internet account and you want to use different IP addresses for different connections.

---

{button ,AL("ICW\_TRB;ICW\_SETUP\_PHONE;ICW\_ADVANCED;ICW\_CONNECTION\_TYPE;ICW\_LOGON\_PROCEDURE;ICW\_DNS\_ADDRESS;ICW\_LCP\_EXTENSIONS")} Related Topics

