

**General**

[Copyrights](#)

[Files from CHPaper](#)

[History](#)

[OrderForm](#)

[Use of CHPaper](#)

**For what is:**

[CHPAPER.EXE](#)

[CHPAPERS.EXE](#)

[CHPSCR.SCR](#)

[CHPEXT.DLL](#)

**Examples of INI files:**

[CHPAPER.INI](#)



The Index contains a list of all Help topics available for the Help of CHPaper(s). For information on how to use Help, press F1 or choose Using Help from the Help menu.



Gertrudstrasse 26  
CH-8003 Zürich  
Switzerland  
CompuServe: 100013,1525

## CHPAPER replaces the desktop Wallpaper:

### Parameters:

None     Replace desktop wallpaper with next picture  
TI        Timer shows every TIME Second a new paper  
ED        Edit the entries of CHPAPER  
(Note the option must be written in CAPITAL LETTERS)

### Samples of calls

CHPAPER  
CHPAPER TI  
CHPAPER ED

## BOSSKEY:

IF YOU are in an office and can't have sexy picture at desktop, but you like them:

1. If you have it installed at the run or load line (or perhaps in the StartUp Group of Program-Manager) press ScrollLock before you start windows to get the BossPicture.
2. If you have it started using the TI function press ScrollLock to get the BossPicture. Release the ScrollLock key to get the next Picture.

## Change picture to next one:

Press ScrollLock to get the BossPicture.

## FINISH:

1. Press ScrollLock to get the BossPicture.
2. Press QUIT-BUTTON.

## CHPAPERS replaces the desktop Wallpaper:

Same points as CHPAPER except that no PARAMETERS can be entered at startup.  
It always takes T1 as option. Because of this the program has no DialogBox for editing.

## CHPSCR Puzzles Pictures on ScreenSaver activity:

You may rename CHPSCR.SCR to CHPSCR.EXE and then start CHPSCR.EXE without any parameter.

The setup Box will then appear.

If you enter -S as Parameter. then the Screensaver will start.

If you have another Program as FileManager you may also start CHPSCR.SCR with the option described above.

## CHPEXT Extension for Filemanager:

You may copy any Bitmap file over the icon of CHPEXT and then it will display it as desktop paper



----- start of CHPAPER.INI -----

[CHPEXT]

TIMER=10

TILE=1

ACTIVE=1

[CHPAPER]

PowerUser=9 [More about PowerUser](#)

MAZE\_TIMER\_MILL=5

Language=0

ENTRY=10

ENTRYAKT=4

SECTION\_ACT=3

SECTION\_ENTRY=11

S0=CHPAPER

S1=4VGA

S2=8VGA

S3=GVGA

S4=XVGA

S5=ASTRO

S6=AUTO

S7=CARTOON

S8=GRAPHIC

S9=MENSCHEN

S10=NATUR

TIMER=12

TIMER\_BOSS\_IN\_MILLSEC=1050

CHPSKR\_TIMER=2

CHPEXT\_TIMER=30000

INFORM=1

SOUND=1

RANDOM=0

FULLSCREEN=0

BOSS=R:\DEV\SAMPL\BILDER\STPETER\13640\_4.bmp

Directory=C:\WBMP

F0=C:\WBMP\babe03.bmp

FK0=C

F1=C:\WBMP\body.bmp

FK1=K

F2=C:\WBMP\hotrod.bmp

FK2=C

F3=C:\WBMP\ntreal.bmp

FK3=C

F4=C:\WBMP\paulina2.bmp

FK4=C

F5=C:\WBMP\babe03\_l.bmp

FK5=K

F6=C:\WBMP\snap7.bmp

FK6=C

F7=C:\WBMP\si7.bmp

FK7=C

F8=C:\WBMP\snap6.bmp

FK8=C

F9=C:\WBMP\babe03\_k.bmp

FK9=K

F10=W:\arkaden.bmp

FK10=C

FSOUND\_0=-

FDESCR\_0=Girl auf Auto sitzend

FSOUND\_1=-

FDESCR\_1=Spaceshuttle beim start

FSOUND\_2=-

FDESCR\_2=Katze

FSOUND\_3=-

FDESCR\_3=

FSOUND\_4=-

FDESCR\_4=HolzKopf

FSOUND\_5=-

FDESCR\_5=James Bond

FSOUND\_6=-

FDESCR\_6=

FSOUND\_7=-

FDESCR\_7=Brücke im Japanischen Garten

FSOUND\_8=-

FDESCR\_8=Affe

FSOUND\_9=-

FDESCR\_9=Porsche 944 von vorn

FSOUND\_10=-

FDESCR\_10=Sturm am Meer

----- end of CHPAPER.INI -----

Section for CHPEXT only

Time in Milliseconds to wait until the next paper will be displayed  
settings are valid from 200 to 65000

Tile or Center the picture on desktop  
valide settings are 0 and 1  
0        CENTER  
1        TILED

Should the Icon be shown on startup or not

0 inactive

1 active

SectionName

Default is 0 **and no Entry in INI**  
valide settings are 0 to 9

0 is the deepest level  
9 is the highest level



valide settings are 0 and 65000  
Timer in Milliseconds to move the Puzzlehole on screen  
good settings are 50 to 200

valide settings are 0 and 100

0 English

100 German

Entries of this Section of pictures starting at 0

Next entry of this Section to take the picture from

Next Section to take a picture from

Sectioncount of this INI file starting at 0

Section Name

Timer for the screensaver  
you have to multiply this timer with 30 secs



**BOSSTIME** to look for the scrolllock hotkey  
550 is a acceptable time

Timer for ScreenSaver

Timer for Extension

0 don't show on desktop the next picturetext  
1 display the next pciture on dekstop

has no meaning at the moment  
was needed during development with MessageBeep but  
now with the WAVE sound not needed

controls how the pictures are tooked

0

1

2

0 don't replace if topwindow is maximized  
1 replace also if topwindow is maximized

Boss picturesection



Current working Directory to open at startup of CHPAPER

picturefile to display

**WAVE** sound for picture 0

if there is no wave sound the default will be played

K TILED picture  
C Center picture

Description for each picture

## **PowerUser**

**Level 0**

**Level 1**

**Level 2**

**Level 3**

**Level 4**

**Level 5**

**Level 6**

**Level 7**

**Level 8**

**Level 9**

*Because I had some performance problems on my network (Novell 386 V3.11) I'll check these entries every time its possible to change it. If you are running it on a stand alone PC you may add **POWERUSER=9** to at section [CHPAPER]. If you are Supervisor and install this progrm on you network. Don't give all person level 9. Its dangerous, because the user can add entries very low and than a lot of pictures will be read from the server. Look at the possible levels with the settings.*

```
// Source from INICHECK.C for TimerSettings in CHPAPER.ini
```

```
switch (PowerUser) {
```

```
  case 0:
```

```
    PowerUser Level 0
```

```
    MinTIMER=                240;
    MaxTIMER=                960;
    MinTIMER_NORMAL_IN_MILLSEC= 30000;
    MaxTIMER_NORMAL_IN_MILLSEC= 55000;
    MinTIMER_BOSS_IN_MILLSEC=  1050;
    MaxTIMER_BOSS_IN_MILLSEC=  10000;
    MinCHPEXT_TIMER=          30000;
    MaxCHPEXT_TIMER=          55000;
    MinCHPSCR_TIMER=          32;
    MaxCHPSCR_TIMER=          30000;
    break;
```

```
// Source from INICHECK.C for TimerSettings in CHPAPER.ini
```

```
switch (PowerUser) {
```

```
  case 1:
```

```
    PowerUser Level 1
```

```
    MinTIMER= 180;  
    MaxTIMER= 1200;  
    MinTIMER_NORMAL_IN_MILLSEC= 30000;  
    MaxTIMER_NORMAL_IN_MILLSEC= 55000;  
    MinTIMER_BOSS_IN_MILLSEC= 1050;  
    MaxTIMER_BOSS_IN_MILLSEC= 12000;  
    MinCHPEXT_TIMER= 30000;  
    MaxCHPEXT_TIMER= 55000;  
    MinCHPSCR_TIMER= 32;  
    MaxCHPSCR_TIMER= 30000;  
    break;
```



```
// Source from INICHECK.C for TimerSettings in CHPAPER.ini
```

```
switch (PowerUser) {
```

```
  case 2:
```

```
    PowerUser Level 2
```

```
    MinTIMER= 160;  
    MaxTIMER= 1600;  
    MinTIMER_NORMAL_IN_MILLSEC= 30000;  
    MaxTIMER_NORMAL_IN_MILLSEC= 55000;  
    MinTIMER_BOSS_IN_MILLSEC= 1050;  
    MaxTIMER_BOSS_IN_MILLSEC= 14000;  
    MinCHPEXT_TIMER= 25000;  
    MaxCHPEXT_TIMER= 55000;  
    MinCHPSCR_TIMER= 32;  
    MaxCHPSCR_TIMER= 30000;  
    break;
```

```
// Source from INICHECK.C for TimerSettings in CHPAPER.ini
```

```
switch (PowerUser) {
```

```
  case 3:
```

```
    PowerUser Level 3
```

```
    MinTIMER= 140;  
    MaxTIMER= 1800;  
    MinTIMER_NORMAL_IN_MILLSEC= 30000;  
    MaxTIMER_NORMAL_IN_MILLSEC= 55000;  
    MinTIMER_BOSS_IN_MILLSEC= 1050;  
    MaxTIMER_BOSS_IN_MILLSEC= 16000;  
    MinCHPEXT_TIMER= 25000;  
    MaxCHPEXT_TIMER= 55000;  
    MinCHPSCR_TIMER= 32;  
    MaxCHPSCR_TIMER= 30000;  
    break;
```

```
// Source from INICHECK.C for TimerSettings in CHPAPER.ini
```

```
switch (PowerUser) {
```

```
  case 4:
```

```
    PowerUser Level 4
```

```
    MinTIMER= 120;  
    MaxTIMER= 2000;  
    MinTIMER_NORMAL_IN_MILLSEC= 30000;  
    MaxTIMER_NORMAL_IN_MILLSEC= 55000;  
    MinTIMER_BOSS_IN_MILLSEC= 1050;  
    MaxTIMER_BOSS_IN_MILLSEC= 18000;  
    MinCHPEXT_TIMER= 25000;  
    MaxCHPEXT_TIMER= 55000;  
    MinCHPSCR_TIMER= 32;  
    MaxCHPSCR_TIMER= 30000;  
    break;
```

```
// Source from INICHECK.C for TimerSettings in CHPAPER.ini
```

```
switch (PowerUser) {
```

```
  case 5:
```

```
    PowerUser Level 5
```

```
    MinTIMER= 100;  
    MaxTIMER= 3000;  
    MinTIMER_NORMAL_IN_MILLSEC= 30000;  
    MaxTIMER_NORMAL_IN_MILLSEC= 55000;  
    MinTIMER_BOSS_IN_MILLSEC= 1050;  
    MaxTIMER_BOSS_IN_MILLSEC= 30000;  
    MinCHPEXT_TIMER= 25000;  
    MaxCHPEXT_TIMER= 55000;  
    MinCHPSCR_TIMER= 16;  
    MaxCHPSCR_TIMER= 30000;  
    break;
```

```
// Source from INICHECK.C for TimerSettings in CHPAPER.ini
```

```
switch (PowerUser) {
```

```
  case 6:
```

```
    PowerUser Level 6
```

```
      MinTIMER= 80;
```

```
      MaxTIMER= 4000;
```

```
      MinTIMER_NORMAL_IN_MILLSEC= 30000;
```

```
      MaxTIMER_NORMAL_IN_MILLSEC= 55000;
```

```
      MinTIMER_BOSS_IN_MILLSEC= 1050;
```

```
      MaxTIMER_BOSS_IN_MILLSEC= 40000;
```

```
      MinCHPEXT_TIMER= 25000;
```

```
      MaxCHPEXT_TIMER= 55000;
```

```
      MinCHPSCR_TIMER= 8;
```

```
      MaxCHPSCR_TIMER= 30000;
```

```
      break;
```

```
// Source from INICHECK.C for TimerSettings in CHPAPER.ini
```

```
switch (PowerUser) {
```

```
  case 7:
```

```
    PowerUser Level 7
```

```
    MinTIMER= 60;
```

```
    MaxTIMER= 8000;
```

```
    MinTIMER_NORMAL_IN_MILLSEC= 25000;
```

```
    MaxTIMER_NORMAL_IN_MILLSEC= 55000;
```

```
    MinTIMER_BOSS_IN_MILLSEC= 850;
```

```
    MaxTIMER_BOSS_IN_MILLSEC= 45000;
```

```
    MinCHPEXT_TIMER= 20000;
```

```
    MaxCHPEXT_TIMER= 55000;
```

```
    MinCHPSCR_TIMER= 4;
```

```
    MaxCHPSCR_TIMER= 30000;
```

```
    break;
```

```
// Source from INICHECK.C for TimerSettings in CHPAPER.ini
```

```
switch (PowerUser) {
```

```
  case 8:
```

```
    PowerUser Level 8
```

```
    MinTIMER= 1;
```

```
    MaxTIMER= 10000;
```

```
    MinTIMER_NORMAL_IN_MILLSEC= 10000;
```

```
    MaxTIMER_NORMAL_IN_MILLSEC= 55000;
```

```
    MinTIMER_BOSS_IN_MILLSEC= 650;
```

```
    MaxTIMER_BOSS_IN_MILLSEC= 45000;
```

```
    MinCHPEXT_TIMER= 20000;
```

```
    MaxCHPEXT_TIMER= 55000;
```

```
    MinCHPSCR_TIMER= 2;
```

```
    MaxCHPSCR_TIMER= 30000;
```

```
    break;
```

// Source from INICHECK.C for TimerSettings in CHPAPER.ini

switch (PowerUser) {

case 9:

**Highest possible PowerUser Level 9**

MinTIMER=	1;
MaxTIMER=	55000;
MinTIMER_NORMAL_IN_MILLSEC=	5000;
MaxTIMER_NORMAL_IN_MILLSEC=	55000;
MinTIMER_BOSS_IN_MILLSEC=	550;
MaxTIMER_BOSS_IN_MILLSEC=	55000;
MinCHPEXT_TIMER=	5000;
MaxCHPEXT_TIMER=	55000;
MinCHPSCR_TIMER=	1;
MaxCHPSCR_TIMER=	30000;
break;	



## History

**Version 1.0**

**Version 1.01**

**Version 1.02**

**Version 1.03**

**Version 1.04**

**Version 2.02**

**Version 2.02a**

**Version 3.0**

**Version 3.1**

**Version 4.0**

**Version 4.1**

**Version 4.2a**

**Version 4.3a**

**Version 4.4 - 4.6**

**Version 4.7**

**Version 5.0**

**Version 5.1**

**Version 5.6**

**Version 6.0**

*First Version of CHPaper*

*never was released*

*Generation of CHPAPERS from CHPAPER  
Shareware Box added  
Random selection of pictures are now possible*

*Pause-Key function*

*Information on screen which the next picture will be*

*This documents was enhanced with prober description of all keys*

*Now BOSS-Key gets a Boss-Box  
BOSS-Picture removed and a BOSS-Section added  
Timer and Random section-selection in BOSS-BOX added*

*CHPEXT.DLL written*

*CHPSCR.SCR written (There are maybe bugs to remove)*



*CHPAPERS.EXE lot of overhead deleted and improved*

*CHPSCR.SCR bugs removed  
CHPAPER.EXE now can also instal EXT and SCR*

*Now sounds are implemented  
Bug fixed to free all memory  
CHPAPER now with enhanced preview function  
CHPAPER can call Sound from Control-Panel*

*Checking if entries in CHPAPER.INI are correct  
Resetting wring entries to UserLevel (PowerUser)*

*Some routines enhanced  
ScreenSaver extended with Puzzle and Keyboard animation  
Start ScreenSaver from BossBox*

*ScreenSaver enhanced*

*Lot's of stuff enhanced*

*Now it supports also different languages*

***ENGLISH and GERMAN support for BossBox and Register***

*Additional Sound support added  
Better working of Edit-Box of CHPAPER*



*Some warning Messages from compiler corrected  
Compiler-Files optimized for different compilations  
Shareware and Full version of object-files splited*

*Information Display is now improved. It's displayed as a window for 3 seconds*

*Now with with windows helpfile*

*Easy installation*

## **Files that make CHPaper(s)**

### EXE Files

**CHPAPER.EXE**  
**CHPAPERS.EXE**

### DLL Files

**CHPEXT.DLL**  
**CHPTEXT.DLL**

### ScreenSaver

**CHPSCR.SCR**

### Help and documentation

**CHPHLP.HLP**  
**CHPAPER.WRI**  
**CHPAPER.INI**

*EXE-File with Editbox*

*EXE-File without Editbox*

*This File*



*Extension for Filemanager*

*DLL with all Text Resources in it*

*ScreenSaver from CHPaper*

*Description of CHPAPER*

## *Sample INI-File*

# ORDER FORM

PROGRAM:	# COPIES:	Amount
<u>CHPAPER</u>		
1 PC using CHPAPER (\$15)	_____	\$ _____
2-5 PC using CHPAPER (\$25)	_____	\$ _____
6-10 PC using CHPAPER (\$30)	_____	\$ _____
11-50 PC using CHPAPER (\$40)	_____	\$ _____
51-100 PC using CHPAPER (\$60)	_____	\$ _____
101-150 PC using CHPAPER (\$80)	_____	\$ _____
161-500 PC using CHPAPER (\$100)	_____	\$ _____
over 501 PC using CHPAPER (\$150)	_____	\$ _____

- ADD - \$6 for Diskette (5¼" 360K only) \$ \_\_\_\_\_  
(only if you want a Disk with the newest Version)

- ADD - \$9 for Diskette (3½" 720K only) \$ \_\_\_\_\_  
(only if you want a Disk with the newest Version)

**TOTAL** \$ \_\_\_\_\_

**PAYMENT BY:**

Check \_\_\_\_\_ enclosed for \$ \_\_\_\_\_

Signature \_\_\_\_\_

**MAILING ADDRESS:**

NAME \_\_\_\_\_

ADDRESS LINE 1 \_\_\_\_\_

ADDRESS LINE 2 \_\_\_\_\_

CITY/STATE/PROVINCE \_\_\_\_\_

COUNTRY/POSTAL CODE \_\_\_\_\_

DAYTIME PHONE \_\_\_\_\_

FAX PHONE \_\_\_\_\_

CompuServe ID: \_\_\_\_\_

SEND TO: Mr.  
Thomas Stoll  
Gertrudstrasse 26  
CH-8003 Zürich  
Switzerland

If you send me some money you'll get the information to turn the RegistrationForm off.  
If I get your CIS ID you'll receive the info by EMAIL, otherwise by FAX or MAIL.

# USE OF CHPAPER

The CHPAPER and all other programs which are included were distributed as shareware for home use, but must be licensed for use within a business, corporation, or organization. This includes educational institutions and government agencies. If you are a shareware distributor you may distribute all software listed below in the registration form as long as you contact me (Th. Stoll) for permission first. You must distribute all the files intact and in unmodified form (duplicate files may be removed) and may not charge more than a reasonable disk copying fee. If you are a System Operator and run a publically-accessible BBS for which there is no usage fee then you may use the software free of charge--that's our way of saying thanks.

## REGISTRATION FOR CHPAPER

*Registration is required for the use of the **CHPAPER and all files** described in this documentation. This form should be used to register it.*

## Warranty NOTE

IN NO EVENT SHALL T.STOLL BE LIABLE FOR ANY LOSS OF PROFIT OR ANY OTHER  
COMMERCIAL DAMAGE, INCLUDING BUT NOT LIMITED TO SPECIAL, INCIDENTAL,  
CONSEQUENTIAL OR OTHER DAMAGES. T.STOLL( THE AUTHOR) SPECIFICALLY DISCLAIMS  
ALL  
OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE OR  
PURPOSE, RELATED TO DEFECTS IN THE DISKETTE AND DOCUMENTATION.



A Shareware notice dialog box will appear each 3rd time you start this software. This is to remind you that you have not registered (i.e. paid for) the software. Simply click on 'Continue' to resume normal execution. When you register the software you will receive a registration number which will prevent the dialog box from appearing.

If you register, you'll get the information how you can remove the shareware notice dialog box. And if you order a Disk, you'll get the newest version of CHPAPER without the box in the executable file (Smaller and a few faster code).



