

Loudspeaker Enclosure Designer v2.0 Driver data template



Comments:



<ALT-S> Save <ALT-Q> Quit to As Easy As <ALT-D> Quit to DOS

Sheet1

Pro 8.4LF
Boston

Driver's model #.
Driver's brand name.
36.9000 Hz (Free air resonance)
1.2600 ft³ (Compliance volume)
0.2900 Total Q
2.1000 Mechanical Q
0.3370 Electrical Q
0.0220 M² (Piston area)
7.6000 mm (Cone excursion)
3.3000 ohms (DC resistance)
4.0000 ohms (Nominal impedance)
200.0000 watts maximum rated power

Specs as published in CSR, Sep/Oct 1991 issue.
Revc estimated.



Sheet1

{HOME}{GOTO}B3~/FS{UP}\aseasy\led\drivers\~{DN}{DEL 8}{BEEP}{?}~{BEEP} {MENUOFF}/EY

#NAME?

Convert for Vas:

0.0000

0.0000

Derive Qes from Qts/Qms:

derived Qes:

Convert for Sd:

0.0000

Convert for Xmax:

0.3000




{MENUOFF}/FNY

WORK AREA

L to FT³
M³toFT³

"D to M²

" to mm



Sheet1

{MENUOFF}{BORDEROFF}{goto}B3~/UIV{PGUP}~{ESC 3}/SGRA{MENUON}{UPDATE}{BEEP}

#NAME?

0.0000

0.0000

0.3365

0.00000

7.6200

