

Loudspeaker Enclosure Designer v2.0 Driver data template



Comments:



<ALT-S> Save <ALT-Q> Quit to As Easy As <ALT-D> Quit to DOS

Sheet1

Infinity
KCS 100BR

Driver's model #.
Driver's brand name.
29.0000 Hz (Free air resonance)
3.9000 ft³ (Compliance volume)
0.3830 Total Q
7.4220 Mechanical Q
0.4040 Electrical Q
0.0324 M² (Piston area)
8.0000 mm (Cone excursion)
3.5600 ohms (DC resistance)
4.0000 ohms (Nominal impedance)
200.0000 watts maximum rated power

Kappa Series 10" bass-reflex driver.
4.50" mounting depth, basket displacement: .073 cuFT
Xmax estimated.



Sheet1

{HOME}{GOTO}B3~/FS{UP}\aseasy\led\drivers\~{DN}{DEL 8}{BEEP}{?}~{BEEP} {MENUOFF}/EY

#NAME?

Convert for Vas:

0.0000

0.0000

Derive Qes from Qts/Qms:

derived Qes:

Convert for Sd:

0.0000

Convert for Xmax:

0.0000



{MENUOFF}/FNY

WORK AREA

L to FT³
M³toFT³

"D to M²

" to mm



Sheet1

{MENUOFF}{BORDEROFF}{goto}B3~/UIV{PGUP}~{ESC 3}/SGRA{MENUON}{UPDATE}{BEEP}

#NAME?

0.0000

0.0000

0.4038

0.00000

0.0000

