

Loudspeaker Enclosure Designer v2.0 Driver data template



Comments:



<ALT-S> Save <ALT-Q> Quit to As Easy As <ALT-D> Quit to DOS

Sheet1

Infinity
KCS 120IB

Driver's model #.
Driver's brand name.
29.0000 Hz (Free air resonance)
5.7000 ft³ (Compliance volume)
0.4850 Total Q
8.7570 Mechanical Q
0.5130 Electrical Q
0.0530 M² (Piston area)
7.0000 mm (Cone excursion)
3.6000 ohms (DC resistance)
4.0000 ohms (Nominal impedance)
200.0000 watts maximum rated power

Kappa Series 12" infinite-baffle driver.
5.25" mounting depth.
Xmax estimated.



Sheet1

{HOME}{GOTO}B3~/FS{UP}\aseasy\led\drivers\~{DN}{DEL 8}{BEEP}{?}~{BEEP} {MENUOFF}/EY

#NAME?

Convert for Vas:

0.0000

0.0000

Derive Qes from Qts/Qms:

derived Qes:

Convert for Sd:

0.0000

Convert for Xmax:

0.0000



{MENUOFF}/FNY

WORK AREA

L to FT^3
M^3toFT^3

"D to M^2

" to mm



Sheet1

{MENUOFF}{BORDEROFF}{goto}B3~/UIV{PGUP}~{ESC 3}/SGRA{MENUON}{UPDATE}{BEEP}

#NAME?

0.0000

0.0000

0.5134

0.00000

0.0000

