

Sheet1

Loudspeaker Enclosure Designer... data file template, v1.0A

Driver: ESW-158

Brand: MTX

Fs:	25.0000
Vas:	19.5000
Qts:	0.6540
Qms:	7.1000
Qes:	0.7200
Sd:	0.0760
Xmax:	9.3980
Revc:	6.0000
Znom:	8.0000
Pmax:	150.0000

Comments:

Eliminator 15" 8ohm

Sheet1

Driver's model #.
Driver's brand name.
Hz (Free air resonance)
ft³ (Compliance volume)
Total Q
Mechanical Q
Electrical Q
M² (Piston area)
mm (Cone excursion)
ohms (DC resistance)
ohms (Nominal impedance)
watts maximum rated power

Press <ALT-S> to save this file.

Sheet1

{HOME}{GOTO B3}/fs{up}\aseasy\led\drivers\~{dn}{BEEP}{?}~{BEEP}

	#NAME?
Convert for Vas:	0.0000
	0.0000
Derive Qes from Qts/Qms:	
derived Qes:	
Convert for Sd:	12.2500
Convert for Xmax:	0.3700
	◆◆◆◆◆◆◆◆

{goto B3}

WORK AREA #NAME?

L to FT^3 0.0000

M^3toFT^3 0.0000

0.7204

"D to M^2 0.07604

" to mm 9.3980

