

Sheet1

Loudspeaker Enclosure Designer... data file template, v1.0A

Driver:	SP-80
Brand:	Nakamichi
Fs:	42.0000
Vas:	1.0000
Qts:	0.2800
Qms:	8.4000
Qes:	0.2900
Sd:	0.0200
Xmax:	5.0000
Revc:	4.1600
Znom:	4.0000
Pmax:	100.0000

Comments:

Nakamichi 8" driver.  
Xmax and Pmax estimated.

## Sheet1

Driver's model #.  
Driver's brand name.  
Hz (Free air resonance)  
ft<sup>3</sup> (Compliance volume)  
Total Q  
Mechanical Q  
Electrical Q  
M<sup>2</sup> (Piston area)  
mm (Cone excursion)  
ohms (DC resistance)  
ohms (Nominal impedance)  
watts maximum rated power

Press <ALT-S> to save this file.

Sheet1

{HOME}{GOTO B3}/fs{up}\aseasy\led\drivers\~{dn}{BEEP}{?}~{BEEP}

	#NAME?
Convert for Vas:	0.0000
	0.0000
Derive Qes from Qts/Qms:	
derived Qes:	
Convert for Sd:	0.0000
Convert for Xmax:	0.0000
◆◆◆◆◆◆◆◆	

