

Sheet1

Loudspeaker Enclosure Designer... data file template, v1.0A

Driver:

Brand:

Fs:

Vas:

Qts:

Qms:

Qes:

Sd:

Xmax:

Revc:

Znom:

Pmax:

Comments:

Sheet1

MM1025  
POLK

Driver's model #.  
Driver's brand name.  
26.4100 Hz (Free air resonance)  
5.0758 ft<sup>3</sup> (Compliance volume)  
0.4070 Total Q  
2.1810 Mechanical Q  
0.5000 Electrical Q  
0.0349 M<sup>2</sup> (Piston area)  
10.0000 mm (Cone excursion)  
3.3500 ohms (DC resistance)  
4.0000 ohms (Nominal impedance)  
200.0000 watts maximum rated power

Polk Audio 10" autosound woofer. Butyl rubber surround,  
aluminum voice coil former.

Press <ALT-S> to save this file.

Sheet1

{HOME}{GOTO B3}/fs{up}\aseasy\led\drivers\~{dn}{BEEP}{?}~{BEEP}

	#NAME?
Convert for Vas:	0.0000
	0.0000
Derive Qes from Qts/Qms:	
derived Qes:	
Convert for Sd:	0.0000
Convert for Xmax:	0.0000
◆◆◆◆◆◆◆◆◆◆	

