

Sheet1

Loudspeaker Enclosure Designer... data file template, v1.0A

Driver:
Brand:
Fs:
Vas:
Qts:
Qms:
Qes:
Sd:
Xmax:
Revc:
Znom:
Pmax:

Comments:

Sheet1

MM 6901
Polk

Driver's model #.
Driver's brand name.
39.1800 Hz (Free air resonance)
2.1895 ft³ (Compliance volume)
0.5770 Total Q
3.0000 Mechanical Q
0.7150 Electrical Q
0.0200 M² (Piston area)
5.5000 mm (Cone excursion)
3.4000 ohms (DC resistance)
4.0000 ohms (Nominal impedance)
75.0000 watts maximum rated power

Polk 6 x 9" autosound driver. OLD MODEL. Rubber surround.
Also MM6920 & MM6930 driver.

Press <ALT-S> to save this file.

Sheet1

{HOME}{GOTO B3}/fs{up}\aseasy\led\drivers\~{dn}{BEEP}{?}~{BEEP}

{goto B3}

	#NAME? WORK AREA	#NAME?
Convert for Vas:		
	0.0000 L to FT^3	0.0000
	0.0620 M^3toFT^3	2.1895
Derive Qes from Qts/Qms:		
	derived Qes:	0.7144
Convert for Sd:		
	0.0000 "D to M^2	0.00000
Convert for Xmax:		
	0.0000 " to mm	0.0000
◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆