## **BLANK.DAT**

Negotiator Pro automatically loads this file whenever a New Plan is being created. This is file is actually a saved Plan with the title "Blank." The file contains the text for Plan questions that must already have data in the question. For example, the text

### **Interests:**

a.

b.

**c.** (etc.)

is located in BLANK.DAT.

This file is usually invisible since it is usually "Hidden" so the user cannot mess with it. It is also usually "Read Only" so that the user cannot write over it nor can they save a plan entitled "BLANK."

### **CARBUY.APD**

Any file that ends in ".APD" is the saved text from Negotiator Pro's **A**ction **Pad**. This Action Pad file is associated with the CARBUY.DAT Plan file, which is one of the Library of Negotiations that comes with Negotiator Pro.

# **CARBUY.CHK**

Any file that ends in ".CHK" is the saved checklist data from the Checklist Window, which is an optional child window in Negotiator Pro's Plan window. This Checklist data file is associated with the CARBUY.DAT Plan file, which is one of the Library of Negotiations that comes with Negotiator Pro. When the user opens CARBUY.DAT, Negotiator Pro looks at this Checklist data file to determine which checklist items the user had selected when the file was last saved.

### **CARBUY.DAT**

```
commdlg.dll
              82720 1-01-80 12:00a
          252014 10-02-92 8:04p
cs.zip
default.tem
            16799 11-02-93 9:46a
dir.txt
             0 3-05-93 5:13p
               3431 10-28-91 5:46p
empterm.apd
empterm.chk
               2232 10-28-91 5:47p
empterm.dat
              9980 10-28-91 5:47p
install.bat
             11 11-07-91 11:06p
install.ex$
           101820 9-27-91 3:04a
            3992 7-27-92 6:58p
install.ins
              728 10-28-91 6:24p
jobresp.apd
jobresp.chk
             2232 10-28-91 6:24p
jobresp.dat
            13127 10-28-91 6:24p
```

1A *child* window refers to a window that "belongs" to another window (referred to as the *parent* window.) When a parent window is iconified (made small), all of its child windows are also iconified. Also, when a parent window is killed or destroyed, its child window is likewise destroyed. A child window is sometimes, but not always, inside the boundaries of its parent window, in which case it is referred to as a child window in a Multiple Document Interface or MDI. Negotiator Pro's Plan window uses a MDI, and its two child windows are the Checklist and the Edit windows.

lease.apd	1797 10-28-91 7:05p
lease.chk	2232 10-28-91 7:05p
lease.dat	21531 10-28-91 7:05p
license.apd	1342 10-28-91 7:38p
license.chk	2232 10-28-91 7:38p
license.dat	11440 10-28-91 7:38p
npro.bmp	2710 7-03-91 2:06p
npro.cnf	1038 6-30-92 1:00a
npro.ex\$	94857 3-05-93 5:11p
npro.exp	13372 10-02-91 9:32a
npro.hl\$	130324 3-05-93 5:12p
npro.lis	199 10-14-91 1:38p
npro.no	505 3-12-92 3:36a
npro1.opt	286 3-12-92 3:38a
npro2.opt	437 3-12-92 3:40a
npro3.opt	350 3-12-92 3:40a
npro5.opt	411 3-12-92 3:41a
npro5.opt	327 3-12-92 3:48a
nproo.opt	547 3-12-92 3:47a
npro%.opt	559 3-12-92 3:46a
nproo.opt	312 3-12-92 3:50a
npro3.opt	680 3-12-92 3:53a
npro10.opt	500 3-12-92 3:59a
npro12.opt	136 3-12-92 4:02a
	107 3-12-92 4:04a
npro13.opt npro14.opt	142 3-12-92 4:53a
	312 9-15-91 10:30p
npro15.opt	458 3-12-92 4:05a
npro16.opt	264 3-12-92 4:07a
npro17.opt	
npro18.opt	247 3-12-92 4:14a 241 3-12-92 4:13a
npro19.opt	
npro20.opt	147 3-12-92 4:15a
npro21.opt	222 3-12-92 4:17a
npro22.opt	105 3-12-92 4:18a
npro23.opt	168 3-12-92 4:20a
npro24.opt	200 3-12-92 4:22a
npro25.opt	298 3-12-92 4:25a
npro26.opt	671 3-12-92 4:30a
npro27.opt	270 3-12-92 4:32a
npro28.opt	455 3-12-92 4:35a
npro29.opt	194 3-12-92 4:36a
npro30.opt	268 3-12-92 4:37a
npro31.opt	459 3-12-92 4:38a
npro32.opt	449 3-12-92 4:40a
npro33.opt	354 3-12-92 4:46a
npro34.opt	302 3-12-92 4:47a
npro35.opt	401 3-12-92 4:50a
pim.tem	12094 6-27-92 12:02a

purchase.tem 11750 6-28-92 9:33p readme 9741 9-24-92 6:39p readme.txt 9741 9-24-92 6:39p sales.tem 12032 6-08-92 11:18p setup.exe 47616 9-27-91 2:55a