#### SECTION 06062

#### PREFINISHED WOOD PANELS

#### PART 1 GENERAL

#### 1.1 SECTION INCLUDES

A. Prefinished Wood Panels.

- 1.2 RELATED SECTIONS
  - A. Section 06400 Architectural Woodwork.
  - B. Section 06410 Custom Cabinets.
  - C. Section 06420 Paneling.

#### 1.3 REFERENCES

- A. ANSI/KCMA 161.1 Recommended Performance and Construction Standards for Kitchen and Vanity Cabinets; American National Standards Institute/Kitchen Cabinet Manufacturers Association.
- B. HPVA HP-1 Voluntary Standard for Hardwood and Decorative Plywood; Hardwood Plywood Veneer Association.

#### 1.4 SUBMITTALS

- A. Submit under provisions of Section 01300.
- B. Product Data: Manufacturer's descriptive literature for panel products and finishes.
- C. Selection Samples: Two sets of chips representing manufacturer's full range of available colors.
- D. Verification Samples: Two samples, minimum size 6 inches square, representing actual finish of each panel product to be installed.
- E. Quality Assurance Submittals:
  - 1. Certificates: Evidence of compliance of products to specified requirements.
  - 2. Manufacturer's instructions: Printed instructions for fabrication techniques for panel products.

- F. Closeout Submittals: Printed instructions for maintaining finishes of panel products.
- 1.5 QUALITY ASSURANCE
  - A. Mock-ups: Supply panel products for mock-ups specified in sections referenced in INSTALLATION Article of this section.
- 1.6 DELIVERY, STORAGE, AND HANDLING
  - A. Storage and Protection: In accordance with manufacturer's instructions.

# 1.7 SCHEDULING

A. Ensure that products specified in this section are available to fabricators of sections referenced in INSTALLATION Article of this section to meet construction schedule.

# PART 2 PRODUCTS

## 2.1 MANUFACTURERS

- A. Acceptable Manufacturer: States Industries; P.O. Box 7037, Eugene, OR 97401. ASD. Tel: (800) 626-1981, Fax: (541) 689-8051.
- B. Requests for substitutions will be considered in accordance with provisions of Section 01600.
- C. Substitutions: Not permitted.
- D. Supply all products specified in this section from a single manufacturer.

## 2.2 MATERIALS

- A. Prefinished Wood Panels, Type \_\_: Conforming to HPVA Standard HP-1, Type II Interior, and as follows:
  - 1. Core: Hardwood veneer.
  - 2. Core: Softwood veneer.
  - 3. Core: Particleboard.
  - 4. Core: Medium density fiberboard (MDF).
  - 5. Core: Hardboard.
  - 6. Core:
  - 7. Face veneers: Factory laminated to core material, veneered both faces.

- a. Veneer type: Hardwood; \_\_\_\_\_ species.
- c. Veneer grade: .
- d. Veneer match within panel face: e. Matching of panels:
- 8. Panel Thickness: \_\_\_\_ inch(es) (\_\_\_mm). 9. Panel Thicknesses: Specified in sections referenced in INSTALLATION Article of this section.
- 10. Panel Thicknesses: Indicated on drawings.
- B. Finish Materials: Supplied by panel manufacturer to produce specified panel finishes.
- C. Topcoating Material: Epoxy acrylate conforming to ANSI/KCMA A161.1; 100 percent solids; formaldehyde and VOC free.

## 2.3 FINISHES

- Factory finish Type \_\_\_ panels in translucent finish, Α. manufacturer's \_\_\_\_\_ color line, \_\_\_\_\_ color, gloss level, to match accepted verification samples.
- B. Factory finish Type panels in opaque finish, color, \_\_\_\_\_ gloss level, to match accepted verification samples.
- C. Factory finish Type \_\_ panels with print pattern, \_\_\_\_ print, \_\_\_\_\_ gloss level, to match accepted verification samples.
- D. Factory finish Type panels with specialty finish, type, to match accepted verification samples.
- E. Factory apply topcoating material to achieve minimum 0.5 mil (0.0127 mm) uniform dry film thickness (DFT); ultraviolet cure topcoat.

## PART 3 EXECUTION

- 3.1 INSTALLATION
  - A. Fabrication of items of architectural woodwork is specified in Section 06400.
  - B. Fabrication of custom cabinets is specified in Section 06410.

C. Fabrication of paneling is specified in Section 06420.

END OF SECTION