

Travel Pro[®] SERIES

● Power Your Performance

The power of a 166MHz to 233MHz Intel Pentium[®] Processor with MMX[™] Technology, Opti Viper N+ accelerated chipset, up to 3.1GB Hard Drive and up to 80MB of fast EDO RAM combine to provide blazing system performance. High yield Lithium Ion or NiMH batteries and enhanced power management offer continuous portable power.

● Power Your Communication

Built in 33.6k Fax/Modem, (on most models) and FIR Fast Wireless (4MB transfer rate) Infrared port are included with high speed serial and parallel ports.

● Power Your Presentations

A brilliant 13.3" XGA Active Matrix, 12.1" SVGA Active Matrix or a 12.1" Dual Scan display highlight the Travel Pro Series. Up to 1024x768 resolutions and 65,000 colors are the Travel Pro hallmark. Along with an Internal 20x CD-ROM, "Real Sound" Wave Table Synthesis, and built-in Video Capture (on most models) provide for outstanding presentation performance.

● Power For Expansion

Upgradable Hard Drive, EDO RAM and PC Card Type II & III slots allow for unequalled options in a notebook series.

The Travel Pro Series is Power. With the availability of 166MHz to 233MHz Intel Pentium[®] Processor with MMX[™] Technology and up to a brilliant 13.3" XGA TFT display, the Travel Pro gives you desktop performance in a take along package.

Storage for Travel

Up to 3.1GB of Hard Drive Storage.

Memory Ready


Fast EDO RAM expandable to 80MB.

Built-in 33.6k Fax/Modem

Ready for speedy communications (on most models).

Ready for the Future

Docking station and fast FIR Fast Wireless Infrared port.



Ultra-High-Powered Pentium[®] Processors

Up to 233MHz Pentium[®] Processor w/MMX[™] Technology delivering blazing system performance.

Smart Bay Technology

20x CD-ROM & swappable Floppy Drive available on most models.

Brilliant Displays

Up to 13.3" XGA TFT Active Matrix color display available.

Premium Sound and Video

Wave-table stereo audio and Zoom Video Support (on most models).

Travel Pro[®] SERIES

	106CS	106CT	1955CT	1960CS	1960CT	1965CT	1970CT	2010CX	2020CX	2030CX	2035CX	2040CX
DISPLAY TYPES												
XGA TFT 13.3" 1024x768								•	•	•	•	•
SVGA TFT 12.1" 800x600		•	•		•	•	•					
SVGA DSTN 12.1" 800x600	•			•								
CPU												
Intel 233MHz MMX™							•				•	•
Intel 200MHz MMX™						•			•	•		
Intel 166MHz MMX™	•	•	•	•	•							
PCI BUS												
32 Bit Plug and Play	•	•	•	•	•	•	•	•	•	•	•	•
512kb Cache			•	•	•	•	•			•	•	•
256kb Cache	•	•										
BASE RAM												
80MB EDO												•
48MB EDO							•			•		
32MB EDO								•	•		•	
16MB EDO	•	•	•	•	•	•						
HARD DRIVES												
3.1GB							•			•	•	•
2.1GB				•	•	•		•	•			
1.3GB	•	•	•									
INTERNAL CD-ROM												
20x	Opt.	Opt.		•	•			•	•		•	•
16x										•		
10x			•			•						
SOUND												
16 Bit FM	•	•	•	•	•	•	•	•	•	•	•	•
Wavetable			•	•	•	•	•					
PCMCIA TYPE												
Type II & Type III	•	•	•	•	•	•	•	•	•	•	•	•
32Bit Card Bus	•	•	•	•	•	•	•	•	•	•	•	•
Zoom Video	•	•	•	•	•	•	•	•	•	•	•	•
INTERNAL MODEM												
33.6	NA	NA	•	•	•	•	•	•	•	•	•	•
SECONDARY BATTERY												
Dual Battery Operation	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	•	Opt.	Opt.	Opt.	Opt.	•
UPGRADABILITY												
CPU	•	•	•	•	•	•	•	•	•	•	•	•
RAM	•	•	•	•	•	•	•	•	•	•	•	•
Hard Drive	•	•	•	•	•	•	•	•	•	•	•	•
OPTIONAL ACCESSORIES												
Port Replicator	•	•	•	•	•	•	•	•	•	•	•	•
Docking Station	•	•	•	•	•	•	•	•	•	•	•	•
Executive Carrying Case	•	•	•	•	•	•	•	•	•	•	•	•
BackPack Carrying Case	•	•	•	•	•	•	•	•	•	•	•	•
Scanner Pen	•	•	•	•	•	•	•	•	•	•	•	•
Universal Car Adapter	•	•	•	•	•	•	•	•	•	•	•	•
Universal External Keypad	•	•	•	•	•	•	•	•	•	•	•	•
PCMCIA ACCESSORIES												
PCMCIA Combo 33.6 Mode ^m and Ethernet 10-Base	•	•	•	•	•	•	•	•	•	•	•	•
PCMCIA ISDN/V3.4	•	•	•	•	•	•	•	•	•	•	•	•
PCMCIA MPEG	•	•	•	•	•	•	•	•	•	•	•	•
PCMCIA Ethernet 10-Base	•	•	•	•	•	•	•	•	•	•	•	•
PCMCIA ATA/ATAPI	•	•	•	•	•	•	•	•	•	•	•	•
PCMCIA SCSI Adaptor	•	•	•	•	•	•	•	•	•	•	•	•

Travel Pro Series Specifications

Processor	Intel Pentium [®] Processor with MMX™ Technology
Bus	32bit PCI - Plug & Play
System Chipset	Opti Viper N+
BIOS	System Soft 1.0 - Flash Upgradable
Installable RAM	Up to 80MB
Video System	C&T 65550
Video RAM	2MB
Drive Interface	PCI Enhanced IDE - ATAPI compliant
Floppy Drive	1.44MB Removable
PC Card	2 Type II or 1 Type III
PC Card Interface	32bit Card Bus
Audio Chipset	ESS 1738 - SoundBlaster Pro™ compatible
Audio System	16bit - 44KHz record / playback
Audio Controls	Volume Control, Line In, Speaker Out, and Microphone In
Speakers	Dual Stereo
Power System	Auto Switching 90-264 VAC
System Controls	Contrast, Brightness, Suspend, & Resume
Power Management	SMM, APM - Full Device / Peripheral Control
Ports	16550 Serial, EPP/ECP Parallel, Video, PS2 Keyboard / Mouse, FIR Fast Wireless Infrared and Video Capture In
Pointing Device	Programmable Trackpad
Keyboard	88Keys (101 compatible) with Win95 keys
Weight	6.3 lbs - 6.9 lbs. for 106CS/CT
Dimensions	12"W x 9.6"D x 1.9"H
Included Software	Windows 95 and System Acc. Utilities
Included Hardware	AC Adapter, Battery, & Carrying Case
Warranty	3 Year Parts and Labor