



**Just Like
Insurance
For Your PC.**

pc

2GB


Ditto 2GB backup tape drive:

**2 Gigabyte - The right capacity
for all your needs**

Easy one step backup


**Easy 5 minute
installation**

**Backup while
you work**




▲ Insider tape model

ditto™



Parallel port model



**Ditto tape drives make
backup simple**


The only backup system to offer true 1-step point and click backup. You can spend your time and effort capturing, creating and collecting computer information everyday. Let Ditto 2 Gigabyte backup tape drive automatically protect it for you.

Easy 1-step backup

Ditto tape drive makes backing up your stuff easier than it's ever been - without waiting! Backup, restore and copy with one easy step or customize your backup routine however you like. Ditto 1-step backup sits right on your desktop and is ready whenever you are - what could be easier?

Simple installation

Setup for the Ditto parallel port tape drives is quick and easy with simple plug-and-go connections. And, if you choose to use a Ditto insider tape drive, you'll find that it will easily install in any half-height drive bay.



Ditto drive is unique

It reads your old QIC cartridges (250, 350, 420, 700, 800, 850, 1600, 1400, 1700, 3200). Ditto also reads TR-1, TR-2, TR-3 and Verbatim Extra and is specifically designed to read and write Ditto 2GB cartridges.

**Everything in the box -
just add tape!**

The Ditto includes everything you need to backup. Choose either the parallel port model or the insider model that installs easily in any 5 1/4" bay and you'll be enjoying backup like you've never known before - the easy, 1-step way with Ditto!

iomega® ...for all your stuff

2GB

ditto

Finally! Backup you don't have to think about!

Ditto accessories

- Ditto 2GB cartridges
- Ditto dash accelerator card
- Ditto tape head cleaning kit
- Windows NT driver
- Ditto carrying case
- extended parallel port cable

#1 in Reliability

lomega is the leader in reliability with 200,000 hours mean-time-between-failure. There's no safer place to protect and keep all your important stuff than lomega's Ditto drive. In fact, you won't find more dependable backup anywhere!

Specifications*

Capacity

2GB maximum with compression; nominal: 1GB

Average backup time

up to 19MB per minute maximum internal with Ditto Dash accelerator card

Operating system capability

Windows 95, Windows 3.1, DOS 5.x, OS/2*, NT*

Media type

lomega 2GB

Read compatibility


QIC-80, QIC-80W, TR-1, QIC-3010, TR-2 and TR-3

*optional


For more
information, call

1-800-my-stuff


Ditto parallel port provides a printer pass-through feature that allows you to access either your Ditto tape drive or your printer.



Copy in 1 simple step
Tape to disk. Disk to tape. Ditto Easy's 1-step copy function makes moving or copying files a snap!



Back up in 1 simple step
Ditto Easy's 1-step backup sits right on your desktop. Click the 1-step icon whenever you're ready to back up. It'll even remember to back up when you forget to — what could be easier?



Restore in 1 simple step
Lost a file? No problem. Simply click to identify which files you've lost and Ditto Easy's 1-step Restore will put them back on your hard disk for you.

"The Works"

And, for those of you who need flexibility and advanced functionality in your back-up software, you won't be disappointed. Ditto's Works software gives you every detailed customization option you could ever need or want.






Windows 95 Compatible

Ditto tools is fully compatible with Windows 95, Windows 3.1 or higher, DOS, Novell and Lantastic. OS/2 support is available as an accessory option.

Ditto 1-step sits right on your desktop and is ready whenever you are.

Ditto insider tape installs easily in any 5-1/4" bay.



For information call 1-800-my stuff

Ditto™ 2GB drive offers easy, dependable backup to protect all your computer stuff

NEW

2GB
drive
ditto™


2GB maximum capacity using data compression

Available as parallel port or internal version (fits any 5.25" bay)

Easy, 1-step backup

Easy 5 minute installation

Backup for all your stuff



▲ Portable Model

Quieter, high reliability, and more efficient

Capacity	2GB maximum with compression; nominal: 1GB
Average backup time	up to 19MB per minute maximum internal with Ditto Dash accelerator card up to 9.5MB per minute maximum external
Operating system compatibility	Windows 95, Windows 3.1, DOS 5.x, OS/2*, NT*
Network compatibility	Novell, Lantastic
Data transfer rate (Insider/Parallel Port)	1 Mbps (2Mbps with optional Ditto dash accelerator card)/1Mbps

It's your stuff — keep it safe!

Drive data bit transfer (hard errors)	less than 1 error in 10 ¹⁴ bits with ECC
Mean time between drive failures	200,000 hours (25% tape motion)

Ditto is compatible with today's standards


Media type	Iomega 2GB
Read compatibility	QIC-80, QIC-80W, TR-1, QIC-3010, TR-2 and TR-3
Drive interface (internal)	IBM compatible floppy controller (1Mbps or 2Mbps)
Drive interface (parallel port)	parallel port or EPP (enhanced parallel port)
Recording density	44,250 bpi
Recording code	MFM
Read/write tape speed	45.2 ips @ 2Mbps / 22.6 @ 1Mbps

Small, light and compact

Drive temperature tolerances	
Operating	50° to 113° F (10° to 45° C)
Shock	50G, 11ms pulse, 1/2 sine wave
Vibration	1-5Hz, 1.0" displacement amplitude; 5-500Hz-1g
Drive orientation	horizontal or vertical (vertical on one side)
Drive service life	2 years (single user backup)
Drive agency approvals	UL, FCC-B, CSA, BZT, TUV, VDE

Accessories for Ditto 2GB

- Ditto dash**
2 Mbps tape accelerator – cuts backup time in half (1MB "AT" controller)
- Ditto 2GB tape cartridges**
Preformatted tapes fully compatible with Ditto 2GB products
- OS/2 software**
Software to support backup under OS/2
- NT Driver**
NT Driver to support backup under Windows NT
- Carrying case**
Portability for parallel port products



▲ Insider Model

	Portable (parallel port)	Insider
Drive height	1.625 in (w/feet 1.875 in)	1.75 in
Drive width	5.375 in (w/feet 5.50 in)	5 in
Drive length	7.625 in	6.25 in
Drive weight	1 lb 4 oz	12 oz
Drive Power Requirements		
Voltage	120-240vac	+12 vdc ± 5%
	50-60Hz	+5vdc ± 5%
Power	30 watts	+12vdc: 0.6A typical
		+5vdc: 0.3A typical

Note: Specifications subject to change without notice.
* optional

