



By embedding a revolutionary storage management software, Procom Technology delivers to network administrators a simple way to network CD-ROMs with the CD FORCE Server-14. This integrated solution makes installation not only very simple but also allows distribution of CD-ROM-based data across multiple platforms.

The CD FORCE Server-14 provides up to 14 CD-ROM drives for 9 gigabytes of storage capacity. The embeded MESA (Managed Enterprise Storage Architecture) software allows the CD FORCE Server to connect directly to network cabling and provide access to client workstations without TSRs or proprietary software. Thus users can take advantage of the native networking ability of their operating system.

The CD FORCE Server-14's revolutionary concept is aimed towards seamless integration of CD Servers into heterogeneous networking environments where a variety of client workstations such as Windows for Workgroups, Windows 95, Windows NT, OS/2 and UNIX (NFS) exist on the same network.

Features

- Easily integrates into heterogeneous networking environment
- CD FORCE Server sets up easily via its LCD panel
- CD FORCE's Graphical User Interface enables you to manage a large array of CD-ROMs from a Windows NT- and Windows 95-based workstation
- Advanced security and metering options included
- Multiple CDs can be mounted under a single drive letter

Benefits

- Easy and seamless centralization of all CD-ROM networking from a specific CD Server
- Installation in minutes, you can setup the Server address and mount; or dismount CDs by pressing a few buttons
- Simple yet complete control via graphical user interface, customized for CD-ROM networking management
- Administrators have full control of assigning rights to each CD; you can also limit the number of users that can access CDs
- Individual CDs can be listed as subdirectories of a drive letter, which allows for accessing more CDs than available drive letters

All Procom Technology products incorporate meticulous design and superior engineering to ensure all solutions deliver uncompromising quality. Each Procom Technology product is rigorously tested under the most adverse conditions.

FOR THE ENTERPRISE



CD Force Serve	er-14 Speci	ifications		
· · · · · · · · · · · · · · · · · · ·		Eight-Speed T8X	Twelve-Speed 12X	
PERF	ORMANCE			
Average Access Time (ms)	150	< 140	125	
Sustained Data Transfer Rate (KB/sec)	600	1200_	1800_	
Burst Data Transfer Rate (MB/sec)	4.2	4.2	10	
GENERAL S	PECIFICATION	ONS		
Formatted Capacity (MB per drive)		650		
CD-ROM Interface		SCSI-2		
Drive Form Factor (inches)		5.25		
Embedded Cache Buffer (KB)	256			
MECHANICAL	CHARACTER	ISTICS		
Loading Mechanism		Tray		
Eject Mechanism		Electronic		
	DISCS			
Acceptable Formats	ISO 9660			
	High Sierra			
PHYSICAL CI	HARACTERIS	TICS		
H x W x D (inches)	2	20.2 x 15.5 x 17.82		
H x W x D (cm)	5	51.3 x 39.4 x 44.9		
Weight (w/o drives) (lbs/kgs)	51/23.2			
Weight (w/drives) (lbs/kgs)	79/36			
RELIABILITY	SPECIFICAT	'IONS		
MTBF (hrs)		100,000		
Warranty (yrs)		1		