


Satellite Pro™

NOTEBOOK COMPUTER

480CDT

Power Up Your
Business With The
Satellite Pro 480CDT




The Satellite Pro 480CDT is the perfect, portable computer solution for your office. Fully loaded - with a 233MHz Pentium® Processor with MMX™ Technology, a 4.0 billion byte hard disk drive, level 2 cache, PCI Bus Architecture, and 32MB EDO DRAM - it handles even the most complex applications and multimedia tasks with remarkable speed. The Satellite Pro 480CDT gives you the power to succeed today and to expand tomorrow. Best of all, it's from Toshiba - the undisputed leader in portable computers, delivering more power for the price worldwide.

THE POWER YOU NEED - 233MHz

The Satellite Pro 480CDT gives you power to spare. For faster response and superior performance, it combines the following:



- Intel's 233MHz Pentium® Processor with MMX™ (Multimedia Extension) technology
- 256KB pipelined burst SRAM level 2 cache
- 32-bit PCI Bus Architecture
- 32MB EDO DRAM Memory, expandable to 160MB
- 4.0 billion byte (=3.8GB) hard disk drive



THE FEATURES YOU WANT

Your Satellite Pro 480CDT comes packed with features that make it the professional's choice.

- **12.1" TFT ACTIVE MATRIX SCREEN** - with 16 million colors at 800 X 600 resolution - provides exceptionally brilliant images.
- **ADVANCED MULTIMEDIA CAPABILITIES** - Zoomed Video (ZV) technology delivers outstanding, full-motion, MPEG video playback with an optional ZV PC Card. 16-bit Sound Blaster® Pro-compatible sound provides crisp, clear playback for richer multimedia experiences.
- **SELECTBAY™** - a modular options slot in the 480CDT, lets you quickly and easily tailor your system to your needs by exchanging media - swap the 10X* CD-ROM, the diskette drive, a second Lithium Ion battery (optional) or a second 2GB hard disk drive (optional). You can also use the diskette drive externally while the CD-ROM is installed in the SelectBay, giving you access to both simultaneously.
- **BUILT-IN 33.3 Kbps VOICE / DATA / FAX CELLULAR-READY MODEM** - lets you stay connected wherever you are; provides easy communications and Internet access.



THE OPTIONS TO GROW

The Satellite Pro 480CDT is ready for more, letting you easily expand the system as your needs grow.

- **TWO PC CARD SLOTS** - are Zoomed Video (ZV) and CardBus ready and support two Type II or one Type III PC Cards to let you access all the latest PC Card solutions.
- **NOTEDOCK™ III ENHANCED PORT REPLICATOR** - with two additional Type III CardBus ready PC Card slots - keeps your in-office peripherals connected while your notebook travels. NoteDock III also provides key lock security for your notebook and PC cards.
- **UNIVERSAL SERIAL BUS (USB)** - make connections faster and easier to your optional desktop peripherals such as an extended keyboard, mouse and printer, all to a single port.



*10X Average

TOSHIBA

More power for the price, from the world leader in portable computers - Toshiba. Always Lead.™

TOSHIBA SATELLITE PRO™ 480CDT

Processor

CPU	Intel® Pentium® with MMX™ Technology
Clock Speed	233MHz
Coprocessor	Integrated
Cache	256KB Pipelined Burst SRAM level 2 cache
Bus Architecture	32-bit PCI Internal System Bus

Memory

Standard	32MB high-speed EDO DRAM
Maximum	160MB

Storage

CD-ROM	10X*Integrated (included, swapable with diskette drive and optional modules)
Hard Disk Drive	4.0 billion byte (=3.8GB) removable (1 screw)
Diskette Drive	3.5", 1.44MB (included, swapable with CD-ROM and optional modules)
Optional Modules	Second Lithium Ion battery, second 2GB HDD, each swapable with diskette drive or CD-ROM

Display

Type	TFT active matrix color
Size (diagonal)	12.1"
LCD Panel Resolution	800 x 600
Internal Color Support	16M colors @ 800 x 600
External Support	16M colors @ 800 x 600 64K colors @ 1024 x 768 256 colors @ 1280 x 1024

Video Support

Graphics Controller	C&T HiQVideo™ PCI (65555)
Graphics Accelerator	64-bit BitBLT
Video Memory	2MB EDO DRAM
Zoomed Video	Yes
MPEG Playback	Yes
Local Bus	PCI video with burst mode

Audio

Chipset	Yamaha OPL3
Support	16-bit MIDI, .WAV and Sound Blaster®Pro compatible
Input/Output	Two internal stereo speakers, microphone, speaker jack and line-in jack Koss® stereo headphones included

Communications

Built-in 33.6Kbps V.34 voice/data/fax cellular-ready modem with V.80 support for video conferencing

Expansion

PC Card Slots	Two stacked PC Card (PCMCIA) slots supporting two Type II cards or one Type III card; CardBus and ZV card ready
Memory	Dedicated slot for memory upgrade module
Plug and Play	Yes
Interfaces	High-speed serial, ECP parallel, SVGA video, PS/2™ keyboard or mouse, external diskette drive, Universal Serial Bus (USB), microphone, headphone, line-in, NoteDock™ III Enhanced Port Replicator (240-pin) and fast infrared port (FIR=4Mbps IRDA compatible)

Keyboard

Style	84 Keys, 3mm travel
-------	---------------------

Pointing Device

Integrated AccuPoint™

Power

Battery Type	Lithium Ion
Battery Life	2.0+ Hours†, 4.0+ hours† (two batteries)
Recharge Time	2-3 Hours†† off, 4-10 hours†† on (per battery)

Dimensions

Weight	6.9 pounds
Measurements	11.95"(w) x 9.4"(d) x 2.0"(h)

Software

Operating System	Windows®95
Bundled Software:	America Online®, Compuserve®, AT&T WorldNet™, Mediamatics Arcade Pak™, Puma Intellisync™, Toshiba Custom Utilities: MaxTime®, Fn-esse™ and Syncro Multimedia Connect™ communications utilities

Security Features

Lock slot, power-on password (2-level), screen blank, keyboard lock and PC Card lock (via optional cable)

Options

NoteDock III Enhanced Port Replicator	2 Type III, CardBus-ready PC card slots; Ports: serial, parallel, PS/2 keyboard, mouse, joystick/MIDI, headphone, line-in, line-out, 2 USB, security lock (secures PC cards)
---------------------------------------	--

Warranty

System Unit	Three years parts and one year labor
Battery	One year

Part No.	Satellite Pro™ 480CDT and Accessories
PA1266U-T2C	Satellite Pro 480CDT
KTT650/B	Kingston® Noteworthy® 8MB EDO Memory upgrade module
KTT650/16	Kingston Noteworthy 16MB EDO Memory upgrade module
KTT500/32	Kingston Noteworthy 32MB EDO Memory upgrade module
KTT500/48	Kingston Noteworthy 48MB EDO Memory upgrade module
KTT500/128	Kingston Noteworthy 128MB EDO Memory upgrade module
PA2717U	NoteDock™ III Enhanced Port Replicator
PA2487URN	Primary Battery Pack (Li Ion, 3600mAh)
PA2488U	Battery Pack Recharger
PA2609U	SelectBay™ 2.1 Billion Byte (=2.02GB) Hard Disk Drive
PA2451UR	2nd Battery (Li Ion)-SelectBay
PA2493U	SelectBay Battery Pack Recharger
PA2450U	Universal AC Adapter
NWVIDEOPHONE03	PORT-Noteworthy Business Video Phone for video conferencing
NWZVMPEG1	PORT® ZV/MPEG-1 Playback PC Card

For a complete list of Toshiba, PORT and Noteworthy accessories, please call 1-800-959-4100 to receive a Toshiba accessories catalog.

Technical Service and Support

3 years parts, 1 year labor limited warranty and Toshiba reliability-Satellite Pro 480CDT

Toshiba customers are surrounded by a worldwide assurance of quality and reliability—a comprehensive three-year U.S. and International Limited Warranty. Additionally, Toshiba offers customized service plans and the only optional display insurance policy in the industry. Toshiba's World Wide Web Home Page, 24-hour Electronic Solutions Bulletin Board and the CompuServe Online Forum are also available for your convenience. Toshiba's reliability, service and technical support continue to earn high marks from customers and industry professionals. The Toshiba InTouch Center, at (800) 457-7777, integrates all facets of customer communications into a single organization providing customers with support, whether they need product literature, dealer referrals, or technical assistance.



*Average Speed

†Battery life may vary depending on applications, power management settings, and features utilized.

††Recharge time varies depending on usage. Battery does not charge while computer is consuming full power.

Design and specifications subject to change without notice. Maxtime and Noteworthy are registered trademarks. AccuPoint, Always Lead, Fn-esse, NoteDock, Satellite Pro and SelectBay are trademarks of Toshiba America Information Systems, Inc. Assembled in USA with domestic and imported parts. © 1997 Toshiba America Information Systems, Inc. All products mentioned are trademarked and/or registered by their respective companies. Intel, Inside and Pentium Processor logos and are registered by Intel Corporation. Form # BT480-1 10/97

In Touch with Tomorrow
TOSHIBA

TOSHIBA AMERICA INFORMATION SYSTEMS, INC.

Computer Systems Division
P.O. Box 19724, Irvine, California 92618-1697
(800) 457-7777 • <http://computers.toshiba.com>
Electronic Solutions Bulletin Board (714)837-4408 (N,8,1)
CompuServe Online Forum: GO-TOSHIBA

Satellite Pro 480CDT		
Processor	CPU	Pentium® (2.45 volt with VRT) processor with MMX™ technology
	Clock Speed	233MHz
	Coprocessor	Integrated
	Cache	32KB internal cache, 256KB pipelined burst SRAM level 2 cache
Memory	Standard	32MB high-speed EDO DRAM
	Maximum	160MB
Bus Architecture		Supercharged 32-bit PCI bus architecture
Hard Disk Drive	Capacity	4.0 billion bytes (=3.82GB); removable (one screw)
	HDD Type	Enhanced IDE
SelectBay™ Support	Diskette Drive	3.5", 1.44MB (included, swapable with CD-ROM and optional modules)
	CD-ROM	Toshiba 10X average speed (included, swapable with diskette and optional modules)
	Optional Modules	Second Lithium Ion battery, second 2GB HDD; each swapable with diskette or CD-ROM
Display	Type	12.1" diagonal TFT active matrix color
	Internal Resolution	800 x 600
	Maximum Color Support	16 million colors at 800 x 600 or 640 x 480
	External Video Support	Supports 16 million colors at 800 x 600, 64K colors at 1024 x 768 and 256 at 1280 x 1024
Video	Graphics Controller	Chips and Technologies HiQVideo™ (F65555)
	Video Memory	2MB EDO DRAM
	Advanced Graphics Acceleration	64-bit BitBLT
	Local-bus	32-bit PCI (with burst mode)
	Zoomed Video Technology	Yes
Audio		Yamaha Sound System; 16-bit MIDI, .WAV and Sound Blaster® Pro Compatible Two internal stereo speakers, microphone; speaker/headphone, external microphone jacks, line-in, line-out jacks
Communications		Built-in 33.6Kbps V.34 voice/data/fax cellular-ready modem with V.80 support for video conferencing, full duplex speakerphone, telephone answering machine
Expansion	PC Card Slots	Supports (2) Type II PC Cards or (1) Type III PC Card, ZV and CardBus support
	Plug and Play Interfaces	Yes Universal Serial Bus (USB), high-speed serial, ECP parallel, SVGA video, PS/2™ keyboard/mouse, diskette drive, microphone, speaker/headphone, line-in, fast infrared port (FIR = 4Mbps IrDA compatible), NoteDock™ III Enhanced Port Replicator (240-pin), RJ-11 telephone jack
Keyboard	Keys	Full-sized, 84 keys, 3mm travel with palmrest
Integrated Pointing Device		AccuPoint™
Dimensions	Weight w/ battery	6.9 lbs.
	Measurements	11.95" x 9.4" x 2.0"
Other	Operating System	Windows® 95
	Bundled Software	America Online®, AT&T WorldNet™, CompuServe®, Indeo™ Video, Mediamatics Arcade Pak™, Puma IntelliSync™, Syncro Multimedia Connect™ communications utilities, Toshiba Utilities: MaxTime®, Fn-esse™, Satellite Pro 480CDT electronic documentation
	Security Features	Lock slot (locks PC Cards), power-on password, screen blank, keyboard lock
Options	NoteDock III Enhanced Port Replicator	2 Type III CardBus-ready PC Card slots; Interfaces: (2) USB ports, serial, parallel, PS/2 keyboard, PS/2 mouse, DC-in, external monitor, joystick/MIDI, line-in, line-out, speaker/headphone, microphone, security lock (secures PC Card slots)
U.S. & International Warranty		Three year parts and one year labor (battery 1 year)

Specifications are subject to change without notice.
 Trademarks are registered to their respective companies.

Toshiba America Information Systems, Inc.
Computer Systems Division
 9740 Irvine Blvd.
 P.O. Box 19724
 Irvine, CA 92618-1697

Technical Specifications

Power Supplies

External Power Supply	Input Voltage	100-240V, universal
	Frequency	50-60Hz
	Power Supply	45W
Main Battery Pack	Battery Type	Lithium Ion
	Output Voltage	10.8V x 3600mAh
	Battery Life	2+ hours*
	Recharge Time	2-3hours off/4-10 hours on*
	Power Saving	MaxTime Power Management

Environmental Specifications

Temperature:	Operating	41°F (5°C) to 95°F (35°C)
	Non-Operating	-4°F (-20°C) to 149°F (65°C)
	Thermal Gradient	20°C per hour (max.)
Relative Humidity:	Operating	20% to 80% non-condensing
	Non-Operating	10% to 90% non-condensing
Altitude:	Operating	-197 to 9,843 feet (-60 to 3,000m)
	Non-Operating	-197 to 32,808 feet (-60 to 10,000m)
Shock:	Operating	10 G
	Non-Operating	60 G
Vibration:	Operating	0.5 G
	Non-Operating	1 G

Specifications are subject to change without notice.

Trademarks are registered to their respective companies.

* Battery life may vary depending on applications, power management settings and features utilized.

Recharge time varies depending on use. Battery does not charge while computer is consuming full power.

Toshiba America Information Systems, Inc.
Computer Systems Division
9740 Irvine Blvd.
P.O. Box 19724
Irvine, CA 92618-1697

PART NUMBER	SATELLITE PRO™ 480CDT AND ACCESSORIES
PA1256U-T2C	480CDT w/ 3.82GB HDD, color TFT 800 x 600 display and 10X* CD-ROM
DEDICATED ACCESSORIES	
KTT650/8	Kingston® Noteworthy® 8MB EDO memory upgrade module
KTT650/16	Kingston Noteworthy 16MB EDO memory upgrade module
KTT500/32	Kingston Noteworthy 32MB EDO memory upgrade module
KTT500/48	Kingston Noteworthy 48MB EDO memory upgrade module
KTT500/128	Kingston Noteworthy 128MB EDO memory upgrade module
PA2717U	NoteDock™ III Enhanced Port Replicator w/ two Type III PC Card slots
PA2609U	2.1 billion byte (=2.02GB) SelectBay™ hard disk drive
PA2487URN	Battery pack (Li Ion, 3600mAh)
PA2488U	Battery pack recharger
PA2451UR	Lithium Ion battery (SelectBay module)
PA2493U	Battery pack recharger for SelectBay battery
PA2450U	AC Adapter
NWCCPRO	PORT®-Noteworthy Performance Pro Carrying Case, Black Fabric
GENERAL ACCESSORIES	
NWETH01X	PORT-Noteworthy Ethernet LAN PC Card (10BaseT), Type II
NWETH02X	PORT-Noteworthy Ethernet LAN PC Card (10Base2), Type II
NWWIRELESS	PORT Wireless LAN PC Card with Antenna, Type II
NWACCESSPT	PORT Access Point for Wireless LAN
NWTR02X	PORT-Noteworthy 16/4 Token-Ring LAN PC Card, Type II
NW3270	PORT 3270 Emulation LAN PC Card, Type II
SW3270	IBM® 3270 Terminal Emulation Software
NWGPS01	PORT GPS card, PC Card Type II
NWGPSCDUSA	PORT GPS CD software†
NWGPSCD-W,-SE,-NW,-C	PORT GPS CD software†
NWCAMERA	PORT Color Analog Camera
NWAVC02	PORT Audio/Video Capture Card, PC Card Type II
NWMICROTAC	PORT-Noteworthy Motorola MicroTac™ cellular phone cable
NWELITE	PORT-Noteworthy Motorola Elite™ cellular phone cable
NWVIDEOPHONE03	PORT-Noteworthy Business Video Phone Kit (AVD, POTS, Internet)
NWZVMPEG1	PORT ZV/MPEG-1 Playback Card, PC Card Type II
NW17MON	PORT-Noteworthy 17" Monitor (.28 dot pitch, 1280 x 1024 resolution)
NWPR100STD	PORT-Noteworthy Monitor Stand
NWHD340	PORT 340 million byte hard disk drive, PC Card Type III
NWTYPE01	PORT PC Card Type Adapter, PC Card Type II
NW802L	PORT-Noteworthy SmartCord™ Auto Adapter
NWCCUF-B	PORT-Noteworthy Ultimate Woven Carrying Case, Black Fabric
NWCCDFB	PORT-Noteworthy Universal Carrying Case, Black Fabric
NWCCALT	PORT-Noteworthy Travel Companion Case, Tan Leather
NWCCPLB	PORT-Noteworthy Premiere Carrying Case, Black Leather
NWMOU2	PORT-Noteworthy Two-Button Mouse
NWMOU3	PORT-Noteworthy Screen-Scroller Mouse
NWKB104EE	PORT-Noteworthy Enhanced Keyboard
NWKB104MM	PORT-Noteworthy Multimedia Keyboard with speakers
NW627S	PORT-Noteworthy 21-key Numeric Keypad with pass-through serial interface
NW3350L	PORT Computer lock

Trademarks are registered to their respective companies.

* 10X average.


** See Price List.

† USA-United States, W-Western Region, SE-South East Region, NE-North East Region, C-Central Region

Toshiba America Information Systems, Inc.
Computer Systems Division
9740 Irvine Blvd.
P. O. Box 19724
Irvine, CA 92618-1697


Quick Tour

FRONT WITH DISPLAY OPEN




Take this quick tour of the Satellite Pro™ 480CDT and you'll see that this notebook computer offers the best available combination of multimedia performance and display at competitive prices.


SYSTEM INDICATOR PANEL




FRONT



LEFT SIDE




BACK




*The new
Satellite Pro™ 480CDT—
uncompromising value
with new technology and
innovative features.*

BOTTOM




RIGHT SIDE



Introducing the Satellite Pro™ 480CDT!

- Powerful 233MHz Pentium® processor with MMX™ technology
- Supercharged with 256KB level 2 cache and 32-bit PCI bus architecture
- Stunning 12.1" TFT active matrix color display with 800 x 600 resolution
- 4.0 billion byte (=3.82GB) hard disk drive
- High-speed 32MB EDO DRAM memory, expandable to 160MB
- SelectBay™ modularity for 10X* CD-ROM, diskette drive, optional second Lithium Ion battery or optional second 2GB HDD
- Built-in 33.6Kbps voice/data/fax cellular-ready modem with telephony and video conferencing capabilities
- Full-motion video with Zoomed Video Technology—MPEG ready
- Optional NoteDock™ III Enhanced Port Replicator
- Advanced Lithium Ion battery
- Universal Serial Bus
- CardBus support

* 10X average. Always Lead. Satellite Pro, SelectBay and NoteDock are trademarks of Toshiba America Information Systems, Inc. Pentium is a registered trademark and MMX is a trademark of Intel Corporation. Product specifications are subject to change without notice.



In Touch with Tomorrow
TOSHIBA

In Touch with Tomorrow
TOSHIBA

In Touch with Tomorrow
TOSHIBA

In Touch with Tomorrow
TOSHIBA

TOSHIBA. The World's Best Selling Portable Computers.

TOSHIBA. The World's Best Selling Portable Computers.

TOSHIBA. The World's Best Selling Portable Computers.

Satellite Pro™
Notebook Computer

480CDT

TOSHIBA
TOSHIBA

Satellite Pro™
Notebook Computer

480CDT

TOSHIBA

Satellite Pro™
Notebook Computer

480CDT

TOSHIBA

Satellite Pro™
Notebook Computer

480CDT

TOSHIBA

POWER UP YOUR BUSINESS WITH TOSHIBA'S NEW SATELLITE PRO™ 480CDT

Introducing the Satellite Pro™ 480CDT—the newest technology in a value notebook—from Toshiba. Always Lead™.

- Powerful 233MHz Pentium® processor with MMX™ technology
- Supercharged with 256KB level 2 cache and 32-bit PCI bus architecture
- Stunning 12.1" TFT active matrix color display with 800 x 600 resolution
- 4.0 billion byte (=3.82GB) hard disk drive
- High-speed 32MB EDO DRAM memory, expandable to 160MB
- SelectBay™ modularity for 10X* CD-ROM, diskette drive, optional second Lithium Ion battery or optional second 2GB HDD
- Built-in 33.6Kbps voice/data/fax cellular-ready modem with telephony and video conferencing capabilities
- Full-motion video with Zoomed Video Technology—MPEG ready
- Optional NoteDock™ III Enhanced Port Replicator
- Advanced Lithium Ion battery
- Universal Serial Bus
- CardBus support



In Touch with Tomorrow
TOSHIBA

* 10X average. Always Lead, Satellite Pro, SelectBay and NoteDock are trademarks of Toshiba America Information Systems, Inc. Pentium is a registered trademark and MMX is a trademark of Intel Corporation. Product specifications are subject to change without notice.

POWER UP YOUR BUSINESS WITH TOSHIBA'S NEW SATELLITE PRO™ 480CDT

Introducing the Satellite Pro™ 480CDT—the newest technology in a value notebook—from Toshiba. Always Lead™.

- Powerful 233MHz Pentium® processor with MMX™ technology
- Supercharged with 256KB level 2 cache and 32-bit PCI bus architecture
- Stunning 12.1" TFT active matrix color display with 800 x 600 resolution
- 4.0 billion byte (=3.82GB) hard disk drive
- High-speed 32MB EDO DRAM memory, expandable to 160MB
- SelectBay™ modularity for 10X* CD-ROM, diskette drive, optional second Lithium Ion battery or optional second 2GB HDD
- Built-in 33.6Kbps voice/data/fax cellular-ready modem with telephony and video conferencing capabilities
- Full-motion video with Zoomed Video Technology—MPEG ready
- Optional NoteDock™ III Enhanced Port Replicator
- Advanced Lithium Ion battery
- Universal Serial Bus
- CardBus support




In Touch with Tomorrow
TOSHIBA

* 10X average. Always Lead, Satellite Pro, SelectBay and NoteDock are trademarks of Toshiba America Information Systems, Inc. Pentium is a registered trademark and MMX is a trademark of Intel Corporation. Product specifications are subject to change without notice.

POWER UP YOUR BUSINESS WITH TOSHIBA'S NEW SATELLITE PRO™ 480CDT

Introducing the Satellite Pro™ 480CDT—the newest technology in a value notebook—from Toshiba. Always Lead™.

- Powerful 233MHz Pentium® processor with MMX™ technology
- Supercharged with 256KB level 2 cache and 32-bit PCI bus architecture
- Stunning 12.1" TFT active matrix color display with 800 x 600 resolution
- 4.0 billion byte (=3.82GB) hard disk drive
- High-speed 32MB EDO DRAM memory, expandable to 160MB
- SelectBay™ modularity for 10X* CD-ROM, diskette drive, optional second Lithium Ion battery or optional second 2GB HDD
- Built-in 33.6Kbps voice/data/fax cellular-ready modem with telephony and video conferencing capabilities
- Full-motion video with Zoomed Video Technology—MPEG ready
- Optional NoteDock™ III Enhanced Port Replicator
- Advanced Lithium Ion battery
- Universal Serial Bus
- CardBus support



In Touch with Tomorrow
TOSHIBA

* 10X average. Always Lead, Satellite Pro, SelectBay and NoteDock are trademarks of Toshiba America Information Systems, Inc. Pentium is a registered trademark and MMX is a trademark of Intel Corporation. Product specifications are subject to change without notice.

POWER UP YOUR BUSINESS WITH TOSHIBA'S NEW SATELLITE PRO™ 480CDT

Introducing the Satellite Pro™ 480CDT—the newest technology in a value notebook—from Toshiba. Always Lead™.

- Powerful 233MHz Pentium® processor with MMX™ technology
- Supercharged with 256KB level 2 cache and 32-bit PCI bus architecture
- Stunning 12.1" TFT active matrix color display with 800 x 600 resolution
- 4.0 billion byte (=3.82GB) hard disk drive
- High-speed 32MB EDO DRAM memory, expandable to 160MB
- SelectBay™ modularity for 10X* CD-ROM, diskette drive, optional second Lithium Ion battery or optional second 2GB HDD
- Built-in 33.6Kbps voice/data/fax cellular-ready modem with telephony and video conferencing capabilities
- Full-motion video with Zoomed Video Technology—MPEG ready
- Optional NoteDock™ III Enhanced Port Replicator
- Advanced Lithium Ion battery
- Universal Serial Bus
- CardBus support



In Touch with Tomorrow
TOSHIBA

* 10X average. Always Lead, Satellite Pro, SelectBay and NoteDock are trademarks of Toshiba America Information Systems, Inc. Pentium is a registered trademark and MMX is a trademark of Intel Corporation. Product specifications are subject to change without notice.