

---

Covering the T199/4A, the Myarc 9640 and compatibles

---

# MICROpendium

---

Volume 5 Number 11

December 1988

\$2.00



## **Taking care of**

## **business**

**Amortization      Mutual Funds**

**Page 10**

**Page 24**

**Computing  
Retirement  
Income**

**Page 44**

# Big selection of software for the Texas Instruments TI-99/4A Computer.

Software



Home Management, Personal Finance, Education, Arcade-type games — all in the big Texas Instruments Home Computer software library.

Tex Comp continues to stock the world's largest selection of TI Software. The TI Software library on module, disk and cassette and is considered the best in the home computer software field. TI utilized the talents of such industry leaders as Scott Forsman, Milton Bradley, Microsoft Corp., Scott Adams, Addison Wesley Publishing, DLM, Milliken Publishing, Scholastic Inc., Imagic, Spinnaker and the list goes on and on.



Charge-It On Your Visa or MasterCard



(818) 366-6631

ORDER BY PHONE 24 HOURS A DAY

7 Days a Week!

## HOME ENTERTAINMENT

### MODULES

PHM 3023	Hunt the Wumpus.....	4.95
PHM 3030	Amazing.....	4.95
PHM 3052	Tombstone City.....	4.95
PHM 3053	TI Invaders.....	4.95
PHM 3054	Car Wars.....	4.95
PHM 3057	Munch Man.....	4.95
PHM 3056	Alotner.....	4.95
PHM 3112	Parsec.....	4.95
PHM 3031	The Attack.....	4.95
PHM 3032	Blasto.....	4.95
PHM 3194	Jawbreaker II.....	5.95
PHM 3110	Chisholm Trail.....	5.95
PHM 3034	Hustle.....	6.95
PHM 3037	Hangman.....	6.95
PHM 3025	Mind Challengers.....	8.95
PHM 3036	Zero Zap.....	8.95
PHM 3038	Connect Four.....	8.95
PHM 3042D	Tunnels of Doom (with disk).....	9.95
PHM 3042T	Tunnels of Doom (with tape).....	9.95
PHM 3067	Othello.....	9.95
PHM 3220	Micro Surgeon.....	9.95
PHM 3219	Super Demon Attack.....	9.95
PHM 3222	Fathom.....	9.95
PHM 3233	Burgertime.....	9.95
PHM 3131	Moonmine.....	9.95
PHM 3146	Munchmobile.....	11.95
PHM 3197	Slymoids.....	15.99
PHM 3226	Buck Rogers.....	15.95
PHM 3227	Congo Bongo.....	15.95

### ADVENTURES

PHM 3041D	Adventure Module & Pirate Adv.(disk)....	6.95
PHM 3041T	Adventure Module & Pirate Adv.(tape)....	6.95
ADVENTURE SERIES (must be used with PHM 3041 module) specify disk or tape with order		
	Adventureland.....	4.95
	Mission Impossible.....	4.95
	Voodoo Castle.....	4.95
	The Count.....	4.95
	Strange Odyssey.....	4.95
	Mystery Fun House.....	4.95
	Pyramid of Doom.....	4.95
	Ghost Town.....	4.95
	Savage Island I&II (two adventures).....	4.95
	Golden Voyage.....	4.95
	Knight Ironheart Adventure.....	4.95
	****SPECIAL-ALL ABOVE ADVENTURES ON DISK OR TAPE..	17.95
	Spiderman Adventure.....	7.95
	Incredible Hulk Adventure.....	7.95
	Buckaroo Banzai Adventure (based on the movie).....	7.95
	Sorcerer of Claymorgue Castle.....	7.95
	****SPECIAL-ALL OF THE ABOVE FOUR + HINT BOOK + TWO NEW BONUS ADVENTURES.....	17.95
	****SUPER ADVENTURE SPECIAL-BOTH OF THE ABOVE SPECIALS + COMPLETE HINT BOOK+ADVENTURE MODULE .....	29.95
PHM 3189	Return to Pirate's Island (self contained adventure on module with graphics).....	11.95
NBX Programs (NBX Unit Required)		
PHM 3154	Terry Turtle's Adventure.....	2.95
PHM 3155	I'm Hiding.....	2.95

### CASSETTE PROGRAMS

PHT 6006	Programming Aids I.....	4.95
PHT 6007	Teach Yourself 99/4A Basic.....	4.95
PHT 6019	Teach Yourself Extended Basic .....	4.95
PHT 6067	Beginning Basic Tutor.....	4.95

## EDUCATION

### MODULES

PHM 3002	Early Learning Fun.....	4.95
PHM 3003	Beginning Grammar.....	4.95
PHM 3010	Physical Fitness.....	4.95
PHM 3010	Music Maker.....	9.95
PHM 3021	Weight Control & Nutrition.....	10.95
PHM 3109	TI LOGO II (32K req.).....	12.95
PHM 3015	Early Reading (speech syn. req) .....	9.95
PHM 3043	Reading Fun.....	9.95
PHM 3046	Reading On.....	9.95
PHM 3047	Reading Roundup.....	9.95
PHM 3048	Reading Rally.....	9.95
PHM 3082	Reading Flight.....	9.95
PHM 3027	Addition & Subtraction I.....	9.95
PHM 3028	Addition & Subtraction II.....	9.95
PHM 3029	Multiplication I.....	9.95
PHM 3049	Division I.....	9.95
PHM 3050	Numeration I.....	9.95
PHM 3051	Numeration II.....	9.95
PHM 3060	Scholastic Spelling 4 (speech).....	9.95
PHM 3061	Scholastic Spelling 5 (speech).....	9.95
PHM 3062	Scholastic Spelling 6 (speech).....	9.95
PHM 3091	Milliken Subtraction.....	9.95
PHM 3092	Milliken Multiplication.....	9.95
PHM 3093	Milliken Division.....	9.95
PHM 3094	Milliken Integers.....	9.95
PHM 3098	Milliken Number Readiness.....	4.95
PHM 3099	Milliken Laws of Arithmetic.....	4.95
PHM 3100	Milliken Equations.....	4.95
PHM 3101	Milliken Measurement of Formulas.....	4.95
PHM 3114	Alligator Mix.....	6.95
PHM 3115	Alien Addition.....	6.95
PHM 3119	Meteor Multiplication.....	6.95
PHM 3118	Minus Mission.....	6.95
PHM 3177	Face Maker.....	9.95
PHM 3178	Story Machine.....	9.95
DISKETTE PROGRAMS		
PHD 5009	Music Skills Trainer.....	4.95
PHD 5011	Computer Music Box.....	4.95
PHD 5018	Market Simulation.....	4.95
PHD 5030	Speak & Spell II (Ex Basic req.).....	9.95
PHD 5031	Speak & Math (TE-II req.).....	4.95
PHD 5042	Spell Writer (TE-II req.).....	4.95



## DISKETTE PROGRAMS NEW LOW PRICES!

PHD 5002	TI-TREK (TE-II req. for speech).....	4.95
PHD 5010	Mystery Melody.....	4.95
PHD 5015	Oldies But Goodies I.....	4.95
PHD 5017	Oldies But Goodies II.....	4.95
	****SPECIAL Oldies But Goodies I & II.....	7.95
PHD 5025	Sat. Night Bingo (Ex-Basic & Speech).....	4.95
PHD 5037	Draw Poker (Ex-Basic).....	4.95
CASSETTE PROGRAMS		
PHT 6002	TI-Trek (TE-II req. for speech).....	4.95
PHT 6010	Mystery Melody.....	4.95
PHT 6015	Oldies But Goodies I.....	4.95
PHT 6017	Oldies But Goodies II.....	4.95
	****SPECIAL Oldies But Goodies I & II.....	7.95
PHT 6026	Sat. Night Bingo (Ex-Basic & Speech).....	4.95
PHT 6037	Draw Poker (Ex-Basic).....	4.95

### DISKETTE PROGRAMS

PHD 5007	Teach Yourself 99/4A Basic.....	4.95
PHD 5019	Teach Yourself Extended Basic.....	4.95
PHD 5004	Programming Aids I.....	4.95
PHD 5005	Programming Aids II.....	4.95
PHD 5012	Programming Aids III.....	4.95
PHD 5077	Programming Aids I, II, III.....	9.95
PHD 5067	Beginning Basic Tutor.....	4.95
PHD 5076	Text to Speech (Ex Basic Speech).....	4.95
PHD 5098	TI Forth & manual (Ed/Assem req.).....	19.95
PHD 5078	TI Forth Demo Disk (Ed/Assem).....	4.95
PHD 5079	TI Forth Source Code (2 disks).....	7.95

TEX+COMP


Visa & Mastercard Holders Call Direct 24-Hour Order Line

(818) 366-6631

# The BIGGEST TI-99/4A SOFTWARE OFFER EVER



TEXAS INSTRUMENTS  
&  
**TEX+COMP**  
Announce  
**DRASTIC PRICE REDUCTIONS  
ON TEXAS INSTRUMENTS  
COMPUTER  
SOFTWARE**



- DISKETTE PROGRAMS NEW LOW PRICES!**
- PHD 5026 Bridge Bidding I.....4.95
  - PHD 5039 Bridge Bidding II.....4.95
  - PHD 5041 Bridge Bidding III.....4.95
  - PHD 5020 Music Maker Demo (use with module).....4.95

- CASSETTE PROGRAMS**  
see disk versions for req. i.e. TE-II
- PHT 6009 Music Skills Trainer.....4.95
  - PHT 6011 Computer Music Box.....4.95
  - PHT 6018 Market Simulation.....4.95
  - PHT 6031 Speak & Math.....4.95
  - PHT 6042 Spell Writer.....4.95
  - PHT 6026 Bridge Bidding I.....4.95
  - PHT 6039 Bridge Bidding II.....4.95
  - PHT 6041 Bridge Bidding III.....4.95
  - PHT 6020 Music Maker Demo (use with module).....4.95

**MANAGEMENT AND SMALL BUSINESS**

- MODULES**
- PHM 3006 Home Financial Decisions.....4.95
  - PHM 3007 Household Budget Management.....4.95
  - PHM 3022 Personal Real Estate.....4.95
  - PHM 3016 Tax/Investment Rec. Keeping (disk req.).....4.95
  - PHM 3035 Terminal Emulator II.....9.95
  - PHM 3044 Personal Report Generator (PRK req.).....10.95
  - PHM 3113 Multiplan.....14.95
  - PHM 3112 TI Writer.....14.95
  - PHM 3013 Personal Record Keeping.....15.95

- DISKETTE PROGRAMS NEW LOW PRICE!**
- PHD 5001 Mailing List (upgraded version).....4.95
  - PHD 5003 Personal Financial Aids.....4.95
  - PHD 5021 Checkbook Manager.....4.95
  - PHD 5022 Finance Manager.....4.95
  - PHD 5024 Inventory Management.....4.95
  - PHD 5027 Invoice Management.....4.95
  - PHD 5029 Cash Management.....4.95
  - PHD 5038 Lease/Purchase Decisions.....4.95
  - PHD 5075 TI/Multiplan upgrade disk.....4.95

- CASSETTE PROGRAMS**
- PHT 6003 Personal Financial Aids.....4.95
  - PHT 6038 Lease/Purchase Decisions.....4.95

Send for **1988** Tex-Comp catalog & buyer's guide only \$2.00 (comes with \$5 savings certificate)

**TI-COUNT SMALL BUSINESS SOFTWARE**

- General Ledger
  - Accounts Receivable
  - Accounts Payable
  - Inventory
  - Payroll
  - Mail System
- Special 1988 Offer** ALL SIX PROGRAMS PLUS  
AUTO COUNT AUTO EXPENSE  
RECORD PROGRAM.....89.95  
**A \$250.00 SAVINGS !!!!!**

**New Lower Price**



**MATH AND ENGINEERING NEW LOW PRICE!**

- DISKETTE PROGRAMS**
- PHD 5006 Math Routine Library.....4.95
  - PHD 5008 Electrical Engineering Library.....4.95
  - PHD 5013 Graphing Package.....4.95
  - PHD 5016 Structural Engineering Library.....4.95
  - PHD 5044 AC Circuit Analysis.....4.95

- CASSETTE PROGRAMS**
- PHT 6006 Math Routine Library.....4.95
  - PHT 6008 Electrical Engineering Library.....4.95
  - PHT 6013 Graphing Package.....4.95
  - PHT 6016 Structural Engineering Library.....4.95
  - PHT 6044 AC Circuit Analysis.....4.95
- \*\*\*SPECIAL--ALL 5 OF THE ABOVE ON DISK OR TAPE---17.95

**SPECIALS**

- Original TI Joysticks \$7.95 (pair)**
- Replacement Console Power Supply (external transformer) \$9.95**
- Replacement 99/4A Keyboards (plug in connection) \$7.95**
- Cassette Cable \$5.95**
- Console Dust Covers \$7.95**

SEND FOR OUR LATEST CATALOG AND BUYER'S GUIDE. ONLY \$2.00 & INCLUDES A \$5 SAVINGS CERTIFICATE!!!

**PROTECT YOUR INVESTMENT WITH A BACK-UP TI99/4A**

At only \$79.95 the Texas Instruments 99/4A home computer is still the wisest choice for any individual or family just starting out in computing. But for those of you who already own a 99/4A and have purchased hundreds or even thousands of dollars in peripherals and software, buying a back-up computer for under eighty dollars is the smartest and least expensive way to protect the investment in your system.



**\$79.95\***

**TI-99/4A**

Are you using your 99/4A in the office and wish you had another to use at home? Is your family squabbling over who gets the computer first? You can put your back-up computer to use at once to solve these problems, and rest assured that your primary system is protected too.

Time is running out. The Texas Instruments home computer will not be available for sale much longer. Buy your back-up TI-99/4A now and protect your home computer system investment for the years to come.

\*Shipping, handling & insurance on this special offer is \$10.00 (Continental U.S.) to any UPS deliverable address, HI, AK, Canada and APO slightly higher.

Send order and make checks payable to  
**TEX+COMP**  
PO Box 33804, Granada Hills, CA 91344



VISA and MASTERCARD  
HOLDERS CALL DIRECT  
**(818) 366-6631**  
24 Hour Order Line

**TERMS:** All prices FOB Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 4 1/2%. Add 1% for Credit Card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.

**NOTE:** Payment in full must accompany all orders. Credit card. Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear. California orders add 6 1/2% sales tax.

# Contents

## MICROpendium

MICROpendium is published 12 times annually for \$20 per year by Burns-Koloen Communications Inc., 16606 Terrace Dr., Austin, TX 78728. Application to Mail at Second-Class Postage Rates is Pending at Round Rock, Texas. POSTMASTER: Send address changes to MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

No information published in the pages of MICROpendium may be used without permission of the publisher. Only computer user groups that have exchange agreements with MICROpendium may excerpt articles appearing in MICROpendium without prior approval.

While all efforts are directed at providing factual and true information in published articles, the publisher cannot accept responsibility for errors that appear in advertising or text appearing in MICROpendium. The inclusion of brand names in text does not constitute an endorsement of any product by the publisher. Statements published by MICROpendium which reflect erroneously on individuals, products or companies will be corrected upon contacting the publisher.

Unless the author specifies, letters will be treated as unconditionally assigned for publication, copyright purposes and use in any other publication or brochure and are subject to MICROpendium's unrestricted right to edit and comment.

Display advertising deadlines and rates are available upon request.

All correspondence should be mailed to MICROpendium at P.O. Box 1343, Round Rock, TX 78680. We cannot take responsibility for unsolicited manuscripts but will give consideration to anything sent to the above address. Manuscripts will be returned only if a self-addressed stamped envelope is included.

Foreign subscriptions are \$25.25 (Mexico); \$27.50 (Canada) \$25.00, surface mail to other countries; \$37 airmail to other countries.

All editions of MICROpendium are mailed from the Round Rock (Texas) Post Office. Mailing address: P.O. Box 1343, Round Rock TX 78680

Telephone: (512) 255-1512

Source: TI4596

CompuServe: 75156,3270

Delphi TI NET: MICROPENDIUM

GENie: J.Koloen

**John Koloen**.....Publisher  
**Laura Burns**.....Editor

## Regena on BASIC

An amortization program.....Page 10

## c99

Warren Agee with more on constructing filenames.....Page 14

## Assembly language

Adding new features to MICROword.....Page 12

## Advice on mutual funds

Plus a program to calculate returns.....Page 24

## Disk drivin'

Tips on shunt packs, cables, and drive select lines.....Page 27

## More MICROpendium index

Getting through 1987.....Page 30

## Modifying character patterns

You aren't limited to just what the keyboard produces...Page 32

## Geneve 9640

Mike Dodd on Autoexec and memory expansion.....Page 34

Myarc questions and answers.....Page 36

## Reviews

P-GRAM Card.....Page 38

Epyx 500XJ Joystick.....Page 39

Micro-reviews: Enhanced Display Package, Starfleet Technical Drawings, Carfax Abbey, Rocketman.....Page 40

## Newsbytes

A new TI-Base version, programs from Donaldson Software and a new phone number for Asgard.....Page 42

## User Notes

Multiplan and RAMdisks, HFDC emulate files, notes on Font Writer III and loading Funnelweb from the Geneve.....Page 43

## Classified.....Page 47

### Programming conventions

Here are some tips to help you when entering programs from MICROpendium:

1. All BASIC and Extended BASIC programs are run through Checksum, the numbers that follow exclamation at the end of each program line. Do not enter these numbers or exclamation points. Checksum was published in the October 1987 edition.
2. Long XBASIC lines are entered by inputting until the screen stops accepting characters, pressing Enter, pressing FCTN REDO, cursoring to the end of the line and continuing input.

# Best Buys From TENEX

No Gimmicks, No Hidden Charges, No Nonsense, Just Low Prices and Great Service!



## Dust Cover & Everything Book

Discover the savings and easy shopping available from TENEX Computer Express PLUS receive a FREE dust cover for your TI! Cover is anti-static, 8-gauge vinyl sewn to our exacting standards with reinforced seams. Custom tailored with exclusive rear corner slit accommodating cables and speech synthesizer. Show your computer you care. Get to know our great products, extensive selection and fast service with a FREE copy of our *Everything Book for TI*. (\$2.95 Shipping Charge)  
34465 TI Console Cover & Catalog (M6E)

## The 39¢ Diskette


From **mijero** 

Are you paying too much for diskettes? Try our first quality, prime, 5-1/4" diskettes (no rejects, no seconds) at these fantastic sale prices and save, save, SAVE! Disks are packaged in boxes of 50; including diskettes in sleeves, labels, and write-protect tabs.

Each diskette is certified to be 100% error free and comes with a lifetime warranty (if you have a problem, we'll replace the diskette). All diskettes include hub reinforcement rings and write-protect notch.

All diskettes are double-density and work in either single or double-sided drives.

SS, DD Diskettes, Box of 50 32391	\$19.50 - 39¢ ea.!
DS, DD Diskettes, Box of 50 32403	\$24.50 - 49¢ ea.!



## \$9.95 Diskette Storage

- 100 disk (5-1/4") capacity.
  - Lock and keys for extra security and easy carrying.
  - Includes 8 index dividers with labels for organization of filing and retrieval.
  - Made of durable anti-static, high impact plastic.
  - Attractive smoke color lid. Sug. Retail \$19.95
- 66826 **NOW ONLY \$9.95**

## Hardware

### Printers

Okidata 180 Printer .....	\$224.95
Okidata Microline 183 .....	\$279.95
Star NX-1000 .....	\$CALL
Star NX-1000 Rainbow .....	\$CALL
Star NX-15 .....	\$CALL
Seikosha SP 1200-A1 .....	\$199.95
Seikosha SP 1600-A1 .....	\$CALL

### Computers

Geneve 9640 .....	\$CALL
Amiga 500 .....	\$CALL
Amiga 2000 .....	\$CALL
TENEX Turbo (Loaded) .....	\$595.00

### Monitors

13" Color Composite .....	\$CALL
Magnavox CM8762, Color ...	\$269.95

### Joysticks/Controllers

NEW! Wico Ergostick .....	\$19.95
Epyx 500XJ .....	\$15.95
SuncomTac 5 .....	\$14.95
TI Adapter .....	\$5.95

### P-Box Cards

CorComp RS-232 .....	\$89.95
CorComp 32K .....	\$119.95
CorComp 9900 Disk Cont. ....	\$149.95
CorComp 512K .....	\$253.00
Myarc RS-232 .....	\$99.95
Myarc 512K w/XB .....	\$289.95
Rave Speech Card .....	\$49.95

### Accessories

Universal Printer Stand+ .....	\$14.95
Data Transfer Switch .....	\$24.95
RF Modulator (99/4A) .....	\$19.95
Power Transformer (99/4A) ....	\$19.95
1/2 Ht. 360K Floppy Drive .....	\$99.95
Parallel Printer Cable 5 ft. ....	\$24.95
Parallel Printer Cable 10 ft. ....	\$34.95
Composite Monitor Cable .....	\$7.95
TI Cart. Expander .....	\$19.95

### Ribbons

NX-1000 Black .....	\$5.95
Okidata 120/180/183 .....	\$8.95
Axiom GP-550 .....	\$10.95
Gemini 10X, SG-10/15 .....	\$2.99
NX - 1000 Rainbow .....	9.95

## TI 99/4A Software

Adv. Series Pkg., Disk .....	\$17.95
Adv. Series Pkg., Cass. ....	\$17.95
Better Banners, Disk .....	\$19.95
Certificate 99, Disk .....	\$19.95
Console Writer, Cart. ....	\$14.95
Font Writer II, Disk .....	\$24.95
Nibbler, Disk .....	\$9.95
PEP, Disk .....	\$59.95
Pro Typer, Cart. ....	\$19.95
Printers Apprentice, Disk ....	\$19.95
Print Wizard, Disk .....	\$19.95
Terminal Emulator II, Cart. ..	\$19.95
TI Artist, Disk .....	\$19.95
TI Logo II (module) .....	\$29.95
TI Planner, Cart. ....	\$26.95
TI Planner Plus, Cart. ....	\$49.95
QS Sideways, Disk .....	\$14.95
Real T/IBM Connection .....	\$59.95
Word Writer, Cart. ....	\$39.95
Word Writer Plus, Cart. ....	\$59.95
4A Flyer, Cart. ....	\$19.95
4A Talk, Disk .....	\$19.95
99 Fortran, Disk .....	\$49.95

Free! 48 Page "Everything" Book With Any Order!

# \$89.95

## Get TI-Count Accounting For Less

### Pike Creek Accounting Package

This is the only accounting system to be endorsed for the TI 99/4A by Texas Instruments. It includes all the features of systems costing up to thousands of dollars for only a fraction of the price. You get all these: *General Ledger* - monitors up to 650 accounts, *Accounts Receivable* - keeps up to 200 customer accounts, *Accounts Payable* - features the ability to hold 200 vendor ledger accounts, *Inventory* - stores up to 700 items in 4 departments, *Payroll* - provides you with payroll checks and stubs of your choice, *Mail System* - change, move, or merge files. Get all 6 systems plus a bonus, the *Auto - Count Tax Log*.

75833 Pike Creek Accounting Package, Disk **\$89.95**

# Give \$24.95 The "Foot" The Boot

You'll find our Peripheral Extension Cable to be a lifesaver. One end of this 30" cable plugs snugly into the expansion port on the right side of the 99/4A console; the other connects to the 44 contact slot of the PE Box cable, or any other stand-alone peripheral (such as the speech synthesizer, memory expansion, etc.). Customize your system set-up today!

22633 Peripheral Extension Cable **\$24.95**

The Best Prices  
The Best Service  
WHY SHOP ANYWHERE ELSE?

### Gives You More Control

**PIO PRINTER INTERFACE PLUS.** You'll be able to connect most parallel input printers directly to your computer. Just plug one end into the side of your console and the other into the printer. 120 day warranty. From CorComp. Sug. Retail \$59.95  
42250 Parallel Printer Interface **\$49.95**

Only **\$49.95**

From Your Friends At

**TENEX**  
Computer  
Express

We gladly accept mail orders!  
P.O. Box 6578  
South Bend, IN 46660

Questions?  
Call 219/259-7051

Ad  
M6E

### Shipping Charges

Order Amount	Charge
less than \$19.99	\$3.75
\$20.00-\$39.99	4.75
\$40.00-\$74.99	5.75
\$75.00-\$149.99	6.75
\$150.00-\$299.99	7.75
\$300.00 & up	8.75



No Extra Fee For Charges!

ORDER TOLL FREE  
**1-800-348-2778**

WE VERIFY CHARGE CARD ADDRESSES

APO, FPO, AK, HI, CN, VI, GU, and foreign orders are subject to additional shipping charges. NOTE: Due to publishing lead-times, product prices and specifications are subject to change without notice.

# Comments

## Press debugging to finish by year's end

Press, the new word processor from Asgard Software, should be ready by the beginning of the year. According to Chris Bobbitt, owner of Asgard, the programming is done and only the debugging is being completed. As he noted on a conference on GENIE recently, "Programming is a science, debugging is an art."

### MDOS V1.14 RELEASED

Myarc has released V1.14 of MDOS. It's the non-hard disk version, so don't bother trying to create or catalog subdirectories. The H version is expected to follow shortly. V1.14 was designed to test Myarc Advanced BASIC (MAB) and you'll notice it by the way the Type command works. When you call a DV/80 file to the screen with V1.14, you'll see that two lines don't scroll. That's because it's in the 80x26 line mode. Two lines are used as "status lines" in MAB. MDOS V1.15 will address this by having a special screen that displays the status lines only when running MAB.

According to Jack Riley, Myarc is in the final stages of debugging MAB and the Pascal runtime interpreter is nearly finished. When MAB and Pascal are finished, they will be sent with the final version of MDOS as a package to registered owners of the Geneve. Registered owners of the Hard and Floppy Disk Controller will similarly receive the final H version of MDOS as well as the latest version of MDM5. The most recent version of MDM5 is V1.28.

### WATCH OUT WHEN MIXING VERSIONS OF MDM5

A word of warning to hard disk users: Use caution when mixing MDM5 files from one version with those of another version. The Myarc Disk Manager program has gone through numerous revisions — some minor, some not so minor. Later versions (1.25 and beyond) should not be mixed at all with earlier versions.

In some cases, upgraded files but not the entire program, are made available on bulletin boards so that users may simply substitute some of their existing files for the upgrades. I did that, and inadvertently managed to lose the first 10 sectors of every disk I ran in a floppy drive using the upgraded files. The worst part was that I didn't even know it until I tried to read from the disks several days later.

If in doubt about whether file upgrades are compatible with your existing version, simply stay with your existing version. Or, verify that everything works just as it should before putting your trust in the upgraded files. This means not depending on the on-screen messages that verify successful disk copies. That's how I got into trouble. Rather, copy a few files, or whatever, exit the program and run a directory of the disks from BASIC on a TI or MDOS on

a Geneve. If the directory runs without crashing then things should be fine. If it doesn't, you may not want to use the upgraded files.

Also, depending on what EPROM you have in your hard disk controller, you may not be able to use the MDM5 backup command. (This is true for the Geneve only until the H version of MDOS is released because HMDOS will ignore the EPROM entirely.) Versions 7 through 10 support the backup function of MDM5 on the 4A. With earlier versions files can still be backed up one at a time, but that's not as efficient as the backup function. For more information about this, see the Myarc Q&A column.

### LOVE ONLINE

Telecommunicating has lots of advantages.

For Walt Howe, TI sysop on The Source, it has led to a Dec. 17 wedding to Hope Tillman. The couple met online on The Source, and their common interests led them to decide to meet in person last July, at which time they spent a day together in Mystic, Connecticut, halfway between their respective homes in Massachusetts and New Jersey.


Throughout the engagement the couple has "talked" on The Source each night, Howe told us, before following up with a voice call. The wedding ceremony, at the bride's home in Lawrenceville, New Jersey, was conducted by the Rev. Barry Traver, a CompuServe sysop and publisher of the "disk magazine" Genial TRAVELER.

The bride is an associate professor of information science at Rider College in Lawrenceville. Her computer is an IBM-PC-compatible Tandy 1000, but Howe says she has been looking with interest at features which are standard on the 4A/9640 but require add-on cards for PCs. After a honeymoon in Maine, the bride plans to finish out the college year in Lawrenceville, after which the couple will live in Massachusetts. Best wishes to them both.

### IT'S A RESOUNDING 'NO'

Alright, already. Thanks for the input. Last month I asked whether readers would like MICROpendium delivered in envelopes, for an extra 50 cents a month. I asked that post cards be sent to us with the word YES or NO to indicate opinions. Easily 9 out of 10 said NO. Sometimes they wrote NO all over the postcard, just so we wouldn't miss it. Happily, many of these NO votes also indicated that they've never had a problem with delivery of MICROpendium and that it always arrives in good condition. Frankly, I'm impressed. The post office, for the most part, is doing a good job. Forget I ever asked.

# THE MYARC Hard & Floppy Disk Controller with Streamer Tape Backup Support



**AVAILABLE NOW**

## Features include:

- Hard drive transfer rate of 5Mbit per second, for speed comparable to an external RAM disk card
- Interfaces with standard, off the shelf, hard, floppy and streamer tape drives
- Built-in real time clock, for time and date stamping of files
- Supports up to four 5 1/4" and/or 3 1/2" floppy drives, mix or match
- All disk formats, SS/SD (90K), DS/DD (320/360K) and DS/QD (640/720K) supported
- MYARC Disk Manager V, the most intuitive and user friendly manager available
- One year limited warranty, 12 months parts, 6 months labor, is standard, an optional two, three or four year extended warranty is available

MYARC, Inc., P.O. Box 140, Basking Ridge, New Jersey 07920, Phone (205) 854-5843

# Feedback

## Wild about Harry

I am writing you to say how pleased I am that you have hired Harry Brashear to write MICROreviews.

I have never met Harry in person, but we have become pretty good friends over the last few months. I am in the Army, stationed in Germany, and at best a novice user of the TI99/4A. I ordered The Writers from an ad in MICROpendium. Harry enclosed a sample copy of the Western N.Y. 99er *Interface*. I was impressed with both the manual and newsletter, and decided to join the New York group.

I have been in constant contact with Harry ever since. His help to me has been invaluable. He has given me tips that have helped me get more out of my TI. He has helped me get a Horizon RAMdisk up and running in my P-Box.

I have not been able to find any other TI owners in the area where I am stationed, but through Harry, I have become a full fledged member of the W.N.Y. 99ers. Our group can cater to the needs of isolated users and help them get more out of their machines. I wholeheartedly recommend that any user that can't get help locally join our group. The *Interface* is an excellent newsletter and you will get an answer to your questions, no matter how large or small.

**James T. Reynolds**  
APO, New York

## TI in education

A few years ago I gave a console and a TV to a church school in Lena, Illinois, but I also went one step more. I asked to help teach a child, who was having trouble with math, by using the TI, in other words, showing how the computer can be of help to the teacher and how easy it is to operate.

The student was supposed to be at the level where she could add  $20+14+12=?$  in a column. But she was very clever in hiding the fact that she would count the numbers out on her fingers and miss many of the problems, and really having a rough time of it all. So with the TI I wrote a very basic program for her to use. It went  $0+1=?$  up to any combination that would add up to no more than the value of 5 in the answer. I would go three times a week

and work with her one hour. After I felt she could handle some more problems, the combination would be increased to the value of six, and so on until all combinations were up to  $10+10=?$

Now get this! This girl was failing school not only in math but other subjects also. However, after six weeks of work on math with the computer, she could do 60 combinations of math problems in a minute on a timed test we did to see how the student was learning. The teacher was pleased and I was surprised. Now note this: in another six weeks this same student went onto the honor roll and stayed on it for the rest of the year. Thanks to the TI and a program, a young student was able to learn. I might add also that I was glad to give the computer for such a good deal.

Is anyone interested in donating TI stuff to another church school? I have given the Cedarville Baptist Church in Cedarville, Illinois some computer programs to use as an aid to math on the TI console they have. (By the way, no, I'm not a member of either church.) This school is in need to expand the use of the TI. A tax deduction can be taken for anything given to the church for school use. Their needs are: Extended BASIC Cartridge, one PE Box with disk drive and any type of cartridge that can be used to help a child to read, do math, etc. Any other type of program that will aid the teacher will be of great value.

In addition, this school would like a second and third complete system — TI computer with PE box and whatever. I know these units will be put to good use, as the students use the present system every day, and it's not games they are playing with — during school hours, that is. (Yes, they do have a few games the students get to play at noon, etc.) The present system they are using is in good shape even with the use it gets so the kids really take care of the stuff.

If you have questions feel free to write. I will personally take the responsibility to work behind the scene and be the program adviser or whatever you'd like to call me. Write Stanley Beyer, 246 W. Garfield, Freeport IL 61032, Attn: Cedarville Baptist Church.

I will see that all information is passed on in an orderly manner and will be the

one who will respond as I have the church's permission to work this program for them. However, if anyone would like to call me they may at (815) 233-5758, 7 a.m.-noon only Illinois time please! If someone feels it is needed to call the church school they may do that at (815) 563-4238. Please keep in mind the school has a very limited staff and needs the time to teach.

Also later they will be looking for someone to help change programs to meet a special need here and there if they get the stuff they need to upgrade, so would like to hear from anyone who may like to do a little programming and doesn't know what to program. They may be able to offer a small project from time to time.

When offering equipment shipping cost can be included in the amount of the donation. Also for the records your value of the equipment will be requested and you will receive a receipt after the item is received. Be sure to write first as they do not want to end up with six of one item and none of the next.

**Stan Beyer**  
Freeport, Illinois

## More about DISKASSEMBLER

My thanks to Mike Dodd for his mini-review of DISKASSEMBLER Ver. 2 in the November issue of MICROPENDIUM.

Because he had a pre-release copy, however, he was not aware of some of the other features that were included on the final version as released in Chicago: 1) A full DIS/FIX 80 file with external REF's can be loaded into memory in its entirety, with all REF's resolved by use of 2) an external REF table of up to 100 entries can be loaded into memory. It will be used to resolve REF's if a DIS/FIX 80 file is used, AND will be used for labels in preference to the program generated labels (which are now doubled in maximum number). The standard EA table is already in memory — both it and the XB table are supplied on the program disk as well. If you wish to name routines that you have found, they can be added to the REF table and will then be used. 3) If the program finds large blocks of same data (e.g. >0000 or  
(See Page 46)



# Super Savings

## NEW LOWER PRICES On Essential Software Packages for the Texas Instruments Home Computer

As part of its program of long-term support for the TI-99/4A user, Tex-Comp has purchased truck-load quantities of original TI Software that is essential to the serious & dedicated user.

In turn, Tex-Comp is passing the savings on to YOU!

All TI Software in this advertisement is brand new, original TI Product in factory-sealed packages and is sold with a full Texas Instruments warranty, which TI has publicly committed to.

Now is the time to buy **Key Software** at a fraction of its original cost.

### There may never be a better time than now to buy



**\$14.95**  
+ S&H

#### TI Multi-Plan


Electronic Worksheet with many advanced features and built-in ease of use. Requires disk drive and controller, and 32K memory Expansion Unit. Printer and RS-232 Interface recommended. Cartridge and Disk.



**\$14.95**  
+ S&H

#### TI Writer


This is a professional word processing system for the TI-99/4A. Provides the features and ease of use found in office systems. Requires disk drive. 32K Memory and Printer. Module and Disk.



**\$12.95**  
+ S&H

#### Logo II


In use by educators throughout the country. Requires cassette or disk based system and 32K memory expansion.



**\$9.95**  
+ S&H

#### Editor/Assembler

This is the complete version with manual, module, program disk and the disk version of Tombstone City as an example of assembly language programming. 32k and disk drive are required. This package will allow you to program the 99/4A in TMS 9900 Assembly Language and gives you access to all system features. Provides the fastest speed possible from the 16-bit processor!




**NEW LOW PRICE!**  
**\$49.95**  
+ S&H

#### SUPER EXTENDED BASIC

includes everything in TI's original *Extended BASIC* plus 33 new and six modified commands. This cartridge is an important upgrade for programmers.

*Super Extended BASIC* incorporates 15 graphic subroutines for plotting and graphing.



**\$12.95**  
+ S&H

#### Mini-Memory

This software cartridge adds memory to your system. Totals 14K of memory (6K of GROM, 4K of ROM, 4K of RAM). Mini Memory includes a built-in battery, permitting programs and data stored in RAM to be retained even if module is removed from console.

**BONUS: FREE** Mini-Writer I word processor (a \$19.95 value) with Mini-Memory Purchase.

**SPECIALS:** TI WRITER/MULTIPLAN UPGRADE DISK (reg \$4.95)

\$1.00 with purchase of either.

"INTRODUCTION TO ASSEMBLY LANGUAGE" (\$15 value) only

\$1.00 with Editor Assembler.

TI LOGO WORKBOOK (\$6 value) only \$1.00 with TI LOGO II

"TEACH YOURSELF EXTENDED BASIC" (disk or cass.) \$1.00 with SEB.

TERMINAL EMULATOR II MODULE (reg \$9.95) only \$4.95 with any of above!

Send order and make checks payable to:

**TEX+COMP**

P.O. BOX 33084 - GRANADA HILLS, CA 91344



AUTHORIZED DEALER



VISA and MASTERCARD  
HOLDERS CALL DIRECT  
**(818) 366-6631**  
24 Hour Order Line

**TERMS:** All prices FOB Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 4 1/2%. Add 3% for Credit Card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.

**NOTE:** Payment in full must accompany all orders. Credit card, Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear. California orders add 6 1/2% sales tax.

## BASIC

# Printing an amortization schedule

By REGENA

Can you believe another year is about to end? A lot has happened in 1988, but one of the main good points is that the TI world is still going strong. There are still many happy TI99/4A users, and groups are continuing to hold annual conventions.

We were sad in recent months to lose two popular TI-ers to cancer. Bill Knecht of Houston wrote many programs, but I especially enjoyed his music/graphics programs. You may still enjoy his programs by asking librarians of users groups. George Steffen of Los Angeles was a fun friend to have. He first told me how much he was doing with hardware when I met him in Las Vegas a few years ago. Since then he made many more friends at various users group conventions at various users group conventions across the United States. All of us should be grateful for the contributions of these two men.

The New Year is a holiday many of us celebrate with various traditions. My dad always told us never to work on New Year's Day because what you do on New Year's Day is what you will do the rest of the year. We always have lots of food and have a relaxing day. However, the days at the end of the old year are supposed to be filled in preparation for the New Year. The Japanese say the end of the year is the time to clean our houses and to put our finances in order (especially paying off old debts).

One of the best programs for financial information is the TI command module, "Home Financial Decisions. The section I seem to use most often is the one in which you can enter an amount you want to borrow, the interest rate, and the number of payments for the loan. Press a key, and the size of the monthly payment will be given. There are sections for other things about loans and savings accounts plus comparisons for investments.

I have published loan programs before (such as in *BASIC Programs for Small Computers*), but I thought this month I would enhance one of those for an amortization program. My daughter has been asking me for amortization schedules because her bank doesn't give her one. Her loan was one of those that changes interest rates periodically. She also paid amounts different from the original calculated amount per month. I thought you might also have use for this. An amortization schedule is a list by month of each payment with how much goes toward principal and how much goes toward interest — and the resulting balance due.

I have used TI Extended BASIC for this program so I could use the IMAGE statement and PRINT USING to print columns of numbers with two decimal places easily. In a PRINT USING statement, you may specify a format for the output. Line 290 shows how to

AMOUNT BORROWED = \$ 1000.00

INTEREST RATE = 11.50%

	PAYMENT	INTEREST	PRINCIPAL	BALANCE
1	100.00	9.58	90.42	909.58
2	100.00	8.71	91.29	818.29
3	100.00	7.84	92.16	726.13
4	100.00	6.95	93.05	633.08
5	100.00	6.06	93.94	539.14
6	100.00	5.16	94.84	444.30
7	100.00	4.25	95.75	348.55
8	100.00	3.34	96.66	251.89
9	100.00	2.41	97.59	154.30
10	100.00	1.47	98.53	55.77

print some alphabetic characters, then the number with a dollar sign and two decimal places. Each # symbol represents a place a numeral may be printed. Line 340 shows how something is printed with a percent sign after the number.

Line 160 is an IMAGE statement, which is simply a longer format line for numbers to be printed. Again, each # represents a place the characters can be printed. The first ### will have a month number which is a whole number, and the numbers will be right-justified. The other numbers are all dollar amounts with two decimal places, and trailing zeros will be printed if necessary. Later

PRINT USING statements may have USING 160 to specify that particular format.

If you do not have TI Extended BASIC, you may use a subroutine to print numbers in dollar format. For example, you may have a number N (\$1 or greater). To print it out as a number with two decimal places, you may use this subroutine.

```
100 N=INT(N*100+.5)
110 N$=STR$(N)
120 N$="$"&SEG$(N$,1,LEN(N$)-2&":"&SEG$(N$,LEN(N$)-1,2)
130 RETURN
```

Line 100 multiplies the original number by 100 to get the number of cents (instead of dollars). By adding .5 and using INT, the number is rounded. Line 110 converts the number to a string. Line 120 uses string functions to change N\$ to a dollar sign, then all but the last two digits for the dollars, a decimal point, then the last two digits for the cents. You can then print the new number as N\$. If you have varying lengths of numbers, you will need to set up TAB(A) with a variable A depending on the length of the number. If you have cents only, you may need to add leading zeros so you get the dollars and cents properly.

Now, back to Extended BASIC. As you are typing in the program, put your own printer configuration in Line 200 — the printer configuration you usually use when you print within a program or make a listing.

When you run the program, first you will enter the amount borrowed for this loan. Enter a number less than a million and greater than zero (without the dollar sign and commas). Next enter the interest rate in percent (as we usually think of it). For a 10 percent loan, enter 10.

Next enter the monthly payment amount, which must be less than the loan amount. The final question is the number of months using this payment (and interest) amount. Since loans are rarely for more

(See Page 12)

**\$250**  
Extra Special  
**OFFER**  
Cassette  
Cable

# LIQUIDATION SALE SUPER PRICE REDUCTION!

**MONITOR  
CABLE**  
connects both  
audio and video  
**\$250** (limited  
quantity)

## TI 99/4A Owners

**NOW ONLY \$2.00 — CURRENT VALUES FROM \$9.95**

Go into business for yourself. Special discount on 1000 cassettes or more.  
Call 407-843-0717 or 407-282-2842 for more information.

The following listing of TI 99/4A cassette software is now available for immediate shipment at reduced prices. Order 1 cassette for only \$2.00 plus \$ .50 for shipping and handling. As a special exciting assortment offer, order:

- |  |                                  |
|--|----------------------------------|
| 5 cassette titles for only \$ 7 <sup>50</sup>  | plus \$ 2.50 shipping & handling |
| 10 cassette titles for only \$14 <sup>00</sup> | plus \$ 5.00 shipping & handling |
| 15 cassette titles for only \$19 <sup>50</sup> | plus \$ 7.50 shipping & handling |
| 20 cassette titles for only \$24 <sup>00</sup> | plus \$10.00 shipping & handling |
| 25 cassette titles for only \$27 <sup>50</sup> | plus \$12.50 shipping & handling |

**ORDER NOW WHILE QUANTITIES LAST! USE THE ORDER FORM AND ENCLOSE CHECK OR MONEY ORDER.**

	Compare with other ads: regularly	CJ's Liquidation		Compare with other ads: regularly	CJ's Liquidation
<input type="checkbox"/> PHT 2010 TV Monitor Cable .....		<b>\$250</b>	<input type="checkbox"/> PHT 6044 AC Circuit Analysis .....	\$8.95	<b>\$200</b>
<input type="checkbox"/> PHT 6003 Personal Financial Aids .....	\$9.95	<b>\$200</b>	<input type="checkbox"/> PHT 6046 Adventureland .....	\$9.95	<b>\$200</b>
<input type="checkbox"/> PHT 6004 Programming Aids .....	\$6.95	<b>\$200</b>	<input type="checkbox"/> PHT 6047 Mission Impossible .....	\$9.95	<b>\$200</b>
<input type="checkbox"/> PHT 6006 Math Routine Library .....	\$8.95	<b>\$200</b>	<input type="checkbox"/> PHT 6049 The Count .....	\$9.95	<b>\$200</b>
<input type="checkbox"/> PHT 6008 Electrical Engineering Library ..	\$8.95	<b>\$200</b>	<input type="checkbox"/> PHT 6050 Strange Odyssey .....	\$9.95	<b>\$200</b>
<input type="checkbox"/> PHT 6007 Teach Yourself Basic Part 2 ...	\$6.95	<b>\$200</b>	<input type="checkbox"/> PHT 6051 Mystery Fun House .....	\$9.95	<b>\$200</b>
<input type="checkbox"/> PHT 6010 Mystery Melody .....	\$6.95	<b>\$200</b>	<input type="checkbox"/> PHT 6052 Pyramid of Doom .....	\$9.95	<b>\$200</b>
<input type="checkbox"/> PHT 6015 Oldies But Goodies Games 1 ..	\$6.95	<b>\$200</b>	<input type="checkbox"/> PHT 6053 Ghost Town .....	\$9.95	<b>\$200</b>
<input type="checkbox"/> PHT 6018 Market Simulation .....	\$8.95	<b>\$200</b>	<input type="checkbox"/> PHT 6054 Savage Island .....	\$6.95	<b>\$200</b>
<input type="checkbox"/> PHT 6016 Structural Engineering Library ..	\$8.95	<b>\$200</b>	<input type="checkbox"/> PHT 6056 Golden Voyage .....	\$9.95	<b>\$200</b>
<input type="checkbox"/> PHT 6019 Teach Yourself Extended Basic ..	\$6.95	<b>\$200</b>	<input type="checkbox"/> PHT 6067 Beginners Basic Tutor—		
<input type="checkbox"/> PHT 6026 Bridge Bidding 1 .....	\$9.95	<b>\$200</b>	Lessons 1, 2, 3, 4 .....	\$6.95	<b>\$200</b>
<input type="checkbox"/> PHT 6031 Speak & Math .....	\$9.95	<b>\$200</b>	<input type="checkbox"/> PHT 6070 Logo Sampler .....		<b>\$200</b>
<input type="checkbox"/> PHT 6037 Draw Poker .....	\$7.95	<b>\$200</b>	<input type="checkbox"/> PHT 6071 Line by Line Assembler .....		<b>\$200</b>
<input type="checkbox"/> PHT 6038 Lease Purchase Decisions ...	\$9.95	<b>\$200</b>	<input type="checkbox"/> PHT 6101 Arcade Entertainment .....		<b>\$200</b>
<input type="checkbox"/> PHT 6042 Spell Writer .....	\$9.95	<b>\$200</b>	<input type="checkbox"/> PHT 6108 Teach Yourself Basic .....	\$6.95	<b>\$200</b>
<input type="checkbox"/> PHT 6043 Pirate Adventure .....	\$6.95	<b>\$200</b>	<input type="checkbox"/> <b>Cassette Cable</b> .....		<b>\$250</b>

### C. J.'s Wholesale

210 E. Esther St., Orlando, FL 32806

Name \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_  
 State \_\_\_\_\_ Zip \_\_\_\_\_  
 Phone AC (     ) \_\_\_\_\_

No. Cassettes Ordered \_\_\_\_\_  
 No. Cables Ordered \_\_\_\_\_  
 Total \$ Amount Ordered \$ \_\_\_\_\_  
 Shipping & Handling \$ \_\_\_\_\_  
 (\$ .50 per item)  
 Total \$ Amount Enclosed \$ \_\_\_\_\_

## BASIC—

(Continued from Page 10)

than 30 years, 30 years is the maximum allowed for this program (360 monthly payments).

The variable BB is the balance owed. T is the interest. PAY is the payment amount, and NM is the number of payments. NM1 starts out as 1 for the first month. TT is the amount of the payment that goes toward interest, and PRIN is the amount that goes toward principal. NBB is the new balance. If this balance is negative, the last payment is refigured as interest plus the previous balance due.

Note: if the next-to-last payment leaves a small balance, you would ordinarily add a little extra to that payment to pay off the loan, rather than going a whole month more.

Now let's say you have a variable interest rate account. This may happen when your interest rate on a loan is tied to the money market rate or some other such factor. If you have, for example, a two-year loan, you may not make all 24 payments equally. Suppose after one year the bank notifies you that the interest rate increases. You would enter the amount borrowed, the first interest rate, the payment amount, and then 12 for the number of payments. Since there is a balance still due, the computer will clear the screen, show the balance, and ask for another interest rate, payment amount and number of payments at the new rate and payment.

Here is a specific example (see table, previous page). A loan of \$2,000 is taken out at 12 percent interest. The initial payment is \$94.15, and you make 12 payments (one year), using that exact pay-

ment. After that first year, let's say the interest goes up to 12.5 percent. Enter the new percent. Let's assume you also decide you could afford to make the new payment an even \$95. This you do for six months, but then the interest goes up again — to 12.75 percent. Let's continue with \$95 payments and enter 12 for the number of months (thinking we'll pay at this rate for a year).

The printout shows the amount originally borrowed and the first interest rate. After the column headings, the amortization is printed, with the payment number at the left. After the first 12 payments, the new interest rate is printed, and the schedule continues for six more payments. The next interest rate is printed. Payment 24 shows the payment necessary to pay off the loan, and since the balance is now zero the program ends.

Each time you change the interest or the payment amount, both variables need to be entered. However, the interest will be printed only if it changes. The change in payment will appear in the "PAYMENT" column.

Remember that you need TI Extended BASIC to use this program and that you need a printer for the program to run properly. Be sure to type your own printer configuration in Line 200.

If you prefer to save typing effort, you may have a copy of this program by sending \$4 to *REGENA, P.O. Box 1502, Cedar City, UT 84720*. Specify the title "Amortization," that you need the TI version, and whether you want cassette or diskette.

## Amortization

```

100 REM AMORTIZATION !091
110 REM TI EXTENDED BASIC !0
74
120 CALL CLEAR !200
130 PRINT " AMORTIZATION SC
HEDULE": : : !231
140 PRINT "YOU MAY ENTER AN
AMOUNT BORROWED, ANNUAL
INTEREST RATE, MONTHLY PAY
MENT, AND NUMBER OF MONTHS.
" !239
150 PRINT "THE COMPUTER WILL
1. PRINT AN AMORTIZATION--PA
YMENT, INTEREST, PRINCI
PAL PAID, AND BALANCE FOR
EACH MONTH." !251
160 IMAGE "### #####.##
#####.## #####.##
#####.##" !232
170 REM MAKE SURE YOUR !166
180 REM PRINTER CONFIGURATIO
N !214
190 REM IS IN LINE 200! !040
200 OPEN #1:"PIO" !253
210 NM1=1 :: PRN=-1 !204
220 PRINT : "WHAT IS THE AM
OUNT BORROWED?" !145
230 INPUT BB !022
240 IF BB<1000000 THEN 260 !
101
250 PRINT : "PLEASE ENTER AN
AMOUNT LESS THAN 10000000."
:: GOTO 220 !091
260 IF BB>0 THEN 280 !033
270 PRINT : "PLEASE ENTER AN
AMOUNT GREATER THAN ZERO."
:: GOTO 220 !145
280 BB=INT(BB*100)/100 !065
290 PRINT #1,USING "AMOUNT B
ORROWED = $#####.##":BB !14
2
300 PRINT : "ENTER THE ANNUAL
INTEREST RATE, SUCH AS 11
.5" !214
310 INPUT T !230
320 IF T>=0 AND T<=100 THEN
340 !025
330 PRINT : "INTEREST RATE MU
ST BE BETWEEN ZERO AND
100" :: GOTO 300 !254
340 IF T<>PREV1 THEN PREV1=T
:: PRINT #1 :: PRINT #1,USI
NG "INTEREST RATE = ##.##%":
T :: PRINT #1 !022
350 T=T/1200 !185
360 PRINT : "ENTER PAYMENT AM
OUNT." !011
370 INPUT PAY !124
380 IF PAY<=BB AND PAY>=0 TH
EN 400 !149
390 PRINT : "PAYMENT MUST BE
FROM ZERO TO BALANCE OWED." :
: GOTO 360 !131
400 PAY=INT(PAY*100)/100 !01
3
410 IF NM1=1 THEN PRINT #1 :
: PRINT #1:TAB(11);"PAYMENT
INTEREST PRINCIPAL
BALANCE": : : !011
420 PRINT : : "HOW MANY MONTH
S FOR THIS PAYMENT AMOUNT
?" !100
430 INPUT NM :: NM=INT(NM+.5
)!205
440 IF NM=0 THEN 360 !184
450 IF NM<=360 THEN 470 !030
460 PRINT : "FOR THIS PROGRAM
, THE MAXIMUM LOAN PER
IOD IS 30 YEARS (360 MO
NTHS)." :: GOTO 420 !035
470 NM=NM1+NM-1 !061
480 FOR M=NM1 TO NM !175
490 TT=INT(BB*T*100)/100 !12
4
500 PRN=PAY-TT !075
510 NBB=BB-PRN !015

```

(See Page 26)



# RAVE 99

# INTRODUCES.....




**NEW!**

## SPEECH SYNTHESIZER ADAPTER CARD

=====

**NEW!**

Finally, A low cost method to move your TI-Speech synthesizer from the side of the console to the Peripheral Expansion Box (PEB).



Takes only minutes to remove the housing from your speech synthesizer and install into the P.E. Box.



LOOK !

## SPECIAL FEATURES

Compatible with the 99/4A and 9640 GENEVE computers.

Software Compatible with TI-Speech Synthesizer.

High Quality Construction

90 Day Warranty

LOW COST .. \$49.95 + \$2.50 for Shipping & Handling

Units are in stock and ready for immediate delivery.

**NEW!**

**NEW!**



# RAVE 99




112 RAMBLING ROAD  
VERNON, CT 06066

(203) 871-7824



ADD 5% FOR HANDLING AND SHIPPING.  
CT. RESIDENTS ADD 7.5% SALES TAX.



VISA & Master Card Add 3% 

Make someone happy for the holidays..

Put a "Voice" back in your computer!!



# NOW

# AVAILABLE

# Constructing Filenames in c99

By WARREN AGEE

(This is the second part of a two-part article. The first part was published in the November issue.)

In my previous article, I explained one of two ways to dynamically construct a filename in c99. The example that illustrated this technique was a program that looked up words in a dictionary. The dictionary is made up of 26 files, one for each letter of the alphabet. Each file is named according to the letter it represents: the file for letter A is DSK1.A, etc. The program decides on which file to open by examining the word in question: the first letter of that word is used as the filename.

The technique used last time involved treating a string as a character array, and accessing each letter of the string by using the array elements (e.g. `fname[0]` for the first letter). There is a slightly more efficient way to build the dictionary filename, and it parallels the first method of using array elements. This time we will access the bytes in the string using pointers and pointer addition.

The theory behind this method relies on the notion that you can examine and manipulate any character string by knowing its address. By *address* I mean the location in memory where the compiler stores the string. The address of the string can also be thought of as the address of the first byte (or letter) of the string. To access successive bytes in the string, all you need to do is add an offset to the original address.

How do we accomplish this feat of using pointers? First of all, instead of declaring a character array to contain a string, you can declare a character pointer variable. This can be done with this line of code:

```
char *fname;
```

This line declares a pointer variable called `fname` that points to a character. This means that `fname` can only contain a special kind of number: the address (memory location) which points to a character in memory. Instead of containing the actual letters of a string, it *points* to the letters of the string. Note that at this point, `fname` does not point to anything in particular; we need to initialize it first. The following line will do the job:

```
fname = "DSK1. ";
```

This line should be confusing you — I

told you in my first article that you cannot assign a string to a variable as in BASIC! Ah, this is different. I am not storing a string into `fname`; I am storing the *address* of the string into `fname`. Remember, `fname` can only contain an address to a char, so it is impossible to store the entire string in `fname`.

Whenever the compiler sees a string literal (letters enclosed with quotes), it stores the string somewhere in memory. You don't know where, and you don't really need to know where. The compiler keeps track of the string's address. Wherever you use a string literal in your code, you are really using its address. For example, when you pass a string literal to a function (like `printf("Hello there\n")`), you are really passing the *address* of the string. Similarly, if you assign a string literal to a variable (like the line of code above), you are really assigning the string's *address* to the variable.

When the above line of code is reached, `fname` will contain the address of the first byte of the string "DSK1." (excluding the quotes, of course). At this point you don't know the actual address, but you have it stored in a pointer variable; that's all that counts right now. (Note: you can print out the address if you desire.)

Now let's discuss the third line. It will store the first byte of the word in question in the sixth byte of the filename:

```
*(fname + 5 = word[0];
```

The variable `word` contains the word we are examining, and assume that it was declared the same as before, as a character array. To access the first byte of the string (which is what we need), use a subscript of zero.

We now want to store this letter in the sixth position of the filename. You shouldn't use array notation, as `fname` was not declared as an array. Note that `fname` contains an address that points to the first byte of the filename; you must add an offset to access the sixth byte: `fname+5`. Since `fname` points to the first byte, `fname+1` points to the second byte, and `fname+2` points to the third byte. Offsets are one less than the position for which you are shooting. To access the sixth byte we use `fname+5`, which is just another address. Now that we have the address, we need to

access the position pointed to by the address; use the indirection operator (\*). Thus we have `*(fname+5)`.

To reiterate this last concept, the line `*(fname+5) = word[0]` retrieves the character in the first byte of `word` and stores it at a position pointed to by `fname+5`. The position pointed to by `fname+5` is the sixth character in the string 'DSK1. '.

The three lines of code presented here work just fine, but there is a slight problem: we use array notation (`word[0]`) and pointer notation (`*(fname+5)`) in the same line; that is bad form. A better way is to reference `word` using pointers. How would we do that? Here's a hint: using the name of the array, without any subscripts yields the address of the array. Now we have the same situation as with `fname`. To get the address of the first element, add an offset equal to a number one less than the position: 0. So now we have:

```
*(fname+5) = *(word+0);
```

But wait ... since any number plus zero is just the number, the offset isn't necessary:

```
*(fname+5 = *word;
```

We can now state a couple of very basic rules about arrays and pointers:

1. An array name, used alone with no subscripts, yields the address to the first element of the array.

2. To decide what offset to use to access a byte in a string, subtract 1 from the position you need to reference. This is because all counting starts at zero: position 1 = offset 0, position 2 = offset 1, etc.


3. Array notation is converted to pointer arithmetic by the compiler; `word[0]+120`. Therefore, you can reference an array using array or pointer notation: the two are equivalent in many ways, including those dealt with in this article.

## CONCLUSION

The whole point of this discussion was to get you used to working with pointers in relation to strings. Pointers may seem wierd and hard to understand, but a good knowledge of them is essential if you plan on manipulating strings to any degree. There are many, many ways to work with strings, and if you can establish a comfortable relationship with pointers, you will ultimately be a much better C programmer.

# NEW P-BOX EXTENSION


OLD SPACE-SAVER CONNECTOR CABLE



THIS NEW PRODUCT ANSWERS THE NEED MANY TI-99/4A USERS HAVE TO MOVE THE EXPANSION BOX FURTHER FROM THE CONSOLE THAN THE ORIGINAL CABLE PERMITS. IT ALSO MOVES THE HEAVY ORIGINAL TI CONNECTOR AWAY FROM THE CONSOLE WHICH IN TURN ALLOWS MORE FLEXIBILITY. UNLIKE SOME PAST ACCESSORIES OF THIS TYPE, ONLY THE HIGHEST QUALITY CONNECTORS AND TWISTED PAIR FLEX CABLE IS USED FOR RELIABLE PERFORMANCE AND LOW LOSS. THIS 18" EXTENSION CABLE ALSO LETS YOU MOVE YOUR COR COMP 9900 SYSTEM 18" AWAY FROM THE CONSOLE. GREAT FOR TIGHT QUARTERS OR TO GAIN MORE SPACE NEXT TO THE CONSOLE.....\$19.95 +s&h

## Now get more out of your TI Home Computer — for less.

ADD A 2ND DISK DRIVE TO YOUR TI/99/4A SYSTEM



## Stand Alone Disk Drive

A Must Addition For Your System!

### TEX-COMP BREAKS THE PRICE BARRIER ON DISK DRIVES FOR THE TI-99/4A

We made a special purchase and as always we pass our savings right on to you. NEW LOWER PRICES on all drives and stand alone drive units...full height, half height, single and double sided and density. TI controller cards will work with single or double sided drives/single density. For double sided/double density you need the Cor-Comp controller card.

#### NEW LOWER PRICES!!!

Stand alone ss/sd drive (in case with power supply and cable) \$ 99.95

Stand alone ds/dd drive (in case with power supply and cable) \$ 119.95

Half height ds/dd drives (2 will fit in P-Box) \$ 89.95.

Order 2 drives and receive P-Box installation kit with all cables, bracket, screw and instructions (reg. \$29.95) for only \$ 9.95.

Stand alone drive case with heavy duty power supply for one full size or two half height drives \$ 39.95.

Specify TI P-Box or Cor Comp 9900 system when ordering stand alone drives so we can provide correct cable and instructions!

SPECIAL original TI-99/4A ss/sd drives NEW only \$59.95..add \$20 for ds/dd.

These units are sold with a 90-day warranty.

Cor Comp ds/dd controller card for P-Box-supports 4 drives....\$149.95


## VOLKSMODEM The Complete Low-Cost Plug-In Modem.

It puts computer-to-computer communications within easy reach of every personal computer owner.

Just plug Volksmodem between any wall phone jack and telephone and put your computer into instant communication with thousands of others. It's that easy. No extra parts or tools are necessary—just one adapter cable and software is all that's needed.

**MONEY SAVING SPECIAL.** Get the Volksmodem (reg. \$59.95), 99/4A modem cable (reg. \$12.95), and Terminal Emulator II (reg. \$9.95) an \$80+ value for **ONLY \$39.95.**

— New Low Price on 1200 Baud — only \$99.95



Send order and make checks payable to  
**TEX+COMP**  
PO Box 33804, Granada Hills, CA 91344



VISA and MASTERCARD  
HOLDERS CALL DIRECT  
**(818) 366-6631**  
24 Hour Order Line

**TERMS:** All prices FOB Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 4 1/2%. Add 3% for Credit Card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.

**NOTE:** Payment in full must accompany all orders. Credit card. Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear. California orders add 6 1/2% sales tax.

# Adding features to MICRO-WORD

By JOHN BIRDWELL

Before I begin I'd like to say that it was a pleasure meeting several readers at the recent TI Faire in Chicago.

This month we will be adding several features to our MICRO-WORD program. To accomplish this required that the method by which we will be buffering data be established. This will require some explanation as it may appear to be confusing. There are several internal buffer control characters which we will be using, with more to follow. I will explain each of these in detail as well as the logic behind using them.

**TLCHR (Hex FE)** — The current tab line image, as well as page length, is stored in the buffer and is "framed" by a tab line control character. This is done to allow for different page lengths and tabs/margins within a document. The reason for "framing" this sequence is so that it can be detected when scanning forward or backward through the buffer. Since we are making this into a page oriented word processor we will later be able to a column mode of operation.

**SEOL (Hex FD)** — This is a soft end of line control character. Its purpose is to denote where a line which does not end in either a space or a carriage return ends. In other words a full line which contains no spaces therefore word wrap can not split the line anywhere.

**ESPAC (Hex FC)** — The final space on a line is changed into this control character so that the SHOW routine knows where a line ends. This character is changed back into a space when it is no longer at the end of a line due to deletes or inserts.

## ADD FUNCTION KEYS

**Insert Mode (FCTN/1)** — Prior to a character being placed into the buffer the variable INSFLG (line 90) is tested to see if it is set to a non-zero value through the use of the ABS instruction. This

instruction sets what is in either a register or a variable to its absolute value and sets the EQUAL status bit if the contents is a zero. The DATA statement following the BL to MAKSPC (lines 92-93) indicates the amount of space that is needed for the insert. The reason using this method instead of just making space for a single character is so that when we add the ability to move blocks of data we can open up the buffer for it without having a separate routine to do so. Insert mode is toggled on or off on each press of FCTN/1.

**Delete (FCTN/2)** — This deletes a character from the bufer at the current cursor location. This also uses the same DATA statement method used in insert for the same reasons.

You will also notice that the current mode of operation, either type or insert mode, is indicated on line 24 of the display. The rest of this line will be established later.

If this code still appears confusing please let me know and I'll go through a more detailed explanation of it. Remember is program is in a development state so there may be times where everything does not function 100 percent yet. That is what debugging a program is for and you need to start to try your hand at it so feel free to fix and bugs you find. I'll report them to you as I go but don't be afraid to try yourself its the only way you'll learn.

Before we get to the code there is a variable which is currently in the program which we will no longer be needing. This is CURPOS. So go through each of the files, using the Find String operation, and delete all lines containing reference to CURPOS. If the line currently contains a label move this label to the start of the following line.

If you would like to obtain a copy of this source code send \$3 plus a blank, formatted diskette and a stamped self-addressed mailer to John Birdwell, 1310 Kent Court, Wheaton, IL 60187.

## MICRO-WORD

```

0001
0002 CHANGE THE TABS DATA IN THE MICRO-EQU FILE TO APPEAR AS FOLLOWS
0003
0004 * A DEFAULT TAB TABLE IN THE IMAGE OF TI-WRITER
0005 * ALL TABS ARE >86 GREATER THAN THEIR POSITION RELATIVE TO 0
0006 *
0007 *****
0008 * These 2 lines are new
0009 TLCHR BYTE >FE          * Tab line flag character
0010 PAGLEN BYTE 55         * Length of page
0011 *****
0012 TABS   BYTE >80        * >80 = MARGIN (LEFT)
0013       BYTE >8C        * >86 = LEFT MARGIN OF 0 THIS WILL BE COLUMN
0014       BYTE >80        * NOW RIGHT MARGIN
0015       BYTE >D1        * RIGHT MARGIN AT 75 * MAKE LESS THAN 27 FOR
0016       BYTE >86        * NOW TABS STARTING WITH LEFT MARGIN
0017       BYTE >8A        * LEIS SPACE THEM 10 APART STARTING A COL 5
0018       BYTE >94        * A MAXIMUM OF 16 TABS
0019       BYTE >9E
0020       BYTE >A8
0021       BYTE >B2
0022       BYTE >BC
0023       BYTE >C6
0024       BYTE >D0
0025       BYTE >D5          * SET UNUSED TABS TO CLOWN 80

0026       BYTE >D5
0027       BYTE >D5
0028       BYTE >D5
0029       BYTE >D5
0030       BYTE >D5
0031       BYTE >D5
0032       BYTE >80          * MARGIN AGAIN
0033       BYTE >86          * BACK TO COLUMN 0
0034 *****
0035 * This line is new
0036       BYTE >FE          * TLLFG FRAMES THE TAB LINE
0037 *****
0038
0039 ADD THE FOLLOWING 2 LINES TO THE EQU SECTION OF MICRO-EQU
0040 *
0041 MAXCOL EQU 132          * Maximum column length
0042 TLLFN EQU 25           * Length of internal tabline
0043
0044 CHANGE THE LINE IN MICRO-EQU WITH THE LABEL FTBTAB AS FOLLOWS
0045 *
0046 FTINTAB DATA IGNORE,IGNORE,DELETE,INSERT * FCTN 7 4 1 2
0047
0048 ADD THE FOLOWING 2 LINES TO THE DATA SECTION OF MICRO-EQU
0049 *

```

(See Page 17)



## Demystifying assembly

(Continued from Page 16)

```

0050 EOD DATA 0 * Location of end of data flag
0051 INSFLG DATA 0 * Insert on flag 0=type >FFFF=insert
0052
0053 ADD THE FOLLOWING TO THE BYTE SECTION OF MICRO-EQU
0054 *
0055 SEOL BYTE >FD * Soft END OF LINE value
0056 ESPAC BYTE >FC * Value for a space at end of line
0057 TYP TEXT 'TYP' * Type mode
0058 INS TEXT 'INS' * Insert mode
0059 NULL BYTE 0 * Null value
0060
0061 CHANGE THE MICRO-INIT FILE TO REFLECT THE FOLLOWING CHANGES
0062 *
0063 * NOW BUILD THE TAB LINE AND DISPLAY IT
0064 BL 2TABSET * GO SET IT UP
0065 MOV 2EOL,R0 * NOW SET CURSOR POSITION TO LEFT MARGIN
0066 A 2LMAR,R0 * ADD IN LEFT MARGIN
0067 *
0068 MOV 2LMAR,R6 * SET R6 TO INITIAL DISPLAY POSITION
0069 MOV 2ONELIN,2DRCOL * Set right display column
0070 DEC 2DRCOL * Correct to column position (39 for a 4a)
0071 LI R15,FREE * Set r15 to start of data store
0072 MOV 2FF,*R15 * Set to end of data
0073 *****
0074 * THE FOLLOWING 2 LINES ARE NEW
0075 MOV R15,2EOD * Save end of data flag location
0076 BL 2TLMOV * Move a copy of tab line image into buffer
0077 BL 2SETMOD * Display current mode as type
0078 DATA TYP
0079 *****
0080 MOV R6,R14 * Set to cursor position on line
0081 B 2MAIN * INITIALIZATION COMPLETE BEGIN THE PROGRAM
0082
0083 REPLACE THE CURRENT SHOW ROUTINE IN THE MICRO-DISP FILE
0084 WITH THE FOLLOWING
0085 *
0086 * THIS ROUTINE WILL DISPLAY A CHAR. SAVE IT TO MEM. AND INCREMENT THE
0087 * CURSOR POSITION AS WELL AS SHIFTING THE DISPLAY IF NEEDED
0088 *
0089 *
0090 SHOW ABS 2INSFLG * Is insert on
0091 JEQ SHOW1 * No
0092 BL 2MAKSPC * Make room for inserted character
0093 DATA 1 * Size of 1
0094 MOV 2NULL,*R15 * Make character there now a null
0095 SHOW1 MOV *R15,R5 * Save current character
0096 MOV R4,*R15+ * Load key to memory
0097 CB 2FF,R5 * At the end of memory now
0098 JNE SHOW1 * No
0099 MOV 2FF,*R15 * Yes set new end of memory
0100 MOV R15,2EOD * Save end of data location
0101 CI R15,>FFFF * At the end of useable memory?
0102 JNE SHOW1 * No
0103 DEC R15 * Yes backup
0104 B 2MAIN * and get out
0105 SHOW1 CB R4,2CR * Last key a carriage return
0106 JNE SHOW2 * No
0107 MOV 2LMAR,R14 * Set cursor on line position
0108 CLR 2DLCOL * Set display left column to zero
0109 MOV 2ONELIN,2DRCOL * Set display right column to display width
0110 DEC 2DRCOL * Correct to column number
0111 A 2ONELIN,R6 * Set cursor to start of next line
0112 BL 2BEGLIN * Point to beginning of this line
0113 A 2LMAR,R6 * Plus left margin
0114 C R6,2EOL * Go beyond display
0115 JLT SHOW2 * Not yet
0116 BL 2MOVUP * Move display up 1 line
0117 * Now display the screen
0118 SHOW2 BL 2REMAP * Now make sure buffer is setup for display
0119 * Now calculate the cursor position on the line
0120 CLR R0 * Init for counting the distance from start
0121 MOV R15,R1 * of line
0122 SHOW2A DEC R1
0123 CB *R1,2ESPAC * Got a eol space
0124 JEQ SHOW3 * Yes
0125 CB *R1,2CR * Got a carriage return
0126 JEQ SHOW3 * Yes
0127 CB *R1,2TLCHR * Got a tab line flag
0128 JEQ SHOW3 * Yes
0129 CB *R1,2SEOL * Got an end of line flag
0130 JEQ SHOW3 * Yes
0131 INC R0 * Add 1 to distance
0132 JMP SHOW2A * Try again
0133 SHOW3 MOV 2LMAR,R14
0134 A R0,R14 * Set position on display line
0135 BL 2BEGLIN * Set to start of line
0136 MOV R14,R7 * Get column on line
0137 SHOW3A C R7,2ONELIN * Column less than display line length
0138 JLT SHOW3B * Yes
0139 S 2DSCROL,R7 * Subtract line length
0140 JMP SHOW3A * Try again
0141 SHOW3B A R7,R6 * Set display column
0142 SHOW3C C R14,2DRCOL * Beyond right display column
0143 JLE SHOW3D * No
0144 A 2DSCROL,2DLCOL * Add line scroll amount
0145 A 2DSCROL,2DRCOL *
0146 JMP SHOW3C * Try again
0147 SHOW3D C R14,2DLCOL * Column less than left display column
0148 JGT SHOW4 * No
0149 SHOW3E CLR 2DLCOL * Set to left window
0150 MOV 2ONELIN,2DRCOL * set right display column
0151 DEC 2DRCOL *
0152 JMP SHOW3C
0153 SHOW4 CLR R0 * Start of display
0154 MOV 2DLCOL,R1 * Left display column start
0155 AI R1,LBUILD * Add start of line build for display start
0156 MOV 2ONELIN,R2 * Display for line length
0157 LI R0,22 * Show 22 lines
0158 MOV 2BEGDSP,R7 * Location in data to start
0159 SHOW5 LI R3,LBUILD * Clear line build to spaces
0160 LI R4,' ' * 2 spaces at a time
0161 SHOW5A MOV R4,*R3+ * Load 2 spaces
0162 CI R3,LBUILD+MAXCOL * Done last column
0163 JNE SHOW5A * If not do 2 more
0164 MOV 2LMAR,R3 * Start fill at left margin
0165 AI R3,LBUILD * Position into build line
0166 SHOW5B MOV *R7+,R5 * Save write to write
0167 CB 2TLCHR,R5 * Tab line character?
0168 JNE SHOW5C * No
0169 AI R7,TLLEN-1 * Yes skip over it
0170 JMP SHOW5B
0171 SHOW5C CB 2FF,R5 * End of text
0172 JEQ SHOW7 * Yes go clear the rest of display
0173 CB 2ESPAC,R5 * At last display column
0174 JEQ SHOW6 * Yes
0175 CB 2SEOL,R5 * Try EOL space
0176 JEQ SHOW6 * Yes
0177 MOV R5,*R3+ * Load byte to line build
0178 CB 2CR,R5 * Just load a hard return
0179 JNE SHOW5B * No continue
0180 SHOW6 BLWP 2MBW * Show this line
0181 A 2ONELIN,R0 * Next display line
0182 DEC R0 * Done 22
0183 JNE SHOW5 * No do next line
0184 SHOW6A B 2MAIN * Done
0185 SHOW7 BLWP 2MBW * Show the last line
0186 LI R3,LBUILD * Prepare to space out the rest of display
0187 LI R4,' '
0188 SHOW7A MOV R4,*R3+
0189 CI R3,LBUILD+MAXCOL
0190 JNE SHOW7A
0191 SHOW7B A 2ONELIN,R0 * Next line
0192 DEC R0 * All done
0193 JEQ SHOW6A * Yes leave
0194 BLWP 2MBW * Place out line
0195 JMP SHOW7B * Do next

```

(See Page 18)

## Demystifying assembly

(Continued from Page 17)

```

0196 *
0197
0198 ADD THE FOLLOWING TO THE END OF THE MICRO-DISP FILE
0199
0200 *
0201 TLMOV MOV R11,2TLMOV2+2 * Save Return address
0202 BL 2MAKSPC * Make space for 24 characters
0203 DATA TLLEN * Total length of tab line info
0204 JMP NOROOM * Error return no room in buffer
0205 LI R1,TLCHR * Tab line flag
0206 LI R2,TLLEN * Length to move
0207 TLMOV1 MOVB *R1+,*R15+ * Move a character
0208 DEC R2 * Moved all?
0209 JNE TLMOV1 * Not yet
0210 * The actual return address is set by the instruction MOV *R11,2TLMOV2+2
0211 * Since R11 contains the return address moving it into the memory location
0212 * pointed to by the address of label TLMOV2 plus 2, to skip the branch
0213 * instruction, will cause the branch to return to the proper location
0214 TLMOV2 B 20 * Return to the calling routine
0215 *
0216 NOROOM B 2MAIN
0217 * The following routine will create an open area in the memory buffer
0218 * into which data can be inserted without overlaying the current data
0219 MAKSPC MOV *R11+,*R2 * Get the amount of space to make in buffer
0220 MOV 2EOD,*R1 * Get address of end of data flag
0221 MOV R1,*R3 * Get a copy of this
0222 A R2,*R1 * Add the amount of space needed to this
0223 CI R1,>FFF8 * Make sure there is room
0224 JLE MAKSP1 * There is room
0225 RT * Return no room available
0226 MAKSP1 MOV R1,*EOD * Set new end of data address
0227 MAKSP2 MOVB *R3,*R1 * Begin to move data down in buffer
0228 DEC R3 * Backup a byte
0229 DEC R1
0230 C R1,*R15 * Moved all needed?
0231 JNE MAKSP2 * Not yet
0232 INCT R11 * Good return
0233 RT
0234 *
0235 * This routine deletes the number of characters in the buffer based
0236 * upon the DATA word value following the BL 2DELCH statement
0237 * Buffer address must be in R0 on entry
0238 *
0239 DELCH MOV *R11+,*R4 * Get the number to delete
0240 S R4,*EOD * Subtract this # from EOD pointer
0241 A R0,*R4 * Add this to the start address of delete.
0242 MOV R0,*R5 * Don't mess with callers R0
0243 DEC R5 * Setup for loop
0244 DELCH1 INC R5 * Next position to put data
0245 MOVB *R4+,*R5 * Move a byte up in buffer
0246 CB *R5,2FF * Moved all the data
0247 JNE DELCH1 * No
0248 RT
0249 *****
0250 * This routine will adjust the current page for *
0251 * line wrap, inserts, deletes and type overs *
0252 *****
0253 *
0254 * On entry the starting buffer position is in callers R15
0255 REMAP MOV R15,R0 * Get the starting memory buffer address
0256 *
0257 * This loop will scan backwards in buffer to the start of current
0258 * line. To do this it must test if an internal tab line sequence is found
0259 * or a hard return, end of line flag or a end of line space and scan back
0260 * through the buffer until it finds it.
0261 *
0262 REMAP1 CB *R0,2TLCHR * At the start of page
0263 JEQ REMAP2 * Yes
0264 CB *R0,2CR * Found hard return
0265 JEQ REMAP2
0266 CB *R0,2SEOL * Found a soft end of line
0267 JEQ REMAP2
0268 CB *R0,2ESPAC * End of line space
0269 JEQ REMAP2
0270 DEC R0 * Scan back another position
0271 JMP REMAP1
0272 REMAP2 MOV 2CPL,*R1 * Get the maximum line length
0273 CLR R3 * Clear last space address
0274 INC R0 * Next buffer position
0275 REMAP3 CB *R0,2FF * At end of data
0276 * NOTE: The $ in the $+4 of the next instruction indicates the current
0277 * address. The +4 means to add for to it. This allows jumping without
0278 * adding a label.
0279 JNE $+4 * No
0280 RT * If so done
0281 CB *R0,2TLCHR * Start of a new page
0282 JNE $+4 * No
0283 RT * Yes done
0284 CB *R0,2ESPAC * Got an end of line space character
0285 JNE REMAP4 * No
0286 MOVB 2SPACE,*R0 * Change it to a display space
0287 MOV R0,*R3 * Save this buffer address
0288 JMP REMAP6 * Continue
0289 REMAP4 CB *R0,2SEOL * Got a soft end of line
0290 JNE REMAP5 * No
0291 MOV R11,*R12 & Save rtn
0292 BL 2DELCH * Go delete it from the buffer
0293 DATA 1 * Do 1 character
0294 MOV R12,*R11 * Restore
0295 REMAP5 CB *R0,2SPACE * Got a space
0296 JNE $+4 * No
0297 MOV R0,*R3 * Save its buffer address
0298 REMAP6 INC R0 * Next buffer position
0299 DEC R1 * Reached the end of line
0300 JNE REMAP3 * No
0301 * Reached the end of line.
0302 * If the next position is an end of line flag or a end of line space
0303 * continue with the next line.
0304 * If not the last space is made an end of line space to do a word wrap
0305 * If a space is not present on the line, indicated by a value of 0 in R3
0306 * then an end of line flag is inserted into the buffer.
0307 *
0308 CB *R0,2ESPAC * Next character an EOL space
0309 JEQ REMAP2 * Line done continue
0310 CB *R0,2SPACE * Is it a space
0311 JNE REMAP8 * No
0312 REMAP7 MOVB 2ESPAC,*R0 * Convert it into a EOL space
0313 JMP REMAP2 * Line done
0314 REMAP8 MOV R3,*R3 * Any spaces on this line
0315 JEQ REMAP9 * No must insert an EOL flag
0316 MOV R3,*R0 * Point to the last space on line
0317 REMAP8A A 2ONELIN,*R6 * Move to next display line
0318 C R6,*EOD * Go beyond display
0319 JLT REMAP7 * No
0320 MOV R11,*R12
0321 BL 2MOVUP * Move display up 1 line
0322 MOV R12,*R11
0323 MOVB 2ESPAC,*R0
0324 JMP REMAP2
0325 REMAP9 CB *R0,2SEOL * Already have an EOL flag here
0326 JEQ REMAP8A * Yes line done
0327 MOV R11,*R12
0328 MOV R0,*R15 * Put buffer position where insert needs it
0329 BL 2MAKSPC * Make room in buffer for EOL flag
0330 DATA 1
0331 NOP
0332 MOV R12,*R11
0333 MOVB 2SEOL,*R0 * Put EOL flag into buffer
0334 INC R15 * Increment buffer position
0335 JMP REMAP8A * Continue
0336 *
0337 MOVUP MOV 2BEGDSP,*R1 * Start of display memory
0338 MOVUP1 CB *R1,2ESPAC * Got an EOL space
0339 JEQ MOVUP2 * Yes
0340 CB *R1,2SEOL * Got an EOL flag
0341 JNE MOVUP3 * No
0342 MOVUP2 INC R1
0343 JMP MOVUP4

```


(See Page 19)

## Demystifying assembly

(Continued from Page 18)

<pre> 0344 MOVUP3 CB *R1+,2CR      * Got at hard return 0345     JNE MOVUP1         * Yes 0346 MOVUP4 MOV R1,2BEGDSP  * Set new start of display 0347     S   2ONELIN,R6     * Backup a display line 0348     RT                  * Continue 0349 0350 ADD THE FOLLOWING LINES TO THE MICRO-KEYS FILE 0351 0352 * 0353 ***** 0354 * For now back space will only work on the current line 0355 * 0356 ***** BACK SPACE ***** 0357 BACK JEQ BACK1         * YES 0358     DEC R6 0359     DEC R14 0360     DEC R15             * Backup 1 memory position 0361     C   R14,2DLCOL     * Before left margin 0362     JGT BACK2         * No 0363     A   2DSCROL,R6    * 0364     B   2SHOW3E       * Show screen again 0365 BACK1 B   2MAIN       * Ignore key 0366 BACK2 B   2SHOW4 0367 * 0368 * Insert is set on or off by pressing FCTN/2 0369 * Its mode is indicated on the line 24 of the display 0370 ***** INSERT ***** 0371 INSERT ABS 2INSFLG    * Is insert on </pre>	<pre> 0372     JEQ INSON          * No turn it on 0373     CLR 2INSFLG       * Turn off insert 0374     BL  2SETMOD       * Change operation mode 0375     DATA TYP         * Make type mode 0376 INSBK B   2MAIN 0377 INSON SETO 2INSFLG   * Turn on insert 0378     BL  2SETMOD       * Change mode 0379     DATA INS         * To insert 0380     JMP  INSBK        * Return to main 0381 * 0382 * Delete will delete the character at the current cursor location 0383 * 0384 ***** DELETE ***** 0385 DELETE MOV R15,R0     * Current buffer location 0386     BL  2DELCH        * Delete current character 0387     DATA 1           * Do 1 character 0388     B   2SHOW4       * Update display 0389 * 0390 * Set a new mode of operation (TYPE,INSERT,MOVE...etc) 0391 * The DATA word following BL indicates the location of the mode message 0392 * 0393 SETMOD LI   R0,23     * Get correct position for mode 0394     MPY 2ONELIN,R0    * Line x Line length 0395     MOV  R1,R0        * Now have correct line 0396     AI   R0,21        * Add in offset 0397     MOV *R11+,R1     * Get address of mode 0398     LI   R2,3         * Length is 3 0399     BLMP 2MODEW     * Show it 0400     RT </pre>
---	--

## Support our advertisers



### Technical Application Product Engineering

1439 Solano Pl. Ontario CA 91764 714 989-9906

SUPER CLOSE - OUT SALE

Mechatronic XBII Plus	\$ 23.95
99-4A Intern Book	\$ 6.95
80-Column Expansion System	\$ 89.00
Powersupply 7.5V 800mA	\$ 10.00
Epromer with Software and Powersupply	\$ 59.95
TI-Mouse with software & Power Supply	\$ 59.95
Quick-Disk for CC-40; TI-74; TI-95	\$ 109.95

Stock on Hand only. Add shipping and Handling.  
COD \$ 2.50 extra.

# TEX+COMP



# FREEWARE

## DISKS

Public Domain and Shareware Programs  
Are Available from our Library, and Priced at

**EXCITING NEW WAYS**  
TO USE YOUR TI-99/4A COMPUTER

Only  
**\$4<sup>95</sup>**  
each

**ORDERS SHIPPED OUT SAME OR NEXT DAY**

### GAMES

**GREAT 99/4A GAMES VOL 1 (38)** A collection of the very best. Professional quality.  
**GREAT 99/4A GAMES VOL 2 (39)** Continuation of VOL 1 with more great action & graphics.  
**BEST OF BRITAIN VOL 1 (44)** A collection of the best U.K. has to offer.  
**BEST OF BRITAIN VOL 2 (45)** "Legend of Carfax Abby" an all graphics adventure.  
**GHOSTMAN (48)** The fastest Pacman type game ever!  
**DEMON DESTROYER (49)** Starts where Invaders leaves off.  
**OH MUMMY!! (50)** Search the tomb for treasure while being chased by mummies.  
**BERLIN WALL (51)** Escape from E. Berlin and avoid mines.  
**FREDDY (60)** Great action and graphics. Escape from an underground cavern. Great!!  
**THE NINE (61)** Fast action and great graphics. Hours of excitement with this one!  
**TI RUNNER II (70)** An all new upgrade of one of the best!  
**CHESS (68)** The famous game Zargon. Loads from exbasic.  
**CHECKERS & BACKGAMMON (33)** A collection of the best.  
**SOLITAIRE & SCRABBLE (34)** A classic game collection!  
**WHEEL OF FORTUNE, BLACKJACK & JOKER POKER (2)** Three of the best we have seen. So good you will expect Vana to appear!  
**STRIP POKER (13)** When you win she loses everything!  
**ASTROBLITZ/MAZOG (63)** Two professional quality action games you are sure to like!  
**MAJOR TOM/SPACE STATION PHETA (64)** Two great space games!  
**PERFECT PUSH (65)** One of the finest games ever written. Fantastic action and top notch graphics. Space game!  
**SUPER TRIVIA 99 (46)** The best trivia games we have seen. Complete with questions!  
**R RATED GAME DEMO (26)** The classic Space Invaders with "unusual" guns & targets. For Adults Only!  
**TI-99 OLOPY' (12)** Now you can play the famous board game right on your 99/4A. Do not pass GO!!!

### EDUCATION

**KIDS LEARNING VOL 1. (27)** A 2-disk side collection of educational programs. Math, geography, reading and more.  
**MORSE CODE TRAINER (31)** A professional program to learn and practice code.  
**ASTRONOMY (54)** Plots the heavens and teaches you about the solar system.  
**KIDS LEARNING VOL 2. (71)** Still more great learning programs. We only included the very best!

### MUSIC

**THE SINGING TI-99/4A (1)** A 2 sided collection of songs where the computer actually sings. By Ken Gilliland. Requires speech syn.  
**TI MUSIC/GRAPHICS DEMO (5A)** A great collection of music & matching graphics.  
**EXBASIC MUSIC DEMO (6)** A 2-sided collection of great music with graphics. Hours of enjoyment!  
**COMPUTER PLAYER PIANO/CHORD ANALYSIS (69)** A piano on the screen plays your selections or write your own with instructions incl. Also a program to learn keyboard chord formation.  
**EXBASIC XMAS MUSIC (32)** A 2-disk side collection of christmas and holiday music. Completely menu selectable!

### SPREADSHEETS

**SPREADSHEET DEMO (56)** A complete spreadsheet program for learning and many applications. Easy to learn and use!

### ACCOUNTING AND FINANCE

**ACCOUNTS RECEIVABLE (20)** A complete AR program with documentation. Won 1st prize in TI programming contest.

**STRICTLY BUSINESS (36)** A 2-disk side collection of programs for evaluating loans, interest, stocks etc.

### DATABASE PROGRAMS

**DATA BASE DEMO (21)** A fully set up data base program designed for filing and finding magazine articles. Easy to use or modify for other applications. Sample data included!  
**PR BASE (58)** This is a full feature DB freeware program that is rated as one of if not the best. Documentation included!

### GRAPHICS

**ANIMATION 99' (52)** This is the one by Ray Kazmer that was featured in the July 88 Micropendium. See fantastic animation and also learn how it was done. This one is destined to be a classic.  
**ANIMATED XMAS CARD (11)** This is the original animation by Ray Kazmer that made him an overnight superstar in the TI community. This classic is also referred to as "Woodstock" among TI'ers.  
**PRINTART DEMO (4)** This 2-disk side collection prints well known comic and TV personalities out on your printer.  
**FIGURE STUDY (14)** This is a collection of programs that print Playboy type center-folds out on your printer.  
**MONA LISA PRINTOUT (9)** This program prints a near photo quality picture of Mona Lisa on your printer. You won't believe the quality!  
**SPACE SHUTTLE DEMO (7)** An outstanding music/graphics program that salutes the U.S. space program. Its almost like watching a film.  
**STAR/EPSON DEMO (15)** A 2-Disk side collection of programs to show you what your printer can really do. Also a great graphics tutorial with examples!

**GOTHIC PRINT DISK (10)** This program lets you type a message and then prints it out in Old English style. Looks like hand lettered calligraphy. Great for invitations, announcements.  
**SIDEWAYS PRINTOUT (16)** Lets your printer print sideways. Great for spreadsheets and banners. Includes two versions and new Multiplan enhancements.  
**VIDEO GRAPHS (41)** This disk is sold as a backup to owners of the discontinued TI Video Graphs module. We can only legally provide it to module owners.

### TELECOMMUNICATIONS

**TELCO (57)** This program has been rated as one of the best telecommunications programs for the TI-99/4A. A user supported program that contains everything you need to upload and download data with your modem. Supports all baud rates and protocols.

### APPLICATIONS

**WILL WRITER (23)** Enter your answers to a group of questions and this program writes out a complete will.  
**MEDICAL ALERT (25)** Contains many menu accessible files on what to do until the doctor or paramedics come. Could easily save a life!  
**ENGINEERING CALCULATIONS (24)** A 2-disk side collection dozens of engineering and technical formulas. Does calculations, conversions, and even designs electrical circuits. Even contains medical and communications data and formulas.  
**LABEL MAKER (29)** A pair of programs that let you make quick and easy labels for all purposes. Mail, disks, files etc. Uses standard tractor labels and even makes a graphic picture with the label text.  
**INFOCOM RAPID LOADER (47)** A must for owners of Infocom 99/4A games. Loads games in seconds instead of minutes. Easy to use!  
**GENEALOGY (67)** Now you can enter and arrange your family tree and print out copies for your relations. Also can be used if you breed animals such as dogs, cats or horses.  
**GRAPH MAKER (59)** A collection of the best programs we have seen that produce graphs and charts from your data. Printer required!  
**HOUSEHOLD BUDGET PRINTOUT (30)** This program lets you printout the data from the TI Household Budget module, an important feature that TI forgot.

Now get more out of your TI Computer—for less.

# FREEWARE ONLY \$4<sup>95</sup> each

• Public Domain and Shareware Programs and Utilities to meet all your Computing Needs.

SPREADSHEETS

GAMES

UTILITIES

GRAPHICS

ACCOUNTING  
AND FINANCE

SECURITY/HACKING

DATABASE  
PROGRAMS

APPLICATIONS

BASIC

## APPLICATIONS

(continued)

**HEBREW TYPEWRITER (66)** This program converts your 99/4A from english to hebrew. A great tool for religious studies. Can be combined with a screen dump program to print out the text from the screen. A great way to learn how to do the same with other languages. To get you in the mood, we also included a music/graphics program of "Fiddler" on this disk!

**ARTIFICIAL INTELLIGENCE (40)** This disk includes the famous computer program "Eliza" where the computer responds to your problems and questions in a manner that is almost human. Save a bundle on what you would pay a shrink for the same services. Also includes one of the better biorhythm programs so you can really take control of your emotional problems at one sitting.

**LOTTO SELECTOR (8)** This program selects numbers for use in the various state lotto games and even runs a simulated lotto game. Unprotected so it is easily modified for additional games.

## BONUS


FREE DELUXE DISK STORAGE CASE WITH EACH ORDER OF FOUR OR MORE DEMO DISKS!!



## TI PROGRAMS FROM AROUND THE WORLD

**LAPD COOKBOOK (37)** A complete computer collection of great recipes compiled by an LA cop who is also a gourmet chef. Whenever he went to a top eating place he would hit the chef up for a recipe. 2 disk sides completely menu selectable.

**ORIGINAL TI SALES DEMO (5)** This disk given to TI dealers by TI back in 1980, includes demonstration programs with graphics, speech, PRK, TE-1, and even includes the famous game TI-TREK which we reprogrammed to run on the TE-II module instead of the discontinued Speech Editor.



A NOTE ABOUT DEMO DISKS: TEX-COMP's demo disks are a collection of disks containing unique and entertaining features which we believe will help you get more out of your TI-99/4A. Some if not all of them are in the public domain. However, in certain cases, the author requests a contribution if you use and enjoy it. While you are not legally obligated to do so, we at TEX-COMP encourage your assisting these talented programmers if you enjoy their work. That is why we offer these disks at such a low price.

## UTILITIES

**HACKER CRACKER (53)** A collection of the top disk copy programs including the best of the track copiers. One or more of these programs will copy almost all protected disks. Both TI & CorComp compatible programs are included. 2 disk drives are required on most of these programs.

**SCREEN DUMP (55)** This program allows you to printout what you see on the screen while running a disk, cassette or module program. Instructions included. Requires a Star or Epson compatible printer.

**DUMPIIT (3)** This disk lets you copy a number of TI modules to disk. Editor Assembler module and Widget (cartridge expander) recommended for best results. Some programming knowledge will be helpful!

**TI DIAGNOSTICS (19)** This program released by TI loads into the TI Mini Memory module and then lets you test your system. Better than diagnostics on a disk since if your disk system was not working properly, you would not be able to use it. Complete with all documentation on a second disk side.

**DISK MANAGER II (62)** This is the TI Disk Manager II module on disk. Now if your module goes, you are protected. Sold as a backup to owners of the module. Loads with exbasic.

**LOADERS & CATALOGERS (28)** A collection of the best catalog and menu/loader programs we have seen. Ready to be put on your own program disks.

**PROGRAMMING AIDS & UTILITIES (35)** This disk contains a collection of handy files including a group of title displays and a super cross reference program. Also included is a great disk management utility that you will use over and over!

**TI WRITER/MULTIPLAN UPGRADE (19)** This disk released by TI adds real lower case to your TI writer and more. Also speeds up Multiplan.


**TI FORTH DEMO (17)** This disk released by TI demonstrates the power of the programming language Forth for music and graphics. Requires 32K and Editor Assembler Module.

**FUNNELWEB FARM UTILITY (42)** This program from down under puts many of the most often used application and utility programs at your fingertips. Complete with documentation on two disk sides.

## 99-Writer II TI-Writer Without The Cartridge!

Contains a menu-driven assembly language program which allows the user to load and execute the TI Writer text editor, text formatter, and utility programs, without the TI Writer cartridge. Includes an all new easy-to-follow manual. Also features a custom StarSoft-designed true lowercase character set, to make TI Writer text more readable. The updated, TI Writer text editor (EDITA1 and EDITA2) and text formatter (FORMA1 and FORMA2) files are also included on the disk, making this package a complete word processing system. Requires 32K memory expansion, 1 or more disk drives and either the Extended Basic, Mini Memory, or Editor/Assembler cartridge. Disk only. **\$9.95**

**SPECIAL:** Purchase 99/4A Spell-Check for **ONLY \$19.95** when purchased with 99-Writer II.



**ALL NEW 57 PAGE MANUAL INCLUDED**  
**IMPORTANT!!!** 99 WRITER II comes with an all new 57 page manual written for TEX-COMP by a professional writer who uses this program for his work. Easy to follow and is far superior to the manual provided with TI Writer from the standpoint of ease of understanding and practicality.

Send order and make checks payable to:

**TEX-COMP**

PO. Box 33064, Granada Hills, CA 91344



AUTHORIZED DEALER



VISA and MASTERCARD  
HOLDERS CALL DIRECT

**(818) 366-6631**

24 Hour Order Line


**TERMS:** All prices FOB Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 4 1/2%. Add 3% for credit card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.

**NOTE:** Payment in full must accompany all orders—credit card, company check or money order for immediate shipment. Personal checks require up to 4 weeks to clear. California orders add 6 1/2% sales tax.

**TEX+COMP™**

America's Number One TI computer retailer

ONLY

**\$4.95** Per Disk**FREEWARE™****BONUS**●● Public Domain and Shareware for the  
Texas Instruments TI-99/4A Computer.FREE DELUXE DISK STORAGE  
CASE WITH EACH ORDER OF  
FOUR OR MORE DISKS!!!

Programs and Utilities to meet all your Computing Needs.

**series VI****#70. TI RUNNER II**

The very latest (and best) "runner" game based on TI Runner and Star Runner. Great action, graphics and entertainment.

**#71. KIDS LEARNING II**

Two more disk sides loaded with the best in educational programs. Kids improve their math, spelling and comprehension skills while having fun.

**#72. CERBERUS**

Fantastic space game from Germany. Pilot your ship through narrow and crooked channels in space without colliding. Great graphics and music.

**#74. LABEL MAKER II**

Make labels for holidays and special events. You compose the text and select the resident graphics for the occasion.

**#73. CRYPTO (gram)**

One of the best word games we have seen for any computer. Set up like a TV game show with great screen displays.

**#75. DISK CATALOGER**

Now you can organize your disk files with this great utility. Files, sorts, and prints your records. Easy to use.

**#76. PROGRAMMING AIDS AND UTILITIES II**

A collection of very useful material. Includes a program to convert basic to exbasic so your old basic programs will load &amp; run in exbasic, even with graphics. Also includes two on screen diagnostic programs to test your keyboard and processor. A great merge utility is also on this disk.

**#77. MICROdex 99**

A database program by Bill Gaskill which files and retrieves data such as magazine articles. A sample database is included.

**series VII****#78. ARTCON+ BY RAY KAZMER****ATTENTION GRAPHX AND TI ARTIST USERS!!!**

This program lets you convert Exbasic graphics to TI Artist and Graphx pictures. Also contains a new MAX-RLE (2) for converting from Artist to Graphx.

**#79. DM1000 V3.5**

One of the most popular disk managers for the TI-99/4A. Originally a rip-off of the CorComp manager, it has been improved and refined by talented users all over the world. This version is deemed the most reliable to date and is far advanced over the TI Disk Manager II. Distributed by permission from CorComp.

**#80. BIRDWELL DISK UTILITY**

A must if you are into programming and software development. Besides being a great disk manager, it has provision for copying sectors, comparing files and is menu driven. Complete with documentation.

Send order and make checks payable to

**TEX+COMP™**

P.O. BOX 33084 — GRANADA HILLS, CA 91344

TERMS: All prices F.O.B. Los Angeles. For fastest service use cashiers check or money order. Add 3% shipping and handling (\$3.00 Minimum). East of Mississippi 4 1/2%. Add 3% for Credit Card orders. Prices and availability subject to change without notice. We reserve the right to limit quantities.

AUTHORIZED DEALER



TEXAS INSTRUMENTS

**#81. HOME ACCOUNTING SYSTEM**

A complete family &amp; small business accounting system including a checkbook manager, budget analysis, mailing list and an inventory program. Complete with documentation. Easy to modify for specific needs.

**#82. CROSSWORD PUZZLES**

This program from Australia creates a different puzzle each time you run it. Self contained with definitions and vocabulary taken from a leading crossword dictionary. Great crossword fun.

**#83. HOME APPLICATION PROGRAMS**

A two disk side collection of useful programs for the home. Includes banking, cooking, home bar guide, utility records, and much much more. Something for everyone.

**#84. galactic battle/SPY ADVENTURE**

A pair of great commercial quality games from EB Software of TI Runner fame. Galactic Battle is a space "trek" type strategy game for one or more players. Spy Adventure is an adventure game that will keep you guessing for hours.

**#85. AUTOBOOT UTILITY**

This utility which can be installed on a disk loads and run or displays most files. Now you can have a disk with exbasic programs, Editor Assembler Programs and TI Writer files and run or display them all from exbasic.

LATEST RELEASES

**series VIII****#86. COLUMNIZER III**

A very useful utility for printing TI Writer and 99 Writer II files in separate spaced columns. Saves hours in producing newsletters. Complete with documentation.

**#87. ARCHIVER III**

This utility allows you to "pack" or combine several files into one for space utilization. A number of boards are sending files packed to save transmission costs. This utility will let you pack and/or unpack these files.

**#88. AUSSIE GAMES VOL 1.**

A collection of games from our friends down under. Includes a great card game and board game. Hours of fun and entertainment. Includes Matchmaker &amp; TILO.

**#89. PROCALC**

This is an on screen calculator for decimal/hexidecimal conversions and much more. A must for the serious programmer.



**#90. JET CHECKBOOK MANAGER**

This checkbook manager is considered the ultimate with every feature you can think of for keeping track of your checking account and keeping records of your spending for budget and tax purposes. Complete with documentation.

24 Hour Order Line

**(818) 366-6631**NOTE: Payment in full must accompany all orders. Credit card. Company check or Money order for immediate shipment. Personal Checks require up to 4 weeks to clear. California orders add 6 1/2% sales tax.

# HARNESS THE FULL POTENTIAL OF YOUR TI COMPUTER



TI's programming and game packs can help you learn about programming, play exciting games — and save you \$\$\$



You can increase your programming ability and harness the full power of your TI-99/4A with this all new 4-part programming and game software that has never been available in the US or Canada.

All four "packs" are complete with a series of programs on disk or cassette that develop and graphically display the ideas covered in the accompanying 100 page manual.

The entire series contains over 20 programs and over 400 pages of all new programming and game design and writing instruction.

**NEW!**

**ON CASSETTE OR DISK**



**ONLY \$9.95** ALL 4 PACKS WITH 4 MANUALS AND ALL CASSETTE SOFTWARE

**TEX+COMP™** 24 HOUR ORDER LINE  
 TI USERS SUPPLY COMPANY  
 "YOUR LUBBOCK CONNECTION™"  
 P.O. BOX 33084, GRANADA HILLS, CA 91334

Please send the following:

- \_\_\_ 4-packs on disk \$12.95 ea.
- \_\_\_ 4-packs on cassette \$9.95
- Add \$3.00 S&H (any quantity)
- \$4.00 for Canada

Mr./Mrs./Ms. \_\_\_\_\_

Address \_\_\_\_\_ Apt. \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

CHECK ONE:  Payment Enclosed \$  MasterCard  VISA

CARD NO. \_\_\_\_\_ EXP. DATE \_\_\_\_\_

All prices have been discounted for cash, add 3% for credit card orders.

**Visa and MasterCard Holders Order Direct**

**(818) 366-6631**

**OFFERED EXCLUSIVELY BY TEX-COMP**

"...its worth the cost. You can't go wrong if you want to be a better programmer" ..Sept 88 MICROpendium

TEX-COMP has been appointed the exclusive North American distributor of this great 4 piece series from England and offers the entire 4 pack series at one low price.

# Extended BASIC program simplifies computation of return on mutual funds

By BILL GASKILL

While there seems to be any number of 99/4A programs around for checkbook management, loan amortizations, mortgage projections or savings goals, few seem to be available for use in managing investment type information. I have seen a couple of nice programs for the stock market investor, but a more timely program today is one that deals with mutual funds. Kent Thompson has authored the best one that I have seen, called Mutual Fund Manager. It is a complete package that allows the user to store a data base of information on particular funds. It is available for about \$15 I believe from: Real Estate Projections, 409 Elberon Ave. No. 2, San Pedro, Ca. 90731.

If you are serious about mutual funds than this is the program to buy.

Mutual funds are perhaps the fastest growing investment vehicle today. The reason for their popularity is the fact that they allow individual investors to put relatively small amounts of money into a pool of funds that is professionally managed, with little or no fees or commissions, compared to the alternative of investing through individual investment advisors or brokers. While I am not going to go into the intricacies and strategies of mutual fund investing, I will explain how one can get started with this comparatively new investment vehicle, and how one who owns shares or units in a fund can determine the rate of return on their investment. The Mutual Fund Performance program that follows this article can be keyed in and run with only 16K and Extended BASIC.

There are hundreds of mutual funds to choose from and they come in various "shapes and sizes," meaning their ranks span the risk scale from low-risk, conservatively managed funds, to high-risk, very aggressive funds; and the investment goals scale from Money Market Funds to the quicker yield sector funds. Which one(s) you decide to put your money into is usually based upon the level of risk you are willing to accept, your investment goals and the track record of the fund.

## RISK LEVEL

The amount of risk you are willing to take is something you should determine before diving into mutual funds or any other investment vehicle. To determine your risk level you should consider:

1—How long you are willing (or able) to leave the investment tied up.

2—How devastating the total loss of your investment would be to your personal finances and to your family?

3—Whether you are investing for long-term growth or whether you need the investment return for income?

4—How much money you have to invest.

5—How much time (or willingness) you have to devote to managing your portfolio.

## INVESTMENT GOALS

Your investment goals play a big part in how much money you will gain or lose on your investments and most often how quickly the gains or losses will occur. The theory is, if you are willing to take big risks (at losing your money) then you should realize big returns for taking that risk. Thus, if you are a risk taker, your investment portfolio would be

heavily weighted towards *growth*, and *income* type mutual funds. This is because these funds are geared towards maximum profit in minimum time. Your investment goals are what you hope to accomplish by investing your money with a mutual fund rather than sticking with that passbook savings or Christmas Club account you may have used in the past.

## CHOOSING FUNDS

If you have the resources and the patience, you can track a particular fund's performance by reading the stock market pages in your


Sunday newspaper. Sunday papers are used because they usually have the most complete and accurate quotes for the previous week. Since the market closes at 5 p.m. Friday, there is a whole day for the newspaper folks to get the information.

Tracking performance is a demanding task, but one that many investors use. It also has the disadvantage of not being able to tell you what the fund has done in the past. Past performance information can be had from the fund's prospectus (if you want to trust it) or one of the "money" type magazines.

Another method, which is a little more costly — but probably less risky, and certainly less demanding — is to subscribe to a reputable mutual fund investment newsletter. How you determine what "reputable" is, I will leave to you.

These newsletters are usually written by an "expert" or group of experts in the field of mutual fund investing. Most often they employ a forecasting model that uses virtually the same method for determining fund recommendations that you would use if you read the Sunday newspapers for a consecutive time period, past history (performance). However, they also consider many other variables that you and I might overlook or do not have access to such as economic indicators, political climate, world prices, etc

(See Page 25)





## MUTUAL FUNDS—

(Continued from Page 24)

Most newsletters create model portfolios that you may follow (emulate) in your investments. The models are based upon high, moderate and conservative investment risks. The higher the risk the higher the return. In investment jargon, high risk funds would be called "aggressive funds." That means that the fund managers usually look for common stock investments in "un-favored" companies that they believe are going to blossom. So the fund buys low and then sells high when the stock goes up.

The newsletter is also a good place to begin your adventure into mutual funds since they list the names and often the descriptions of various funds that you might consider. Many newsletters also list the toll-free telephone numbers of the funds so that you may call and order a prospectus.

### STARTING OUT

Assuming that you have some method of determining which funds to invest in, the first thing to do is find out how to get in contact with the fund administrators. Virtually all mutual funds have toll-free numbers for use in requesting a prospectus. The obvious place to look for these numbers is NOT in the yellow pages as one might think, but rather in the trade publications or in the newsletter of a friend who is already involved with mutual fund investing. Once you have the telephone number and are ready to make the call, be prepared to request information on specific funds (by the fund's name). Most mutual funds are "families" of funds. This means that there are several different funds under one administrator. This is necessary to meet the varying demands of the investing public and to optimize the use of investor dollars by having a broad range of investment types. Not everyone has the same investment goals, nor is everyone willing or able to assume the same level of investment risk.

If you don't know the name of the fund you are interested in, since newspapers provide only cryptic abbreviations for them when they are published, ask for help from the person you talk to on the toll-free line. Don't be afraid to be a little humble and admit your novice status. A good mutual fund employee will ask you what your investment goals are or perhaps ask whether

you would categorize yourself as a conservative, moderate or aggressive investor. Either way, they are trying to determine what type of fund you might be interested in, based upon your investment goals.

Once you receive the fund's prospectus (it's free), you can try to read it from cover-to-cover if you want to. Some are quite easy to read, some are like an accountant's nightmare and others are between the two extremes. No matter which type you receive, all will contain certain information that you should look for, since it directly affects you and the money you will be investing. The list that I am going to give you is based upon my concerns. Yours may be different or more demanding, so don't feel that I have listed all the questions you should be asking. However, at a minimum, I think you should look for the answers to the following questions:

---

**Don't be afraid to  
to be a little humble and  
admit your novice status.  
A good mutual fund  
employee will ask you  
what your investment  
goals are or perhaps ask  
whether you would  
categorize yourself as a  
conservative, moderate  
or aggressive investor.**

---

1—How much (if anything) does the fund charge to join (the entry fee) and do they charge you to buy shares or units? In other words, is it a *load* or *no-load* fund?

2—Is there a minimum time you must keep your money in the fund without paying a withdrawal penalty (an exit fee)?

3—What are the administrative costs? No fund operates for free. You pay someone to manage your money for you.

4—What are the redemption procedures and what kind of a hassle is it to sell out?

5—Do they require a minimum dollar amount investment?

6—Do they offer telephone redemption and/or telephone switching between funds in the same family? How many times per year?

7—What kind of reporting procedure do

they have for shareholders and how often is it provided?

While all funds assess a management fee, many today do not require a sign-up fee. In other words, they are no-load funds. Some funds however have a "hidden" load, one that is assessed when you try to sell your shares. This is an *end-load* fund, as opposed to a *front-load*. Front-Load funds charge you to get in. End-Load funds charge you to get out, especially if you do so in the first five years. Read the prospectus carefully to determine which type you are considering.

A very important consideration in your decision-making process is the amount or percentage of the fund's administrative fees. Most funds, whether they are load or no-load types, assess a "hidden" cost to you, in addition to regular administrative costs, that the fund uses to pay for advertising and marketing. You pay for this because the law, under Securities and Exchange Commission regulation 12b-1 allows it. There isn't much you can do about it, but you can mitigate it by choosing the fund that has the lowest administrative costs otherwise.

An important part of the investment game is knowing when to dump your shares, when to sell out. Because you don't want to lose money, timing is critical. Thus, the fund that you are investigating should have telephone switching or roll-over privileges. This means that it should offer (and support) the ability to sell your shares in one fund, and either redeem them or roll them over into another fund, by placing a telephone call. If the fund provides for this only by mail, you must realize that you will still be on a sinking ship for the number of days it takes your letter to get to the fund administrator's office. Normally, you should be able to make a phone call, communicate your "sell or roll-over" order and then follow that up with a letter confirming the order. The important thing is for you to realize the impact on your money because of the difference in procedures. Time is literally money in these cases.

### CALCULATING YOUR RETURN

Assuming that you do take the plunge and invest in a mutual funds, you will want to monitor the performance of the fund so

(See Page 26)

## MUTUAL FUNDS—

(Continued from Page 25)

that you can determine whether you are making any money.

The Mutual Fund Return program is aimed at doing that for you.

At the first prompt you will be asked for the:

**Analysis Length In Months:** Enter a number from 1 to 24. This figure is used to determine the number of months involved in the analysis and to calculate an annualized return. If the current month is January 1987 and you bought into the fund in December 1985, you would enter the number 14, which is the number of months between December 1985 and January 1987 inclusive. You would count January 1987 as one of the months, even if the date you perform the analysis on is only the first day of the month.

**Beginning Shares:** This is the number of shares that were credited to your account on the month that this analysis begins. If you are measuring performance from the first month you bought into the fund, make sure that the figure entered here is the one provided on your statement after any entry fees are deducted. This (and all remaining) information should be included on the statements that you receive from the manager(s) of the fund. Also, note that some funds use the term "units" instead of shares. They are the same thing.

**Share Price Then:** This prompt asks for the price per share paid, on the month that the analysis begins. This amount should also be on your statement. It is the actual dollar figure cost of each share purchased.

**Ending Shares, Share Price Now:** The next two prompts ask for the ending figures

of the same type of information asked above. Only these amounts pertain to the ending month of the analysis rather than the beginning month.

**Cash Dividends:** Enter the dollar amount of any dividends or capital-gains distributions that were paid to you during the analysis period. Do not include any money that was re-invested. Enter a zero if no distributions were paid.

The next two prompts ask for:

**Investments In \$:** Enter the dollar amount of additional monies pumped into the fund since the beginning month of the analysis.

**Redemptions Out \$:** Enter the dollar amount of any monies taken out in the form of redemptions. Enter zeros in both blocks if neither apply to the period of the analysis.

Once these figures are entered the program calculates an annualized return that is displayed as a percentage gain or loss.

### Mutual fund return

```
100 @=1 :: CALL CHAR(95,"X")
F):: DISPLAY AT(2,@)ERASE ALL:RPT$( " ",28):: DISPLAY AT
(22,@):RPT$( " ",28) !000
110 IMAGE ##.## % !113
120 ON WARNING NEXT :: DISPLAY AT(@,6): "MUTUAL FUND RETU
RN" !253
130 FOR G=0 TO 14 :: CALL COLOR(G,16,5):: NEXT G !125
140 DISPLAY AT(3,@): "Analysis Length In Months:" :: ACCE
PT AT(3,27):AL :: IF AL<1 OR
AL>24 THEN 140 !005
```

```
150 DISPLAY AT(5,@): "Beginni
ng Shares :: "Share Price Th
en $" :: ACCEPT AT(5,20):BS
:: ACCEPT AT(6,20):SP :: BE
BS*SP !159
```

```
160 DISPLAY AT(8,@): "Ending
Shares :: "Share Price No
w $" :: ACCEPT AT(8,20)SIZE
(7):ES :: ACCEPT AT(9,20):SE
N :: CL=ES*SEN !140
```

```
170 DISPLAY AT(11,@): "Cash D
ividends": "Received Since":
Beginning Month $" :: ACCE
PT AT(13,20):CD !025
```

```
180 DISPLAY AT(15,@): "Invest
ments In $" : "Redemptions O
ut $" :: ACCEPT AT(15,20):I
I :: ACCEPT AT(16,20):RO ::
RI=II-RO :: RI=RI*.50 !168
```

```
190 SA=BI*RI :: SB=(CI+CD)-R
I :: SC=SB/SA :: SD=(SC-1)*I
00 !036
```

```
200 SE=12/AL :: SF=(SE*SD)*I
00 :: !173
```

```
210 DISPLAY AT(18,@): "Rate o
f Return Is:" !234
```

```
220 DISPLAY AT(18,20): USING
110:SF/100 !038
```

```
230 DISPLAY AT(23,@): "Press
F9 to exit, or other key t
o compute another one" :: CL
LL KEY(3,K,F):: IF F=0 THEN
230 !151
```

```
240 IF F=15 THEN 250 ELSE RU
N !034
```

```
250 CALL CLEAR :: PRINT "Pre
cise rate is:";SF/100 :: STP
P !027
```

```
260 DISPLAY AT(18,20): USING
110:SF/100 !038
```

## BASIC—

(Continued From Page 12)

```
520 IF NBB>0 THEN BB NBB ::
GOTO 540 !194
530 PAY=BB*TT :: PRIN=BB ::
BB=0 :: FLAG=NM !038
540 PRINT #1,USING 160:M,PAY
,TT,PRIN,BB !185
550 IF FLAG=NM THEN M=NM !07
```

Support  
our  
advertisers

```
7
560 NEXT M !227
570 IF BB=0 THEN 620 !166
580 CALL CLEAR !200
590 PRINT "PRESENT BALANCE D
UE:" !214
600 PRINT USING "$ #####.##
":BB !030
610 NM=M :: GOTO 300 !213
620 CLOSE #1 !151
630 CALL CLEAR !200
640 END !139
```

## Modem Reference serves as guide

Brady Books/Simon & Schuster has published *The Modem Reference* by Michael A. Banks.

The book, which sells for \$19.95, is described as the most up-to-date reference on online services (networks), available hardware and software and how computer communications work. The author says he wrote it for "both novice and hacker," a guide to modems, communications software and online services.

# Disk drivin'

## Tips on shunt packs, cables and drive select lines

The following article refers specifically to Shugart-type drives (originally used by TI), with comments on TEAC-type drives. Most of the information should be applicable to all drives.—Ed.

By LARRY R. THOMPSON SR.

Connecting disk drives to a TI99/4A is a fairly simple item. You have basically three things to worry about:

1. Cable connections.
2. Setting up shunt packs.
3. Termination resistor packs.

### CABLE CONNECTIONS AND DRIVE SELECT LINES

One area that TI seemed to do things right was in using standard interfaces for peripherals. Sometimes you have to rearrange pinouts to get equipment to work, but it will work.

However, on disk drives, you don't even have to worry about pinouts because TI conforms to the default industry standard.

Fig. 1 shows the pinout for disk drives and the disk drive controller card. Since the original TI controller card did not support four drives, pin 6 of the card was not used. With the exception of pins 10, 12, 14 (and

ODD NUMBERED CONTROLLER	LINES ARE GROUND DRIVE
2 NOT USED	
4 NOT USED	
6 DS4	NOT USED ON TI
8 IXP	
10 DS1	X
12 DS2	X
14 DS3	X
16 HTRON	X
18 DIR	X
20 STEP	X
22 WTDATA	X
24 WRIGT	X
26 TK00	
28 WTP	
30 R00DA	
32 SIDSEL	
34 NOT USED	

Fig. 1

6), all the lines go to all the drives connected to the system. Lines 10, 12, 14 and 6 are the drive select lines.

Figure 2 shows how the normal Shugart drives are connected at the factory. If all the drive select lines are connected to the drive and nothing is done to the shunt pack, any one of the drive select lines going low will cause the drive to be activated.

There are a number of ways to go about setting up the drives so that only the appropriate drive is activated. One method is to make up your cables with all pins connected then punch the shunt pack as shown in Fig. 3. You'll notice that DS2 and DS3 are punched out. The drive would then respond as DSK2.

Another method is the one TI used. To make hooking up the drives as simple as possible for the owner, all drives were punched as DSK1. Then, when additional  
(See Page 28)



### LAFLAMME & WRIGLEY WHOLESALE

5480 Canotek Road, Unit #16  
GLOUCESTER, ONTARIO K1J 9H6  
(613) 745-2225

LAFLAMME & WRIGLEY DATA (Phones): Ottawa BBS (TEXLINK) (613) 738-0617  
DELPHI "JANELAFLAMME" (No space)  
CompuServe "76046,2006"

**HARD DISK CONTROLLER CARDS ARE IN STOCK NOW!**

Authorized Canadian Distributer for Myarc, Inc.  
**Support your Canadian dealers!**

#### COMPUTER DOWNLOAD UNLIMITED

126 Sage Rd.  
North Bay, Ontario  
P1A 1A4  
(705) 476-0265  
TEXLINK BBS T.B.A.

**CANARIA DATA INC.**  
264 Weber St. W.  
Kitchener, Ontario  
N2H 4A6  
(519) 578-3873

**DATA\*PORT**  
2846 Gottingen St.  
Halifax, N.S.  
B3K 3E1  
(902) 454-0232  
Data (TEXLINK) 455-2076

DEALER ENQUIRIES WELCOME

## NEW YEAR'S SALE

**Spad XIII, Mk2, flight simulator**  
Reg. \$20.00 Sale \$14.95

**99 FORTRAN, a full compiler**  
Reg. \$49.95 Sale \$39.95

**Data Base 99, no programming required**  
Reg. \$19.95 Sale \$14.95

(All pgms req. disk, 32K, Ex. Basic.)

Visa, MasterCard, American Express

Call or write for FREE catalog #29M.

**QUALITY 99 SOFTWARE**  
1884 Columbia Rd #1021  
Washington DC 20009  
(202) 667-3574

## DISK DRIVES—

(Continued from Page 27)

drives were connected, they were connected using the small circuit card that came with the controller card. All the circuit card did was to connect line 12 from the controller card to line 10 on the second drive, and if a third drive was used line 14 (which was line 12 going to the second drive) was connected to line 10 on the third drive (see Fig. 4).

Radio Shack also made it simple to connect drives. But instead of using the jumper card, they removed pins from the connector plugs, such that pins 10 and 14 were not connected to the second drive, and pins 10 and 12 were not connected to the third drive. Using this method the owner did not have to worry about the shunt pack, because the cable did the drive selection.

This method caused me a small amount of grief. When I first installed my double-sided drives I had trouble trying to get them to work. As it turned out, I was using a Radio Shack cable. For some reason, Radio Shack also pulled the pin out of line 32, which is the side select line. So I could never access side 2.

TEAC-type drives don't have a shunt pack. Instead they come with a jumper which you have to move to the appropriate drive select line. Fig. 5 shows the jumper set up for DSK2.

When installing your own drives, you have to insure that only the appropriate lines are connected. If you have the TI drives, but you don't have the circuit connectors, you could remove the shunt pack and try to restore the straps that have been punched by pushing them back out and soldering them. Or, remove the shunt pack altogether and install a DIP switch and set the switches according to how the lines should be connected.

Whatever you do, if you are going to install your drives yourself, take the time to examine the drive carefully. Even Shugart drives that appear identical to the TI units can have different configurations. For example, I bought a Radio Shack drive that did not have the shunt packs. To set the drive for DSK1, 2 or 3 you would have to cut a circuit trace on the drive, in which case you would be better off using their cables or making your own cables and remove the appropriate pins from the connecting plugs.




Fig. 2




Fig. 3




Fig. 4




Fig. 5

**TERMINATION RESISTOR PACKS**

Five of the lines going to the controller (shown with an asterisk in Fig. 1), in addition to the drive select lines, must have a termination resistor installed in the end of the line. If you have one drive it would be in DSK1, if three drives in DSK3.

All drives come with the termination resistors installed. When installing your additional drives you have to remove the resistor packs from all but the last drive in the line. However, this creates another problem. Referring to Fig. 2 again, you can see that one termination resistor is used for all three drive select lines. If you remove the termination resistor pack from DSK1 or DSK2 then line 10 or 12 would not have a termination resistor. To get around this you have to install a 150 ohm resistor from pin 5 to any of the pins on the opposite side of the IC socket the resistor pack came out of (the exact location may be different for other than Shugart-type drives).

If you don't remove the resistor pack the drive will still work, but you could wind up damaging your controller card. With two drives this may take a while, and with three drives I would imagine it would be

fairly quick.

As with anything, there are exceptions. When I picked up my present TEAC drives the dealer told me that I didn't have to worry about the resistor pack. For one thing, the resistors were not socketed, so I would have had to cut the resistors off the board.

When I got the units home I checked to see what value resistors were used, and it turned out that where Shugart drives use 150 ohm resistors, the TEAC drives used 500 ohm resistors. Four TEAC drives would have about as much effect on the controller card as one Shugart drive. If you are going to use drives other than Shugart and TEAC types, check with the seller on how they have to be set up. In any case, if the resistor packs are socketed, remove them. If not, check to see what resistance value is used, and insure that the resistance seen by the controller card is no less than 125 ohms.

**SHUNT PACKS**

I have already covered the shunt pack as regards the drive select lines. The remainder of this article will be concerned (See Page 29)

## DISK DRIVES—

(Continued from Page 28)

with the remaining three lines. It should be noted that this information is specifically for the Shugart-type drives, although it should be similar for other types. In some cases you will find that these additional shunts are not provided.

Fig. 6 shows the basic logic used by the drive selection circuitry and how the shunt pack fits in this logic. Although not shown, line 16 also feeds additional circuitry.

The remaining shunts are labeled MX, HL and HM(MH).

HL shorted (connected) causes the head to load whenever the drive select line is taken low. This line should always be set up opposite of HM.

HM shorted causes the head to load whenever the motor on line is taken low.

MX shorted causes the drive output enable to be active all the time.

The safest way to set up the shunts is to have HL shorted and HM and MX cut. This will work regardless of how many drives you have connected. If you have drives without the additional shunts this is the way the drive would be configured.

If you are using a single drive system, you may see a slight speed improvement if you set up the drive with HM and MX shorted and HL open.

## CONNECTING CABLES

After you've gone through your drives and decided how to set up your cables you have two options:

1. Have your cables made up
2. Make the cables yourself.

If you have your cables made, tell your local dealer how you want your cables configured so he can make them for you. If you decide to set up your drive select lines by punching the shunts, you can use standard PC cables for your internal and external drives, otherwise you will need to tell the dealer which pins you want removed from the connectors. Also, for your power connector you will need an IBM-type power splitter which consists of a four-line Molex male to two Molex female connectors.

If you make your own cables, you will need the following parts:

- 34-conductor flat ribbon cable
- 34-conductor edge card connector for each drive
- 34-conductor edge card connector for




Fig. 6

external drives

- 34-pin socket connector for internal drives.

One conductor of the cable will normally be a different color than the others, to help keep track of which conductor is which, and the card side of the edge card connector will have the pin numbers imprinted on it. The 34-pin socket connector does not normally have the numbers on it but an arrow or indent will normally indicate which is pin 1.

To the cables, the colored conductor should be used as line 1. Insure that all of the connectors you use have the colored conductor in the pin 1 position and press the cable in to the pins on the connector. If you are setting up for multiple drives, install the edge card connectors in the appropriate location in the center section of the cable. Try to keep the length of the cable as short as possible. Longer cables may make locating your drives more convenient, but it could also cause noise pickup on the cable which could interfere with drive operation. Shugart recommends a maximum of 10-foot length for the signal cable, but you're less likely to have problems if you keep your cables as short as possible.

When you connect your cables to the drives you have a 50-50 chance of hooking up the cables backwards. If this happens, as soon as the unit is turned on the drive light on each drive will come on and the motors will spin. If you have more than one drive and they all come on simultaneously, reverse the connector on the controller card. If only one drive light comes on, reverse the cable for that drive. If you have only one drive, you may reverse

either end.


After the drives are connected, enter BASIC and without using a disk try to read from each drive by typing OLD DSKX.TEST, where "X" is the drive number to read from. If the cables are properly configured, only the light for the selected drive will light. If more than one light comes on, you forgot to punch the shunt or remove the pin from the edge card connector. If no light comes on, you either punched the wrong shunt or removed the wrong pin, depending on how you decided to connect your drives.

Warning: If you are using an external drive which is the one with the terminating resistor pack installed, this drive MUST be powered up any time you are using any of the drives. The drive with the terminal resistor pack provides power to the various control lines coming off the controller card. If the drive with the terminating resistor pack is not powered up you can force your other drives into the write mode even if your disk is write protected, normally resulting in the destruction of data on track 0, which can result in the loss of all data on the disk. I managed to do this on several disks until I realized what was causing it.

## SUMMARY

If you are going to set up your own drives, take the time to examine your drives to see exactly how they are set up. Insure that only one drive select line is terminated on a drive by either punching the shunt straps, installing a jumper to the appropriate drive select line, or removing the pins from the connecting cable connector. All other lines should be connected 1 to 1, 2 to 2, etc.

(See Page 30)



1. +12V
2. 12V GND
3. 5V GND
4. +5V

Fig. 7

## MICROpendium Index

# This will get you through 1987

This is the fifth installment of Elton Schooling's BASIC index of MICROpendium. Other installments were published in the April, June, October and November 1988 editions. Readers who use this index must have the above editions available.

The index data for 1987 starts at line 390, with the program preceding it. The program to run the index was published in the June 1988 issue and should be merged at the top of the data statements for each year's index.

Readers who discover errors in the data statements are encouraged to provide corrections so that we may pass them along to others.

## 1987 Index

390 DATA TAPE10DSK FEEDB 1/87/10, TIWR COLED FEEDB 1/87/8, MULTISYMBOLIC 1/87/18, ROCKHOPPER GA PROG 1/87/31 !170  
400 DATA TIWR FEEDB 1/87/8, TAPE10DSK FEEDB 1/87/9, BASXBAS 1/87/12, SYMBOLICMULT 1/87/18, GPLPERIPH 1/87/22, CAD3DIM 1/87/24 !056  
410 DATA SHOWGERMANY REP 1/87/36, MYARCXBAS REV 1/87/37, MGSKASSEMBL REV 1/87/40, TAPE10DSK USNO 1/87/43, MYARCTOCC USNO 1/87/43 !012  
420 DATA XBAS MYARCXBII REV 1/87/37, DSKASSEMBLER MG REV

1/87/40, 3DPICTACTORFIX USNO 1/87/45, CLOAD USNO 1/87/43, WORDCOUNTII FIX USNO 1/87/43 !146  
430 DATA MEMSAVER USNO 1/87/45, LINK USNO 1/87/45, DV80PRINT USNO 1/87/45, MULTNAME USNO 1/87/45, FORTHEAST USNO 1/87/45 !238  
440 DATA PRINTCOPY USNO 1/87/45, CC512KFORTH USNO 1/87/45, PERFBOARD FEEDB 2/87/10 !173  
450 DATA BANNER USNO 1/87/46, FAN FEEDB 2/87/10, PASCOLOR 2/87/12, LOGOGRAPH 2/87/16, TURBOXT 2/87/21, PASCALDK 2/87/24, XBII TIART 2/87/30 !073  
460 DATA ALPHALOCKFIX 2/87/30, XMLS 2/87/24, TIARTXBII ASSEMB. 2/87/30, MULTITAX REV 2/87/37, MECHTIMOUSE REV 2/87/39 !003  
470 DATA FREEW 2/87/34, TITAX MULT REV 2/87/37, TIMOUSEMECH REV 2/87/39, PAGERUTIL ASSEMBL USNO 2/87/41, ROCKHOPPERFIX GA USNO 2/87/44 !044  
480 DATA GRAMCRACKTIWR USNO 2/87/41, DV80PRINT USNO 2/87/45, BASSTATES 3/87/16 !041  
490 DATA TIWRDELETE USNO 2/87/44, MULT USNO 2/87/45, TEXTPRO USNO 2/87/45, XBASCOLONS FEEDB 3/87/8, LOADGEN 3/87/12, ASSEMBL XBIIISCRDUMP 3/87/24 !180

500 DATA XBIIISCRDUMP ASSEMBL 3/87/24, SCRDPXII ASSEMBL 3/87/24, LOGOSPITES 3/87/26, FLIGHTS IN SPADXIII REV 3/87/42 !118  
510 DATA RGBKIT REV 3/87/34, WYCFORTH REV 3/87/35, FORTHWC REV 3/87/35, SPADXIII REV 3/87/37, VIDEOTITLES USNO 3/87/42, MONKITRGB REV 3/87/34 !020  
520 DATA ASSEMBL TOCLOADS USNO 3/87/43, DRHDS FEEDB 4/87/8, CALLSAY FEEDB 4/87/8, PARSFC FEEDB 4/87/8, BASFLAGS 4/87/12, SUPERMULTICART 4/87/20 !002  
530 DATA TIWR DELETECOL USNO 3/87/42, CLOADS ASSEMBL USNO 3/87/43 !183  
540 DATA ASSEMBLXBII 4/87/24, XPANDED SYSTEM 4/87/28, SEFAIRE REP 4/87/30, PROGRWDFPROC 4/87/32, TIFORTH CHARA1 4/87/34, GENEVE REV 4/87/35 !153  
550 DATA XBIIASSEMBL 4/87/24, TISYSTEM EXPANDED 4/87/28, WDFPROCPROG 4/87/32, FORTHTI CHARA1 4/87/34 !136  
560 DATA DISKUTIL REV 4/87/38, USGRCAT USNO 4/87/41, DSKCAT USNO 4/87/41, WDCOUNTIII USNO 4/87/41, AMORTIZE USNO 4/87/42 !154  
570 DATA QUICKDIR USNO 4/87/41, DSKCATD/F80 USNO 4/87/43, USERTIPS FEEDB 5/87/8 !241  
580 DATA VARESEARCH USNO 4/87/44, SCRLOC USNO 4/87/44, KEYCODES USNO 4/87/45, PHONEANSW USNO 4/87/46, RGLMON FEEDB 5/87/8, DELPHI FEEDB 5/87/8 !129  
590 DATA BASMATH 5/87/10, USGRPCAT 5/87/16, FORTHPI 5/87/24, XBASLOAD 5/87/26, ENGLAND REP 5/87/27, GENEVE REV 5/87/29 !249  
600 DATA TIFORTH 5/87/24, LOADXPAS 5/87/26, QS-SOLITAIRE GA REV 5/87/28, BOOK TECHNICAL DR REV 5/87/31, RAMEAST MEM U

## DISK DRIVES—

(Continued from Page 30)

Unless you have the new TEAC-type drives with the high resistance terminating resistor packs, insure that all the drives except the last one have the terminating resistor packs removed. On any drive in which the terminating resistor pack has been removed, insure that you have a 150 ohm resistor installed for the drive select lines.

One final note: If you have a CorComp or Myarc disk controller, check the head-step settings on the card. If the head-step

setting is too fast, your drive may work erratically or not at all. If the head-step setting is too slow the drive will appear noisy when stepping, also causing excessive wear on the drive. Don't be afraid to experiment to find the best setting for the head-step speed. MG's Advanced Diagnostics program allows you to set the head-step times under software control, which you can use to check out the various head-step times without removing and installing the drive controller, a feature that by itself makes the program worthwhile to have.

(See Page 31)

## 1987 INDEX—

(Continued from Page 30)

- 5/87/35 !238  
610 DATA MEMFASTRAM USNO 5/87/35 !078  
620 DATA TECHNICALDR BOOK REV 5/87/31, CONSOLECALC REV 5/87/32, FASTRAM USNO 5/87/35, BBSMEM USNO 5/87/36, MULT USNO 5/87/36 !064  
630 DATA VARPRINTOUT USNO 5/87/36, INFORTRV USNO 5/87/38, INFORTRV FEEDB 6/87/8, ELECTRM AIL BOOK FEEDB 6/87/8, BASMEAND 6/87/10, USGRP 6/87/12 !220  
640 DATA PROOF 6/87/14, CNTRL SIGNALS 6/87/16, FORTHTI 4000 I. 6/87/22, FREEW 6/87/28, CSGD III REV 6/87/29, WRITEREASE W DPROC REV 6/87/30 !132  
650 DATA TIFORTH 4000L 6/87/22, INVVIDEO 6/87/24, VIDEOINV 6/87/24, WUPROC WRITEREASE 6/87/30, DSKUTILAA DOS 6/87/31 !031  
660 DATA 4ADOS DSKUTIL 6/87/31, PRESCANIT REV 6/87/32, PRINTINGD/V80 6/87/35, PEBXFORMER USNO 6/87/35 !073  
670 DATA MYARC RAMDSK FUNLWR USNO 6/87/35, FUNLWR MYARCR AMDSK USNO 6/87/35, FANCONSCO OL USNO 6/87/36, CONSMOD FEEDB 7/87/8 !018  
680 DATA COOLCONS FAN USNO 6/87/36, FILEDUMP USNO 6/87/36, MODCONS FEEDB 7/87/8, BASQUILT 7/87/10, MLTIFORTH 7/87/14, FORTH 7/87/14 !226  
690 DATA QUILTBAS 7/87/10, FORTHTI ML 7/87/14, TIFORTH ML 7/87/14, TIWR CHARA1 7/87/22 !063  
700 DATA TIBES 7/87/25, USGRP 7/87/25, USGRP 7/87/26, JUNKMANJR GA REV 7/87/28, AVATEX1200 MODEM REV 7/87/30, HUBBLEP LANE GA REV 7/87/31 !109  
710 DATA GENEVE TOMON 7/87/34, TIART 7/87/35, DM1000 USNO 7/87/35, STOPIT GA USNO 7/87/36, VDPULL USNO 7/87/36, CTRLU CHARA1 USNO 7/87/37 !033  
720 DATA TIART ROTATE USNO 7/87/35, FANVPOWSUPP 7/87/36, BASMINMAX USNO 7/87/37 !212  
730 DATA CHAR SHIFTER USNO 7/87/37, ENV IDENTIFY USNO 7/87/38, GRAMCRACK FEEDB 8/87/8, STOPIT GA FEEDB 8/87/8, POWSU PP FEEDB 8/87/10 !079  
740 DATA SURGE FEEDB 8/87/10, PROOF FEEDB 8/87/10, BAS\$S 8/87/12, C99 8/87/14, LOGOVIDEO 8/87/18, MMPOW 8/87/30 !210  
750 DATA GENEVE 8/87/33, TIFORTHTI COPY 8/87/35, FREEW 8/87/35, PROSTICKII REV 8/87/36, BRAIN REV 8/87/37, ROCKETMAN REV 8/87/38, MENU REV 8/87/39 !195  
760 DATA FORTHTI COPY 8/87/35 !119  
770 DATA USGRP 8/87/42, GENEVE USNO 8/87/43, PRNTRPROGR USNO 8/87/43, MFMCHECK USNO 8/87/43, WHALES GA USNO 8/87/44, XBASCOLOR USNO 8/87/44 !061  
780 DATA DIGLOCK USNO 8/87/45, PRBASE USNO 8/87/45, TIWR 8/87/45, ZEROSLASH 8/87/45, KEYB 8/87/45, GENEVE FEEDB 9/87/8, RAMLOADER FEEDB 9/87/8 !105  
790 DATA GENEVEFIX FEEDB 9/87/8, EFONT CHARSETS 9/87/27 !255  
800 DATA BASEFILES 9/87/10, C99 9/87/14, MMASSEMBL 9/87/18, GENEVE 9/87/24, CHARSETS 9/87/27, SUPERXBAS REV 9/87/32, PCCONN REV 9/87/34 !030  
810 DATA TIMETRIPT USNO 9/87/37, COMMAS USNO 9/87/37, GP100TI PRNTR USNO 9/87/37, WINDCHILL USNO 9/87/38 !116  
820 DATA TRIPTIME USNO 9/87/37, TIFORTH SPRITEFIX USNO 9/87/38, FORTHTI SPRITEFIX USNO 9/87/38 !066  
830 DATA MON LIST 10/87/6, SPILLCHECK MYARC512K FEEDB 10/87/8, SPELLCHECK INFO FEEDB 10/87/10, BASUGLY DUCK 10/87/12, C99 LOOPS ARRAYS 10/87/20 !041  
840 DATA GENEVE MODESASSEMBL 10/87/23, USGRPS 10/87/27, CHECKSUM 10/87/28, TIFORTH QUICKSORT 10/87/30, FORTHTI QUICKSORT 10/87/30 !213  
850 DATA QUICKSORT FORTHTI 10/87/30, SORT TIFORTH 10/87/30, TOTALGROUP FAIR 10/87/31, DATABASES COMPARED 10/87/32, FONTWRITERII REV 10/87/37 !048  
860 DATA PRNTR STARNPIO REV 10/87/39, STARNPIO PRNTR REV 10/87/39, 8000L CARD MECH REV 10/87/40, MECH 8000L CARD REV 10/87/40 !202  
870 DATA FUNNELWEB CUSTOMIZE USNO 10/87/43, INSTANCES IMAGES USNO 10/87/43, VIDEO UPGRADE 10/87/44, XLIT NOTE USNO 10/87/44 !122  
880 DATA RGHMON GENEVE USNO 10/87/45, GENEVE RGHMON USNO 10/87/45, MORTGAGE CALC USNO 10/87/45, KEY REPEAT USNO 10/87/45 !054  
890 DATA DSKLABEL USNO 10/87/45, LABELISK USNO 10/87/45 !190  
900 DATA MMM BUG FEEDB 11/87/8, GP100TI ESCSEQUENCE FEEDB 11/87/8, C99 CORR FEEDB 11/87/8, DIN SOCKET FEEDB 11/87/8 !241  
910 DATA C99 INFO FEEDB 11/87/10, BASPOKER SOLITAIRE 11/87/12, C99 LOOPS ARRAYS 11/87/20, INTRUDER GA 11/87/26 !248  
920 DATA GENEVE CONTROLLER 11/87/38, GENEVE MY-ART 11/87/41, MY-ART GENEVE 11/87/41, CHI FAIRE REP 11/87/41 !102  
930 DATA TIFORTH STRINGSORT (See Page 32)

**Myarc Geneve 9640  
IN STOCK!!**

ENHANCED KEYBOARD SALE PRICE \$549.00

★★★★ ——— OTHER MYARC PRODUCTS ——— ★★★★★

MYARC HARD AND FLOPPY DISK  
CONTROLLER WITH CABLES-----\$325.95  
512 MEMORY CARD FOR GENEVE \$299.95  
99/4A FLOPPY DISK CONTROLLER \$164.95  
GENEVE MY-ART AND MOUSE-----\$125.95  
MYARC RS232-----\$119.95

**HOLIDAY SPECIAL**GENEVE 9640 AND MY-ART WITH GENEVE  
MOUSE, PURCHASE BOTH-----\$645.95

SEND ORDERS TO :

Mosher Computer Services  
17175 NW 41 AVE MIAMI, FL. 33055  
CARL MOSHER PRESIDENT  
\$5.00 EACH ITEM. FLA. RESIDENTS  
ADD 6% SALES TAX. PERSONAL CHECKS  
REQUIRE UP TO FOUR WEEKS TO CLEAR.

## 1987 INDEX—

(Continued from Page 31)

- 11/87/42, SORTSTRING TIFORTH  
11/87/42, FORTHTI SORTSTRING  
11/87/42 !222
- 940 DATA USER GROUPS 11/87/4  
2, SEATTLE CONVENTION 11/87/4  
3, SOURCE HARD TIMES 11/87/44  
, USER SUPPORTED SOFTWARE 11/  
87/45 !229
- 950 DATA LEGENDS GA REV 11/8  
7/46, MUS PREPROCESSOR REV 11/  
/87/47, GS WHEEL GA REV 11/87/  
48, SPIN TOWIN GA REV 11/87/4  
8 !003
- 960 DATA EDGECHAR USE USNO 1  
1/87/52, MULT RECALC USNO 11/  
87/52, NLQ PRINTERFONT USNO 1  
1/87/52 !164
- 970 DATA PRINTER NLQ FONT USN  
960 DATA EDGECHAR USE USNO 1  
1/87/52, MULT RECALC USNO 11/  
87/52, NLQ PRINTERFONT USNO 1  
1/87/52 !164
- 970 DATA PRINTER NLQ FONT USN  
O 11/87/52, CATCAT USNO 11/87  
/52, GENEVE SLASHES USNO 11/8  
7/53, RESET SWITCH USNO 11/87  
/54 !026
- 971 DATA GENEVE UPDATE 12/87  
/8, PLINK FEEDB 12/87/8, TI-AR  
T CURSOR FEEDB 12/87/8, GROM  
SOLIDER FEEDB 12/87/8, BAS DEF  
STATEMENT 12/87/10 !112
- 972 DATA C99 FUNCTIONS STRIN  
GS 12/87/12, MUSMAKER DISK 12  
/87/16, LABELS 12/87/20, FORTH  
TI TO D/V80 12/87/26, TIFORTH  
TO D/V80 12/87/26 !235
- 973 DATA D/V80 TO FORTHTI 12  
/87/26, USERS GROUPS 12/87/26  
, E-MAIL 12/87/26, GENEVE SYST  
EM DIFF 12/87/27, DESK CALEND  
AR REV 12/87/30 !046
- 974 DATA CALENDAR DESK REV 1  
2/87/30, CERTIFICATE 99 REV 1  
2/87/31, MY-ART MOUSE REV 12/  
87/33, MOUSE MY-ART REV 12/87  
/33 !054
- 975 DATA XBAS IN CONSOLE USN  
O 12/87/36, CONSOLE XBAS USNO  
12/87/36, PICTURE DEMO WRITE  
R USNO 12/87/36, TINYHUSTLE G  
A USNO 12/87/36 !079
- 976 DATA GENEVE MY-ART REV 1  
2/87/33 !204
- 980 SUB LONGSHELL(N, N\$( )) !10  
3
- 990 D=N !030
- 1000 D=INT(D/3)+1 :: FOR I=1  
TO N-D :: IF N\$(I) <= N\$(I+D)  
THEN 1030 :: T\$=N\$(I+D) :: J=  
I !036
- 1010 N\$(J+D)=N\$(J) :: J=J-D :  
: IF J < 1 THEN 1020 :: IF T\$ <  
N\$(J) THEN 1010 !068
- 1020 N\$(J+D)=T\$ !100
- 1030 NEXT I !223
- 1040 IF D > 1 THEN 1000 !230
- 1050 SUBEND !168

# Modifying character patterns

Don't like what the keyboard produces, create your own

By DAVID ERICKSON

Recently we have had three User Notes on slashing the zero in Multiplan. This led me to wonder about changing the screen representations of any of the characters. Armed with MG's Advanced Diagnostics (any sector editor can be used), I set out to find what was going on in Multiplan file MPCHAR and TI-Writer file CHARA1. Here's what I found:

First, we'll assume a working knowledge of the CALL CHAR subprogram from Extended BASIC and start with TI-Writer file CHARA1. The character design is made exactly as in the CALL CHAR subprogram with 16 hexadecimal digits giving the pattern. However, the two rightmost bits of each row are ignored, so you can have these bits on or off — it doesn't matter except on the Title and Formatter screens. This allows for a narrower character and therefore more (40) columns on the screen. To find where in this eight-sector file your new pattern should be placed, use the following formulas:

$$\text{relative sector} = \text{INT}(\text{ASCII}/32)$$

$$\text{start byte} = (\text{ASCII}) * 8 - 6(\text{relative sector}) * 256$$

where the first byte of the sector is byte zero, and ASCII is the decimal ASCII code of the redesigned character. Using your sector editor, find the first sector for file CHARA1: this will be relative sector zero, your basis for locating the other sectors of the file. Thus the NULL character (0, >00) starts at byte 6 of the file's first sector and has a pattern of:

```
0020 0000 1824 2418
```

The last character of the file is the DEL character (127, >7F) starting at byte 254 of the fourth sector and ending at byte 5 of the fifth sector. The rest of the sectors are hexadecimal zeroes and don't seem to represent anything. Write your new pattern(s) back to the diskette for use later (you are using a scratch copy of TI-Writer, aren't you?).

This now allows me to match my daisy wheel printer's fractions one-half and one-fourth with screen representations for them

instead of the vertical bar (124, >7C) and the left brace (123, >7B). This method would also allow for other alphabets and symbols to be used on the screen with TI-Writer. Several versions of TI-Writer could be generated, and then used according to the particular need that arises. Of course, you can still use it to slash your zeroes or just slightly modify an existing letter or symbol.

Incidentally, the cursor will initialize with the character pattern for ASCII 30 in the CHARA1 file. However, it will be reset to the usual rectangle when going to fixed mode and then back to word wrap.

The next thing to be done is to paste a label on the corresponding key cap on your keyboard to remind you of the change you made.


Even though you have changed the screen representation and the key cap label, your dot-matrix printer will still think that an ASCII 65 is an "A." There are several ways to fix this, depending on the printer

(See Page 34)



SEND BUD MILLS SERVICES  
ORDER 166 Dartmouth Drive  
TO Toledo Ohio 43614

The **HORIZON  
RAMDISK**



PRICES Subject to CHANGE Due to present Economic Conditions and MEMORY SUPPLY  
Please call ( 419 ) 385 5946 for a CURRENT Quote

These prices valid only TO Jan. 15, 1989

Type Kit		cost/ea
HRD+2000	ONE MEG	\$650.00
HRD+2000	800k/GENEVE	\$550.00
HRD+2000	512k	\$385.00
HRD+2000	384k DSDD	\$325.00
HRD+2000	192k DSSD	\$225.00
HRD+2000	96k SSSD	\$175.00
HRD+2000	Zero k no memory	\$125.00

Pre-Built READY TO RUN ADD \$60.00  
Pre-Built Limited Warranty 90 Days

Above KITS include the HORIZON Card,  
Instructions, MENU ROS and ALL parts.

Assistance or Repair Available

PHOENIX MOD to add	90k	\$80.00
a BOOT Drive to a	180k	\$120.00
384 - 800k/GENEVE	256k	\$145.00

Deduct 5% IF you are purchasing 5 or More of the above Kits.....  
Ohio Residents add 6% sales tax

Shipping and Handling included within U.S. and Canada  
Shipping OverSeas ADD \$ 5 Surface or \$15 AirMail

Call TI-COMM BBS on 419 385 7484 for current prices or information  
300 Baud, 7bit, even / 1200 baud, 8bit, no parity  
GET Current Software Downloads SELECT MEG Info...M at sign on...

Please include your Name, Address AND Phone # with order...

\*\*\* Visa, MC, AmEx add 10% Call 1-800-456-9272 (DISK ONLY SOFTWARE) \*\*\*

\*\*\*\*\*

# ANNOUNCING THE P-GRAM CARD

By John Guion and Robert Jones  
Produced by HORIZON COMPUTER  
Distributor BUD MILLS SERVICES

The P-GRAM card is a GROM Emulation Card for use with the TI 99/4A  
Requires Periphial Expansion Box, 32k and Disk Drive.  
The P-GRAM will save and run MODULES and is compatible with files  
saved by the GRAM-KRACKER or Cart-Save.  
A fully documented Source Code and USER Manual (on Disk DUBO) allow  
you to SAVE Modules, EDIT as you wish, LOAD to card and RUN.  
The P-GRAM card contains 72k of battery backed RAM memory ( 1p CMOS )  
40k GRAM for GROM emulating, 16k for Module RAM bank-switched, and  
16k of DSR RAM also bank switched.  
The Optional CLOCK is not required for proper operation of the P-GRAM,  
but the price is right.

**P-GRAM KIT=\$150.00 +Clock+\$20.00**

FULLY ASSEMBLED, TESTED and READY TO RUN, WARRENTED 6 Mo.	WITH	<b>P-GRAM=\$180.00</b> <b>+Clock=\$200.00</b>	Please Allow 2 to 4 Weeks For Delivery
---	------	--	--

5% Discount on orders of 5 units or more. OHIO ORDERS add 6% sales tax  
US and Canada Shipping included. Overseas \$5 Surface or \$15 AIRmail.  
ORDER From: BUD MILLS SERVICES, 166 Dartmouth Dr. Toledo Oh. 43614  
\*\*\* Visa, MC, AmEx add 10% Call 1-800-456-9272 (DISK ONLY SOFTWARE) \*\*\*

MEMORY CHIP PRICES AND  
AVAILABILITY ARE AGAIN  
VERY UNSTABLE... CALL

PUBLIC NOTICE The Menu7.3 and Megtest programs  
were written expressly for the  
HORIZON RAMDISKS and may not be  
distributed for use on ANY other  
RAMDISKS without written permission

Upgrade old 180k to  
256k w/instructions... \$60.00

Mike Ballmans version of  
32/16 Console Mem Mod \$40.00  
w/John Guions switch Mod. + supercart

Bare HORIZON HRD+2000 card  
Const MANUAL + MENU7.3 \$40.00  
This card is EASIER TO BUILD  
than the older HORIZON card.  
Uses the HRD+ circuit without  
stacking the control chips.

An optional 32k Mem Mod can be  
added to any HORIZON or HRD+  
to replace the P-BOX 32k Card.  
Mod includes instructions for  
ALL HORIZON RAMDISKS... \$25.00

## CHARACTER PATTERN—

(Continued from Page 32)

that you have.

If your printer accepts download replacement patterns, this can be done before entering TI-Writer through a short BASIC program. Using the Special Characters Mode, the download patterns could be sent from TI-Writer by printing from the Editor (PF) or through the Formatter. A file could be created and stored on disk and printed through the Editor each time that the different character set is desired. Also using the Formatter, you could use Jack Sughrue's (PLUS!) method for TransLiteration (.TL) to put your printer in graphics mode and then send the graphics code for your redesigned letter or symbol.

Now you can write newsletter articles on bridge, for instance, and be able to use symbols for the card suits all the way from the keyboard through the screen and to the printer.

### MULTIPLAN

What about Multiplan? The screen character patterns in the file MPCHAR are generated in the same way as in file CHARA1 for TI-Writer.

Again use your sector editor to find the beginning of the eight-sector file MPCHAR on your diskette. The characters defined and usable in Multiplan are ASCII 32 through 127. The definitions start in relative sector one of the file with the

Edit Sector								EDIT
=====								=====
4050	1010	1010	0000	0000	0000	0000	1010	
1010	1000	1000	2828	2800	0000	0000	2828	
7028	7028	2800	3854	5038	1454	3800	6064	
0810	2040	0000	2050	5020	5448	3400	0808	
1000	0000	0000	0810	2020	2010	0800	2010	
0808	0810	2000	0028	1070	1028	0000	0010	
1070	1010	0000	0000	0000	3010	2000	0000	
0070	0000	0000	0000	0000	0030	3000	0004	
0810	2040	0000	3844	4444	4444	3800	1030	
1010	1010	3800	3844	0408	1020	7000	3844	
0418	0444	3800	0818	2848	7008	0800	7040	
7804	0444	3800	1820	4078	4444	3800	7004	
0810	2020	2000	3844	4438	4444	3800	3844	
4430	0408	3000	0030	3000	3030	0000	0030	
3000	3010	2000	0810	2040	2010	0800	0000	
7000	7000	0000	2010	0304	0810	2000	3844	

Sector from TI-Writer CHARA1 file

SPACE (32, >20) at byte 0. Use the following formulas to find the character you would like to change:

*relative sector* = INT(ASCII/32)

*start byte* = ASCII\*8-(*relative sector*)\*256

where ASCII is the decimal code for the character (32-127 only), and byte zero is the first byte of a sector. The inverse video screen representation for a character under the cursor is given exactly four sectors after its standard version. To develop this pattern, turn the "on" bits off and the "off" bits on. Again the two rightmost bits in

each row do not matter.

Again the key caps can be labeled to show their new symbols.

Changing the printing pattern in your dot-matrix printer needs to be done with a short BASIC program before entering Multiplan because of the difficulty in getting printer control characters into a Multiplan spreadsheet. (Refer to a September, 1985 MICROpendium User Note if this is desired.)

You now have the ability to modify TI-Writer and Multiplan character screen representations to better suit your needs.

## Geneve

# Autoexec and memory usage explained

By MIKE DODD

It seems that, despite all the articles and files concerning it that have appeared on networks, many users are still unclear on how to set up an AUTOEXEC file. Perhaps the files have not filtered down to many users. It is a sad but true fact that to get maximum usage out of the Geneve, belonging to a network such as Delphi or GENIE is very helpful. Since the print media and users' group activity appear to be on the decline, the networks are getting stronger by the day.

This tutorial will assume that you are using MDOS V1.06 or higher (up to and including MDOS 1.14, and possibly beyond).

A typical AUTOEXEC file for a barebones user might be:

```
TIMODE
RAMDISK 120
ASSIGN E=DSK5:
GPL DSK1."E/A"
```

This AUTOEXEC file will set up an internal RAMdisk and enter GPL mode with the Editor/Assembler cartridge loaded.

Line 1 initializes the Geneve computer for using GPL. This command MUST be on the first line. Omission of this command will prohibit loading GPL. The TIMODE command sets aside various memory required for GPL.

Line 2 sets up a 120K (480 sector) RAM-

disk. The RAMdisk will be accessed as DSK5. This is the largest size RAMdisk that you can use with the TIMODE command.

Line 3 instructs the computer to direct drive E: to DSK5. Any access to drive E: (e.g. DIR E:) will now operate on DSK5, the internal RAMdisk.

Line 4 loads the GPL interpreter and forces it to load the cartridge file DSK1.E/A. The quote marks are required, as there is a slash in the filename. If you wanted to be able to randomly select a cartridge to load without a default, you would eliminate the DSK1."E/A" from the line.

(See Page 35)

## Geneve

(Continued from Page 34)

You will notice that there is no SPOOL command in the AUTOEXEC file. MDOS automatically sets up a 16K print spooler. If you wish to have a larger one (16K is the minimum size for the spooler), you may include a SPOOL ## command, where ## is the number of K you wish allocated for it. Keep in mind that if you do so, the maximum size for the RAMdisk is similarly changed.

Some users, however, have Horizon RAMdisk(s) or extra memory. In that case, another AUTOEXEC file should be used. For example, assume a system with two floppy drives, one Horizon RAMdisk, sitting at CRU base >1400, and an extra 32K of static RAM. Also assume that the HRD contains the XB cartridge and the GPL interpreter, which you wish loaded as a default. You might set up your AUTOEXEC file as follows:

```
TIMODE
RAMDISK 152
ASSIGN C=DSK5:
ASSIGN D=DSK6:
D:GPL D:XB
```

The RAMDISK command takes advantage of the greater memory size. The ASSIGN commands set drive C: to be in the internal RAMdisk and drive D: to be the Horizon RAMdisk. GPL is then loaded from the HRD, loading XB with it.

#### MEMORY CONSIDERATIONS

The Geneve, as shipped, contains 544K of CPU memory. This is in the form of

512K of standard CPU RAM and 32K of no-wait-state RAM.

MDOS booted without an AUTOEXEC file takes up 152K of memory, 16K of which is for the print spooler.

The TIMODE command takes up 208K of memory.

In the first AUTOEXEC file presented above, we had the above memory requirements plus an additional 120K RAMdisk.  $152 - 208 - 120 = 480\text{K}$  of memory used. Subtract that from the 544K of RAM on the Geneve, and you have 64K of free memory. This is the minimum required for loading GPL and many other public domain and fairware MDOS programs (the Linker program and HyperCopy programs are two that require more memory).

Another consideration is the architecture of the Geneve. The Geneve is designed to use memory in 8K blocks. Because of this, to gain optimum use of memory, the print spooler and RAMdisk sizes should be evenly divisible by 8K. A 57K RAMdisk would take as much memory as a 64K one would, but it doesn't allow as much storage. The latter takes the same amount of memory, and gives the user an extra 7K of storage.

#### OTHER NEWS

John Johnson has written a program to utilize the mouse in GPL mode. Called RAT, it patches the key scan routine so as to allow cursor movement with the mouse. In addition, it allows usage of the three buttons to produce space, enter, and F9 key

presses. Moving the mouse produces a cursor movement (with the up, left, right, and down arrows) in the appropriate direction. The program has been uploaded to GENie and, in all probability, other BBSes and networks. Unfortunately, due to the low level way in which the program modifies the key scan, it will only work with V1.08 of MDOS. It will not work on previous or later versions. No doubt the program will be modified as further versions are released.

In last month's column, I neglected to mention the price of Picture Transfer. The price is \$30, or, if you are one of the very few people to have made a fairware donation, \$15. Genial Computerware has a list of the donors and will check it.

The first issue of Beery Miller's "9640 News" has been sent out. The publication is disk-based, and contains files relating to the 9640 (as such, it complements, not competes with, Barry Traver's excellent Genial TRAVeLER diskazine, which has files primarily for the 99/4A). The first issue contained MDOS V1.14, an article on 80 columns from GPL (written by yours truly), a simple MDOS-mode database, a file containing news from around the 9640 world, and many other files. Miller says that a sample issue is \$5 from within the US, \$7 for foreign. Five issues is \$25 for the US, \$30 for foreign surface mail, and \$38 for foreign air mail. Send to: Beery W. Miller, 5455 Marina Cove #1, Memphis, TN 38115.

## READER TO READER

Norberto R. Bettinelli, Casilla de Correo 39, 1429 Buenos Aires, Argentina says he owns a Geneve and says he would like to use as double-sided/double density disk controller and RS232 those he has in a spare copy of a CC-9900 PEB.

"I tried locating my Geneve in the third slot instead of the first, and it worked as usual, loading the programs using the TI drive card and a couple of Teac drives," he writes.

"I then installed again the original card with the Flex cable, took away the TI drive card, connected th Flex cable to the right side of the CC-9900 PEB and the two drives to the proper port and powered everything. But the contraption didn't work. I tried removing the TMS4500 'chip' from

the CC-9900 to unhook the CC-9900 PEB 32K expansion from the system, just in case it was perturbing, but to no avail.

"Would somebody suggest a way to save me plenty of bucks by using the CC-9900 PEB instead of spending some US \$250 in a RS232 card and a DS/DD card?"

Kurt Radowisch asks whether anyone knows how to realize the SIZE-command from Extended BASIC while a program is running on the TI or whether there is a simple POKE-listing for a little assembler program to make visible the remaining stack memory when using XBASIC programs.

Radowisch, who sent along multilingual vehicle stickers reading, "I didn't vote for Waldheim!" says he would like to exchange letters or disks with TI users anywhere in

the world. Write him at Fugbachgasse 18/13, A-1020 Vienna, Austria.

Roger Feinauer wants to know where he can find a program called 1000 Words which uses TI-Writer with TI-Artist picture files and whether there is a fix for the cartridge game Dig Dug for the Geneve. "I wish there were a list of addresses memory locations used in these programs a person could reference that would allow us novice users to compare with and change so we could fix and learn GPL programming," he writes. He is editor for the newsletter of the Oh-Mi-TI and New Horizon computer clubs of Toledo, Ohio, and would like to hear from anyone with any new information on the 9640 or the TI99/4A. Write him at 166 S. Mckenzie St., Adrian, MI 49221.

## Myarc Q&A

# Work to start on streamer tape software

Myarc Q&A is designed to answer questions about Myarc products. Answers are provided by Myarc spokesman Jack Riley. Readers may submit questions to MICROpendium for use in future columns. Send questions to MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

**What about an external television synchronization input for the Geneve. Any "transparent" color on the screen would let the input video through. This is a simpler matter than a frame-grabber, which I hope will be available someday and would make it possible to use the computer to add lettering and graphics to a live picture.**

All sorts of special hardware is possible, but the fact is that the Videoflex card does much of what he's talking about. Myarc doesn't have any hardware to do that with, but we did put the hooks in there so that third-party people can add it if they like.

**Will the standard 32K card become redundant or do I need that installed if I am running both the TI and the 9640?**

The memory expansion cards, whether they're the Myarc 512, the Foundation, the CorComp, the TI 32K — none of them can be in the Peripheral Expansion Box with the 9640. You can, however, modify the Myarc 512K to become part of program memory. In other words, instead of having 512K of program memory on a 9640 you would have a megabyte of memory. But

because of the way the memory is done on a 32K card, that is not modifiable and is not required in the box.

**What do the Sys/Req, ESCape and Break keys do?**

First of all, the keyboard we used is essentially the same key layout as an IBM-PC, AT, PS2, etc. Therefore, some of the keys are marked the same. The System Required key is really your print screen key. System Required is what you would normally use with an additional keypress on an IBM. We currently don't use that multiple keypress. We do, however, use the print screen portion of the key to dump your screen. In other words, what you have on the screen while in DOS by pressing SHIFT Print Screen will dump it to whatever you've set your printer default to be. Normal default is PIO. The Pause key will pause the scrolling of the screen. For instance, if you're reading a DV/80 file with DOS to the screen, you press your Pause key and it will pause that scroll until you press another key. The Break key is the same thing as Control C on a TI. If you have instituted a command in DOS, let's say COPY A to B and press Control C or Break it will break or stop that command just like Break in BASIC or Extended BASIC on a TI. The ESCape key is used in different programs like MY-Art. It allows you to exit or escape MY-Art.

**On consoles equipped with F11 and F12 keys, what do they do?**

Currently they're not used for anything. In the future they will be used as special function keys. Now, the Scroll Lock key, which is a lit key on our keyboard, is used on an IBM to do an entirely different function than what we use it for. It will be used in Myarc Advanced BASIC to indicate which mode your function keys are in. With it off, the function keys will perform as they do on a 4A. In other words, F1 is delete character, etc. With the Scroll Lock key on (lit) it will do the special functions as shown in the Geneve manual (pages 16 and 19).

**How is a character entered in MY-Word in the ASCII range 128-255? You can get them by transliteration, but I haven't figured out how to enter them directly.**

I don't think it can be done. At that point in time you're emulating a 4A so you only have the displayable characters that the 4A had.

**Why the change in the Attrib command from R to P?**

Because "P" is more consistent with what this market is used to. P for protected.

**When will software for the streamer tape backup be ready?**

The schedule calls for everything to be ready to start putting code down the first of the year, expecting to take about month to code it. About the first of February we should have it ready to beta test and start the debugging stage. We'd expect that to take no more than a month. So, as we speak, we'd expect to have it done by the first of March.

**Would that run out of MDM5?**

It would run out of MDM5.

**Would that work with a streamer tape drive or a video recorder?**

A streamer tape only. It will be a special type and so forth, and we'll give you those specifications when its ready.

If you call a directory of the files on MDM5 (V1.28), you will see one file called CB, and you'll see another called DB. Well, the DB means Directory Backup and the CB means Complete Backup. And you'll also have one called SB, Streamer Backup, and that will be the file that will backup to a streamer tape.

**Because EPROMs on the Hard and Floppy Disk Controller have been upgraded several times, how do users exchange their older EPROMs for newer ones?**

It will be on an exchange basis only. Those 128K EPROMs are not inexpensive — they're \$30 apiece — and it will really be at the customer's option how he wants to handle it. For instance, he can send us his EPROM. Once we receive it, we will send him another EPROM at no charge. That's assuming we receive his EPROM in good working condition. Or he can send us his card. We will install it and send it right back to him at no charge. If he wants us to send him an EPROM, we can send it to him COD. Once we receive his EPROM back in good condition we will re-

(See Page 37)

**SUPER EXTENDED BASIC OWNERS!**  
Have four modules in one with:

### **MULTI-MOD**

The MULTI-MOD is a plug-in upgrade for owners of Triton's Super Extended BASIC module that gives you SER, Editor/Assembler, Disk Manager III, and TI-Writer ALL IN THE SAME MODULE! It may be the only module you'll ever need!

The price of the upgrade kit is \$22.95 and includes a manual and disk with the Editor/Assembler and TI-Writer support files. A free brochure is available on request from:

John Gulon  
11923 Quincey Lane  
Dallas, TX 75230

Also ask about TI RS232 and Disk Controller upgrade kits.

(Super Extended BASIC is a trademark of Triton Products Company)

## Telecommunications

# Networks are cave-like adventure

By JOHN KOLOEN

I was going to get into surcharges with this installment about the major telecommunications services, but its like trying to keep up with the latest developments in the U.S. tax code. Surcharges can reflect anything from the actual costs that telephone companies charge the networks for use of their lines to so-called *value added services*, such as Dow-Jones stock market statistics. And, of course, the telephone companies are constantly trying to get Congress to enact legislation that would add bucks to the phone bills of hobbyists and others who use their phones for data transmission.

Instead of dealing with that, I'll dive directly into the data libraries supported by the TI-SIGs on The Source, GENie, Delphi and CompuServe.

Data libraries are repositories of information. They are, in fact, libraries of data that are cross-referenced by keywords, date of entry and author's ID. Imagine going to a public library and being able to locate a book, or a list of books, based solely on indexing. You don't have to visually scan the stacks or hunt for titles. Instead, you enter a keyword, or author's name, and voila, every book that references that keyword or name is listed on a screen.

Armed with this list, you simply call up the item you are interested in and *download* it. No fuss, no muss.

In addition to searching for items by keywords and the like — a range of dates is possible on some networks — data lib-

## MYARC Q&A—

(Continued from Page 36)

fund his COD. Or we can put it on a credit card for him, and once he sends it back we will credit out the credit card. Whatever's best for him. Using UPS, it normally takes about a week from the time he sends it and we get it back to him. And he must send it to our Alabama office and call first to get an RMA number so that we can keep track of these things. (Myarc's Alabama phone number is 205-854-5843. The address is 2624 Ranier Dr. NE, Birmingham, AL 35215.)

### TI-SIG data libraries by network\*

CompuServe	Delphi	GENie	The Source
General/Text	General	RoundTable Roundup	Users Groups
99 New Uploads	Trading Post	Telecommunications	BBS's
99 BASIC/XBASIC	Communications	Software Reviews & Tips	Walt's BCS Newsletter
99 C et al.	Games	Hardware Reviews & Tips	Assembly Language
99 Classics	Languages	BASICally Programs	Forth
99 Going, going...	News	Myarc Land	TI potpourri
99 Art/Music/Games	Geneve 9640	Languages Obscuras	Members Directory
99 Pascal/p-System	TI99/4A	Fairware Shop	Software Library
99 Forth	Mid-Atlantic UG	TI RoundTable Newsletter	
Geneve Info/Pgms	Graphics	Graphics	
GIF/RLE	Canada Communique	KRACKerbox programs	
TBA	User Group/BBS		

Listings include only libraries of significance to TI or Geneve users. TI Professional and administrative libraries are not included.

raries may be arranged by topic within a library. Thus, for example, a data library that concentrates on computer hardware may be broken down into a variety of hardware categories, such as disk drives, memory cards, modems, and the like. This facilitates searches for specific information. The finer you can tune your search definition, the quicker — not to mention cheaper — you can retrieve the information you are looking for.

Refer to the chart accompanying this article for a listing of the data libraries on the four networks. Note, too, that for each data library there may be dozens of subcategories or topics. Refer to the printout of a listing of programs available in for downloading from the boards. Notice how the programs are referenced with entry number, keywords, author's name and date.

Subcategories of data libraries are important because they help reduce the amount of time it takes to locate specific information and they are an indication of the primary interests of the SIG's members. It's not uncommon to see subcategories dedicated to specific products, such as the Myarc Hard & Floppy Disk Controller. Plenty of people are interested in it and this way *traffic* about the HFDC is directed to one place for quick and easy reference.

Often, new topics spring up around the latest software or hardware innovation. The topic will appear, usually started by an inspired user, and then there will be a flurry of contributions from other users and then

interest will flag and few new items will be contributed. Even though the topic itself becomes moribund in terms of receiving new information from users, the information that it has will remain available until there's no room to store it, the Sysops clean house or until the business managers of the network decide it's no longer cost-effective to maintain large, insufficiently used databases.

I prefer a network whose SIGs provide a large variety of topics and categories that mirror its users' preferences. A responsive network will let its users define the contents of its SIGs. My view is simple — the more the merrier. So, in evaluating a network, I would like to see lots of topics, like specialty shopping centers that have a tobacconist shop for tobacco, a coffee shop for coffee products, a candy store for sweets, a toy store for toys, you get the idea.

Which of the networks has the largest number of categories? CompuServe, GENie and Delphi have a continuously growing list of topics. Of the four, The Source is the only one that hasn't shown significant growth over the past year in terms of the number of topics it supports.

### THERE'S NO FREE LUNCH

Gaining access to all this information comes at a price, and it's not uncommon for new users to spend hundreds of dollars during their first months on a board learning how to use it efficiently. (This doesn't include the cost of a modem or the initial

(See Page 46)

## The P-GRAM Card

# Another way to dump cartridges

By HARRY BRASHEAR

GRAM loading devices... what are they? Perhaps I had better explain that before we get into this, but let's keep it simple.

There have been a couple of these devices circulating around the community for a while now. The most famous one, the GRAM-Kracker, came from Miller Graphics. Essentially, what they do is grab the contents of a cartridge, put it on a disk, and from there it can be loaded into a special RAM. This allows two things of importance to happen:

1. You can now "throw away" the cartridge and, 2. You can now make changes in the cartridge's contents because you can get to the RAM to manipulate the program.

Take, for instance, Extended BASIC. Soon after the GRAM-Kracker came out, various people began to redo and/or add to some of the routines in the XB program. The end result was the Miller designed Super Extended BASIC cartridge. All of the routines that are now in this cartridge were available on disk to add to Extended BASIC before SXB came out.

Here's another example. How about all those old cartridges that defaulted to the RS232 port for printing. Put them into a GRAM device and you can change the RS232 to PIO with no problem. Those two examples hit the closest to home for most people, but it doesn't even begin to tell what can be done with a little imagination. The bottom line is control over things that you had to accept as carved in stone before. Now with all of this in mind, let's take a look at the P-GRAM card.

I had in hand a hard-wired version on a prototype board, and it operated flawlessly the whole time I had it. There has obviously been a great deal of time put into the engineering and software development of this package. I just couldn't find a single bug.

The first thing you want to do when you get the P-GRAM is to print out the docs, all 46 pages of them. FORTY-SIX PAGES!! Don't get nervous. Instructions on getting started occur within the first 10, and if you know where the computer switch is, you can do it with ease. The docs are as clear as glass all the way through

---

## Review

---

### Report Card

Performance .....	A+
Ease of Use .....	A+
Documentation .....	A+
Value .....	A
Final Grade .....	A+

Cost: \$150 Base Kit

Clock: \$ 20

Card + clock built: \$200

Manufacturer: Bud Mills Services, 166  
Dartmouth Dr., Toledo OH, 43614

to the highly technical data in the last chapter.

If you're a walking ad for the Horizon RAM like I am (I have three in my P-box), you don't want anything interfering with those little beauties. The idea of something with another CRU address switch draws perspiration from my forehead at the mere thought. As it turns out, though, the P-GRAM likes switch No. 7 (CRU 1600), so it never gets in the way of my three RAMs, or anything else for that matter. Setting this switch is the very first thing you should do, then you can go ahead and drop it into any remaining slot of your P-box.

The next thing is to load the DSR routine into the P-GRAM. This is just like loading the ROS into your Horizon RAM, and just as simple. It's provided with the software and will load from almost any cartridge. I used the EditorAssembler, but it can also use Extended BASIC or TI-Writer. I wanted to get the optional clock going next, which was just a matter of going into BASIC and typing CALL PTIME. I was then presented with inputs for day of week, month, date, year and, of course, the time based on a 24 hour clock. So much for that! I also had to go into my RAM MENU with a sector editor and get rid of the string "CLOCK". This is so that the time would function in the upper right corner of my menu screen. No big deal, the docs tell you how to do it step by step.

OK, time to load a cartridge. Needless to say, the first thing I wanted to load in was my Super Extended BASIC. To me the

most important fact involving this P-GRAM card is that NOTHING will ever have to be plugged into my cartridge port again. In as few words as possible, and just this simply, do it this way: 1) Install the cartridge you want to save and go to BASIC. Type CALL PG and this brings up a five-part menu.

2) Select No. 1, "Initialize GRAM". This clears and resets all of the GRAM/RAM memory, and takes about three seconds.

3) Put a disk into your drive and select "Save P-GRAM". Enter a file name and the cartridge is dumped to disk in 34 sector memory image pieces. How many pieces depends on how big the cartridge program is. The Editor Assembler is about one-sixth the size of SXB.

4) Select "Load P-GRAM" from the menu and enter the file name of the now disk-based cartridge.

5) Once the program is loaded, quit and shut off the console. Pull the cartridge and forget it. When you power up again, you will find the name of the cartridge on your menu. Press the corresponding key, and bingo, there's your cartridge, and there's nothing up your sleeve, or in the cartridge port. How simple can you make it?

The fourth selection of the menu is for the memory editor. This is where you can get into some really heavy hacking on whatever program(s) you have in the P-GRAM card. I'm not going to get into this too much, though, because frankly, other than some string manipulation with sector editors, I'm not well versed on this subject. Suffice to say you can shift whole blocks of memory around, print them out, and do whatever else you tend to do with sector editors. Frankly, I can find enough reasons to buy the card without getting into this stuff. I don't want to knock it, I'm just not into it. Other people are going to have a ball with this thing and, in short order, we are probably going to have all kinds of neat "cartridge" updates.

I want to stop here for just one second and talk a little about the community and how they deal with products, particularly hardware.

There are already a lot of GRAM-  
(See Page 39)

## P-GRAM CARD —

(Continued from Page 38)

Krackers out there. I'm not sure how many, but a lot of them. The Gramulator is also a reality, and now along comes the P-GRAM card. It should be clear to people by now that these devices are not just a fad, but an important upgrade to the TI computer. The Horizon RAMcard proved itself to be the best of at least three or four cards of this nature, as will the P-GRAM prove itself in time. But the Horizon virtually sat on the shelf for a year or two before it took off. Why? Simply because people tend to be afraid of new upgrades. Generally speaking, though, there is no need to feel this way. Everything new that comes out is usually downgradable. In other words, it will work with whatever you have until new stuff takes hold. In the case of the P-

GRAM, everything that has been worked on, or created with the GK will work with it. So there are a lot of things available already to help with this piece of equipment, along with the superb backup that Bud Mills gives his products. The more any single item gets sold, the more new products people will come up with to work WITH it. I know there are a few stingers out there, but when it comes from companies such as Bud Mills, Rave, and others that have supported their products to the hilt, don't sit on it. Work with it! 'Nuff said!

The P-GRAM is available as a kit for \$150. This is cheaper than both of its predecessors for the initial product. The clock chip is a \$20 option, but I can't conceive of anyone not wanting it. (Providing

they don't have a Triple Tech card or some other stand alone clock.) For a fully assembled and guaranteed one it costs \$180, or \$200 with the clock installed.

The card has 72K of memory of which 8K is reserved for the DSR, etc., but I have been told that it can be added to later. (Don't quote me on that, though.) I don't know how much more you would really need. The card came to me with Editor Assembler, Disk Manager Three, and TI-Writer installed, but my SXB took over the whole allotted memory. What the heck, the idea is to get rid of cartridges and it sure does do that, plus everything else that you would expect it to. Your money will be well spent with this latest innovation from Bud Mills Services. It's straight "A" in my book.

## Epyx 500XJ Joystick

# Good for 11 hours of Space Marauders

By KEITH BERGMAN

Well, it finally happened. After a year and a half of faithful (if clunky) service, my TI joysticks began to fail. Soon, they were so unresponsive I had to get rid of them. They had served me well, but I decided to get some other stick.

About this time I remembered that not long ago a company had come out with a joystick modeled to fit into the human hand. The 500XJ sounded great, so I bought one.

After connecting it to my "Y" adapter (the 550XJ is a Commodore/Atari model), I tried it out on Parsec and Munchman. While it did not, as one ad says, "triple" my Munchman high score, I did notice improvement. The little Munch-person never missed a turn.

I should explain that the 500XJ is a "modern" stick with microswitches inside. These are supposed to make the 500XJ the most accurate stick around. However, there is a big drawback: The stick makes a little "click" when you move and a "clack" when it moves back to center position. This annoyed me to no end, but if you live near a subway or jetport you may not notice the noise.

While results with Munchman and Parsec were good, I was not impressed

## Review

### Report Card

Performance .....	A
Response .....	B+
Ease of Use .....	A+
Value .....	A
Final Grade .....	A-

Cost: \$19.95

Manufacturer: Epyx, 1093 Kiel Court, Sunnyvale, CA 94086

Requirements: Joystick adapter for TI

with the stick's handling on the diagonals. It seemed to get stuck in one of the four main directions now and then, and its overall response was not great.

I also tried the stick on Popeye, Barrage, Q\*Bert, High Gravity and other games. The same things happened with all of these games, and that the fewer diagonals required by the game, the better I did. I also found that the fire button occasionally would stick a little with games that required lots of quick, repeated presses of the fire button.

I also tried the stick on Picasso Publisher, an art program. The stick work-

ed great, and I think it was because a program like Picasso doesn't require split-second movements like a game. I really enjoyed drawing with the 500XJ.

As to why it gets an A+ under Ease of Use, let me define my terms. By Ease of Use I mean how good your hand feels after getting 7,976,883 at Space Marauders and gripping the joystick for 11 hours. The joystick is broad on top and narrower on the bottom. It films almost perfectly in the left hand. The fire button is on the right side so that when you hold the stick, your index finger is resting on the button. Your middle finger gets a little finger rest, and the other two hold the narrow part of the stick. Your thumb parks itself into a little slot on the top, near the cord. This design is very good for your hand, unless you have a habit of keeping the joystick in a death grip. In that case, you'll have just as much hand fatigue as with any other stick.

This neat design is also a big drawback. The stick is designed for "the average hand." Small children have a very hard time using the 500XJ, if they can use it at all. And, if you have big hands, your fingers may miss the slots and leave you holding the joystick in such a way that you can't press the fire button.

(See Page 40)

## MICROreviews

# Enhanced Display Package is a hit

By HARRY BRASHEAR

The following comments do not necessarily reflect the views of MicroPendium Magazine or its staff.

Ratings for the software reviewed in this column is based on a star system as follows:

★ Leave it alone, back to the drawing board.

★★ Needs improvements, but workable.

★★★ A good program, worth trying.

★★★★ Send your money and buy it.

The software is starting to roll in for this column, but, to date most of it has been coming from the notables. I know there are people out there with names we've never heard of, just waiting to be discovered. Please send us your programs, and let us know who you are. And send telephone numbers when you do. Sometimes I have questions that need to be answered, and that can mean a big difference in the ratings.

★★★★

## ENHANCED DISPLAY PACKAGE

For many years various companies and individuals have attempted to put packs of "display enhancements" on the TI market.

## 500XJ—

(Continued from Page 39)

The joystick is a welcome addition to computer clutter, unless you have a professional-looking, office-like setup. The thing is deep red — the color of a red Corvette. There is a big red label with black stripes that taper down, and a red handle. It looks sleek and stylish, but the sticker seems to have been put on there for another reason: to make it obvious when someone has opened up the stick and voided the five-year warranty (the sticker is one big piece).

The Epyx has some problems. It is definitely not the "perfect" joystick. But if you want a nice, responsive (mostly), sleek joystick, you can't go wrong with the 500XJ unless you have small hands. Borrow one from a friend or test drive one at a local computer store.

Two things have always bothered me about these:

1) There are always a lot of unnecessary routines loaded up with the needed ones. You wind up with the whole low end memory filled with stuff you don't want.

2) They always have told us that if we use the package in a commercial or fair-ware product, we must kick back part of the money to them.

Neither one of the aforementioned problems comes with this package. The author wants you to use his product and just mention his name in the programming or the docs. The best part is that I can see usage for almost every routine in the series. Here is a list of a few of the features:

**ACCEPT:** Will allow up to 255 characters in an ACCEPT, something that every programmer I know has had need of.

**DISPLAY:** Many additional options over and above the Extended BASIC version.

**CLOCK:** Sets up an interrupt clock on the screen and can be fast-forwarded after disk access by holding down the FCTN and CTRL keys at once.

**ALARM:** Sets the clock to "wake you up" to something at a user defined time.

**COLOR:** Resets character set colors one or more at a time or all at once. Covers character sets -3 to 28. (Huh?)

**SCROLL:** Allows the screen to scroll forward or backward. This can also be a portion of the screen defined with WINDOW.

**WINDOW:** Set a portion of the screen defined with starting/ending rows and columns. This can be used in conjunction with ACCEPT, DISPLAY and SCROLL.

**LOADR, LOADV:** Allows the manipulation of VDP RAM.

**FLASH:** Allows a certain character set to flash between colors.

**MODE:** Shifts between graphic mode and 40 column text mode.

There are many other routines that enhance the ones that I have mentioned and they all work together very nicely. I might also point out that the extensive docs are fantastic and very understandable for a medium level BASIC programmer.

I think this package is worth the money, and you X BASIC programmers will probably wonder how you got along without

it. I liked the whole thing and recommend you send your money and buy it. I am hoping we will hear more from this author in the future.

Send \$15 for the manual and software, or \$30 to include the source code, to: Paragon Computing, 17 Constance St., Merrimack, NH 03054.

★★★


## STARFLEET TECH. DRAWINGS

This one is four star if you're a Trekkie like me, or, if you're not, it's probably something less.

It's a three-disk set from Texaments for the piddling price of \$9.95 and can be viewed via TI-Artist or Display Master. As a matter of fact, if you want to pull it from your dusty archives, there is a DM program on each disk that you can view the pictures with.

The pictures are without a doubt superb in every way. Stephen Barackman is the talented author of the pictures and should be encouraged to create more for us. Every one of them, (21 in all), are fully colored and comprise scenes as well as the technical drawings. Each ship that has appeared in the shows, old and new, is depicted in at least two views. Even the Klingon ships are given their due on one of the disks.

Pictures are either good or bad so there isn't much I can say about this offering. I'll just let the accompanying picture speak for itself and all of the rest in the package. (The picture is reduced from the original.—Ed.)



Send \$9.95 plus shipping and handling to Texaments, 244 Mill Rd., Yaphank, NY, 11980. Telephone (516)345-2134

(See Page 41)



## MICROreviews—

(Continued from Page 40)

### ★★★★ CARFAX ABBEY

Here's a nifty little fairware offering that I picked up, and it's just the thing for Tunnels of Doom fans. (There are a lot of you out there!) No, it isn't for the cartridge, it acts like it, but it takes up more of the screen. The graphics are excellent and the concept is well thought out. It seems that your mission is to destroy Dracula who has taken up residence in a 100-room building called Carfax Abbey. In doing so you have to find maps, keys, gold, use magic, and keep up your stamina.

The building is laid out with 25 rooms on a floor (four floors or levels), and you go between them by finding steps or an elevator. The game is not a mind buster because there is a little map of the floors on the upper part of screen so you know where you are at all times. It's not all that easy though because there are doors that need unlocking to go through and secret panels to find. There are some nasties to contend with, and a few decent sorts that want to sell you stuff for your gold.

The game itself is very well programmed and the use of some assembly routines in the graphics make it seem an A/L game

instead of Extended BASIC. (I love it when X BASIC is used to it's best potential!) When the game is being set up, you are asked for a number to be input from 1 to 999. I suspect this is a seed number for the randomized structure, so you will be kept busy with this one for a long time to come.

I'm not much of an adventure freak, but this one is four star in every way that I can tell. It can be had from two sources: the author or as one of Tex-Comp's fairware library offerings. There it is known as "The Best of Britain Vol. 2." I would suggest you send your Yankee dollars to the author, however, so as to encourage him to do some more. Send at least \$5 plus disk cost and airmail postage to: David Vincent, Wycroft, Foxhole Lane, Four Throws, Hawkhurst, Kent, TM18 5DT, England.

### ★★ ROCKETMAN

This one really left me scratching my head. Rocketman is a checkbook program designed with the 16-year-old newlywed in mind. The only thing it doesn't do for you is sign your name on the check. Both the docs and the program tell you what you have to do to your checkbook before you start program entries. They also tell you

what to do if you have an error in the math. Honestly, I can't think of a program I've seen of this nature that did that, so that makes it good.

The documentation is professionally printed and came to me in a nice 9 X 12 binder. The docs are fine tuned to a point where a child could understand them and they are profusely illustrated. That makes it good!

This professional program allows you to select the option of rockets on your screen. That makes it bad, insults MY intelligence, and that of the rest of the TI community too, I think. Thank God, at least they are optional.

The program itself is short on error traps, and there is a lot of places that errors can be made. For instance, the standard input responses are "1 for YES, 2 for NO." For a community that is very used to entering "Y" or "N," I blew it almost every time... and then I would get the old "input error" warning that TI embedded. I checked out the programming and found no VALIDATEs anywhere. This was probably because almost all of the inputs are based on just that, INPUT! You are allowed to save results and call them back at a later time as well as printing out the total results.

I would have to say that as a teaching aid, Rocketman would be a fine program, particularly with the documentation. The problem is that no matter how I try to cast it off, something bothers me about it. I have the feeling that it's a translation from another computer or maybe the company just did it for TI as an afterthought. There's nothing wrong with that, if the translator knows what he's doing. I have the feeling that knowledge was short, or, since the copyright was for 1984, maybe nobody has looked at what's happened to us since then.

The price is right, \$17, according to the REMs in the program. I would have given it three stars based on educational value, but that bad feeling just wouldn't let me.

Send money to: California Programs, 4426 Appian Way, El Sobrante, Ca. 94823

If you would like me to review your software in this column, please send it to me (Harry T. Brashear, 2753 Main St., Newfane, NY 14108) If you would like it returned, include a SASE.

## 'Internal Board' in works

A printed circuit board, the "Internal Board," is under development by Eric Zeno of Pittsburgh, Pennsylvania. He says the board can be constructed with any combination of 32K, clock with battery back-up, Extended BASIC that can be switched on and off and Speech Synthesizer.

All is internal to the console, Zeno says. He says the board will make it possible for "just about anyone" to solder together any or all of the above features and have to make only minimal wiring connections to the motherboard. The board will connect to the back of the GROM port with one-to-one solder fingers. He says the traces are brought out to the hollow cavity above the motherboard where there is plenty of room to add circuitry. Small modifications have to be made to the plastic on the inside of the console, but Zeno says "anyone can do" them. Switches, light and battery, may be added to the top for easy access or completely eliminated, he says. Plans are for

the board to be double-sided and completely etched.

"If there is enough enthusiasm, the board will also have silk screen and solder mask so that even the novice can hardly make a mistake," Zeno adds.

He says cost is estimated to be between \$5 and \$15, and says he is interested in determining response. He says the more support for the board, the less the cost will be, and asks anyone interested in the board to write him at 414 Highland Rd., Pittsburgh, PA 15235.

### Fair set in Ohio

The Lima Ohio User Group will sponsor a Multi User Group Conference 8 a.m.-6 p.m. May 20 in Reed Hall in the Student Activities Building at Ohio State University in Lima. Admission is free, as is display space for vendors and user groups. For information write the group at P.O. Box 647, Venedocia OH 45894 or call Dave Szippel evenings at (419)228-7109.

# Newsbytes

## TI Base v. 2.0 released

The release of TI Base 2.0 has been announced by Texaments.

According to Steve Lamberti of Texaments, enhancements to the data base program include new directives, enhanced printer control, improved sorting capabilities, the ability to convert non-TI Base files to TI Base format, decreased loading time and selectable cursor speeds. Price for the program in its new version remains at \$24.95.

He says the new directives include SUM (individual fields may be summed for an entire database), SNAP (prints the current display), READSTRING (reads character string responses and automatically inserts the needed quotes) and TRACE (debugging aid similar to the BASIC Trace command).

The new CONVERT directive is applicable to almost all files generated by other databases and files created by TI-Writer in DV80 format, Lamberti says.

He says users can now specify printer control codes for their particular printers and print output may now be redirected to a file.

Sorting speed for large files has been improved, he says and a nested sort capability to a maximum of eight levels has been added.

Other enhancements he lists are new dynamic memory display, global system data, display of the LOCAL structure and a new FOR clause added to the SUM, REPLACE, PRINT and DISPLAY directives for filtered processing. The Tutor Disk has been updated to reflect the new features of TI Base, and is now menu driven so users may seek help on individual topics rather than the entire program.

TI Base v. 2.0, available for \$24.95 (plus \$2.50 for shipping), includes the system and tutor disks, a TI Base keyboard overlay and an instruction manual. It requires a disk system, 32K memory expansion and either an Extended BASIC, Editor/Assembler or Mini Memory cartridge. TI Base is now fully compatible with the Geneve 9640 (in GPL mode) and the Horizon RAMdisk, Lamberti says.

Current owners of TI Base may upgrade to v. 2.0 by returning their original system and tutor disks along with a check or money order for \$7.95. Anyone who purchased

TI Base after Nov. 1, 1988, may upgrade to v. 2.0 by returning the original disks, a dated sales receipt and a check or money order for \$2.50. All upgrades are being handled directly through Texaments, Lamberti says. A new expanded 66-page manual will be sent with all upgrades.

For further information, or to order, contact Texaments, 244 Mill Rd., Yaphank, NY 11950 or (516) 345-2134 (voice) or (516) 475-6463 (BBS).

## Donaldson Software releases programs

New programs have been released by Donaldson Software.

Swordfish Patrol is described as a graphic multi-screen airplane war game for the TI99/4A. The user flies a vintage Swordfish biplane in the service of the RAF during World War II. Tasks include destroying the Air Force of the Bismarck, sinking the Bismarck battleship, fighting German airplanes in the skies over Great Britain during the Battle of Britain and attacking the forces of Rommel (the Desert Fox) in Northern Africa. A user who completes all missions assigned will be sent home to Manchester Air Force Base. The game is programmed in TI Extended BASIC.

A BASIC version of War of the Netherworlds has been released. War of the Netherworlds is a two-player strategic space war game, a race between Draconis and Cygnus 5 for the conquest of 12 moons and each other's forces. The Speech Synthesizer and TEII module are recommended.

Monster Castle is a graphic adventure game for ages 8 through adult, described as being in the style of D&D or Tunnels of Doom. The user takes on giant spiders, crazed bats, ghosts and other creatures in an attempt to become owner of the castle and its treasures. There are more than 19 rooms and 10 floors. The game is programmed in Extended BASIC.

Sun and Planets includes a graphic display, on command, of the sun or any planet in the solar system, and information on the number of moons, surface gravity, size, distance from the sun, angle of rotation and more, based in relation to the earth.

Two Extended BASIC games on one cas-

sette are Speed Rally and TI-Pac Man. Speed Rally is a racing car game and TI-Pac Man is described as a version of Pac Man with a slightly more difficult maze.

All programs are on cassette and each cassette is \$8.95 U.S. A catalog of all games is available for \$1.50 U.S. For information or to order, write Donaldson Software, 521 Lievre St., Buckingham, Quebec, Canada J8L 2C2.

## Asgard Software has new phone number

Asgard Software has moved and has a new telephone number effective Dec. 30, (703) 255-3085.

The company's mailing address remains the same, P.O. Box 10306, Rockville, MD 20850.

Asgard president Chris Bobbitt says he believes the word processing program Press will be shipping before Jan. 1. He says manuals and packages are ready, but shipment has been awaiting program debugging.

Newsbytes is a column of general information about products and services related to TI and 9640 users. The publisher does not necessarily endorse products listed in this column. Vendors, manufacturers and others are encouraged to submit items for consideration. Materials cannot be returned.

## MYARC HARDWARE

Geneve 9640  
HD Controllers  
Floppy Controllers  
512K Memory Cards  
Geneve Memory Cards  
RS232 Interfaces  
Hard Drives

*Call our office and make  
your best deal.*

**Texaments**  
**(516)345-2134**

# User Notes

## Advice on using HFDC emulate files

Donald Alexander, of Macon, Georgia, writes:

When using emulate files on your hard drive make sure all files are closed before re-setting or turning the computer off. If a file is left open, the emulate file will be ruined.

If this happens to you, the only way to correct it is with MDM5. If you have not saved a copy set to run from DSK2, then it will not load normally. What you will have to do is turn the hard drive off and load from your first floppy drive. It will take about 50 seconds before the drive is accessed.

When MDM5 comes up, inactivate the emulate file and delete it. You will have to re-do the emulate file.

If you are running your hard drive in the expansion box, be sure to keep a copy of MDM5 configured with "setup" to run from DSK2. If not, you will find yourself waiting until you can get a copy from Myarc or another source.

## Notes on using Font Writer II

This comes from Joe T. Rawlins, of Groveland, Massachusetts. He writes:

I use Font Writer II (by J. Peter Hoddie) extensively for all my correspondence. The first time I tried to use the double density (.DS) and double width (.DB) printing at the same time I found that I could not set a left margin or an indent past the center of the page.

By examining the code of the Extended BASIC portion of the program (TEXT), I was able to locate the offending line of code. The second part of line 250 reads:  
:: N2=(LM-IN\*NP)\*M\*DS/DB ::

This line sets the left margin in dots to be sent to the assembly portion of the program. With double density and double width set DS and DB are both set to 2, however, they cancel each other out so you are not allowed a left margin past 480 dots. I changed the line by deleting "/DB", thereby allowing a maximum left margin of 960 dots (the maximum right margin). I also deleted "/DB" in the third section

of this line for the same reason as applied to centering.

As with any changes made to a BASIC program, you should *SAVE DSKn.PROGRAM, MERGE*, then immediately, without doing a *NEW, MERGE DSKn.PROGRAM* and finally *SAVE DSKn.TEXT*. This will keep execution time at a minimum, as all lines will now be sequential in memory. If you do a *NEW* before merging, you will lose the tagged object code that is part of this program.

### A FEW APPLICATION NOTES

The graphics mode margins of 0 to 59 represent 480 dots per line in single density and 960 dots per line in double density. When adjusting margins or indents for different fonts a unit is not equivalent to a character but 8 dots in single density.

The page length (.PL) and blank lines (.BL) commands are the number of 1/6 inch high lines, no matter what your font height may be.

The spaces (.SP) and line spacing (LS) are determined by the font height.

If you experience extra line feeds and the text you expected is not printed at all, or in part, your line length is most likely too short for the font being used.

If you have to convert a font from TI-Artist to CSGD you should use Graphics Expander instead of the Font Manager. There appears to be a bug in Font Manager that may garbage some of the characters in the saved CSGD font.

## Multiplan RAMdisk bug corrected

This comes from Paul Flesner, of Prospect Heights, Illinois. He writes:

I discovered a "bug" in the article by Mike Dodd regarding the conversion of Multiplan to load from the Horizon RAMdisk (March 1988). Here is a "fix" which is in addition to the changes described in the article:

Use a sector editor to make two changes in the file MPINTR. Both are found in the second sector of the file. Display the sector in ASCII. At bytes >86 through >95 you will see DSK.TIMPOVERLAY. At bytes >98 through >A5 you will see DSK.TIMP.MPHLP.

Change both of these files to fit the location of your RAMdisk (i.e.

DSKn.OVERLAY and DSKn.MPHLP). Since the new name will be shorter, overwrite the four extra characters with zeros.

The byte immediately preceding the file name must also be changed to reflect the new length of the file name. Switch the sector display back to hex and change the byte at >85 to 0C (DSKn.OVERLAY is 12 characters long). Change the byte at >97 to 0A for the DSKn.MPHLP file name. That should do the trick.

One additional note: I found that if I changed byte >58 in the third sector of the last MP cartridge (MP4) file, Multiplan would not load. I left it as >0F instead of changing it to >0B and the load proceeds correctly. However, it might have something to do with the fact that my Multiplan cartridge is saved as files MP through MP5. If you have that problem, at least you know where to look.

## A little reminder

This comes from Enrico Gasperini, of Towaco, New Jersey. He writes:

I have just finished typing the MICROpendium Index program and I am sure it will be a great help to readers when a particular article is needed. There is one thing that I find a bit uncomfortable, and that is the long sorting process. I guess that is how the name LONGSHELL came about for the subroutine. It almost seems as though the program has crashed.

I have added one line to the program to show that something is happening during the sorting and let the operator know that he will just have to wait a bit. The line is:  
855 DISPLAY AT(23,13):I :: DISPLAY AT(24,11):"(SORTING)"

## Caps key speeds up cursor movement

This comes from Norberto R. Bettinelli, of Buenos Aires, Argentina. He writes:

I have realized that when using my Geneve, if I press any key, keeping it pressed, its repetition is speeded up twice as fast as soon as I press the Caps Lock key. No need to hold the Caps Key down. I thought this was going to be mentioned by you long ago, but since you have not done it I offer this tiny piece of information to my other

(See Page 44)

# User Notes

(Continued from Page 43)

Geneve owners through your courtesy.

## Tips on MDOS

Bob Sherburne, of Las Vegas, Nevada, has a few MDOS tips to contribute. He writes:

I would like to pass along a few undocumented features of MDOS VI.08. We can now change the character and screen colors in MDOS. MODE F5 will set the character color to dark blue. MODE B2 will set background color to black. Colors 2-16 can be used. MODE can be used in AUTOEXEC or the following batch file will allow the user to enter both foreground and background colors at the same time from the command line:

```
MODE F%1
MODE B%2
```

The user simply enters the name of the file with the F and B colors separated by a space, and the colors will be changed, i.e. if the batch file were called COLOR, entering COLOR 5 2 would change the colors to dark blue on black.

A second new feature lets the user search for only certain types of files when running a directory. DIR 'DV' will list a directory of Display/Variable files only. The "" character is the one under the tilde. Other file types to run directories on are DF (DIS/FIX), IV (INT/VAR) and P (Program).

## Loading Funnelweb on the Geneve

This comes from Garry J. Christensen, of Kippa-Ring, Australia. He writes:

The program that I use most on my Geneve is Funnelweb, but loading it required that the Editor/Assembler or Extended BASIC module files were loaded first. It is the small things that seem to annoy me, and I found this a most unproductive waste of time. The answer was simple: Set Funnelweb up so that it loads as if it were a module.

The first step is to configure Funnelweb as you want to use it, then run the program CT8RAM that is on the Funnelweb disk. The following assembly language program will save Funnelweb to disk in a form that can be loaded by the GPL cartridge loader.

```
* FUNNELWEB SAVER (Ver 3)
* by Garry J Christensen
*
* First configure FWB, execute
* CT8RAM then this programme.
* FWB can now be loaded by using
* DSKn.FWB.
* NOTE: There is no error
* trapping. Be careful.
*****
```

```
DEF START
REF VMBW,DSRLNK
*
HEADER DATA >000B,>1FFA,>6000
PAB DATA >0600,>1000,0,>2000,>0008
TEXT 'DSK1.FWB'
*
START LI R0,>1000
LI R1,HEADER
LI R2,6
BLWP @VMBW write header into VDP
LI R0,>1006
LI R1,>6000
LI R2,>1FFA
BLWP @VMBW write FWB into VDP
LI R0,>0F80
LI R1,PAB
LI R2,>0012
BLWP @VMBW write PAB to VDP
LI R0,>0F89 address of size byte
MOV R0,@>8356
BLWP @DSRLNK save FWB
DATA 8
BLWP @0 finished
END
```

## Computing retirement income

This program can help define a new meaning to life for those who are beginning to think about retirement. The new meaning is that you should spend your life saving for retirement.

The program, by Roy Tamashiro, appeared in a number of user group newsletters. Based on user inputs, it calculates the amount of money needed to enjoy a retirement in the manner in which you have become accustomed.

What it really does is tell you how miserable you are going to be. While it provides only a rough estimate of what you can expect to earn on interest from retirement savings, the results can be eye opening.

Retirement Income Analysis runs out of BASIC or Extended BASIC. Here's what you will be prompted for when running it:

**This year is:** 19--

**Current Monthly Income:** (Enter monthly gross income.)

**Inflation Rate (%):** (Make an educated guess. It's about 4 percent now.)

**Years to Retirement:** (Subtract present age from retirement age.)

**Amount Invested for Retirement:** (Include all retirement assets, including IRAs, pension plans, annuities, etc. but not non-retirement investments, social security or savings.)

**Assumed Interest Rate (%):** (Estimate

average annual interest or dividends on retirement investments between now and retirement age.)

**Annual Additions to Retirement Investments:** (Estimate amount you will add each year.)

Many experts say that you need about 75 percent of your pre-retirement income, but with inflation included in the calculation, the monthly figure at retirement is likely to be higher than your present income.

Social Security benefits are not included in the analysis, nor are the taxes you will owe on tax-deferred investments. You may want to adjust the recommendations given to account for these and other omitted factors.

```
100 REM ***** !006
110 REM * RETIREMENT * !077
120 REM * INCOME * !137
130 REM * ANALYSIS * !242
140 REM ***** !006
150 REM 1988, ROY TAMASHIRO
!162
160 DEF RATE=IT*.01 !045
170 (XSUB 410 !235
180 INPUT "This Year Is: 19"
: NOW !251
190 INPUT "Current Monthly I
ncome: $": MONTHLY !024
200 INPUT "Inflation Factor(
%): ": IT !146
210 INPUT "Years to Retireme
nt: ": YEARS !071
220 NEEDED=INT(((.75*MONTHLY
)*(1+RATE)^YEARS)+.5)!026
230 INPUT "Amount Invested f
or retire- ment: $": B !218
240 INPUT "Assumed Interest
Rate(%): ": IT !096
250 INPUT "Annual additions
to retire- ment investment $
": ADD !162
260 FUTURE=INT(((B*(1+RATE)^
YEARS+ADD)*((1+RATE)^YEARS-1
)/RATE))*RATE)/12+.5)!145
270 (XSUB 410 !235
280 PRINT "You will need abo
ut $":NEEDED:"per 1 month wh
en you retire in";1900+NOW+Y
EARS !000
290 PRINT "You can expect t
o receive": "about $":FUTURE;
"per month on" !241
300 PRINT "your investment i
(See Page 45)
```

# User Notes

(Continued from Page 44)

```

interest or dividends." !092
310 IF FUTURE>=NEEDED THEN 3
90 !130
320 PRINT "If you will have
no other": "income, then you
should": "increase your inve
stments" !027
330 FIX=INT(((12*(NEEDED-FUT
URE))/RATE)/(1+RATE)^YEARS+.
5)!153
340 PRINT "by about $";FIX;"
to": "$";FIX+B;"this year, or
" !063
350 MORE=INT(((NEEDED-FUTUR
E)*12)/RATE)/(((1+RATE)^YEAR
S-1)/RATE)+.5)!107
360 PRINT "raise your annual
additions by $";MORE;!222
370 PRINT "to total ": "$";MO
RE+A); "per year." !143
380 GOTO 400 !224
390 PRINT "You are in an ad
equate investment positio
n for your retirement." !132
400 END !139
410 CALL CLEAR !209
420 PRINT " RETIREMENT INCOM

```

```

E ANALYSIS" !252
430 PRINT " =====
===== " !208
440 RETURN !136

```

## Rounding numbers

This item appeared some time ago in the newsletter of the Mid-Atlantic 99ers. The subroutine was created by Maurice Swinnen.

The quickest way to round numbers is to use:

```
RESULT=INT(NUMBER+0.5)
```

However, what if you want it rounded to more digits? You could do this:

```
RESULT=INT(NUMBER*P+0.5)/P
```

In this case, "P" equals the power of ten of the number of places to be rounded.

To round to two places you would use  $P=100(10^2)$ .

This format work only on positive numbers. For numbers which may be either negative or positive use this formula:

```
RESULT=INT(ABS(NUMBER)*P+0.5)*SGN(NUMBER)
```

Try the following subprogram to round numbers in your Extended BASIC programs. For BASIC, remove lines 100 and 130 and call the formula using GOSUB. 100 SUB PLACES(NUMBER,PLACES,RESULT)

```
110 P=EXP(PLACES*LOG(10))
```

```
120 RESULT=INT(ABS(NUMBER)*P+0.5)/P*SGN(NUMBER)
```

```
130 SUBEND
```

To test it, use the following three lines which asks what 23456 round to 3 places is:

```
1 CALL PLACES(23456,3,RESULT)
```

```
2 PRINT "Result:":RESULT
```

```
3 STOP
```

## How to subscribe to the networks

Left out of the telecommunications article this month are phone numbers to subscribe to the networks. And, we haven't mentioned the names of the sysops.

Here are toll-free phone numbers (the number fo Delphi was not available at

presstime and will be published next month).

CompuServe . . . . . 800-848-8990

GENie . . . . . 800-638-9636

The Source . . . . . 800-336-3366

Sysops are:

CompuServe — Jim Horn, Jonathan Zittrain and Barry Traver.

Delphi — Art Byers, Paul Gray, Walt Howe, Jerry Coffey, Bob Boone, Dick Evans and Richard Fleetwood. Jeff Guide is the system manager.

GENie — Scott Darling, John Johnson and Barry Traver.

The Source — Blaine E. Crandell and Walt Howe.

## A few PEEKs and CALL LOADs

Here are a few CALL LOADs and CALL PEEKs from a column by Bob Carmany that we saw in the Hunter Valley 99ers User Group newsletter. (The group is based in New South Wales, Australia.) Some of them have appeared in MICROpendium several years ago, but we think they're worth repeating.

CALL LOAD(-31962,100,155) — executes RUN

CALL LOAD(-31962,100,126) — execute NEW

CALL LOAD(-31962,100,136) — execute default RESequence

CALL LOAD(-31962,160,04) — execute RUN without prescan

CALL LOAD(-31961, 149) — automatic RUN DSK1.LOAD

CALL PEEK(-31877) — VDP status register

CALL PEEK(-31878) — highest number sprite in auto-motion

CALL PEEK(-31879) — VDP interrupt timer

*User Notes* is a column of tips and ideas designed to help readers put their computers to better use. The information provided here comes from many sources, including TI user group newsletters. MICROpendium pays \$10 for any item sent in by readers that appears in this column. Mail User Notes to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

## 1989 Fairs

### FEBRUARY

TI-Fest West '89, Feb. 18-19, Clarion Hotel at Balboa Park, San Diego, California. For information, write TI-Fest West c/o Southern California Computer Group, P.O. Box 21181, El Cajon, CA 92021 or call the SCCG BBS, (619) 278-7155, and leave a private message to the sysop with your full name and address.

### MARCH

TICOFF (TI Computer Owners Fun Faire), March 18, Roselle Park High School, Roselle Park, New Jersey. For information, write TICOFF'89 c/o Roselle Park High School, 185 West Webster Ave., Roselle Park, NJ 07204, or call Robert Guellnitz at (201) 241-4550 or (201) 382-5963 or the TICOFF BBS, (201) 241-8902.

### MAY

Multi User Group Conference May 20, Reed Hall/Student Activities Building, Ohio State University, Lima, Ohio. For further information write Lima Users Group, P.O. Box 647, Venedocia, OH 45894, or call Dave Szippel evenings at (419) 228-7109.

This TI event listing is a permanent feature of MICROpendium. User groups and others planning events for TI/Geneve users may send information for inclusion in this standing column. Events will remain listed throughout the year.

## TELECOMMUNICATIONS

(Continued from Page 37)

membership fee which may include several free online hours.)

I don't think there is any way to get around this. The learning curve for telecommunications is unavoidable, even though the networks provide plenty of online hand-holding for new users through manuals and online aids. In addition to learning a vocabulary of terms, neophytes must become proficient at wending their way through the various libraries, forums and conferences. They are like wanderers in a giant cave. Even the best manuals can't compensate for the inevitable time-wasting that occurs as the new user learns to find his way through the hundreds of "rooms" that dot the cave. Simple curiosity will increase the cost of new subscribers as they take sidetrips to visit the SIGs of other computer brands, not to mention the electronic shopping malls, online game libraries and other delights.

Here are a few tips for new users that can help take some of the sting out of those first months of telecommunications charges:

1. Never go online during prime-time hours. (See the October installment for details on prime and non-prime time hours.)

2. Read the manual *before* going online.

## FEEDBACK—

(Continued from Page 8)

>A5A5) it will create a block even if you didn't specify one, and will eliminate it altogether if asked to.

In contrast to Mike's comment that in a memory page disassembly you must accept the addresses of >A000 and >C000, you can actually simulate ANY memory location, so that labels will be generated properly. Also, since the program is not only unprotected but unencrypted, you can easily change the default colors and device names. This is outlined in the manual addendum.

I hope that all 9640 owners will enjoy this program. Cost is \$22.95, available from T and J Software, 515 Alma Real Dr., Pacific Palisades, CA 90272.

Tom Freeman  
Pacific Palisades, California

```
*****
Number: 2074 Name: DM1000/ARK
Address: SPEEDWAY.500 Date: 890219
Approximate # of Bytes: 13860
Number of Accesses: 73 Library: 8
*****
Description:
DM-1000 version 4.0, no documentation was available, size is now 3 files long.
No new items on menus, found this on Rob Boone's hbs. 52 sectors.
Keywords: DM-1000, DM1000, MGR1, MWAGER
*****
```

In particular, study the menu structure of the board and know what escape command is used to break from an operation. (For example, a CTRL P in some cases sends a break signal that tells the host computer to stop doing what it was doing before the break signal was sent. This is useful when you've instructed the host to search an entire database for something or you've started downloading a long file that you've decided you don't want.)

3. Don't try to save money on your first connection. Figure that you will spend 4-8 hours online just playing around. If you can't afford to do this, you probably can't afford telecommunications.

4. Log your online sessions to disk. You can then review the session to learn from your mistakes.

5. Once you have a basic understanding of the navigational commands on the board, you'll begin to pick up tricks that save time and money.

6. When you need help, leave a message with the Sysop at his *address*. While the Sysop may not be online when you are, he will reply to your message as soon as he goes online.

7. Don't be impatient. It is common for a delay to occur between the time you enter a command and the time the host computer responds. This shouldn't take more than a few seconds but even when it is longer, just wait. If the wait lengthens to a minute or so, you may want to use your break command. If the delay continues you may want to go offline, as the host computer may be tied up with too many user requests to respond quickly to any of them. Go back online when it's not so busy.

8. If at all possible when going offline, use the board's specified command — bye,

off or something similar — rather than just turning your modem off. If you just turn the modem off, the host may not be aware for several minutes or more than you are no longer connected. Meanwhile, you will continue to be billed for those minutes until the host is aware you are offline.

### THE BIG QUESTION

We're finally at the big question: Which network deserves your membership fee and online dollars? MICROpendium monitors all four of the networks on a regular basis. Our experience is the CompuServe, GENie and Delphi have very active TI-SIGs, huge software libraries, and active message bases. The Source, on the other hand, while easier to use than the other three, has shown little message activity over the past several months and little growth in its software library. It's subcategories are primarily filled with information that was uploaded months or years ago. Also, The Source has a minimum monthly fee of \$10 whether you go online or not, a regressive practice.

Each of the networks has a personality of its own, with Delphi trying to establish itself as a "techie" outpost while CompuServe is secure as a mature and highly evolved information service. GENie began chasing the TI market in 1987 and has provided a diversified TI-SIG with much to offer.

If you have the bucks for the initial signup fee, you couldn't go wrong by signing up for all three.

### Correction

The first installment of this telecommunications article stated that GENie charges 8 cents per minute during non-prime time hours. The cost actually is 8.3 cents per minute at 300/1200 baud.

# Classified

## Software

### CHECKBOOK RECONCILE

Balance to the penny every month. Rocketman Checkbook Program. See our program review in August 1987 MICROpendium. California Programs, 4426 Appian Way, El Sobrante, Ca. 94803. 415-222-1626. v6n4

### TIGERCUB PROGRAMS

Over 120 original entertainment, educational, utility programs just \$1.00 each! Full disk collections \$5 each! Tips from Tigercub disks nos. 1-5 \$10 each. Nuts & Bolts Nos. 1-3 \$15 each. Catalog \$1, refundable. Tigercub Software, 156 Collingwood Ave., Whitehall OH 43213. v6n1

### HOME BANKING

Common sense, productivity software for your 99/4A. For more information, write to E & M Software, Box 551, Oscoda, MI 48750. v5n11

## Hardware

### MYARC HFDC

Limited supply of Myarc Hard & Floppy Disk Controllers available for \$275. Call Jeff White 502-386-9460. v5n11

## Systems

### FOR SALE

TI99/4 Dual Floppy two consoles, modem, PEB, 32K, monitor, speech, all software, etc. 1-303-979-3660 after 6pm \$400. v5n11

## Magazine holders

Keep organized with plastic holders. Keep your MICROpendiums in three-hole binders for ready reference. Holders are \$3 for 12, enough for 1 year's worth of MICROpendium. To order, send \$3 for each set, plus \$1 shipping to: HOLDERS, P.O. Box 1343, Round Rock, TX 78680.

Number of sets ordered \_\_\_\_\_  
 Amount of check or money order \_\_\_\_\_  
 Name \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_  
 ST \_\_\_\_\_ ZIP \_\_\_\_\_

## Policy

The cost of classified advertising is 25 cents per word. Classified display (i.e., special formatting or graphics) is \$9 per column inch. Classified advertisements must be paid in advance. Classified advertisers may request a category under which they would like their advertisement to appear, but the final placement decision is the responsibility of the publisher.

Classified deadlines will be kept open for as long as practical. For the purpose of classified advertising deadlines, any classified ad received later than the first day of any month cannot be assured of placement in the next edition. We will do our best to include every advertisement that is submitted in the earliest possible edition.

The publisher offers no guarantee that any advertisement will be published in any particular issue. Any damages that result either from errors in copy or for failure to be included in any particular edition will be limited to the amount of the cost of the advertisement itself. The publisher reserves the right to reject any advertisement.

The advertiser may elect to publish the advertisement in subsequent editions at the same charge, payable prior to publication. The deadline for carryover classifieds is the same as for new advertising.

In submitting an ad, please indicate whether you would like a refund if it is not published in the requested edition or whether you would like us to hold it for the next edition. Cancellations and refunds cannot be made after the second day of the month.

Send classified advertising to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680.

## Systems

### TI99/4A:

Keyboard, Expansion box, RS232, 32K, SSSD Drive, Controller, Synthesizer, Editor/Assembler, Joysticks, X-BASIC, Data Manager, TI-Artist, GRAPHX, CSGD, TI-Writer, much more. \$475.00. Call Joel evenings: 205-347-2682. v5n11

## Miscellaneous

### Texas Instruments

#### TI99/4A

#### Hardware & Software

— TURBO-PASC'99 (Pascal)! \$59.95 E/A required.—  
 Proto-Board for PEB by Willforth only \$35. Joy-Sticks \$10.00 XB Detective \$10.00. Rave '99 KeyBoard!! \$199. Speech Editor \$20. Printer Cable (PIO) \$24. Jungle Hunt, Protector II, Moon Patrol, PacMan \$15 ea. TI Dust Cover \$4, Adventure \$10.00 Adv Hint Book \$8. TI Extended Basic \$40, P-Code Card w/software \$159. TI-Artist \$20. Princess & Frog, AntEater, HenPecked \$10 ea.

\*TI-BASE \$25 (great!) Data Base, PEB Hardware Manual 32K, Disk Ctrl, RS232, Ramdisk Cards, Cables & Connectors

#### L.L. CONNER ENTERPRISE COMPUTER&ELECTRONICS

1521 Ferry Street  
Lafayette, IN 47904

CALL 317-742-8146 or CALL 317-423-4879  
to order UPS today!

Visa or M/C Accepted, add \$3 shipping v5n11

## Miscellaneous

P-CODE CARD WITH ALL DISKS AND MANUALS	\$140
P-CODE CARD ALONE	\$ 79
FULL TI PE/BOX plus \$20 s&h	\$349
18" P-BOX FLAT EXTENSION CABLE	\$ 22
PARALLEL PRINTER CABLE 6'	\$ 20
WORD WRITER +	\$ 49
STAND ALONE DISK DRIVE	\$ 89
MYARC HARD CONTROLLER CARD	\$300
STRIKE 3 (baseball cart)	\$ 19
TI ORIGINAL COLOR MONITOR	\$175
SUPER EXTENDED BASIC	\$ 55
AVATEX MODEM 1200HC	\$ 99
PACKARD BELL 1200	\$ 89
PLUS 5% SHIPPING CALL OR WRITE for complete list	
JIM LESH, 722 HUNTLEY DALLAS, TEXAS 75214, 214 821 9274	v5n11

## ENORMOUS INVENTORY

TI 99/4A. TI Professional, Apple & IBM Compatibles.

"Some Commodore and Atare Items. (No Catalog on Above Two Systems.)" Full Hardware & Software on All Other Systems. Complete Line of Computer Forms.

### BRAATZ

#### Computer Services

719 E. Byrd St., Appleton, WI 54911. Catalogs \$2 per system. MC/Visa accepted. 414-731-3478 (ORDER LINE ONLY) (Call 414-731-4320 after 6:00 P.M. Wisconsin time.) Custom made covers (send sizes). (Nintendos & accessories) v5n12

# The LEADING monthly devoted to the TI99/4A

## Subscription Fees

\$20 for 12 issues via domestic second class mail  
 \$25.25 (U.S. funds) Mexican delivery  
 \$27.50 Canadian delivery  
 \$25.00 (U.S. funds) for 12 issues other foreign  
 delivery via surface mail  
 \$37.00 (U.S. funds) for 12 issues other foreign  
 delivery via air mail

**Outside U.S., pay via postal or international money  
 order; personal checks from non-U.S. banks will be  
 returned**

## Tell us about it

Please let us what columns or features you like the most about MICROpendium. Rank your selections in order of preference using this form. Return it to us when you renew your subscription.

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_
4. \_\_\_\_\_

Other suggestions: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

## Address Changes

Subscribers who move may have the delivery of their most recent issue(s) delayed unless MICROpendium is notified six weeks in advance of address changes. Please include your old address as it appears on your mailing label when making an address change.

## Back Issue Policy

Back issues of MICROpendium are available to subscribers only. Those wishing back issues may notify us of the issue(s) desired and include \$2.00 per issue desired in a check or money order. No shipping charge in U.S. and Mexico; Texas residents add 7.5% sales tax. Shipping charge of 30 cents per issue to Canada. For other foreign delivery, add 50 cents per issue surface mail, \$2 per issue air mail. No discounts on orders of sets. All prices U.S. funds. **OUT OF STOCK: Vol 1, nos. 1-2, Vol. 2, no. 1**

Send me the next 12 issues of MICROpendium. I am enclosing \$ \_\_\_\_\_ in a check or money order in U.S. funds. Mail to: MICROpendium, P.O. Box 1343, Round Rock, TX 78680

**Name** \_\_\_\_\_

**Address** \_\_\_\_\_

**City** \_\_\_\_\_

**State** \_\_\_\_\_ **ZIP** \_\_\_\_\_

The set of numbers on the left of your mailing label indicates the cover date of your last issue.

v5,n11

2/89 A T  
 RICHARD LAHEAD  
 3415 CLOVER AVENUE  
 ST. PAUL MN 55127