File Conversion Utility for $Quark XPres s^{f}$

XP8 takes the bite out of Macintosh Typography.

XP8 is a Macintosh file conversion utility that cleans up and makes Quark-ready text files from Macintosh and DOS word processors, spreadsheets and databases.

It might be more accurate to say that XP8 makes those files Quark-eager, since a host of typographic features are built in. Like a great many utilities, XP8 reformats paragraphs. But it also kerns around ones, builds leader tabs, controls bad hyphenation, converts quotes far better than Quark does, makes bullets, dashes and fractions of common word processor simulations, and converts DOS extended characters to their closest Mac equivalents. All labor-free. All fast. All automatically, without having to be told.

XP8 is a QuarkXPress typographer s dream. No accident, since it was dreamed up by a QuarkXPress typographer. XP8 is rich enough in features to handle any typographic situation, including some that are difficult to achieve from within XPress. And XP8 is robust enough to clean up \$tanding Quark text.

XP8 s features

Examines input files to determine if they are Macformatted or PC-formatted. If PC-formatted, intelligently assembles text into Mac-formatted paragraphs Upon request, converts eight-bit DOS characters to their closest Macintosh equivalent Converts three or more midline spaces into a tab and makes all double-spaces single-spaces Converts runs of five or more periods to leader tabs sets with the first tab tracked pleasingly open Converts runs of five or more underbars to tabs, which can be styled in XPress to underbar tabs Stips leading spaces being used as fake paragraph indents Stips trailing spaces and tabs

Converts and cleans up quotes and apostrophes. Recognizes quote formats Quark does not, and correctly handles strings XPress gets wrong Converts en dash, en dash and math minus intelligently, and properly handles the long strings of hyphens favored by ecstatic sales professionals (Quark gets this wrong). En and en dashes are kerned opened just a touch, to keep them from crashing with the type, and they have a discretionary return inserted at either side to permit them to break properly

Slashes followed by four or more alphabetical characters have a discretionary return inserted after them, to permit the line to break at the slash

Converts commonly used bullet characters to true bullets Fixes common punctuation errors

Automatically converts fractions in the source, cleaning up the garbage people use to flag fractions (e.g., 1-1/2 becomes $1^1_{...,2}$)

Automatically kerns before and after all ones, except in tables

Rorbids the last word in a paragraph to hyphenate into a widow

Forces compound words to break only at the hard-hyphen All of this is automatic and free of all labor. Just plug in

your files, and walk away with instant results And if you can take a few minutes to edit your file before running XP8, you can achieve things that are difficult (or even impossible) to do at the Macintosh.

Dif fiait:

 $\ensuremath{\ensuremath{\mathsf{c}}},\ensuremath{\ensuremath{\mathsf{f}}},\ensuremath{\ensuremath{\mathsf{X}}}$ these aren t cheap when you live hand to mouse

', fi, to help you stay within the bounds of the law , , § just as a final note

And XP8 has codes to access one character dingbats from 26 different pi fonts, including Universal News with Commercial Pi.

Impossible:

The text is: sOME pEoPlE sHould be forBidden to Type!

Quark can: 1. Print it the way it is. 2. Print it as all caps 3. Print it as art ful and incomprehensible small caps

XP8 can: 1. Print it the way it is. 2. Print it as all caps (SOME PEOPLE SHOULD BE FORBIDDEN TO TYPE!). 3. Print it is as all lower case (some people should be forbidden to type!). 4. Print it is as sentence caps (Some people should be forbidden to type!). 5. Print it is as upstyle initial caps (Some People Should Be Forbidden To Type!). 6. Print it is as downstyle initial caps (Some People Should be Forbidden to Type!). And, of course, 3 6 can be styled as small caps

Now, case conversions are rarely this bad, but the extremes make the point. When a word processor operator decides to be helpful by typing all caps, what options do you have from within XPress?

Pramises, pramises...

Is easy to write lists of features. It is harder to demo a product in such a way that it clearly does what it claims to do. But that is what is happening here. This text was written on a PC-clone and converted by XP8 into Quark-ready form. The style sheets were written in XPress, and the coupon box was drawn with the mouse. Everything else was done by XP8. The proof is on the following pages. First corres the actual raw text, warts and all. Next corres the text as processed by XP8. The final result is before your eyes.

How much would you pay?

The average desktop publishing professional s time is charged at \$25 \$50 per hour. Let stake a fairly typical jdb and take the measure of XP8 s benefit.

Let s say we have ten double-spaced pages, mostly running matter, but with a few tables. The copy was typed by a reasonably intelligent word processor, soit s not total garbage.

	W ITHOUT	W ITH
	XP8	XP8
Reformat paragraphs	40 mins	0 mins
Strip out bogus spaces	15	0
Fix leaders in tables	15	0
Convert DOS 8-bit characters	15	0
Find and fix bad Quark-quotes	5	0
Fix bad bullets	5	0
Fix fractions	5	0
Find and kern around all 1s	15	0
Control hyphenation and breaks	5	0
Fine-tune typography	30	30
TOTALS	150 mins	30 mins

So: how much would you pay? XP8 will give you a better, more consistent typographic product in much less time. How much is that worth?

An XP8 registration costs \$50. In other words, it will pay for itself the first time you use it. Registered users get XP8 and its documentation, plus a suite of support utilities that can save even more time.

So what are you waiting for? Fill out the coupon and get XP8 today!

n Sign me up!

I can tell a good deal when I see one. Rush me XP8 without delay!

_____1 license at \$50 _____2 10 licenses at \$45 each

 _ 11+	liœ	enses	at	\$40	ead	n			i
 					_		 	 	

Send to:

@kicker:File Conversion Utility for QuarkXPress<>>[regm]<>>

@head:XP8 takes the bite out of Macintosh Typography.

@cody_no_indent:XP8 is a Macintosh file conversion utility that cleans up and makes Quark-ready text files from Macintosh and DOS word processors, spreadsheets and databases.

@body:It might be more accurate to say that XP8 makes those files Quark-<D>eager,<D>since a host of typographic features are built in. Like a great many utilities, XP8 reformats paragraphs. But it also kerns around ones, builds leader tabs, controls bad hyphenation, converts quotes far better than Quark does, makes bullets, dashes and fractions of common word processor simulations, and converts DOS extended characters to their closest Mac equivalents. All labor-free. All fast. All automatically, without having to be told.

XP8 is a QuarkXPress typographer's dream. No accident, since it was dreamed up by a QuarkXPress typographer. XP8 is rich enough in features to handle any typographic situation, including some that are difficult to achieve from <D-within<D> XPress. And XP8 is robust enough to clean up <D-standing<D> Quark text.

@sub:XP8's features

@body_no_indent:* <\i>Examines input files to determine if they are Mac-formatted or PC-formatted. If PC-formatted, intelligently assembles text into Mac-formatted paragraphs

* <\i>Upon request, converts eight-bit DOS characters to their closest Macintosh equivalent

* <\i>Converts three or more midline spaces into a tab and makes all double-spaces single-spaces

 $*<\i 0.5$ onverts runs of five or more periods to leader tabs sets, with the first tab tracked pleasingly open

* <\i>Converts runs of five or more underbars to tabs, which can be styled in XPress to underbar tabs

* <\i>Strips leading spaces being used as fake paragraph indents

* <\i>Strips trailing spaces and tabs

 $*<\$ i>Converts and cleans up quotes and apostrophes. Recognizes quote formats Quark does not, and correctly handles strings XPress gets wrong

* <\i>Converts em dash, en dash and math minus intelligently, and properly handles the long strings of hyphans favored by ecstatic sales professionals (Quark gets this wrong). En and en dashes are kenned opened just a touch, to keep them from crashing with the type, and they have a discretionary return inserted at either side to permit them to break properly

* <\i>Converts commonly used bullet characters to true bullets

* <\i>Fixes common punctuation errors

- * i> utomatically converts fractions in the source, cleaning up the garbage people use to flag fractions (e.g., 1-147>2 becomes 1[fra/1/2])
- * <\i>Automatically kems before and after all ones, <Dexcept in tables<D>
- * <\i>Forbids the last word in a paragraph to hyphenate into a widow
- * <\i>Forces compound words to break <I>only<I> at the hard-hyphen

@body:All of this is automatic and free of all labor. Just plug in your files, and walk away with instant results

And if you can take a few minutes to edit your file before running XP8, you can achieve things that are difficult (or even impossible) to do at the Macintosh.

@sub:Diffalt:

 ${\tt @body_no_indent:* <\i>(lbs], [yen]--these aren't cheap when you live hand to mouse$

* <\i>[cprt], [regn], [tm]--to help you stay within the bounds of the law

* <\i>[sdgr], [ddgr], [seark] -- just as a final note

And XP8 has codes to access one character dingbats from 26 df ferent pi forts, including Universal News with Commercial Pi.

@sub:Impossible:

@body_no_indent:The text is: sOmE pEoPlE sHoUlD bE fOrBiDdEn To TyPe!

Goody:Quark can: 1. Print it the way it is. 2. Print it as all caps. 3. Print it as art ful and incomprehensible small caps

XP8 can: 1. Print it the way it is. 2. Print it as all caps ([caps/sOme pEoPle sHoUlD be fOrBiDdEn To TyRe!]). 3. Print it is as all lower case ([lowr/sOme pEoPle sHoUlD be fOrBiDdEn To TyRe!]). 4. Print it is as sentence caps ([sent/sOme pEoPle sHoUlD be fOrBiDdEn To TyRe!]). 5. Print it is as upstyle initial caps ([upst/sOme pEoPle sHoUlD be fOrBiDdEn To TyRe!]). 6. Print it is as downstyle initial caps ([dnst/sOme pEoPle sHoUlD be fOrBiDdEn To TyRe!]). And, of course, 3[ndsh]6 can be styled as small caps

Now, case conversions are rarely this bad, but the extremes make the point. When a word processor operator decides to be "helpfil" by typing all caps, what options do you have from within XPress?

@sub:Pramises, pramises...

Woody no indent: It's easy to write lists of features. It's harder to demo a product in such a way that it clearly does what it claims to do. But that's what's happening here. This text was written on a PC-clone and converted by XP8 into Quark-ready form. The style sheets were written in XPress, and the coupon box was drawn with the mouse. Everything else was done by XP8. The proof is on the following pages. First cornes the actual naw text, warts and all. Next cornes the text as processed by XP8. The final result is before your eves.

@sub:How much would you pay?

@body_no_indent:The average desktop publishing professional's time is charged at \$25[ndsh]\$50 per hour.Idd'stake a fairly typical jdb and take the measure of XP8's benefit.

@body:Let's say we have ten double-spaced pages, mostly running matter, but with a few tables. The copy was typed by a reasonably intelligent word processor, so it's not <Pytotal<D> garbage.

@table_no_leader:<#>	Without	With<	BH>
@table_no_leader_rule_under: 	XP8		XP8
@table:Reformat paragraphs	. 40 min	s 0 mir	a
Strip out bogus spaces15	5	0	
Fix leaders in tables	0		
Convert DOS 8-bit characters	5	0	
Find and fix bad Quark-quotes	<\£>5	0	
Fix bad bullets	0		
Fix fractions	0		
Find and kern around all 1s 15		0	
Control hyphenation and breaks	<\f>5	0	
@table_rule_under:Fine-tune typo;	graphy	. 30	30
@table_no_leader: TO TALS		150 mins	30 mins⊲B>

@body:So: how much would you pay? XP8 will give you a better, more consistent typographic product in <D>much<I> less time. How much is that worth?

An XP8 registration costs \$50. In other words, it will pay for tiself the first time you use it. Registered users get XP8 and tis documentation, plus a suite of support utilities that can save even more time.

So what are you waiting for? Fill out the coupon and get XP8 today!

@sub_plus_lead:[obox] Sign me up!

 ${\tt @body_no_indent:} I$ can tell a good deal when I see one. ${\tt <I>Rush<I>}$ me XP8 without delay!

@body:____1 license at \$50<9>____2[ndsh]10 licenses at \$45
each

____ 11+ licenses at \$40 each

@body_no_indent:Send to:

@body_rule_above:Name (please print)

Street Address

City<9><9>State Zip

@body_no_indent:My check payable to Greg Swann is enclosed.

Mail to: <\i>Greg Swann<\n>P.O. Box 1724<\n>Andover, MA<\n>01810

@kicker:File Conversion Utility for QuarkXPress<V>fi<V>

@head:XP8 takes the bite out of Macintosh <\h>Typography.

@body_no_indent:XP8 is a Macintosh file conversion utility that cleans up and makes Quark<\h>-<\h>ready text files from Macintosh and DOS word processors, spreadsheets and <\h>databases.

Woody:It might be more accurate to say that XP8 makes those files Quark-<D-eager,<D since a host of typographic features are built in. Like a great many utilities, XP8 reformats paragraphs. But it also kerns around ones, builds leader tabs, controls bad hypheration, converts quotes far better than Quark does, makes bul-Bts, dashes and fractions of comon word processor simulations, and converts DS extended characters to their closest Mac equivalents. All labor</Pro-<Pre>invertee All fast. All automatically, without having to be </Problem. XP8 is a QuarkXPress typographer s dream. No accident, since it was dreamed up by a QuarkXPress typographer. XP8 is rich erough in features to handle ary typographic situation, including some that are difficult to achieve from <D-within<D> XPress. And XP8 is robust enough to clean up <D-standing<D> Quark </P>

 $dcody_{no}_indent: <\i pc <\ pc <\$

<i>i>Upon request, converts eight</h>-</h>bit DOS characters to their closest Macintosh </h>equivalent </i>Converts three or more midline spaces into a tab and makes all double</h>-</h>spaces single</h></h></h>

<\i>Converts runs of five or more periods to leader tabs sets, with the first tab tracked pleasingly <\h>open <\i>Converts runs of five or more underbars to tabs, which can be styled in XPress to underbar <\h>tabs <\i>Strips leading spaces being used as fake paragraph <\h>indents

<\i>Strips trailing spaces and <\h>tabs

 $<\!\!i\!>\!\!Converts$ and cleans up quotes and apostrophes. Recognizes quote formats Quark does not, and correctly handles strings XPress gets $<\!\!h\!>\!\!wrong$

<\i>Converts en dash, en dash and math minus intelligently, and properly handles the long strings of hyphens favored by costatic sales professionals (Quark gets this wrong). En and en dashes are kerned quard just a touch, to keep them from crashing with the type, and they have a discretionary return inserted at either side to permit them to break hepring:

<\i>Slashes followed by four or more alphabetical characters have a discretionary return inserted after them, to permit the line to break at the <\b slash

</i>Converts commonly used bullet characters to true

<\i>Fixes common punctuation <\h>errors

<i>Automatically converts fractions in the source, cleaning up the garbage people use to flag fractions (e.g., 4:11> 1<k0><k-11>-1<k0><\#47>2 becomes<k-11> 1<k0><V>...<V-><<V->>

</i>Automatically kerns before and after all ones, lexcept in tableslexcept

</i>Forbids the last word in a paragraph to hyphenate into a </h>

</i>Forces compound words to break <I>only<I> at the hard</h>-</h>hyphen

@body:All of this is automatic and free of all labor. Just plug in your files, and walk away with instant <\break to the stant stant and the stant sta

And if you can take a few minutes to edit your file before running XP8, you can achieve things that are difficult (or even impossible) to do at the <\h2Macintosh.

@sub:Diffailt:

 $dbody_no_indent: <\langle i>\phi, f, <\langle k6>_{X} < d> <\langle k0><\langle d> these aren t cheap when you live hand to <\langle h>mouse <\langle i>\rangle', fi, <\langle k6> <\langle d> <\langle k0><\langle d> the lp you stay within the bounds of the <\langle h>law >\langle h>law >\langle h>h help you stay within the bounds of the <\langle h>law >\langle h>h help you stay within the bounds of the <\langle h>law >\langle h>h help you stay within the bounds of the <\langle h>law >\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle h help you stay within the bounds of the <\langle$

<\i>, , <k6>§<\d> <k0><\d>just as a final <\h>note

And XP8 has codes to access one character diagoats from 26 different pi fonts, including Universal News with Commercial $<\h>Pi$.

@sub:Impossible:

@body_no_indent:The text is: sOmE pEoPlE sHould be forBiDdEn To <\h>TyPe!

@body:Quark can: <k-11>140>. Print it the way it is. 2. Print it as all caps. 3. Print it as art ful and incomprehensible small <\h>caps

Now, case conversions are rarely this bad, but the extremes make the point. When a word processor operator decides to be helpful by typing all caps, what options do you have from within XPress? @sub:Promises,

 $dbody no_indent: It sees to write lists of features. It s harder to deno a product in such a way that it clearly does what it claims to do. But that s what s happening here. This text was written on a PC<\b-<\b-clone and converted by XP8 into Quark<\b-<\b-ready form. The style sheets were written in XPress, and the coupon$

box was drawn with the mouse. Everything else was done by XP8. The proof is on the following pages. First comes the actual raw text, warts and all. Next comes the text as processed by XP8. The final result is before your <\h>end to be pages.

@sub:How much would you <\h>pay?

@body_no_indent:The average desktop publishing professional s time is charged at

 $2<k^{0}<0 < k^{0} < 0 < k^{0} = hour. Let stake a fairly typical jdb and take the measure of XP8 s <h/benefit.$ $Boody:Let s say we have ten double<h^-<h>spaced pages, mostly numning matter, but with a few tables.$ The copy was typed by a reasonably intelligent word processor, so it s not total<h>spaced page.

@table_no_leader: <bh></bh>	W ithat	W ith <bh></bh>			
@table_no_leader_rule_under:	XP8	XP8 			
@table:Reformat paragraphs <t< td=""><td><t\$></t\$></td><td>40 mins</td><td>0 <\h>mins</td><td>5</td></t<>	<t\$></t\$>	40 mins	0 <\h>mins	5	
Strip out bogus spaces <t41></t41>	<t\$></t\$>	15	0		
Fix leaders in tables <t41></t41>	<t\$></t\$>	15	0		
Convert DOS 8<\h>-<\h>bit char	racters <t41></t41>	• <t\$></t\$>	15	0	
Find and fix bad Quark<\h>-<\h	<t\$></t\$>	<\£>5	0		
Fix bad bullets <t41> <t\$></t\$></t41>	<\£>5	0			
Fix fractions <t41> <t\$></t\$></t41>	<\£>5	0			
Find and kern around all <k-11></k-11>	1 <k0>s<t41< td=""><td>></td><td><t\$></t\$></td><td>15</td><td>0</td></t41<></k0>	>	<t\$></t\$>	15	0
Control hyphenation and breaks	s <t41></t41>	<t\$></t\$>	<\£>5	0	
@table_rule_under:Fine<\h>-<\	h>tune typo	graphy <t41></t41>	> <t\$></t\$>	30	30

@table_no_leader:TO TALS 150 mins 30 mins

@body:So: how much would you pay? XP8 will give you a better, more consistent typographic product in <Druch<D less time. How much is that <\b>worth?

An XP8 registration costs \$50. In other words, it will pay for itself the first time you use it. Registered users get XP8 and its documentation, plus a suite of support utilities that can save even more <\rangle time.

So what are you waiting for? Fill out the coupon and get XP8 $<\h>today!$

@sub_plus_lead:<f"zapf dingbats" O>n<f
\$O> Sign me <<h>>up!

 $dody no_indent:I$ can tell a good deal when I see one. <I>Rush<I> me XP8 without <\h>delay!

@body:____<k-11> 1<k0> license at \$50 ____ 2<k-11> 1<k0>0 licenses at \$45 <\h>each

____<k-11> 1<k0><k-11>1<k0>+ licenses at \$40 <\h>each

@body_no_indent:Send <\h>to:

@body_rule_above:Name (please <\h>print)

Street <\h>Address

City State Zip

@body_no_indent:My check payable to Greg Swann is <\h>enclosed.