

Reports XLM

	STATEMENT		
	(C) Copyright 1991, 1995 Microsoft Corporation. All rights reserved.		
	mco01.AutoOpen.		
	Auto_Open		
		#NAME?	
		0	
		#ADDIN?	
		#ADDIN?	
		#ADDIN?	
		#ADDIN?	
		#NAME?	
		#NAME?	
		#NAME?	
	mcx01.AutoClose.		
	Auto_Close		
		#ADDIN?	
		#NAME?	
		#NAME?	
	mcp01.PrintReport.		
Stub		#ADDIN?	
		1	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#VALUE!	
		#NAME?	
		0	
		#NAME?	
		#NAME?	
		#NAME?	
	mcp02.CustomRepeatDelete.		
		#ADDIN?	
		#NAME?	
		#NAME?	
	mcp03.CustomRepeatPrint.		
		#ADDIN?	

Reports XLM

	#NAME?		
	#NAME?		
	ca.DoUpdateCode.		
	#ADDIN?		
	#ADDIN?		
	#ADDIN?		
	#NAME?		
	#NAME?		
	#NAME?		
	mcc01.UpdateDialogs.		
	#NAME?		
	0		
	#NAME?		
	#NAME?		
	#NAME?		
	1		
	#NAME?		
	#ADDIN?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	mcc02.AddMenus.		
	#ADDIN?		
	#NAME?		
	#NAME?		
	#ADDIN?		
	#NAME?		
	#NAME?		
	#NAME?		
	mcc03.DeleteMenus.		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	mcc04.RecalcCommand.		
	10		
	&Вид		
	Дис&петчер отчетов...		
	mcr01.PrintReport.		
	Во весь &экран		
	Печатает или определяет отчет		

Reports XLM

	#NAME?	
	#NAME?	
	#NAME?	
	mgs01.Globals.	
mgs01c.ms	#NAME?	
mgs01c.en	#NAME?	
mgs01c.pla	#NAME?	
mgs01c.sea	#NAME?	
mgs01c.en	0	
	#NAME?	
mgs01c.plaWin		
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	8	
	9	
	10	
	11	
	12	
	13	
	14	
	#NAME?	
	mgs02.Globals.	
	test2	
	1	
	VIEWS.XLA	
	SCENARIO.XLA	
	#NAME?	
	mgs01.AddReport.	
	#NAME?	
	#ADDIN?	
	#NAME?	
	1	
	#NAME?	
	#ADDIN?	
	#NAME?	
	#NAME?	
	mgs02.EditReport.	
	#NAME?	
	#ADDIN?	

Reports XLM

	#NAME?		
	#NAME?		
	#ADDIN?		
	#NAME?		
	mds03.RemoveReport.		
	#N/A		
	0		
	0		
	#NAME?		
	#NAME?		
	#ADDIN?		
	#NAME?		
	#NAME?		
	#NAME?		
	#N/A		
	#VALUE!		
	#NAME?		
	#N/A		
	#NAME?		
	#NAME?		
	#NAME?		
	mds04.AddSection.		
	#NAME?	add a row to the sections array	
	1	if no current section selected, add at e	
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?	else if no prev sections then add at en	
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?	else	
	#NAME?	make room for new section by shifting	
	#NAME?	and insert new section at selection po	
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?	create display table for listbox from d	
	#NAME?		
	#NAME?		
	#NAME?		
	mds09.ChangeSheet.		
	0		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#N/A		
	#N/A		
	#NAME?		
	#NAME?		
	#NAME?		

Reports XLM

	#NAME?		
	#NAME?	false keep dlg active	
	mds05.RemoveSection.		
	#N/A	if only one section	
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?	else	
	#N/A	if selection point isn't at end of list	
	#NAME?	collapse remaining sections from sele	
	#NAME?		
	#NAME?	and shrink list by one	
	#NAME?	blank unused item	
	#NAME?	re-create display table from data struc	
	#NAME?	and remember cont. pages setting	
	#NAME?	udpate selection, correct if 1st item w	
	#NAME?		
	#ADDIN?		
	#NAME?	Return focus to sections list	
	#NAME?		
	mds06.DefineReport.		
		0	
	#ADDIN?		
		0	
	#VALUE!		
	#NAME?		
	#VALUE!		
	#NAME?		
	#NAME?		
		0	
	#NAME?		
	#NAME?		
	#NAME?	rearrange for contiguous v_s_p array	
	#NAME?		
mds06c.nu	#N/A	count num sections	
	#NAME?	create contiguous v_s_p array for recc	
	#NAME?	(AP) is non-issue 'cause tb04.sections	
	#NAME?		
	#NAME?		
DEBUG		DEBUG	
	#VALUE!		
	#VALUE!		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	mds07.UpSection.		
	#N/A		
	#N/A		

Reports XLM

	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#ADDIN?	
	#NAME?	Return focus to sections list
	#NAME?	
	mds08.DownSection.	
	#N/A	
	#N/A	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#ADDIN?	
	#NAME?	Return focus to sections list
	#NAME?	
	mcs02.noop.	
	#NAME?	
	mcs01.Safety.	
	#NAME?	
	#NAME?	
	#NAME?	
	#VALUE!	
	#ADDIN?	
	#NAME?	
	mfs02.QueryDialog.	
	#NAME?	nametext of dlg to show
	#NAME?	flags (h,i,g,d,u,a)
	0	
	#NAME?	
	0	"h" = hold
	#VALUE!	"i" => init (dlg , hold)
	#VALUE!	"g" => load (dlg , hold)

Reports XLM

		0	IF "D" THEN	
mfs02c.top		#VALUE!	"u" => update (dlg)	
mfs02c.res		#NAME?	show dlg	
		#NAME?	push result onto the stack	
		#NAME?	if CANCEL	
		0		
		#NAME?	if "a" then ask for confirmation before	
		#NAME?		
		#NAME?	else just exit	
		#NAME?		
		#NAME?	elseif VERB and NOT("x")	
		#NAME?	SWITCH (mfs02c.result.)	
			case 1: if "v" try validate. if failed got	
			case 2: return 2	
			case 3: do HELP	
		#NAME?	goto (TOP)	
		#NAME?	else	
		#NAME?	do btnoffset(RESULT), goto (TOP) if fa	
		#NAME?		
		#NAME?	ENDIF "D"	
mfs02c.exit		#VALUE!	"s" => unload	
mfs02c.enc		#NAME?	Pop stack frame	
		#NAME?	Ensure dlg is dismissed	
		#NAME?	Return result code for this dlg	
	mfs03.InitDialog.			
		#NAME?		
		#NAME?		
		#ADDIN?	jump to initoffset in dlg table	
		#VALUE!		
		#NAME?		
	mfs04.ValidateDialog.			
		#NAME?		
		0		
		#ADDIN?		
		21		
		0		
		#NAME?		
		#NAME?		
		#ADDIN?		
		#NAME?		
		#NAME?		
		#NAME?		
		#NAME?		
		#NAME?		
	mfs05.LoadDialog.			
		#NAME?		
		#NAME?		
		#ADDIN?		
		#NAME?		
		#NAME?		
		#NAME?		
	mfs06.UpdateDialog.			

Reports XLM

	#NAME?		
	Err:504		
	#NAME?		
	mfs07.UnLoadDialog.		
	#NAME?		
	#NAME?		
	#NAME?		
	Err:504		
	#NAME?		
	#NAME?		
	mfs08.TriggerEnableItem.		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	mfs09.TriggerItem.		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	mfs10.EnableItem.		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	mfs11.OpenAFile.		
	#NAME?		
	#NAME?		
	0		
	1		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	0		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		

Reports XLM

	mfs20.ReportGet.		
	REPORT.GET		
		#NAME?	
		#NAME?	
		#NAME?	
		1	
		#N/A	
		#ADDIN?	
		#NAME?	
		#NAME?	
		#NAME?	
		1	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		0	
		1	
		0	
		#NAME?	
	// IF(NOT(GET.DOCUMENT(7)))		
		1	
		#NAME?	
		#NAME?	
mfs20c.sec		0	
mfs20c.col		0	
mfs20c.Abt		#NAME?	
		#NAME?	
mfs20c.arr		#NAME?	
		#NAME?	copy v_s into tb05
		#NAME?	and copy p to make a contiguous v_s
		#NAME?	bind #N/A to active page
		#NAME?	and return contiguous tb05 array
		#NAME?	
	// END.IF()		
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		0	
		1	
		0	
		#NAME?	
		#NAME?	
		1	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	

Reports XLM

	mfs21.ReportDelete.		
	REPORT.DELETE		
		#NAME?	
		#NAME?	
	test		
		#ADDIN?	
		1	
		1	
		0	
		#NAME?	
		#NAME?	
		1	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
	mfs22.ReportDefine.		
	REPORT.DEFINE		
		#NAME?	
		#NAME?	
		#NAME?	
		#NAME?	
	mfs22c.rep	asdf	
		#NAME?	
	mfs22c.pag	0	
		#ADDIN?	
		1	rept name arg req'd
		1	doc must be named
		0	no group edit mode
		#NAME?	must be xls/xlm sheet
		#NAME?	mustn't have content protection
		#NAME?	not minimised
		1	IF >1 SECTION
	mfs22c.sec	1	
	mfs22c.vie	1	non-NA views
	mfs22c.sce	1	non-NA scenarios
		1	if non-NA views exist, link to View Mgr
	UNUSED //	IF(mfs22c.viewnas.	if non-NA views, get available views
	UNUSED //	IF(mfs22c.scenario	if non-NA scenarios, get available sce
	UNUSED //	IF(COLUMNS(mfs22a	if pages spec'd, get available pages
	mfs22c.Act	#NAME?	
	mfs22c.Abt	#NAME?	
		#NAME?	FOR EACH SECTION
	mfs22c.vie	#N/A	
	mfs22c.sce	#N/A	
		0	if XL4 rept or page=NA()
		#NAME?	use active page (XL4 default)
		#NAME?	else
		#NAME?	
		#NAME?	try to activate specified page
		#NAME?	
		Err:502	#VALUE if page doesn't exist

Reports XLM

	#NAME?	
	0	check if view available on spec'd page
	0	check if scenario available on spec'd page
	#NAME?	NEXT SECTION
	#NAME?	reactivate original page
	#NAME?	init section table
	#NAME?	dump validated sections array
	#NAME?	dump cont. pages setting
	#NAME?	dump pages - use [current] if needed
	#NAME?	
mfs22c.def	#NAME?	save rpt data structure in target book
	#NAME?	
	#NAME?	return success code
	#NAME?	endif >1 SECTION
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
mfs23.ReportPrint?. REPORT.PRINT?		
	#NAME?	
	#NAME?	
	#NAME?	
	#N/A	
	#N/A	
	#ADDIN?	
	1	
	0	
	#NAME?	
	#NAME?	no sh content protection
	#NAME?	no minimized
	#NAME?	
	#NAME?	
	#ADDIN?	Show modal print report dlg
	0	
	#NAME?	
	#ADDIN?	
	#N/A	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#N/A	
	#VALUE!	
	#NAME?	
	#N/A	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	
	#NAME?	

Reports XLM

	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
mfs24.ReportPrint.			
REPORT.PRINT			
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#ADDIN?		
	1		
	1		
	#NAME?	..or OLE in-place	
	#NAME?		
	#NAME?	no sheet content protection	
	#NAME?	no minimized	
	1		
	#NAME?		
	1		
	0		
	#NAME?		
	#ADDIN?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
mfs25.PrintReport.			
	#NAME?		
	#NAME?		
mfs25c.rep test2			
mfs25c.cop	1		
	#NAME?		
	1	if multiple sections	
mfs25c.sec	1	count the sections	
mfs25c.vie	0	count NA views	
mfs25c.sce	1	count NA scenarios	

Reports XLM

mfs25c.Act	#NAME?	remember current page.	
	#NAME?		
mfs25c.fOI	0	old report ==> no pages specified	
	#NAME?	if we can link to VIEWS add-in	
	#NAME?	"...saving current view and/or scenario	
	#NAME?	FOR EACH SECTION	
	#NAME?		
	0	old report or #NA ==> current page,	
	#NAME?		
	#NAME?		
	Err:502		
	#NAME?		
	#NAME?		
mfs25c.vie	Err:502	view for this section	
mfs25c.sce	Err:502	scenario for this section	
	#NAME?	mfs25a.views is list of available views	
	#NAME?	mfs25a.scenarios is list of available sc	
	#NAME?	if section view doesn't exist, complain	
	#NAME?	same for scenarios	
	#NAME?	Del any pre-existing _Current_ view or	
	#NAME?	NOTE: Assuming that _Current_ is obs	
	#NAME?	Save _Current_ view.	
	Err:502		
	#NAME?	Save _Current_ scenario.	
	Err:502		
	#NAME?	NEXT SECTION	
	#N/A	zero curview and curscenario	
mfs25c.pag	#ADDIN?	Cont. pages?	
	#NAME?	FOR EACH SECTION	
mfs25c.the	Err:502	old report or #NA ==> current page,	
mfs25c.the	Err:502		
mfs25c.the	Err:502		
	#NAME?	status: <view>/<scenario>	
	#NAME?	actually show the page	
	#NAME?		
DEBUG		DEBUG	
mfs25c.Shc	Err:502	actually show the view	
	Err:502		
mfs25c.Shc	Err:502	actually show the scenario	
	Err:502		
	#NAME?		
	#NAME?	on first iteration, set mfs25c.curpages	
	#NAME?	update status bar	
	#NAME?	TRY()	
	#NAME?	fake the page numbering so we get se	
mfs25c.pri	#NAME?	and PRINT!	
	#NAME?		
	1	CATCH()	
	#NAME?		
	#NAME?		
	#ADDIN?		
	#NAME?		
	#NAME?		
	#NAME?	Error during print: nothing to print	
	#NAME?	So clean up...	
	#ADDIN?		
	#NAME?		
	#NAME?		
mfs25c.cur	Err:502		
mfs25c.cur	Err:502		
mfs25c.cur	#NAME?	advance pagenumber for sequential n	

Reports XLM

	#NAME?	NEXT SECTION	
	#NAME?		
	#ADDIN?		
	#NAME?		
	#NAME?		
mfs25c.End	#NAME?		
mfs26.ReportToName.			
	#NAME?		
	#NAME?		
mfs27.NameToReport.			
	#NAME?		
	#NAME?		
	#NAME?		
mfs28.CheckXLA.			
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	0		
	0		
	0		
x			
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	1		
	#NAME?		
	1		
	0		
	#NAME?		
	1		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	1		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		

Reports XLM

	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	#NAME?		
	mfs30.PrintCleanup.		
	#NAME?		
	#NAME?	original page	
	#NAME?	views being used (=viewnas<sections	
	#NAME?	scenarios being used (=scenarionas<	
	#NAME?		
	Err:502	activate the page	
	#NAME?	restore _Current_ view	
	#NAME?	restore _Current_ scenario	
	#NAME?		
	#NAME?		
	#NAME?		

Reports XLM

ITEM	X	Y	W	H	TEXT	INIT/RESUL	NAME	HOLD	DEFAULT
ud00r.Help.					ud00r.Text.				
ud01.PrintReport.	Win		3					ud00xm.ho	ud00xm.ini
#NAME?					Диспетчер	8	ud01c.ini.		#NAME?
1	250	5	98		&Печать...				#NAME?
2	250	27	98		Закреть	#N/A	ud01c.name.		#NAME?
24	250	123	98		&Справка				#ADDIN?
3	250	51	98		&Добавить...				#ADDIN?
3	250	75	98		&Изменить	1	ud01c.firsttime.		IF(IsSha
103	250	99	98		&Удалить				IF(IsSha
5	9	9			&Отчеты:				IF(IsSha
15	9	28	230	###	ud01a.repo	#N/A	ud01c.pick.		#NAME?
								#NAME?	#NAME?
ud02.AddEditReport.	Win		3						
#NAME?					Add Report	9	ud02c.ini.		#NAME?
101	390	6	108		OK				#NAME?
2	390	30	108		Отмена				#NAME?
24	390	54	108		&Справка				#VALUE!
103	390	93	98		&Добавить				#NAME?
303	390	222	108		Вв&ерх				#ADDIN?
303	390	246	108		В&низ				#N/A
303	390	270	108		&Удалить				#N/A
5	10	10			&Имя отчета:				#VALUE!
6	125	10	253				ud02c.name.		#N/A
5	10	36	368	40	Для создания раздела выберите лист. Мож				#NAME?
14	10	83	488	###					
5	18	93			Раздел для добавления				
5	18	117			&Лист:				#NAME?
121	105	115	273		tb03r.page	1	ud02c.pagepick.		#NAME?
113	22	140			Предста&в	1	ud02c.viewcheck.		#NAME?
21	161	140	218		tb03r.view	1	ud02c.viewpick.		#NAME?
113	22	165			С&ценарий	1	ud02c.scenariocheck.		#NAME?
21	161	165	218		tb03r.scen	1	ud02c.scenariopick.		#NAME?
5	10	209			&Разделы в этом отчете:				#NAME?
115	10	224	368	68	tb04a.secti	#N/A	ud02c.sectionpick.		#NAME?
13	10	290			&Последов	0	ud02c.pages.		#NAME?
								#NAME?	#NAME?
ud03.Print.	Win		3						
#NAME?					Печать	5	ud03c.ini.		#NAME?
1	160	9	120		OK				
2	160	32	120		Отмена				
24	160	54	120		&Справка				
5	9	18	120		&Копий:				
7	80	15	50			1	ud03c.copies.		#NAME?
								#NAME?	#NAME?
#NAME?	Insert	Insert	Insert	Inse	#NAME?	Insert	Insert	Insert	Insert

ction onwards									
cture									
as del'd									
ording									
never gets (AP)									

exit											
o (TOP) else (EXIT)											
led											

Reports XLM

page									

Reports XLM

VALIDATIO	ERROR PRO	GET	SET	BUTTON		MENUS NAME	COMMAND
ud00xm.va	ud00xm.pr	ud00xm.ge	ud00xm.se	ud00xm.button.			um01.Print um00r.Cmc
						um01r.prin	Дис&петче
				#NAME?			
				#NAME?			
red(),mfs10.EnableItem.(ud01c.removeitem.,F				#NAME?		Insert	#NAME?
red(),mfs10.EnableItem.(ud01c.edititem.,FALSE				#NAME?			
red(),mfs10.EnableItem.(ud01c.Add.,FALSE))				#NAME?			
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?			
		#NAME?					
		#NAME?		#NAME?			
		#NAME?		#NAME?			
		#VALUE!		#NAME?			
		#NAME?		#NAME?			
		#ADDIN?		#NAME?			
		#N/A		#NAME?			
		#N/A		#NAME?			
		#VALUE!					
#NAME?	Пожалуйст	#NAME?					
		#NAME?					
#ADDIN?	Имя отчет	#NAME?					
		#NAME?					
		#NAME?					
		#NAME?		#NAME?			
		#NAME?		#NAME?			
		#NAME?		#NAME?			
		#NAME?		#NAME?			
		#NAME?		#NAME?			
	0 Невозмож	#NAME?		#NAME?			
		#NAME?					
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?			
				#NAME?			
				#NAME?			
#NAME?	#NAME?	#NAME?	#NAME?	#NAME?			
Insert	Insert	Insert	Insert	Insert			

Loc Table

DIALOG TEXT		STRING (ca.StringTable.)	
It04.udPrintReport.			
Диспетчер отчетов		Сохранение текущего представления и/или сценария...	Is01.PrintR
&Печать...		Восстановление представления и/или сценария...	
Закреть		Отчет:	
&Справка	It01c.adjus	печатается	
&Добавить...	It01c.Repo	Настройка диалогов, подождите, пожалуйста...	
&Изменить...	It02c.notru	Печатает или определяет отчет	
&Удалить	It02c.notru	Этот макрос нельзя выполнить в среде Windows.	
&Отчеты:	It02c.cance	Этот макрос нельзя выполнить в среде Macintosh.	
ud01a.reports.	It02c.notye	Отменить изменения?	
	It02c.notd	Не реализовано	
	It02c.copie	Не завершено	
It04.udAddEditReport.	It02c.novie	Можно печатать больше 9 копий?	
ОК		Диспетчер представлений не загружен.	Is01.AddEd
Отмена		Диспетчер сценариев не загружен.	
&Справка	It02c.nosce	Невозможно связаться с Диспетчером представлений.	
&Добавить	It02c.view.	Невозможно связаться с Диспетчером сценариев.	
Вв&ерх	It02c.scena	Представление	
В&низ	It02c.page.	Сценарий	
&Удалить	It02c.notex	Лист	
&Имя отчета:	It02c.nopri	не существует.	
	It02c.novie	Пожалуйста, проверьте драйвер и соединение принтера	
Для создания раздела выберите лист	It02c.nosce	Невозможно сохранить текущее представление. Продолжить	
	It02c.printc	Невозможно сохранить текущий сценарий. Продолжить печат	
Раздел для добавления	It02c.nowo	Задание на печать отчета отменено.	
&Лист:	It02c.nomi	Нельзя печатать или исправлять отчеты, находясь в группе.	
tb03r.pages.	It02c.noprc	Нельзя использовать эту команду на свернутом листе.	
Представление:	It02c.noprc	Нельзя печатать или исправлять отчеты, находясь в защищен	
tb03r.views.	It02c.notex	Диспетчер отчетов доступен только на рабочем листе или лист	
С&ценарий:	It02c.canto	не существует.	
tb03r.scenarios.	It02c.repor	невозможно открыть.	
&Разделы в этом отчете:	It02c.notde	Отчет	
tb04a.sections.	It02c.notpr	невозможно удалить.	
&Последовательная нумерация стр	It02c.Need	невозможно напечатать.	
	It02c.Invc	Пожалуйста, введите имя отчета.	
It04.udPrint.	It02c.Delet	Имя отчета содержит недопустимые символы.	
	It02c.Delet	Удалить отчет '	
Печать	It02c.Need	'?	
ОК	It03c.help.	Невозможно добавить отчет без разделов.	Is01.Print.*
Отмена	It03c.help.	XLMAIN8.HLP	
&Справка		MS Excel Help	
&Копий:		1731	
	__LongNam	Диспетчер отчетов	
	SummaryT	Создает отчеты, комбинируя представления со сценариями д	
		1	
		1	
	It03c.viewx	VIEWS.XLA	
	It03c.viewx	Диспетчер представлений	
		&Вид	Moved to View Me
		Во весь &экран	Look for Full Scre
	It03c.curre	(Нет)	
	It03c.curre	(Активная страница)	
		Добавление отчета	

Loc Table

				Изменение отчета		
				&Повторить удаление		
				&Повторить печать		
				ПЕЧАТАТЬ.ОТЧЕТ		
				УДАЛИТЬ.ОТЧЕТ		
			lt03c.views	ОПРЕДЕЛИТЬ.ОТЧЕТ		
				Диспетчер отчетов: ЗАПИСЬ НЕВОЗМОЖНА, СТРОКА ДЛИННЕЕ		
				номер_типа		
				имя_отчета		
			lt03c.views	массив_разделов		
			CopyrightT	флаг_страниц		
			lt02c.Show	количество_копий		
			lt02c.Show	флаг_диалога_печати		
			lt03c.Repo	Диспетчер отчетов...		
			CopyrightT	(c) Microsoft Corp., 1992-1993.		
			lt02c.Show	Невозможно показать представление		
			lt02c.Show	на листе		
			lt02c.Show	Невозможно показать сценарий		
			lt02c.Show	на листе		
			lt02c.Show	viewErr2.		
			lt02c.Show	scenarioErr2.		
			lt03c.Print		1731	
			lt03c.AddE		1732	
			lt02c.GtrZe	Пожалуйста, установите больше 0 копий.		
			lt02c.NineF	Пожалуйста, установите меньше 10 копий.		
			lt03c.VbaR	Application.ExecuteExcel4Macro String:="		DO NOT LOCALIZ
			lt03c.VbaR	"		
			lt02c.noins	Ошибка печати и изменения отчета в составе объекта OLE ил		

Loc Table

X	Y	W	H	X	Y	W	H									
								COMPILE AREA								
Ma	3			Wir	3			ca.dialogs.	ca.Functions.							
Report.*.								Is01.PrintRep	USA	LOC	Ar	LOC Desc	Hel			
##	10	80		##	5	90		Is01.AddEdit	REPORT.DE	ОТЧЕТ.ОПР	10	Определяет именованный отчет	##			
##	40	80		##	27	90		Is01.Print.Wi	REPORT.DE	ОТЧЕТ.УДА	10	Удаляет именованный отчет	##			
##	##	80		##	##	90		Is01.PrintRep	REPORT.GE	ОТЧЕТ.ПОЛ	10	Выдает информацию об имено	##			
##	65	80		##	51	90		Is01.AddEdit	REPORT.PR	ОТЧЕТ.ПЕЧ	10	Печатает именованный отчет	##			
##	90	80		##	75	90		Is01.Print.Ma	REPORT.PR	ОТЧЕТ.ПЕЧ	10	Эквивалент команды Диспетче	##			
##	##	80		##	99	90		It04.udPrint	Report.							
9	9			9	9			It04.udAddEd	itReport.							
9	35	##	##	9	28	##	##	It04.udPrint.								
								ca.DialogList.								
Ma	3			Wir	3			Print Report	(Win)							
ItReport.*.								Add/Edit Report	(Win)							
##	10	70		##	6	##		Print (Win)								
##	40	95		##	30	##		Print Report	(Mac)							
##	##	95		##	54	##		Add/Edit Report	(Mac)							
##	##	90		##	93	98		Print (Mac)								
##	##	95		##	##	##										
##	##	95		##	##	##		ca.DialogTemplates.								
##	##	95		##	##	##		ud01.PrintRe	port.							
9	11	##		10	10			ud02.AddEdi	tReport.							
##	9	##		##	10	##		ud03.Print.								
9	42	##	70	10	36	##	40									
9	##	##	75	10	83	##	##									
18	93			18	93											
18	##	56		18	##											
##	##	##		##	##	##										
22	##	88		22	##											
##	##	##		##	##	##										
22	##	92		22	##											
##	##	##		##	##	##										
9	##	##		10	##											
9	##	##	90	10	##	##	68									
9	##			10	##											
								ca.DialogList.								
Ma	3			Wir	3											
##	10	##		##	9	##										
##	40	##		##	32	##										
##	66	##		##	54	##										
9	18	66		9	18	##										
70	15	50		80	15	50										
								Ins Ins Ins Ins Ins Ins Insert								
								enu 4/7 for XL95								
								en and add Report Manager before it.								

