

EditMTU (Ver 2.55)

 EditMTU,Æ,Í

Win98,È,Ç,À,ÍAMSDF,Å[fh,Å scanreg /restore ,Æ“ü—í,·,é,Æ ,T,Å,lfobfNfAfbfv,©,çfŒfWfXfgfS,ð•œŒ³‰Å”\,Å,·B

¶!^È‰‰,¡•û-@,Å,íA•íX,³,ê,½fŒfWfXfgfS'!,ðŒ³,É-ß,·,±,Æ,ío—^,Ü,·,ªA'Ç‰Å,³,ê,½í•ñ,ííœ,ío—^,Ü,¹,ñB

¶yfŒfWfXfgfS,¡fofbfNfAfbfv•û-@z

¶œRegedit,ð<N“®B([fXf^fg]-[ftf@fCf<-¼,ðŽw'è,μ,ÄŽÀs]-uregeditv,Æ“ü—í)
¶œfŒfj...íufŒfWfXfgfSv,©,çAúfŒfWfXfgfSftf@fCf<,í',«o,μv,ð'l'ð,·,éB
¶œí',«o,μ"íí,íAúHKEY_LOCAL_MACHINEv,ðf`fFfbfN,μAbackup01.reg ,È,Ç,ì-¼'O,Å•Û'¶,·,éB

¶yfŒfWfXfgfS,ð•œŒ³,·,é•û-@z

¶œRegedit,ð<N“®B

¶œfŒfj...

¶l,íufŒfWfXfgfSv,©,çufŒfWfXfgfSftf@fCf<,í"Ç,Ýž,Ýv,ð'l,ñ,ÄA'O,É•Û'¶,μ,½ backup01.reg ftf@fCf<,ð"Ç,Ýž,ß,î,n,jB
¶œ,Ü,½,íA'O,É•Û'¶,μ,½ backup01.reg ftf@fCf<,ðf_fuf<fNfSfbfN,μ,Ä,à—Ç,¢B

☒ fo@[fWftf“fAfbfv,AEfAf“fCf“fXfg@[f<

• fCf“fXfg@[f<^fo@[fWftf“fAfbfv

- f_fEf“f@@[fh,μ,½ **editmtu255.lzh**,íALZHŒ`Ž®,í^³lkftf@fCf<,Å,·,©,çALhasa]A+Lhaca ,È,Ç,ì‰‰ð“€f\ftfg,¤•K—v,Å,·]B
- “K“,É\ftfHf<,ð]i]¬,μ,Ä]A,»,±,É‰‰ð“€,·,é,¾,~,ÅŽg,!,Ü,·]B
- EditMTU.exe**,žÄ]sftf@fCf<,Å,·]B
- %‰ð“€,³,ê,½ **EditMTU.exe**,íVftf@[fgf]fbfg,ðfffXfNfgfbfv,È,Ç,É]ì,Å,Ä,“,~,í•Ö—~,Å,·]B
- fo@[fWftf“fAfbfv,íftf@fCf<,ð]ä]’,«,·,é,¾,~,Å,n,j,Å,·]B

• fAf“fCf“fXfg@[f<


- EditMTU.exe ,ð,»,íftfHf<_,²,Æ]í]œ,·,é,¾,~,Å,·]B
- íVftf@[fgf]fbfg,ð]i]¬,μ,Å, ,Å,½,ç]A,»,ê,à]í]œ,μ,Å,¾,³,¢]B

• fCEfWfXfgfŠ,ífofbfNfAfbfv—pff@[f^ftf@fCf<,É,Å,¢,Ä

- ,±,ífc@[f<,Å•í]X,·,é’O,ífCEfWfXfgfŠ,í]Y’è,ð^È‰‰,íftf@fCf<,É•Û’¶,μ,Ü,·]B ,±,ê,É,æ,è]A**EditMTU**,Å•í]X,μ,½fCEfWfXfgfŠ’l,¾,~,ðCE³,É-ß,·,±,Æ,¤]o—~,Ü,·]B(ff]f^,¤•Û’¶,³,ê,éftfHf<_,í]AEditMTU.exe,Æ“-,¶ftfHf<_,Å,·)
-]i,±,íftf@fCf<,í]A]Å]‰‰,ÉfCEfWfXfgfŠ’l,í]“Ç]ž,Ýf{f^f“,ðfNfŠfbfN,μ,½žž,É^ê“x,¾,~]i]¬,³,ê,Ü,·]B

☐E **DefReg98.dat** ☐c Win98/ME,ífCEfWfXfgfŠ]Y’è,ð•Û’¶,μ,½ftf@fCf<,Å,·]B
☐E **DefRegXP.dat** ☐c Win2K/XP,ífCEfWfXfgfŠ]Y’è,ð•Û’¶,μ,½ftf@fCf<,Å,·]B

▼ ☐ä,ífCEfWfXfgfŠ•Û’¶ftf@fCf<,ð]í]œ,μ,Å,μ,Ü,¤,Æ]AfCEfWfXfgfŠ,ðCE³,ífc@[f<Žg—p’O,í]ó’Ô,É-ß,¹,È,,È,è,Ü,·]B



Registry 値取得 f{f^f“,ðfNfŠfbfN,·,é,ÆACE»Ý,þfŒfWfXfgfŠ,íÝ‘è’l,ëŠefpf‰of[]f^,ì‰E’¤,þfŒ[]F,þfŒ[]F,ìBOX,É•\Ž!,³,ê,Ü,·íB!‘’l,ë‘¶Ý,µ,È,fŒê‡,íó”,©u-v,ð•\Ž!íB,(n,r,þfftHf

 f{f^f“,đfNfŠfbfN,·,é,AE AfŒfWfXfgfŠ’I,đ“C,Ýž,ñ,ÅA,»,í’I,đ¶‘¤
,íÝ’èBOX,í•û,ÉfRfs[,µ,Ü, B fŒfWfXfgfŠ’I,đŒJ,è•Ô,µC³,µ,Ä’,«ž,þê‡,É•Ö—
~,Å,µ,å,¤B [fŒfWfXfgfŠ,É-¢Ý’è,í’I,¤,éê‡,ífRfs[¤—^,Ü,¹,ñ¤B

• \Z|^3, ê, Ä, ç, éfpf%of[]^' |, ðZ@•^, È, è, É'^2® , µ, Ä, ©, çfŒfWfXfgfŠ, É', «ž, þ, ±, Æ, ào—^, Ü, ·B(ŒY, ç, É~A“®, ·, é'l, É, Ä, ç, Ä, íufifvfVfjf“v^fu, ðZQÆ)
@®, È, “A, ±, l•íX, µ, ½fpf%of[]^' |(Œ¶'æ, l”BOX, l•\Z|), í
EditMTU, ðÄ<N“®, µ, ½, èu'ÈMŽí•Èv, ð•íX, µ, ½, è, ·, é, Æ CŒ³, l„, s'l, É-ß, è, Ü, ·B

• uMTU'Tõv, Å“¾, ç, ê, ½MTU/RWIN' |, ðfRfs[], µ, ½ê‡AfffftHf, fg, Å, í, », l'I, ð•ÒW(
•íX)o—^, Ü, ¹, ñ, aA
f{f^f“, ðfNfŠfbfN, ·, é, Æ•ÒW)o—^, é, æ, æ, É, è, Ü, ·B(fNfŠfbfN, Å
/ , ÈØ, èS·, í, è, Ü, ·)

■ Win98/ME, lê‡, É, íAŠefpf%of[]^' f^ (MaxDupAcks^ÈŠO), ðu•¶ž—
ñv, Æ, µ, Ä', «ž, Ÿ, Ü, ·B

•  Reg.復元 | f{f^f“, ðfNfŠfbfN, ·, é, ÆA, ±, lfc[f<, Å•íX, ^, ê, ½fŒfWfXfgfŠ'l, ðCŒ³, É-
ß, µ, Ü, ·B(Œ, ±, lfc[f<, Å•íX, ·, é'O, ló'Ö, Ö, l•œŒ³, Å, ·)

• fŒfWfXfgfŠ•íX, ð—LŒø, É, ·, é, È, íAWindows, ðÄ<N“®, ·, é•K—v, ^, , è, Ü, ·B

- MTU/RWIN'2® ,í€®ì•û-
- Win2K/XP vfu
- Win2K/XP ,ífpf%ofoff^Y'è,ÆSm"F,ä,Å,«,Ü,·B



- f{f^f“,ðfNfŠfbfN, ;é,ÆŒAŒ»Y, ðfŒfWfXfgfŠ, íY'è'I, ãŠefpf%ofoff^f^, í‰E’¤ ,ífOfŒ[ŒF, ïBOX, É\Ž|,³, ê, Ü, ·B|’I, a’Y, µ, È, çŒêŒ‡, íu-Œv, ©, ð•\ Ž|B(n,r,lfffftfHf<fg, Å, lA, x, Ä, l'l, a-çY'è, Å, ., ©, çu-Œv, ©, a•\Ž|,³, ê, Ü, .)
- @@@, È, "AVer2.0^È~ , Å, íŽ© “® I, ðfŒfWfXfgfŠ’I, ðŽæ“³/₄, ·é, æ, ¤ , È•lŒX, µ, Ü, µ, ½, l, ÅA”Å, Éu'lŽæ“³/₄v{f^f“, ðfNfŠfbfN, ·é•K—v, l, , è, Ü, ¹, nB
- f{f^f“, ðfNfŠfbfN, ;é, AEŒAfŒfWfXfgfŠ’I, ð“Ç, Yž, n, ÅA, », l’I, ðŒ¶’¤ ,íY'èBOX, l•û, ðfRfs[µ, Ü, ·B fŒfWfXfgfŠ’I, ðŒJ, è•Ô, µŒC³, µ, ÄŒ’, «ž, þŒêŒ‡, È•Ö— , Å, µ, å, ¤B lŒfŒfWfXfgfŠ, È-çY'è, l'l, a, , éŒêŒ‡, lŒRfs[lo—^, Ü, ¹, nB
- Registry’I, ð“Ç, Yž, þ, AEŒAMTU’I, ðŒ’, «ž, þŒfWfXfgfŠKey(ffbfgf[fnfj[fh, ðNf%ofofXID), ðŒAfŒfWfXfgfŠ, ©, cŽ© “® Žæ“³/₄, µ, Ü, ·B
- l•iŒ”, l NetworkCard , aŒYœo,³, ê, ½ŒêŒ‡, íAŽg—p, µ, Ä, ç, é NetworkCard , ðl’ð, µ, ÄŒu

- LANCard \rightarrow NetworkCard
 - MTU \rightarrow EditMTU
 - MTU \rightarrow AFD Parameters
 - AFD Parameters \rightarrow Win2K/XP
- LANCard \rightarrow NetworkCard**
- NetworkCard \rightarrow MTU
 - NetworkCard \rightarrow AFD Parameters
- NetworkCard \rightarrow MTU**
- MTU \rightarrow EditMTU
 - MTU \rightarrow AFD Parameters
- NetworkCard \rightarrow AFD Parameters**
- AFD Parameters \rightarrow Win2K/XP
- Win2K/XP \rightarrow NetworkCard**
- NetworkCard \rightarrow MTU
 - NetworkCard \rightarrow AFD Parameters
- Win2K/XP \rightarrow AFD Parameters**
- AFD Parameters \rightarrow Win2K/XP
- AFD Parameters \rightarrow Win2K/XP**
- Win2K/XP \rightarrow NetworkCard
 - Win2K/XP \rightarrow AFD Parameters

[HKLM\SYSTEM\CurrentControlSet\Services\Tcpip\Parameters]

"TcpWindowSize"=DWORD:0000xx

"GlobalMaxTcpWindowSize"=DWORD:0000xxxx

"EnablePMTUDiscovery"=DWORD:00000001

"EnablePMTUBHDetect"=DWORD:00000000

"DefaultTTL"=DWORD:00000080

"SackOpts"=DWORD:00000001

"TcpMaxDupAcks"=DWORD:00000003

"Tcp1323Opts"=DWORD:00000000

[HKLM\SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Interfaces\
(AdapterID)]

"MTU"=DWORD:0000xxxx

"TcpWindowSize"=DWORD:0000xxxx

[HKLM\CurrentControlSet\Services\Ndiswan\Parameters\Protocols\0]

"ProtocolType"=dword:00000800

"PPPProtocolType"=dword:00000021


"ProtocolMTU"=dword:000005ae

|| (AdapterID),ÍfŒfWfXfgfŠ,©,cŽ©“®Žæ“¾||B
|| HKLM,Í HKEY LOCAL MACHINE,í—¤||B

- **MTU/RWIN'2** ® , Í€ Ì• Ú-@

- **ÍufIfvfVf#f“Ívf^fu**

- , ç,, Å, © , ÍfIfvfVf#f“, Ó Ý' è, Å, «, Ü, · ÓB



- **ÍuMaxMTU 'I, Æ DefaultMSS 'I, ð~A“® , µ, Äž C“® ÓCÓ³ , · , é v**

- f` fFfbfN, a, , ê, Í ARMAXMTU - 40 = DefaultMSS , Æ, È, é, æ, ã, É, Š, Æ, Ý, Í, ð~A“® , µ, Ä • Í X, µ, Ü, · ÓB



- **ÍuRWIN'I, Æ~A“® , µ, Ä Tcp1323Opts , ðž C“® ÓCÓ³ , · , é v**

- f` fFfbfN, a, , ê, Í ARWIN 'I, a 65536 ^ È ã, Í ê # Tcp1323Opts , ð 3 , É A 65535 ^ È % o, È, ç 0 , É, µ, Ü, · ÓB



- **ÍuRWIN'I, ð MSS'I(MTU-40), Í Ó® Ó”” {, É, · , é v**

- f` fFfbfN, a, , ê, Í ARWIN'I, ð MSS'I, Í Ó® Ó”” {, É, µ, Ü, · ÓB
- f` fFfbfN, µ, ½ ê #, Í ARWIN'IBOX, Í % o E' ã, É • \ Z! , ³, ê, é BOX, Å " { Ó , ðž w' è, µ, Ü, · ÓB(, ±, Í ê # ARWIN'IBOX, Ö, Í ¼ Ú " ü - Í, Ó s % Å)



• **■uNetworkCard ,ì RegistryfL[],É,à MTU 'I,ð]Y'è,.,é]v**

- f`fFfbfN,², ,ê,îANetworkCard ,²,Æ,ì RegistryfL[],É MTU]ARWIN 'I,ð"o~^,µ,Ü,·]B



• **■u'¶]Y,µ,È,¢ RegistryfL[],í]i]n-,.,é]v**

- f`fFfbfN,², ,ê,îA,±,ìfc[]f<,ÅfAfNfZfX,·,é RegistryfL[],²'¶]Y,µ,È,¢]ê]‡,í,»]fL[],ð]i]n-,µ,Ü,·]B



• **■uRegistry'ž,ÝŒä,É RegfLfffbfVf...,ð ftf‰fbfVf...,.,é]v**

- f`fFfbfN,², ,ê,îARegistry'ž,Ý,ìŒä,ÉfLfffbfVf...f]f,fŠ,©,çfŒfWfXfgfŠftf@fCf<,É<-§"I,É•Ü'¶,µ,Ü,·]B

- f`fFfbfN,ð]Á,·,Æ]A,n,r,ì]³]í]l—ž,©]Ä<N"®ž,É•Ü'¶,³,ê,Ü,·]B

- f`fFfbfN,², ,Á,Ä,àfŒfWfXfgfŠ•í]X,ð—LŒø,É,·,é,É,íWindows,ì]Ä<N"®,²•K—v,Å,·]B



• **■uPingfRf}f“jh,ð fRf“f]l[f<,ÅŽÀ]s,.,é]v**

- Windows]ä,Å,ì PingŽÀ]s,² TimeOut,É,È,Á,Ä,µ,Ü,¤
(DOS'Å,ìPing,È,ç'È,é)ê]‡Af`fFfbfN,ð•t,~,é,Æ fRf“f]l[f<,Å Ping,ðŽÀ]s,µ,Ü,·]B



• **■u,±,ì'I,©,çPing,ðŽÀ]s,.,é]v**

- f`fFfbfN,ð•t,~,é,Æ]APingŽÀ]s,í]í,É'½,®‰º,ìBox,ÅŽw'è,µ,½'I,©,çŠJŽn,µ,Ü,·]B

• **■uWeb Accelerator]v**

- "^-^ê]TfCfg,©,ç"ž,É"ç,Ý]ž,P]",ð]Y'è,µ,Ü,·]B],'-^‰ºñü,Å, ,ê,í'å,«,Ù,É]Y'è,µ,½•Û,²"ç,Ý]ž,YžžSÖ,ì]Z]k,É,È,é‰ºÅ"\]«,², ,è,Ü,·,ä]A'å,«‰ºÙ,¬,é,Æ]fT][fo][•‰‰×,í'å,Å'x,,È,é,±,Æ,à]B

• **■uReg.,.,x,Å]í]œ]v**

- f{f^f“,ðfNfŠfbfN,·,é,Æ]ATCP/IPŠÖ~A,ìfŒfWfXfgfŠ,ì]Y'è,ð]í]œ,µ,Ä,·,n,fffftfHf<fg,ì]ó'Ô,É-Ù,·,±,Æ,²]o-^,Ü,·]B

- ï]i,±,ìfc[]f<,Å•í]X,³,ê,éfŒfWfXfgfŠ'l,ð,·,x,Ä]í]œ,µ,Ü,·]B(^ê•",ì'I,í]í]œ,Å,È,-ÅfffftfHf<fg'l,É•œ<A)

- ï]i]uWeb Accelerator]v,É,Å,¢,Ä,í]A<N"®ž,ì]4]A2,ì'I,ð]‘,«]ž,b,±,Æ,ÅfffftfHf<fg,É-Ù,Ü,·]B

- fŒfWfXfgfŠ•í]X,ð—LŒø,É,·,é,É,í]AWindows,ð]Ä<N"®,·,é•K—v,², ,è,Ü,·]B



RegFile 旲成

ff{f^f“,ðfNfŠfbfN,·,é,Æ AfŒfWfXfgfŠ EfXfNfŠfvfg(.reg)ftf@fCf<,ðì¬,μ,Ü,·B

ŒuDefault_98ME_BACK.regŒvŒc OS,fffftfHf<fg,É-ß,· 98/ME—p regftf@fCf<
Œu98ME_BACK.regŒvŒ@Œ@Œ@Œ@Œc fcŒ[f<Žg—p’O,É-ß,· 98/ME—p
regftf@fCf<


ŒuDefault_XP2K_BACK.regŒvŒc OS,fffftfHf<fg,É-ß,· 2K/XP—p regftf@fCf<
ŒuXP2K_BACK.regŒvŒ@Œ@Œ@Œ@Œc fcŒ[f<Žg—p’O,É-ß,· 2K/XP—p
regftf@fCf<

Œi ^Èä,ïžl,Ã,í Ver4”Œ(AnsiString) ,i regftf@fCf<,Å,·B

ŒuReg5_Default_XP2K_BACK.regŒvŒc OS,fffftfHf<fg,É-ß,· 2K/XP—p
regftf@fCf<
ŒuReg5_XP2K_BACK.regŒvŒ@Œ@Œ@Œ@Œc fcŒ[f<Žg—p’O,É-ß,· 2K/XP—p
regftf@fCf<

Œi ^Èä,ï“ñ,Ã,í Ver5.00”Œ(Unicode) ,i regftf@fCf<,Å,·B
Œi Win2K/XP,í Ver4”Œ,É,à‘î‰ž,μ,Ã,¢,Ü,·,¤A^ê‰žVer5.00”Œ,àì¬,μ,Ü,·B

- MTU/RWIN'2® , Í€ì•û-
- uMTU 'Tõvf^fu
- PING fRf}f“fh, iŽÀs, É, æ, è MTU'l, ð'2, xA, » , ÍŒ<%oÉ, ©, ç RWIN'l, àŒvŽZ, µ, Ü, ·OB



- u'¬"x, iŽí•Év, ð'l, ð, µA u**Host-¼vBOX**, É"K"-, ÈfTfCfg, ifzfXfg-¼, © IPfAfhfŒfx, ð"ü—Í(, Ü, ½, Í'l, ð)

 , µ, Ä, ©, ç u**Ping** vf{f^f", ðfNfŠfbfN, ·, é, Æ'Tl, ðŠJŽn, µ, Ü, ·OB(u'¬"x, iŽí•Év, í PingŽÀsŒä, É'l, ð(•ÍlX), µ, Ä, à\, ¢, Ü, ¹, ñ)
- u**Host-¼vBOX**, É, í **URL**, ð"ü—Í(fRfs[]•"\, è•t,), µ, Ä, à\, ¢, Ü, ¹, ñ OB URL, ð"ü—Í, µ, ½êŒ, iŽ©"®"l, ÈfzfXfg-¼, É'½, µ, Ü, ·, x, Ä, ifTfCfg, ÅPing, ², É, é, Æ, íŒÀ, è, Ü, ¹, ñ OB
- Ž©•ä, Ä"ü—Í, µ, ½fzfXfg-¼, íA'¶Ý, ·, ê, ifzfXfg, É'Ç‰Ä, ³, ê, Ä•Ü'¶, ³, ê, Ü, ·OB fzfXfg, iŒ-Ü, ðŒœ, µ, ½, ¢Œ, íŒ, » , iŒ- Ü, ð'l, ð, ÄuEndvfl[(), Ü, ½, íuCtrlv+uDeletev), ð‰Ý, ·, ÆíŒœo—^, Ü, ·OB
- | | |
|---------------|---|
| Ping | f{f^f", ðfNfŠfbfN, ·, é, ÆPINGŽÀs, ðŠJŽn, µ, Ü, ·OB |
| Cancel | , ðfNfŠfbfN, ·, é, Æ'tŽ~, µ, Ü, ·OB |

- **uDataSize** BOX, l'I, d 1 , AŒ , c, µ, È, a, c AfpfPfbfg, a•aŠ,, , , ê, È, cfTfCfY, Ü, Å Ping fRf}f"fh, ðŽÀs, µ, Ü, · B

- **uDataSize** vBOX, l 1472 , E, E, A, A, f, U, ., a A - \z, ^, e, e' l, ae, e, mu' a, <-
U, E' ^, R, mu, A, C, c uPing vf {f ^ f", dfNfSfbfN, ., e, AE - C, f, A, mu, a, x B

- **uReply...v**,Æ,¢,¤‰žš(Ýè,µ,½‰ñ),ä•Ô,Á,½Žž,ÉuMTUvBOX,É•\ Ž!,³,ê,½'í,ä 'ÊíÅ“K,ÆŒ³/4,í,ê,Ä,¢,é MTU'í,Å,·B

- **–Mff**[f^,É,í 28fofCfg,]fwfbf_[],^a•t%oÁ,³,ê,é,ì,ÅADatasize+28,^a
MTU'í,Æ,È,è,Ü,·]B

- 'T₀Œ<%oÊ,ì RTT,ì•½<í'(Average),©,ç RWIN'ì,àŒvŽZ,µ,Ä•\Žì,µ,Ü,·IB

ERTT'!íflfbfg,íóóμ·í‰»„Åí,É·í“®,μ,Ü,·,©,çÅ³Šm,È RWIN'!,ðŒvŽZ,·,é,É,í Ping'—o‰ñ”(fffftfHfg,í10‰ñ),ð½,ß,É,μ,½•û,ª—ç,¢,Å,·

EPing'—o‰ñ”,íuDataSizevBOX ,ì,·,®‰E—x,É, ,é BOX,Åžw’è,µ,Ü,·íB

©@®@®ERTT'I,íƒTfCfg,²,Æ,É^Ù,È,è,Ü,·,©,çARWIN'I,í'ÊÙí,æ,Žg—p,·,éfTfCfg,ÉÙ‡,í,¹,Ä,“,,-,Æ—Ç,¢,Å,µ,å,¤B

%@#@EPingŽÀsŒã,Éu'¬“x,íží•Êv,ð•íX,μ,½ê‡,íA,»,ê,É%ož,¶,ÄRWIN'I,à•í,í,è,Ü,·B

- RWIN'I,Í (Average) ~('Ñ^æ•) €8 ,ÅŒvŽZ,µ,Ü,··B

• **Microsoft Word** • **Microsoft Word 2013** • **Microsoft Word 2010** • **Microsoft Word 2007** • **Microsoft Word 2003** • **Microsoft Word 2000** • **Microsoft Word 97**


Z!,<Ü,··B(fpfPfbfg·Ä'—·M,·^a<N,«,é,±,Æ,ð·|—¶,μ,½·ê·‡)

•@E• \bullet $\text{u}^{1/2}\langle\ddot{\text{I}},\text{é}\text{v},\delta f\text{fFfbfN},\cdot,\text{é},\text{Æ}$ (MTU+40)/2 ,ÌDataSize,Å Ping,ðŽw
‰ñ"ŽÀs,μA,» ,Ì RTT(Average)'l,©,ç RWIN'l,ðŒvŽZ,μ,Ü,·OB

-  f{f^f“,đfNfŠfbfN,·,é,Æ█A’T█ö,μ,½MTU’I,ÆRWIN’I,đ█Ý’èBOX,ÉfRfs█[,μ,Ü,·█B

- TraceRt J{f^f“,đfNfŠfbfN,·,é,Æ-Ú“I,lfzfXfg,Ü,Å,ìŒo~H,đ•\ž!,μ,Ü,·□B
•,đfNfŠfbfN,·,é,Æ’†ž~,μ,Ü,·□B

- MTU/RWIN'2®, ï€®•û-
 - uŽ©“®Ý'èvƒ^fu
 - PING fRf}f“fh, iŽÀsŒ<%oÊ, ©, ç'ÊMfpf%of[]^, ðŽ©“®Ý'è, µ, Ü, ·B



- ,±,ê,í ☺‰SŽÒŒü, ï,à,ì,Å,·B'ÊŒí, **luMTU'To v**, ï•û,ð—~—p,µ,Ä,,¾,³,¢ B
 - **lu'¬“x, iží•Ê v**, ð'l'ð, µ A **ufTfCfg v** BOX, Å Œ, í,¹, éfTfCfg, ð'l'ð(, Ü, ½, í“ü—í), µ, Ä, ©, ç
設定開始 f{f^f“, ðfNfŠfbfN, ·, é, AE A, Ü, PingfRf}f“fh, ažA s,³, ê, Ü, ·B, », µ, Ä A, », ižA s CE
<%oÈ, ðŒ³, ÉŠefpf%o fŒ[f^, ðfŒfWfXfgfŠ, ÉŒ’, «Œž, Y, Ü, ·B
 - ,±,±
ÅŒ’, «Œž, Ü, ê, ½fŒfWfXfgfŠ’l, **luWin98/Mel v**f^fu, © **luWin2K/XP v**f^fu, ÅŠm”FŒo—
^, Ü, ·B, », ±, Å
 - f{f^f“, ð‰Y, ·, AE AfŒfWfXfgfŠ, ð ,±, lfcŒ[f<žg—p’O, lŒó’Ô, É-ß,¹, Ü, ·B

- **Íf^fu, ð<N“®Žž, É•\Ž|, ·, év, Éf`fFfbfN, a, , é, AE A, ±**
, ïuž“®Ý’èvf^fu, ðí, É<N“®Žž, É•\Ž|, µ, Ü, ·B
- **ÍuMTU’Tõ, ï HostfŠfxfg, É”-Šúv, Éf`fFfbfN, a, , ê, ïuMTU’Tõv^fu, ï HostfŠfxfg, a<N“®Žž, ÉfTfCfg(Host)BOX, ÉfRfs[], ^, Ü, ·B, Ü, ½ž“®ü—í, ào—^, Ü, ·B
, ï, ±, ïÝ’è, ï•ïX, í fAfvfŠ, ðÄ<N“®, µ, È, ¢, AE—LCEø, É, È, è, Ü, ¹, ñB
@, È, “AftfCfg(Host)BOX, URL, ð“ü—í(fRfs[]“\", è•t, ^)
, µ, ½ê‡, ïAž“®“I, ÉfzfXfg—
¼, É•ÍS·, µ, Ü, ·B, ½, ¾, µA, ·, ×, Ä, ïTfCfg, ÅPing, a’É, é, AE, ÍCEÀ, è, Ü, ¹, ñB**
- **Ž“®ü—í, µ, ½fTfCfg(Host)—¼, íA’¶Ý, ·, ê, ïfŠfxfg, É’C**
‰oÁ, ^, ê, Ä•Ü’¶, ^, ê, Ü, ·BfŠfxfg, ï€-Ú, ðíœ, µ, ½, ¢ê‡, íA, », ï€-
Ú, ð’l’ð, µ, ÄyEndzfl[], Ü, ½, ïyCtrlz+yzDeletez), ð‰Y, ·, AEíœo—^, Ü, ·B
- **Í!Ž“®Ý’è, Å, ïANetworkCard(LAN Card), a•í”ŒÝo, ^, ê, ½ê‡**
Win2K/XP, ïMTU’l, ð•íX, µ, Ü, ¹, ñB

- **ÀŒä,É**
- **f\ftfg,ìŽí•Ê**
- ,±,ì **EditMTU** ,í ftfŠ[]f\ftfg,Å,·[]B
- **-ÆÓ[]A"z•z[]ðŒ[]**
- ,±,lfAfvfŠ,ðŽg—p,μ,½,±,Æ,É,æ,é,¢,©,È,éŒ<%oÊ,É,Â,¢,Ä,à-ÆÓ,Æ,³,¹,Ä,¢,½,¾,«,Ü,·[]B
- "z•z,È,C,íŽ©—R,Å,·,²[]A[]o—^,ê,îŽ-'O[]^Ž-Œä,É,²~A—[],¾,³,¢[]B
- ,±,lfAfvfŠ,ì'~[]Œ,í,g,d,m,É, ,è,Ü,·[]B
- **~A—[]œ**
- ,à,μfofO,È,C,¤, ,è,Ü,μ,½,ç^È%oº,É,²~A—[],¾,³,¢[]B %oÂ"\",ÈŒÀ,è'î[]^,μ,Ü,·[]B
- f[]Œ[f<,ì'~[]Œ signhen@yahoo.co.jp,g,d,m

