## **GuardAmy**

Diego dx0 Felice

GuardAmy

COLLABORATORS							
	TITLE:						
	GuardAmy						
ACTION	NAME	DATE	SIGNATURE				
WRITTEN BY	Diego dx0 Felice	July 8, 2022					

REVISION HISTORY							
NUMBER	DATE	DESCRIPTION	NAME				

GuardAmy

## **Contents**

1	Gua	ardAmy				
	1.1	Index	1			
	1.2	Add Window	2			
	1.3	TODO	3			
	1.4	Edit Window	3			
	1.5	Thanks	4			
	1.6	Changed sites list Window	5			
	1.7	History	5			
	1.8	Installation	6			
	1.9	The Author	6			
	1.10	Disclaimer	6			
	1.11	What is this ?	7			
	1.12	Settings Window	7			
	1.13	Main Window	9			
	1 14	FΛΩ	11			

GuardAmy 1/11

## **Chapter 1**

# **GuardAmy**

## 1.1 Index

---< GuardAmy ver. 1.01 >---

English Version

Disclaimer

- READ THIS FIRST

Introduction

- a brief introduction

Installation

- how to install this program

Main Window

- main window and its buttons

Settings Window

- how to configure the program

F.A.Q.

- the most Frequently Asked Questions

History

- all the versions of GuardAmy

The author

GuardAmy 2/11

who made these bugs :)

the URL.

button (see

```
Bug Reports
                   - reporto bugs to me
                 Thanks
                   - some thanks
                 TODO
                   - things I want to add
1.2 Add Window
                     -< Add Window >-
  This window is opened when you press the Add button in the main window. Here you \hookleftarrow
      can insert
 a new site to keep in the list below. Insert a brief description of the site and \leftrightarrow
  The URL can be in the following format (without spaces):
       "http://" [ <login> ":" <password> "@" ] <hostname> [ : <port> ] { "/" < \leftrightarrow
           path> }
   [] indicates optional parts, "" strings you must write as you see above,
   <> indicates variables, {} contains parts that you can repeat n times.
  You can get the current URL and site description in your browser simply pressing \leftarrow
      <- Browser
                 settings
                  section to choose the browser settings). You can also
 get the URL from the clipboard by clicking on the <- Clipboard button.
  Below you can set the actions to perform when this URL has changes:
   - add in changed sites list (only URL and description)
   - send to browser in a new window (be careful to not activate this option for a \hookleftarrow
        great number
     of URLs, or if all that URLs have changes than you'll see a lot of browser \,\,\,\,\,\,\,\,\,\,\,\,\,
        windows on your
     screen :)))
   - copy URL to clipboard (this action has sense only when you check single sites \leftrightarrow
      , otherwise
     in the clipboard you'll find only the last changed site
```

GuardAmy 3/11

```
- execute command. For this one you can specify a command in the string gadget \ensuremath{\leftarrow}
    below. In this
   gadget you can also use some parameters:
     %u will insert the site URL
     %d will insert the site description
      %l will insert the last modify data
      %c will insert the content length
   IMPORTANT: don't make too long command name strings :) (512 characters will \leftrightarrow
       be "accepted"
                (i.e. the program will not crash :)) but remember that %u and his \ \hookleftarrow
                   brothers
                are expanded :))
 At the bottom of the window you'll find a button to add the current site to the \leftrightarrow
and continue adding a new one, a button to add the site and close this window \,\,\hookleftarrow\,\,
   and one to close
the window without adding the site. The new site will be added to the list and \leftrightarrow
   will be ready
to be checked for the first time (before this GuardAmy have no informations \,\,\,\,\,\,\,\,\,\,\,\,
   about content
length and last modify data).
```

## **1.3 TODO**

```
-< TODO >-

If you have some idea that can be useful then tell me all :) You can contact
    me
        .

In the next versions I want to insert:
- an ARexx port
- a button to stop the connections
- other actions to perform on site changes (creation of log files or
    HTML pages with links)
- all the things users will ask me :))
- a function to import site name and URL from browsers bookmarks
```

### 1.4 Edit Window

GuardAmy 4 / 11

```
-< Edit Window >-
 This window is opened when you press the Edit button in the main window. Here \,\,\,\,\,\,\,\,\,\,\,
    you can modify
an existing site in the list below. Insert a brief description of the site and \leftrightarrow
   the URL.
 You can get the current URL and site description in your browser simply pressing \leftrightarrow
     <- Browser
button (see
                settings
                 section to choose the browser settings). You can also
get the URL from the clipboard by clicking on the <- Clipboard button.
 Below you can set the actions to perform when this URL has changes:
  - add in changed sites list (only URL and description)
  - send to browser in a new window (be careful to not activate this option for a \hookleftarrow
      great number
    of URLs, or if all that URLs have changes than you'll see a lot of browser \leftrightarrow
       windows on your
    screen :)))
  - copy URL to clipboard (this action has sense only when you check single sites \hookleftarrow
     , otherwise
    in the clipboard you'll find only the last changed site
  - execute command. For this one you can specify a command in the string gadget \ \leftrightarrow
     below. In this
    gadget you can also use some parameters:
      %u will insert the site URL
      %d will insert the site description
      %l will insert the last modify data
      %c will insert the content length
    IMPORTANT: don't make too long command name strings :) (512 characters will \leftrightarrow
       be "accepted" but
                remember that %u and his brothers are expanded :))
 Ok button will make the modifies, Cancel will not. Note that when you change one \hookleftarrow
      of the site
 settings, than you'll have to recheck the site.
```

### 1.5 Thanks

-< Thanks >-

GuardAmy 5 / 11

I want to thank:

(in alphabetical order)

Gerard Cornu Gilles Masson Jonas Hulten Kai Weber

Krister S. Skrtic Lars Simonsen Markus Fellhauer

Matteo "Shiva" Cavalleri Simone "Wiz" Tellini

Stefan Stuntz SuRRouND

Troels Walsted

## 1.6 Changed sites list Window

-< Changed sites list Window >-

In this window GuardAmy will add all the sites that have the add in changed  $\ensuremath{\hookleftarrow}$  sites list

check mark selected. The 4 buttons below are used to remove selected items from  $\ \hookleftarrow$  the list

or to clear this list, and to send the current item URL to browser (using OpenURL  $\hookleftarrow$  .library,

see

settings

section to know how to set this library) and to clipboard.

Pressing the right mouse button on the list will open a context menu that  $\ \hookleftarrow$  contains the

same functions of the buttons (except the Remove All one).

Note that closing the window will not clear this list and that sites are added  $\ \ \ \$  dinamically

while checking them also if the window is closed.

## 1.7 History

```
-< History >-
```

ver. 1.01 - removed a very buggy bug :) that caused an Enforcer Hit (10x to Gerard Cornu)

- fixed a bug in the installer (the images drawer were not copied)
   (10x to Kai Weber)
- added deutsch catalog

GuardAmy 6 / 11

```
(10x to Markus Fellhauer)
```

 removed a bug in settings window (the columns order were changed every time you changed the settings) (10x to Surround)

```
ver. 1.0 - first public release
```

## 1.8 Installation

```
-< Installation >-
```

First of all double-click on the InstallEng icon in this drawer. Follow the instructions and you'll install all the program in a drawer.

After that you can start the program double-clicking on the GuardAmy icon in the directory program.

You can also install the program by hand:

- copy all the program directory on your hard disk
- copy the classes from the drawer MUI to your MUI:libs/mui/ drawer but only if the ones in this archive are newer than yours
- start the program double-clicking on the GuardAmy icon

## 1.9 The Author

```
-< The author >-

Name: Diego 'dx0' de Felice

Email: d.defelice@ba.nettuno.it

Irc: dx0 on #amigaita

Homepage: Under Construction:)
```

## 1.10 Disclaimer

```
-< Disclaimer >-
```

I am not responsible for any loss or corruption of data, software, hardware resulting by the use or possession of this program.

GuardAmy 7 / 11

This software is freeware and I'm a poor student, so I have no money to pay testers:) USE THIS SOFTWARE AT YOUR OWN RISK. If you want to use this software, than you must respect what I've just said!!!

## 1.11 What is this?

-< Introduction >-

Are you tired of checking all the sites in your bookmark every time you connect to the internet only to see if the same sites are changed or are always the same the day before? Now with GuardAmy you can avoid this, it will make this work for you. Insert the URLs of the pages (or generic files as well), click on a button and the program will connect to all the sites and will report the ones that have been modified since the last time you checked them. You can make some actions on changed sites, for instance you can send the URL to a browser or to the clipboard, or you can execute a command.

Remember also that this software is freeware, so you can copy it and use it without pay anything, you can spread this program only in his original format (i.e. this archive). Read also the

disclaimer

before using the program.

## 1.12 Settings Window

-< Settings Window >-

In this window you can set the program. There are 4 sections: Network, GUI,  $\,\,\hookrightarrow\,\,$  Project and Misc.

Network

TCP-IP: here you can set the max number of connections to make at the same ← time

to check the sites. You can also decide to automatically remove not ←

to check the sites. You can also decide to automatically remove not  $\ \ \leftarrow$  found

URLs (error 404) or gone URLs (error 410, this error is segnaled when  $\,\,\hookleftarrow\,\,$  the

server know that the URL has moved to another place but it doen't know where). With the other checkmark you can tell the program to  $\ \hookleftarrow$  automatically

modify the URL of moved permanently URLs (error 301, the server knows  $\, \hookleftarrow \,$  that

the URL has been moved and knows also where, GuardAmy is able to check  $\hookleftarrow$  the new

URL and with this option you can make the change permanent in the list  $\hookleftarrow$  ).

GuardAmy 8/11

```
Note: moved temporarly URLs (error 302), i.e. the server knows that \leftrightarrow
           URL has temporarly moved to another place and knows also where, are \ensuremath{\hookleftarrow}
               followed
           automatically by GuardAmy.
  Proxy: you can access to sites through a proxy. Here you can set a server name \leftarrow
      and
          a port number for this proxy.
  Default Actions: these options are the same you find in the add window, here \leftrightarrow
     you set
for changed sites the default value to use when you add a new site to the list.
                     See the
               add window
                documentation for more informations.
  List Settings: here you can decide what columns to show in the main window \leftrightarrow
     list
                  and the action to perform when you doubleclick on an item of \,\,\,\,\,\,\,\,
                  list (send URL to browser will use the settings in the Misc \leftrightarrow
                      section)
  SpeedBar Settings: here you set the look of the main window button bar (you \leftarrow
     can see
                       the changes in realtime)
  Changed sites: here you can set the
               Changed Sites List Window
               , i.e. you can select
  list settings an action to perform when you doubleclick on an item of this \,\,\,\,\,\,\,
     list
                  and if you want to open this window when you start GuardAmy
Project
  Start-Quit program: select if you want to automatically load a project when \leftrightarrow
     you
                        start GuardAmy (you can choose it below) and if you want \leftrightarrow
                        save the current project when you quit.
  OpenURL.library: to send URLs to browsers GuardAmy uses the OpenURL.library
          settings (see the
               FAQ
                to know how to get this library). Here you can
                     set some options for this library.
```

GUI

Misc

GuardAmy 9 / 11

```
From browser: first of all select the browser that you use and from which settings you want to get the URL (and site name if you set the check mark below) when you press on <- Browser buttons. See the FAQ for more informations about this.
```

#### 1.13 Main Window

```
-< Main Window >-
In the main window you can see a button bar, a list and a status line.
- pressing the buttons in the bar you can start a new project, load an existing \,\leftrightarrow\,
   one,
  save the current. You can also
               add
                a new site,
               edit
                an existing one from the list
  and remove current or selected items. With Check All you'll check all the \leftrightarrow
  the list for search the ones that have changed, with Check Sel you'll check \,\,\leftrightarrow\,\,
     only
  current or selected items.
               Chnq Sites
                will open the changed sites list window,
               Settings
                the settings window and Help will open this guide.
- the list contains all the sites in the current project:
  Status will indicate the current status or error of every item:
    Checking... indicates that GuardAmy is checking the site on the net
    Unchecked means this site has not been checked since program start or \ \leftarrow
        project load
    or if you have just added the site to the list
    Changed!!! means the page or file has been modified since the last time you \ensuremath{\hookleftarrow}
        checked
    it or if you check it for the first time. If you see (MT) or (MP) on the \leftrightarrow
        left of
    Changed!!! this means the site has moved Temporarly or Permanently to \leftrightarrow
        another URL
    (you can automatically change the URL of MP sites, see
               settings
                section)
    Unchanged is the opposite of Changed!!! :)
```

GuardAmy 10 / 11

```
Not found appears when the page or file in the URL doesn't exists on the \leftarrow
       server
    (you can automatically remove these sites from the list, see
               settings
                section)
    Gone means that the server knows that the URL has been moved to another \ \hookleftarrow
        place but it
    doesn't know where. These URLs can be seen as Not found URLs, see above.
    Uncheckable is very important: some web pages are generated dinamically from ←
    http server, these pages are uncheckable because the web server doesn't send \leftrightarrow
        to
    you last modified data and content length. This error will appear also if \leftrightarrow
    server doesn't send the 2 fields at all (some very old or buggy ones).
    Unauthorized and Forbidden means that you are not allowed to access the URL.
    Sometime you'll avoid this, setting a login and password in the URL (if you
        know
    them :)
    Server error means that the server to which you want to connect has \leftrightarrow
        temporary errors
    or disfunctions.
    Error 3xx, Error 4xx and Undefined error are generic errors, please send me \leftrightarrow
    URL of sites that makes these errors to check them.
    Cannot resolve means that the site URL cannot be resolved from the DNS \,\,\,\,\,\,\,\,\,\,
        server
    Socket error means that the program is not able to create a socket to \ensuremath{\hookleftarrow}
        communicate
    with the server
    Cannot connect means that GuardAmy is not able to connect to the server
    No TCP-IP stack will appear when you have not loaded Miami or Genesis or \leftrightarrow
        whatever
    create a bsdsocket.library :)))
    Send error appears when there is an error on sending request to the server
 In the other columns you can see the site description, URL, last modify data \leftrightarrow
    and content.
length in bytes. You can hide some of these columns, see
               settings
                section.
Pressing the right mouse button on the list will open a context menu that \,\,\,\,\,\,\,\,\,\,\,\,
   contains some
useful functions.
- the status line will show the current status of the program
```

GuardAmy 11 / 11

- to disk, save the current to disk but with a different name, append the current  $\ \hookleftarrow \$  project to
- an existing one, append to current project another one from disk (only in the  $\,\leftarrow\,$  list). You can
- also change program and MUI settings, read some info about MUI and GuardAmy.

### 1.14 F.A.Q.

```
The most Frequently Asked Questions:
            (past and future ones :)
 Q: Why I can get URLs only from AWeb and IBrowse and not from Voyager ?
 A: The problem is that Voyager doesn't have an ARexx command to get site URL \,\leftrightarrow\,
    and site
    name :( If you really want this option, you can ask Olli to modify the ARexx \hookleftarrow
        port
    of V :)))
 Q: Ok I use IBrowse 2 but I am able only to get site name, URL is always set as \leftrightarrow
     RESULT, so ?
 A: I don't know if the bug is in IB2 or in my program :) I know for sure that
    all works fine with IB 1.2 but not with the version 2. (I've tested only the \leftrightarrow
        demo version)
 Q: Why GuardAmy is not translated in my language ?
 A: If you want you can do it for you by editing the file guardamy.ct file
    in this archive and then sending it to me or making the catalog file and \,\leftrightarrow\,
       uploading it to
    aminet with the name guardamy_XXX.lha (where XXX indicates your language)... ←
        if you want
    you can translate also the .guide file ;)
 Q: Where can I find the OpenURL.library ?
 A: On Aminet in the /comm/www/ directory with the name openurlxx.lha, where xx
```

is the number of the available version (at the moment I write it's 30)