

HPYRahastaa ii

COLLABORATORS							
	TITLE : HPYRahastaa						
ACTION	NAME	DATE	SIGNATURE				
WRITTEN BY		July 7, 2022					

REVISION HISTORY							
NUMBER	DATE	DESCRIPTION	NAME				

HPYRahastaa

# **Contents**

l	HPYRahastaa 1						
	1.1	HPY Rahastaa Guide	1				
	1.2	copyrights	1				
	1.3	Introduction	1				
	1.4	requirements	2				
	1.5	Installation	2				
	1.6	bugs	3				
	1.7	do	3				
	1.8	contact	3				
	1.9	history	-				

HPYRahastaa 1/3

## **Chapter 1**

## **HPYRahastaa**

#### 1.1 HPY Rahastaa Guide

HPY Rahastaa 1.3

Copyright © 1997-1998 Jarmo Laakkonen

This program is FREEWARE

Copyrights Legal mambo jambo

Introduction What the hell is this?

Requirements What do you need

**Installation** How to use it

Bugs No!! There is none

History What has happened so far

To Do The future

Contact How to contact the author

### 1.2 copyrights

HPY Rahastaa is Copyright © 1997-1998 Jarmo Laakkonen

#### 1.3 Introduction

Idea for this program was born when my local telephone company decided to up their prices in a way that you could get much cheaper if you disconnected the line after 30 minutes and called back again.

So what does this program do?

It simply sits in the background for a given time and after the time has gone it pops up a requestor and asks if you want to hang up your internet connection and go online again.

Features:

HPYRahastaa 2/3

- -Easy to use
- -Locale support
- -Takes practically no processor time when sitting in backround
- -Small memory usage

#### 1.4 requirements

You need:

Registered Miami running

Arexx running

OS 2

#### 1.5 Installation

Copy HPY to anywhere you like but C: is preferred.

Copy hpy.miami to your REXX: assign.

If you want HPY Rahastaa to quit whenever Miami has gone offline

copy quit.hpy to your REXX: assign.

Optionally copy the supplied Finnish locale to Locale:catalogs/suomi/

Edit the Events page in Miami:

In the Online field write hpy.rexx

If you copied the quit.hpy script to REXX: write in both active offline and

passive offline gadgets quit.hpy.

Make sure that the Arexx option is selected in cycle gadgets.

Edit the hpy.miami rexx script with your favorite text editor to suite

your needs.

f.g Run <>NIL: C:HPY 30

This will load the executable HPY from C: assign and it will wait for 30

minutes before popping up the requester.

Now everytime Miami goes online it loads HPY Rahastaa.

After the given time HPY Rahastaa pops up a requester asking if you want to

hang up the line and go online again.

HPY Rahastaa adds a quit item in the Tools menu of your Workbench.

When you choose to quit you will be asked if you want to quit Miami too.

Command line parameters:

HPY <number of minutes to wait> <options>

Options are:

- -a Don't put up a requester.
- -h Just hang up and quit Miami

HPYRahastaa 3/3

## 1.6 bugs

None known.

IMPORTANT!!

If you find any bugs please contact me that I can fix them.

#### 1.7 do

To Do:

Can't think of anything.

Any suggestions

#### 1.8 contact

You can contact me:

E-Mail: jami@dlc.fi

### 1.9 history

History:

1.0b

First public beta release

1 1h

Second public beta release

Added the -a option to hang up Miami without any requestors

Added a Arexx port. It currently supports only one command: QUIT

The Arexx port name of HPY Rahastaa is HPY.1

1.2b

Third public beta release

Added option -h to just hang up and quit Miami.

Fixed a stupid bug in the timer.

1.3

No longer beta:)

Now requesters open on frontmost public screen.