

**Sourcecode: Execute.c**

**COLLABORATORS**

	<i>TITLE :</i> Sourcecode: Execute.c		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		February 12, 2023	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>Sourcecode: Execute.c</b>	<b>1</b>
1.1	Execute.c . . . . .	1

## Chapter 1

# Sourcecode: Execute.c

### 1.1 Execute.c

```
/* Execute.c   V1.0   93-09-26                               */
/* ROM library: "dos.library/Execute", (All versions) */
/* Copyright 1993, Anders Bjerin, Amiga C Club           */

#include <dos/dos.h>

#include <clib/dos_protos.h>
#include <stdio.h>
#include <stdlib.h>

UBYTE *version = "$VER: Execute 1.0";

int main( int argc, char *argv[] );
int main( int argc, char *argv[] )
{
    /* Store the result code here: */
    BOOL ok;

    /* Execute the "Shell" command "Copy": */
    ok = Execute( "C:Copy C:Dir to RAM:", NULL, NULL );

    /* OK? */
    if( ok )
        printf( "The \"Shell\" command was successfully executed!\n" );
    else
        printf( "Error! Could not execute the \"Shell\" command!\n" );

    exit( 0 );
}
```