

Sourcecode: FindArg.c

COLLABORATORS

	<i>TITLE :</i> Sourcecode: FindArg.c		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		February 12, 2023	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	Sourcecode: FindArg.c	1
1.1	FindArg.c	1

Chapter 1

Sourcecode: FindArg.c

1.1 FindArg.c

```
/* FindArg.c   V1.0   93-03-09           */
/* ROM library: "dos.library/FindArg", (V36+) */
/* Copyright 1993, Anders Bjerin, Amiga C Club */

#include <dos/dos.h>
#include <dos/rdargs.h>

#include <clib/dos_protos.h>
#include <stdio.h>
#include <stdlib.h>

/* The command line template we will examine: */
#define MY_COMMAND_LINE_TEMPLATE "SoundFile/A,V=Volume/K/N,F=Filter/S"

UBYTE *version = "$VER: FindArg V1.0";

int main( int argc, char *argv[] );
int main( int argc, char *argv[] )
{
    int template_position;

    /* Print the position of the command template named "Volume": */
    /* (It is the second command template = position 1.)           */
    template_position = FindArg( MY_COMMAND_LINE_TEMPLATE, "Volume" );
    printf( "Position: %d\n", template_position );

    exit( 0 );
}
```