Sourcecode: Seek.c

Sourcecode: Seek.c ii

COLLABORATORS						
	TITLE : Sourcecode: Seek.c					
ACTION	NAME	DATE	SIGNATURE			
WRITTEN BY		February 12, 2023				

REVISION HISTORY						
DATE	DESCRIPTION	NAME				

Sourcecode: Seek.c iii

Contents

1	Sour	rcecode: Seek.c	1
	1.1	Seek.c	1

Sourcecode: Seek.c 1/1

Chapter 1

Sourcecode: Seek.c

1.1 Seek.c

```
/* Seek.c V1.0
                 93-03-15
                                                    */
/* ROM library: "dos.library/Seek", (All versions) */
/* Copyright 1993, Anders Bjerin, Amiga C Club
#include <dos/dos.h>
#include <clib/dos_protos.h>
#include <stdio.h>
#include <stdlib.h>
UBYTE *version = "$VER: Seek 1.0";
int main( int argc, char *argv[] );
int main( int argc, char *argv[] )
  BPTR my file;
  int old_pos;
  /* Open an old (already existing) file: */
  my_file = Open( "RAM:Score.dat", MODE_OLDFILE );
  if( !my_file )
   exit( 20 );
  /* Move 3 bytes forward from the beginning of the file: */
  old_pos = Seek( my_file, 3, OFFSET_BEGINNING );
  printf( "Old position: %d\n", old_pos );
  printf( "New position: 3\n" );
  /* Close the file: */
  Close( my_file );
  exit( 0 );
```