

**Sourcecode: SetProtection.c**

**COLLABORATORS**

	<i>TITLE :</i> Sourcecode: SetProtection.c		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		February 12, 2023	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1 Sourcecode: SetProtection.c</b>	<b>1</b>
1.1 SetProtection.c . . . . .	1

## Chapter 1

# Sourcecode: SetProtection.c

### 1.1 SetProtection.c

```
/* SetProtection.c   V1.0   93-03-15                               */
/* ROM library: "dos.library/SetProtection", (All versions) */
/* Copyright 1993, Anders Bjerin, Amiga C Club                   */

#include <dos/dos.h>

#include <clib/dos_protos.h>
#include <stdio.h>
#include <stdlib.h>

UBYTE *version = "$VER: SetProtection 1.0";

int main( int argc, char *argv[] );
int main( int argc, char *argv[] )
{
    BOOL ok;

    /* Protect the file: (We set the FIBF_DELETE */
    /* flag which will remove the "d" bit.)      */
    ok = SetProtection( "RAM:HighScore.dat", FIBF_DELETE );

    /* OK? */
    if( ok )
        printf( "File protected!\n" );
    else
        printf( "Error! Could not protect the file!\n" );

    exit( 0 );
}
```